THE REGISTRAR GENERAL'S STATISTICAL REVIEW OF ENGLAND AND WALES FOR THE YEAR 1949

SUPPLEMENT ON HOSPITAL IN-PATIENT STATISTICS

LONDON: HER MAJESTY'S STATIONERY OFFICE
1954

TABLE OF CONTENTS

Page

INTRODUCTION ____ vii

PART I - HOSPITAL IN-PATIENT ENQUIRY, 1949 STATISTICS ____ 1

Ultimate Objectives of the Enquiry ____ 1
The field of morbidity measurement ____ 2

Present Scope of the Enquiry: the Participating Hospitals ____ 4

Definitions and descriptions of terms used in the tables: Discharges, Bed-days, Transfers, Readmissions ____ 7
Bed-days ____ 7
Transfers from other hospitals ____ 7
Transfers to other hospitals ____ 7
Readmissions ____ 8
Deaths in Hospital ____ 8
Social Class ____ 9
Principal cause of admission ____ 9

Grouping of Diagnoses for the Tabulation ____ 11

Analysis by Detailed International List according to sex and age in decennial age-groups [Tables H.1(a) and 1(b)] ____ 12
Description of the table ____ 12
Uses to which the table may be put ____ 12
Value of sex and age distribution data in hospital clinical practice ____ 13

Analysis by Condensed International List showing bed-days, average duration of stay and deaths in hospital according to age and sex (Table H.2) ____ 15
Description of the table ____ 15
Uses to which the table may be put ____ 15

Analysis by Condensed International List showing distribution of discharges by Social Class according to age and sex (Table H.3) ____ 17
Description of the table ____ 17
Uses to which the table may be put ____ 18

Table H.1 - Final diagnoses of the Principal Cause of Admission to participating (a) Teaching Hospitals (b) Hospitals under Regional Boards, classified according to the International Classification of Disease:- distribution of the discharges (including deaths) reported for 1949 by Sex, Age and Marital Status in respect of each title in the classification ____ 19

(7306)

Page

Table H.2 - Final diagnoses of the Principal Cause of Admission to participating hospitals classified according to the International Classification of Disease:- Discharges (including deaths) reported for 1949 and the corresponding Bed-days, together with the Mean Bed-days and the Deaths in hospital, shown by Sex and Age for diagnostic groups in respect of (a) London Teaching Hospitals (b) Provincial Teaching Hospitals (c) Hospitals under Regional Boards ____ 291

Table H.3 - Final diagnoses of the Principal Cause of Admission to participating hospitals classified according to the International Classification of Disease:- Discharges (including deaths) reported for 1949 distributed by Social Class, Sex and Age for diagnostic groups in respect of (a) London Teaching Hospitals (b) Provincial Teaching Hospitals (c) Hospitals under Regional Boards ____ 375

Table H.4 - Discharges reported for 1949 by Individual Hospitals participating in the enquiry classified by Sex and Social Class, distinguishing certain broad occupational groups (deaths and infants born in hospital included) ____ 443

PART II - SICKNESS STATISTICS OF ADMISSIONS TO EMERGENCY MEDICAL SERVICE HOSPITALS

Introduction ____ 457

Classification of Diseases ____ 457

Sources of Data ____ 458

Limitations of Data ____ 461

Size and Composition of the Sample ____ 462

The statistics which are presented ____ 463

Jaundice Records ____ 463

Table E.M.S. 1 - Causes of Admission of Service Patients to Emergency Medical Service Hospitals, 1940 to 1947, Proportion per 1,000 Non-infective and Non-respiratory Illnesses ____ 464

Table E.M.S. 2 - Numbers admitted for Epidemic Hepatitis and Jaundice, and numbers of deaths, 1940-47 ____ 465

(7306)

Page

Table E.M.S. 3 - Regional and Seasonal Distribution of cases of Infective Hepatitis (541) and of Influenza and Colds ____ 466

Table E.M.S. 4 - Quarterly Admissions to E.M.S. Hospitals for Acute Infective Hepatitis and Influenza and Colds, and Quarterly Notifications of Acute Poliomyelitis, Cerebrospinal Fever and Acute Encephalitis Lethargica, 1941-46 ____ 467

Table E.M.S. 5 - Age Distribution of patients stated to have had a previous attack of jaundice ____ 468

Table E.M.S. 6 - Incidence of Jaundice following Blood Transfusion, 1940-45, among Servicemen under observation for 3 months or more after injury or transfusion ____ 471

Table E.M.S. 7 - Incidence of Jaundice following Blood Transfusion. Admissions for injuries analysed by theatre of war in which injury occurred ____ 471

Fracture Cases ____ 473

Table E.M.S. 8 - Spinal Cord Injury. Period between date of injury and last date for which information recorded, or date of death ____ 474

Table E.M.S. 9 - Spinal Cord Injury. Cases with Total Paralysis at last recorded date or at death ____ 474

Table E.M.S.10 - Follow-up of Fracture Cases. Period from Date of Injury to Date when certified fit for work ____ 476

Periods of Disablement ____ 477

Table E.M.S.11 - Distribution of Days of In-patient Treatment of Cases in which only one pathological condition was recorded. 1940-46 ____ 478

Table E.M.S.12 - Ill-defined Symptoms (except Jaundice) Proportion per 1,000 Admissions for Non-infective and Non-respiratory Illnesses, by Sex and Age, 1940 to 1947 ____ 482

Conclusion ____ 483

Table E.M.S.13 - Head Injuries. Principal Diagnosis in relation to Complications (II) or Accessory Acute Conditions (III) for cases with record of more than one clinical condition ____ 484

(7306)

INTRODUCTION

Sickness squanders the true wealth of nations. The object of providing measurements of morbidity, as of mortality, is to help to reduce the ills, expenses and waste which are caused by sickness. In doing this morbidity statistics can supplement mortality statistics and may in some respects prove the better tool, though one which is more difficult to fashion and use.

The contribution of medical statistics generally to better health takes the form of providing clues to the circumstances which appear to encourage development of particular diseases and injuries, thereby assisting in their prevention, and of indicating ways in which resources for combating sickness which has reached a stage of requiring treatment may be better organized. In either rôle expenditure on medical statistics has the character of an investment, from which a full return may be expected only over a period of years. Although doctors, hospitals and others are naturally concerned more directly with the immediate needs of their present patients than with the future health of the community or with providing the means for a health audit of the country, it would be wrong that they should therefore neglect the part they can play in providing for the future.

Mortality statistics have already achieved much in the field of preventive medicine by showing what diseases were taking an unduly heavy toll of life and the broad personal or environmental circumstances in which that toll was heaviest. It was on such statistics, showing where there was most profit in attack, that the great sanitary reforms of the nineteenth century were firmly based. But mortality statistics can tell us nothing about the many cases of sickness which lead to few, if any, deaths and yet produce a very heavy burden of suffering and economic loss. Nor can mortality statistics, of themselves, tell us whether changes in the number of deaths from a disease are due to changing social conditions, changing personal habits, changing virulence of the disease or changing methods of treatment; the general influence of some of these factors may be guessed at, but reliable morbidity statistics could indicate clearly whether there had been changes in the frequency of occurrence of a disease or simply changes in its outcome. Further, since morbidity statistics relate to an earlier stage of disease, the personal and environmental circumstances at the time the data are recorded are likely to be more closely related to the causative factors than those recorded at the time of death. They are therefore likely to be of greater value in disentangling the many circumstances which play a part in producing clinical attacks of chronic diseases.

Mortality statistics have contributed also to the organization of resources for combating established sickness by providing a crude indication of where resources most needed to be applied. With the establishment of a full National Health Service, however, it has become apparent that much too little is known about where and for what diseases better facilities are required or by what means, for example, some hospitals are able to deal with more patients than others.

The need for more information was to some extent anticipated when schemes for collecting statistics from a number of teaching

(7306)

and other hospitals and also from all mental hospitals and mental deficiency institutions were introduced at the beginning of 1949. While these schemes could not help in assessing what was happening in general practice, much valuable information about demands made on general practitioners was, in fact, derived from the Survey of Sickness, conducted on behalf of the Registrar General by the Social Survey organization of the Central Office of Information, a Survey which had been initiated for a rather different purpose in 1943.

While the present volume contains figures from the general Hospital In-Patient Enquiry, referred to above, together with some figures derived from war-time E.M.S. hospital records, a companion volume* includes, in addition to figures from the Survey of Sickness and from mental hospitals and deficiency institutions, figures derived from the Cancer Registration Scheme, which had been taken over and further developed by the General Register Office at the instance of the Ministry of Health when the Radium Commission ceased operations in 1947. The two volumes together thus form a morbidity supplement to the Registrar General's Statistical Review of England and Wales for the year 1949. They bring together the early results of a number of national enquiries aimed at improving the national morbidity statistics. Two important nation-wide sources of morbidity data are, however, not covered in these volumes, namely, notification of infectious diseases, details of which are published in the annual Statistical Review, Part I, and Text for 1948/49, and claims to sickness benefit under the National Insurance Act, from which the Ministry of National Insurance are preparing statistics.

In the Survey of Sickness, which provides the most comprehensive source of morbidity information dealt with in these volumes, records were made specifically with the object of providing sickness statistics. This involved asking the people themselves about the sickness from which they suffered, and thus could not be expected to provide universally precise and detailed statements of diagnosis; this characteristic indicates the main limitations of the value of surveys of this kind, but, despite these limitations, information of value and importance was obtained. The first contact of a sick person with the medical profession, and therefore with a comparatively reliable statement of diagnosis, is likely to be his general practitioner or, less often, the out-patient department of a hospital. It is not yet practicable to arrange for collection of national statistics on a routine basis from these sources except in relation to certain notifiable diseases, but it may be possible to derive valuable sickness statistics for the working population from the claims to sickness benefit received by the Ministry of National Insurance, which cover a large proportion of medically treated sickness so far as the insured population (i.e. about half the total population) is concerned. Statistics derived from sources other than a general sickness survey cannot cover all sickness occurring among all sections of the population and therefore cannot give a complete picture of morbidity. Each source can, however, in addition to providing information valuable in the administration of the particular service from which it is derived, help to build up a more complete picture

*The Registrar General's Statistical Review of England and Wales for the year 1949: Supplement on General Morbidity, Cancer and Mental Health.

of the incidence of diseases in the country.

Hospital records, for example, at present provide the most accessible source of information containing reliable statements of diagnosis; the contribution which they may be expected to make to knowledge of the pattern of sickness in the country as well as to the most effective organization of the hospital service is such that the present exploratory in-patient enquiry may be expected to lead in due course to a more comprehensive system of collecting hospital statistics, as is already in force in mental hospitals and mental deficiency institutions. It must be recognized, however, that statistics prepared from such records miss a very large part of the sickness of the community and, therefore, necessarily have serious limitations as indices of incidence.

Apart from their uses in relation to more particular problems, the Survey of Sickness, General Practitioner Records and Hospital Records may all contribute to the general picture of morbidity in the country and the process of their development emphasizes the interaction between morbidity statistics and record-keeping. Where records are required primarily for purposes other than statistics, there may be difficulties in adapting them to provide information in a form suitable for statistical use. The Survey of Sickness is the only case where records were created specifically to provide a basis for statistics. Both in general practice and in hospitals, records are accepted as a necessary adjunct to the proper treatment of the patient, but, if designed solely for this purpose, it is unlikely that good statistics could be made from them. Similarly, death certificates and certificates for claims to sickness benefit are designed primarily with an immediate administrative purpose in view, and the medical statistics derived from them are in a sense a by-product. It is largely because records must satisfy a minimum standard of completeness and accuracy and must be kept in a uniform manner before useful statistics can be derived from them that many of the difficulties and delays in collecting morbidity statistics occur. On the other hand, any substantial departure from what is required in the record for the patient's proper treatment or for recognized and immediate administrative needs raises the bogey of additional work and additional cost. It comes about, therefore, that, while experience has shown that recording for statistics also improves the record for treatment and administrative purposes, a minimal standard of recording is essential before morbidity statistics can usefully be collected. It is these considerations which account for what may appear to be a lack of cohesion between different morbidity enquiries, failure to make more rapid progress even in hospitals, where records are comparatively good, and difficulties in obtaining accurate data on items where the information does not appear to serve any useful immediate purpose in treatment or administration. They also account for the fact that in the special field of Cancer Registration it has been possible to make best progress in those centres where a good records discipline had been encouraged by the Radium Commission before the War.

In the present volume Part I is concerned with the statistics collected in 1949 from several teaching hospitals and a few other hospitals in England and Wales and Part II is concerned with the

(7306)

statistics derived from a sample of the war-time E.M.S. Hospital records. The two Morbidity Supplements to the Annual Review for 1949 relate primarily to statistics for that year, but the E.M.S. Hospital material is also included because it marks a historical step in the progress towards collecting adequate statistics relating to the diseases dealt with by hospitals. The discussion of this source of information and the selected statistics included are here presented from this point of view; a more comprehensive account of the actual statistics derived from the E.M.S. Hospital records is being included in the Statistics volume of the Medical History of the War. There are certain differences in emphasis, between the two parts of the present volume, about the uses to be made of hospital statistics; these are partly due to the different circumstances in which the enquiries were conducted and partly due to inevitable and desirable differences of approach by different authors.

In Part II of this volume, therefore, the problems involved and the limitations imposed by the nature of the E.M.S. records are discussed, certain illustrative examples of their use, notably in relation to jaundice cases, fracture cases and duration of disablement are presented, and certain conclusions which may be drawn from the experience in this field are suggested.

Part I concentrates on presenting some of the detailed statistics derived from the hospital in-patient enquiry which was started in 1949 on a trial basis in a certain number of hospitals. The commentary on the tables is intended more as a guide to those who wish to use them than as an exposition of the conclusions which may be drawn from them. The great amount of material collected necessitated a strictly selective approach to its tabulation and publication, and those who consider that other aspects of this material should be presented or made available are encouraged to let the General Register Office know their views; the tables prepared for 1950 and 1951 will, in any case, cover some of these different aspects.

The first table presents data showing in detail the frequency of admission for different diseases to the hospitals in the enquiry; it is hoped that this table, showing, as it does, the age distribution of these admissions, will be of value in indicating to administrators, teachers and students the relative frequencies with which cases may be expected in hospital wards, and that it will also be useful in indicating any deficiencies or superfluities in the application of the International Statistical Classification to the purposes of hospital statistics.

The second table presents, for a less comprehensive selection of illnesses, data relating to the average stay in hospital. It is hoped that such data, by providing a basis with which to compare the experience of individual hospitals, will prove valuable in achieving the best use of hospital beds. It is appreciated that the presentation of averages without showing the actual frequencies of different durations limits the value of this information, but it is intended that this should be remedied by the 1950 material.

The third table presents the data collected for different illnesses in relation to the social classes of the patients. Differences in the experience of different social classes may be due to many diverse causes and their interpretation will therefore present difficulties. It is known that the incidence of diseases may vary with social class and it would be very valuable to know the extent of such variation, but it may well be that hospital in-patient statistics are more influenced by the ways in which different social classes make use of the hospital services. It is hoped, however, that the presentation of the data will stimulate investigation of the relative importance of different factors and their bearing on both the aetiology of disease and the use made of hospital services.

The contributions from different sources contained in these two volumes to a large extent serve varying purposes, but together cover a substantial part of the national morbidity statistics of England and Wales available for the year 1949. The Ministry of Health and the General Register Office aim at making the best possible use of those records which are in fact available. The records which are being tapped by the General Register Office thus cover statistics of the diseases from which people die, which are published in Part I of the Registrar General's Annual Statistical Review; statistics of the diseases for which people are admitted to hospital, which are published in the present volume; statistics about the diseases for which people consult their doctors, which are still in an experimental stage and on which a report has been published in the series of Studies on Medical and Population Subjects; and statistics about the diseases which people believe themselves to be suffering from, which have been derived from the Survey of Sickness, of which the results are published in the companion Supplement to this volume. As the diseases which people believe themselves to be suffering from may lead them to consult their doctors and may in turn lead to their being admitted to hospital, or even to their death, it is apparent that the various sources overlap and it is by assessing the amount of this overlap that a complete picture may be built up. The Cancer Registration Scheme and, to a less extent, the Mental Health Enquiry, the results of which are also published in the companion Supplement to this, constitute the first stage toward building up a complete picture of this kind for particular types of disease. Each of these sources of statistics about disease can serve its own purposes independently, but the closer they can be linked together the greater will be their usefulness. It is hoped that, in due course, resources will be available for organizing a coherent and consistent, though not necessarily uniform, system of recording sickness whether it be treated at home, in general practice or in hospital, and of noting the information pertaining to each case which is relevant to the study of cause, prevention or cure.

---

*No. 7: General Practitioners' Records - An analysis of the clinical records of eight practices during the period April 1951 to March 1952. H.M.S.O. price 8s.6d.

(7306)

It is almost unnecessary to say that the statistics contained in this volume could not have been compiled without the co-operation of those who supplied the facts on which they are based. Thanks are therefore due to the records officers and others in hospitals which supplied data for the two enquiries covered. In recording thanks, it may be added that the Ministry of Health and the General Register Office hope that other hospitals will find the means to co-operate in the in-patient enquiry in the future, the ultimate intention being that all hospitals within the National Health Service in England and Wales should be represented.

PART I - HOSPITAL IN-PATIENT ENQUIRY
1949 STATISTICS

During 1949 a number of hospitals in the National Health Service co-operated with the Ministry of Health and the General Register Office in the preliminary phase of what may become a nation-wide Hospital In-patient Enquiry.

The tables in this section are prepared from summaries of diagnostic and other information contained in the medical records of in-patients (including babies born in hospital) discharged during 1949 from these hospitals. A general account of the Enquiry as originally organised was published in 1951.* It included a brief historical background, and gave preliminary tables based on the first half year's experience.

Ultimate Objectives of the Enquiry

Every hospital has given certain statistics annually to the Ministry of Health on a series of consolidated returns since the inception of the health service. These statistics necessarily relate to the functioning of the hospitals and their departments as complete units; they give the number of beds, the number of patients passing through the beds in the course of a year, how many staff were available to care for the patients, how many patients were at the time of discharge under the care of each department and so on. They do not provide information about the diseases from which the patients were suffering. The Hospital In-patient Enquiry, on the other hand, is primarily concerned with the diagnosis at discharge for every case (or for a representative sample of cases). The most convenient way of obtaining diagnostic information is to prepare a separate form for each patient; other relevant information can be added to the form as desired.

The Enquiry will eventually serve two different purposes:

(i) a means whereby the annual statistics of work done by the hospital service referred to above can be supplemented by an interpretation in terms of the diseases treated and the characteristics of the patients who had these diseases. (The field of hospital administration.)

(ii) a source of information to those concerned with measuring the amount, the distribution and the effects of illness in the community, giving in particular the incidence of illnesses which are nearly always admitted to hospital in the country as a whole, in its various regions, in urban as opposed to rural areas, in different occupations, and according to social class. (The field of morbidity measurement.) The underlying purpose here, as with the collection of disease and accident statistics from other sources, is to help in showing how illness may be prevented from arising and what may be done to lessen its ill-effects.

---

* General Register Office Studies on Medical and Population Subjects. No.4 Hospital Morbidity Statistics. A Preliminary Study of In-Patient Discharges (By D. Mackay, M.A., M.B.) June 1951. H.M.S.O. price 3s.6d. (3s.8d. post free).

(7306)

The field of hospital administration. Increased demands on hospital beds mean that either more economical use must be made of the beds (by shortening stay in hospital or developing domiciliary treatment of certain diseases) or that more accommodation must be provided. In the absence of proper data as to how beds are in fact being used, the latter alternative might be resorted to without real need for it. To obtain the best distribution of resources available to the national hospital service in the interests of those who are sick it is necessary to know the factual answers to such questions amongst others as:

(a) How many males and females of different ages are discharged from hospital each year, and in each month, after treatment or diagnosis of each disease?

(b) What is the average duration of stay under treatment in hospital, and the distribution of such stay from shortest to longest, for each disease at various ages?

(c) How does the discharge rate per 1,000 population of the various conditions treated, and the length of stay in hospital, differ from region to region?

(d) How long do people have to await admission for different diseases? How does this vary regionally and how is it related to the average duration and to the numbers of beds provided per 1,000 population?

(e) How do distributions of patients by occupation, social class and marital status vary according to the condition treated at a given age; how are they related to average duration of stay in hospital?

(f) How many deliveries, normal and complicated, take place in hospital? How many women are admitted for complications after delivery?

(g) What are the hospital fatality rates for different conditions by sex and age?

The field of morbidity measurement. Only a relatively small fraction of cases of illness in the community seen by doctors requires admission to hospital. It is estimated that each month nearly 200 out of every 1,000 persons consult their doctor once or more; in the same period about 5 out of every 1,000 are admitted to hospital. Conditions admitted to hospital consist of: (a) illnesses or stages of illness requiring specialised medical and surgical treatment or nursing care which cannot be provided in the patients' own homes, and (b) symptoms or suspected diseases which require elaborate diagnostic investigation. Conditions which require custodial care in the interests of the community as well as of the patient form a third component.

The proportion of ill individuals which will be admitted varies according to the disease, and in any given disease it may vary

according to the age of the patient. A disease does not need to be serious, in the sense of having a bad prognosis if left untreated, in order to qualify for hospitalization. Grave emergencies (other than illnesses of old age which are obviously terminal) are invariably admitted, but a large and increasing number of relatively benign disabilities are dealt with, particularly in the 'general' type of hospital, wherever there are treatments which will remove them or which promise to reduce incapacity or disfigurement. Enlarged tonsils, haemorrhoids, hernias, and foot deformities are obvious examples. Hospitalized illness is thus not only a relatively small but a highly selected fraction of all medically treated illnesses, the selection depending on one or other of several criteria according to the nature of the disease.

A classification of all hospital admissions (or discharges) in a community therefore outlines only *part* of morbidity. Moreover the frequency with which cases of a particular condition are admitted to hospital instead of being treated at home, and the variety of conditions dealt with by the hospital service both depend on the number of beds of different types which a community can afford. The frequency with which particular diseases require admission also depends on changes in medical science and practice; after the introduction of sulphonamides, for example, the effective treatment of lobar pneumonia became a relatively simple affair within the competence of domiciliary medical practice, and no longer demanded special nursing usually available only in hospital.

The operation of selective factors such as these makes the interpretation of morbidity information obtained from in-patient disease statistics (even when supplemented by out-patient disease statistics) more difficult than the analysis of mortality information. A shortage of graveyards will not lead to fewer deaths, but a shortage of beds may reduce the admission rate for certain diseases. Changes of fashion in medical diagnosis apart, rises and falls in death rates over a period of time are likely to be aetiologically meaningful: the event of death is more directly associated with aetiological factors in the environment or the genetic constitution, and with the efficacy or impotence of therapeutic measures. Where the event of admission to hospital is concerned, however, the various selective factors introduce a wide range of possible explanations for changes in discharge rates over a period of time. It follows also that the disease and age-specific hospitalization rates of one country cannot easily be compared with those of another in the absence of other information; the factors of varying bed-provision and different medical practice would alone make this a task of some complexity.

Although in-patient morbidity is only a small segment of total morbidity in the community and subject to the action of selective factors, hospital morbidity statistics can nevertheless contribute to general morbidity studies as well as to those primarily concerned with providing and organising hospital care. The most fruitful approach will be to study individual diseases which, for one reason or another, are at some stage admitted to bed-care. For example a few diseases, such as *acute appendicitis or perforated peptic ulcer*, are nearly always hospitalized at inception. Others (including

most cases of malignant disease under the age of 65, conditions such as thrombo-angiitis obliterans or multiple sclerosis, infections such as tuberculosis, undulant fever or Weil's disease) are diagnosed for the first time at a hospital, either as in-patients or out-patients or seen at least once for confirmation of diagnosis; they may have been already present for some time under another name. Without information drawn from other fields of morbidity studies it is difficult to prepare an exhaustive list of such conditions. For those among the type first mentioned which rarely occur more than once, hospital records might provide a realistic picture of incidence in the community at different ages. For those diseases in the second group which are generally admitted, an estimate of *recognised* morbidity may be obtained from in-patient records. For the remainder (including skin cancers) it would be necessary to extend the coverage to out-patient clinic records. In every instance a population at risk *must* be known, and all hospitals serving that population *must* be included in the study; furthermore, there might be a wide margin of error due to readmissions (see p.00) unless *persons* can be distinguished from *cases*. We should also need to know how frequently people are admitted more than once in a year to hospital, and for what conditions this is common, and we should need to have some means of determining the total continuous stay in hospitals for conditions where readmission or transfer often takes place. The limited and unrepresentative coverage of the Enquiry at the present time is discussed below. Until these limitations have been overcome, little progress can be made in the direction of morbidity measurement.

But where specific clinical entities are concerned, much can be learnt even in the absence of a population at risk (as at present) by examining the proportionate distribution of discharges *within* each entity by age, sex, social class, marital status and outcome. When significant differences are found there must be a reason for them and the differences are equally worthy of further exploration whether they are due to selective factors arising from administrative arrangements, or to more fundamental biological and social variations. Tables H.1 and H.3 illustrate the potentialities, which are discussed further in the paragraphs describing the individual tables (pp. 12 - 15, 17, 18).

The two fields of hospital administration and morbidity measurement are so closely linked, however, that both must be considered together when dealing with hospital morbidity statistics; an intimate acquaintance with the ways of hospitals, administrative and clinical, is particularly essential to the proper interpretation of the morbidity data.

Present Scope of the Enquiry: the Participating Hospitals

An In-patient Enquiry organised on a national scale can contribute fully to hospital administration and morbidity measurement only when it covers either (a) discharges from all hospitals in England and Wales or (b) discharges from all hospitals in a regional area with a defined 'catchment area' and a known population at risk. The coverage of discharges within individual hospitals may be

complete or on a representative sample basis. But for various reasons (for example the unequal development of record systems in different hospitals) the Enquiry could not be organised from the start in the manner most suited to its objectives. A policy of gradual development on a voluntary basis has had to be adopted. Each stage of development will contribute experience and understanding of different aspects of the many technical problems involved.

One difficulty at the outset was to forecast how the enquiry could usefully be co-ordinated with the Ministry of Health's proposed annual statistics. The content of the summary form (reproduced at Appendix A in the preliminary report) was accordingly restricted to items essential to an analysis by diagnosis (including the external cause of injury) in terms of age, sex, cause of death, marital status and occupation. The only important administrative information collected at this stage was the period of in-patient care for each case. The summary form introduced in 1949 was used throughout 1949-51. The Enquiry was reorganised and expanded on a sampling basis in 1952, when a new summary form providing a wider range of administratively useful statistics was designed.

Participation by hospitals was optional and followed discussions with representatives of the General Register Office and the Ministry of Health. The success of the whole undertaking was dependent on their continued voluntary co-operation.

All the Teaching hospitals in England and Wales were invited to complete a summary form for every case discharged on or after January 1st, 1949. Invitations were also extended to all hospitals in Manchester and in Leicestershire (with certain exceptions to be mentioned presently) in an attempt to obtain a representative picture of hospitalized illness in one city and one county. A few other hospitals under Regional Boards also took part.

Hospitals were included irrespective of whether they were 'general' or 'special' in character, with two exceptions: (i) mental and mental deficiency hospitals coming under Regional Boards for which a separate scheme - the Mental Hospital Enquiry - was being organised, and (ii) hospitals exclusively concerned with cases of tuberculosis and the chronic sick, except where a Management Committee or Board wished to include them. But one or two of the larger Regional Board hospitals in Manchester and Leicestershire have departments for cases of respiratory tuberculosis and the chronic sick as well as 'general' wards, and cases from these departments were not excluded. Broadly speaking, however, the primary interest of the Enquiry was centred on short-stay cases, and the representation of long-stay and chronic cases in the tables is likely to be partial and incomplete.

Table H.4 (and Appendix A in the preliminary report) gives the names of the co-operating hospitals. Few of the Teaching Groups entered as complete units and in some instances only the largest hospital in a group took part. In London, the representation was disappointingly low and amounted to only 8 of the 12 General and 7 of the 14 Special Teaching Hospital Groups. All the Provincial

Teaching Hospital Groups were represented but only a few of them were represented adequately. Some hospitals taking part did not complete summaries for cases discharged in every month of 1949, generally because of staffing difficulties. A number of these have had to be excluded from the figures shown in Tables H.1 to H.3.

The coverage in 1949 of cases discharged from hospitals administered by Boards of Governors - the Teaching hospitals - and from hospitals administered by the Regional Boards, is set out in the following Table. The totals for the year are taken from the 1949 volume of 'Hospital and Specialist Services Statistics' which contains statistics prepared from returns submitted to the Ministry of Health by all hospitals in the National Health Service.

	London Teaching Hospitals	Provincial Teaching Hospitals	Non-Teaching Hospitals
Total discharges, including live births, from all hospitals in N.H.S. during 1949	226,934	249,281	2,828,784
All summary forms relating to 1949 from participating hospitals	77,215	181,336	81,474
Per cent of total discharges	34%	73%	3%

These figures disclose very considerable differences in coverage. A combined presentation of all discharges (other than those from the geographical areas already mentioned) would obviously be heavily biased by the contribution from the Teaching hospitals. Differences between Teaching and Non-teaching hospitals were briefly discussed in the preliminary report. There are relatively more beds in the Teaching hospitals for some of the specialised departments; for example, neurology, ophthalmology, radiotherapy. Most of the beds for the aged and chronic sick are controlled by the Regional Boards so that elderly patients acutely ill for whom there is little prospect of recovery are less frequently admitted to teaching beds. For these reasons the data from the two administrative systems are presented separately, but those who use the material can combine the figures in accordance with the problem in hand. The London and Provincial Teaching hospital figures are shown independently in two of the tables for the following reasons, amongst others: (i) the Provincial figures are likely to be more representative; 73% of the year's discharges were covered as against 34%, and (ii) co-operation on certain aspects of the enquiry was better outside London; the number of patients whose occupation could not be determined was considerably lower.

* * * * *

The first stage of the Enquiry has clearly involved no more than collecting the diagnostic information from a varied assortment of hospital groups and analysing it in a uniform manner - a goal which has been more than once attained in the past. It is useful at this stage, however, to remind the reader of three advantages in 'pooled' hospital data as opposed to the single experience of one hospital group collected over a long period of time.

(a) a sufficient number of cases to illustrate the proportionate distributions by age, sex, social class, etc., of the less common diseases can be obtained in one or two years instead of five to ten;

(b) these distributions by age, sex, social class etc., though liable to biases arising out of the hospital system itself, are likely to reflect the *national* rather than a local population pattern; for this reason they will be more generally useful;

(c) material gathered over one or two years as opposed to a decade will not be biased by secular changes in such important factors as hospital utilization, population growth and change, or progress in medical science.

Definitions and descriptions of terms used in the tables: Discharges, Bed-days, Transfers, Readmissions

A discharge signifies the conclusion of a period of in-patient care in the hospital concerned, whether the patient returned to his home, was transferred to another hospital or institution, or died. Discharges (and summary forms) therefore relate to periods of stay in particular hospitals. They do not specify the number of persons who received hospital care and should be distinguished from periods of stay covering the whole stretch of time a patient was receiving in-patient care, irrespective of whether there were two or more successive periods in different hospitals or convalescent homes. For the present, the latter are described as periods of hospitalization. For example, a patient with chest pain might be admitted to a medical ward for investigation; a diagnosis of lung carcinoma is made, and he is immediately transferred to a thoracic surgery unit. After a successful pneumonectomy has been performed he goes to a convalescent unit, from which he is discharged home. This is a single period of hospitalization, but the way in which it is counted for the hospital records may depend on whether the clinical departments concerned are administered by one hospital or situated in different hospitals. In the former instance, the necessary transfers between consultants and possibly the shift from the acute ward to the convalescent unit will be dealt with as one book-keeping entry and only one summary form will be filled in. In the latter, there may be three book-keeping entries and three summary forms completed.

Bed-days for a single period of in-patient care are the number of days between admission and discharge, the days of admission and discharge being counted as one. The mean bed-days (or average duration of stay) for a specified condition is obtained by dividing the total bed-days by the total number of discharges.

Transfers from other hospitals. The overall proportion transferred from another hospital was about 1%. Many of these will have come from hospitals not participating in the Enquiry.

Transfers to other hospitals. Not more than 3% of the total discharges were reported as transfers to other hospitals. The summary

form did not distinguish between transfers to convalescent homes or annexes and to hospitals other than these, and the accompanying instructions recommended that the period of stay in a convalescent unit should be added to that in a main hospital. The classification on discharge would then be 'home' in most instances. But just over a third of all the participating hospitals were unable to do this because the convalescent unit concerned was separately administered; they therefore recorded the case as transferred to another hospital. Reliable information on this point is lacking, and the extent to which the period of convalescence weights the average stay is unknown. According to the Ministry of Health's statistical returns for 1949, 4% of all discharges from the London Teaching hospitals were transferred to convalescent homes or annexes as compared with 3% from the Provincial Teaching hospitals. This difference is not high enough to account for the differences in average stay between the London and Provincial Teaching hospitals in Table H.2. A better approach in the present state of hospital record keeping might be to exclude from the period of stay all bed-days contributed by a convalescent unit and deal separately with the 'treatment' and 'convalescent' phases of hospital care.

Readmissions. A patient may be admitted to hospital more than once in the course of a year. The readmission is usually to continue investigation and treatment of the same condition, but sometimes the readmission is for a completely independent disease or accident. It has not been possible to distinguish readmissions from new cases in the present enquiry. (See p.20 of the preliminary report). Readmissions of both the types just described are estimated as being at least between 3% and 5% of a year's discharges. The proportion of readmissions will be higher among those with certain diagnoses - notably thyrotoxicosis, papilloma of the bladder, enlargement of the prostate. For individual diseases, the proportion will tend to be similar in each sex and age group, so that the distributions are unlikely to be distorted.

Deaths in Hospital are included in the total discharges and bed-days, but the numbers dying are shown separately in the tables. The figure refers to deaths at all ages; the General Register Office can supply the deaths at individual ages for particular causes on request. A high proportion of deaths soon after admission will shorten the average duration of stay, particularly in chronic sick hospitals, but in certain diseases death in hospital is more often associated with a more than usually prolonged stay. Selective admission policy exercises the greatest single influence on hospital mortality rates; teaching hospitals, for example, are less likely to accept terminal illnesses.

* * * * * *

The number of transfers both to and from the hospitals is relatively small. There is every reason to suppose that in many diseases the proportion of cases readmitted is larger than that transferred and that the proportion varies considerably from hospital to hospital. (This should be remembered in connection with the differences in average stay in Table H.2 to which reference has already been made). The relatively brief periods of stay contributed by many of the readmissions will reduce the average stay

for the disease as a whole. As it is impossible at present to distinguish readmissions, no advantage is gained by excluding transfers or deaths from the analysis. The tables are accordingly based on all discharges. (Table I in the preliminary report shows the number of transfers to and from the hospitals during the first six months of 1949 by selected diagnoses; a more detailed table can be consulted at the General Register Office.)

Social Class. Many occupations carry attendant dangers to health, and no case-record is complete without a description of the patient's occupation and the nature of his previous employment if he has now retired. In addition to providing a clue to possible occupational risks, the statement of occupation indicates the kind of life the average patient who follows that calling leads from day to day. A number of occupations are sedentary, while others involve much manual activity. Certain of them demand a high level of academic education in contrast to those which involve mainly technical or manipulative skills. Some are better paid than others. Occupations can accordingly be aggregated in different ways, depending on the particular factors which it is desired to study. The incidence of disease may then be compared in the broad aggregates so obtained.

An obvious and useful grouping is one which brings together occupations which have similar social and economic characteristics. The General Register Office has long distinguished five such groups. The criteria of classification have been the average level of education and social culture or the degree of manual skill thought to characterise each occupation, rather than its monetary reward. The occupations are grouped in the order of their social standing within the community in respect of these criteria.

The five groups are represented by roman numerals, viz:

I Professional etc. occupations
II Intermediate occupations
III Skilled occupations
IV Partly skilled occupations
V Unskilled occupations

Employed and retired men and employed spinsters and widows are assigned to one or other of the social classes in accordance with their present or past occupations. As a married woman and her children share with the husband the same socio-economic background, it is appropriate to use the husband's occupation (or in the case of children the father's or guardian's occupation) to assign a social class. The occupation of a married woman employed part-time or whole time is used for the purposes of social class assignment only when there is no record of her husband's occupation.

Principal cause of admission. In the explanatory memorandum on how to complete the hospital in-patient summary, the principal cause of admission was defined as "the most important primary morbid condition responsible for the patient's presence in hospital". It was further stated that where a patient was admitted for treatment of a compli-

cation, the underlying disease being present, the latter was to be shown as the principal cause of admission, even if it did not primarily require treatment at the time.

The method of diagnosis reporting used in the Enquiry from 1949-51 followed generally the suggestions in the Medical Research Council's Classification of Diseases published in 1942. The outline on the summary form is given below; a fuller discussion of the terms and their definitions will be found on pages 21-23 of the preliminary study.

FINAL DIAGNOSIS OF:-

I Principal disease, injury, or other condition which led to admission

II Principal complication(s) of I

III Principal accessory acute condition

IV Principal accessory chronic condition

The present series of tables are limited to analyses by the principal cause of admission.

It soon became evident that in practice a number of the hospitals gave at I the final diagnosis of the specific condition treated during the admission or found on investigation to be immediately responsible for the patient's symptoms (55% of the participating hospitals replied to this effect in response to a questionnaire about the working of the enquiry). It is only natural that this should be so, as in many cases the diagnostic information on the summary forms was transcribed by record officers directly from the clinical records, and not completed independently by doctors. As the percentage of forms with entries in II, III or IV, as well as on I, varied according to hospital from less than 10% to about 25%, and as the International List gives the commoner combinations of underlying cause and complication, there are not likely to be substantial differences between the two methods of reporting. It should, nevertheless, be remembered that the Principal Causes of Admission shown in the present tables represent on the whole conditions treated or disclosed by investigation rather than the primary morbid conditions responsible for the patients' presence in hospital. (The definition of the primary diagnosis in the original explanatory memorandum and the arrangement of the summary form, were altered in 1952 and now no longer apply.)

Grouping of Diagnoses for the Tabulation

It is naturally impossible to show figures for every disease condition reported on the summary forms. The detailed International List* shows over 800 main categories of disease and injury, many of which are further sub-divided. A complete tabulation by the detailed list is shown in Table H.1. For many purposes however it is necessary to assemble these categories into larger groups. This may be done in various ways, the combinations depending on what is being studied.

The diagnostic list used in Tables H.2 and H.3 illustrates such a condensation of the International List. In the hospital field, it is useful to distinguish for each of the major specialties diseases which are admitted frequently or which require a particularly long period of hospitalization, and to group the remaining conditions in such a way that wherever possible those dealt with by different specialties are not aggregated together.

Two condensations of the International List are endorsed by the World Health Organisation and used internationally for the publication of morbidity data - the Intermediate List of 150 Causes ('A' list) which is also used for mortality and the Special List of 50 Causes ('C' list). Neither is entirely satisfactory for in-patient statistics, particularly those relating to general hospitals. Most of the important causes of death are separately specified in the Intermediate List but conditions which rarely result in death are grouped together in order to keep the list within reasonable bounds. This conceals many of the more frequent reasons for hospitalization. Table 1 of the preliminary report already mentioned was based experimentally on the Intermediate List. It was found that the 42 infective and parasitic diseases and disease groups separately specified in the Intermediate List covered 4% of the discharges, whereas 25% of the discharges were aggregated under seven broad headings, -viz. 'benign and unspecified neoplasms', 'other diseases of the nervous system and sense organs', 'other diseases of the circulatory system', 'other respiratory diseases', 'other diseases of genito-urinary system', 'other diseases of skin and musculo-skeletal system', and 'other diseases'. Where the Intermediate List is employed as it stands for tabulating in-patient statistics, it is not possible to give information about important conditions such as fibromyomata, asthma, strabismus, varicose veins, haemorroids, inguinal hernia, uterine prolapse, menstrual disorders, rheumatoid arthritis, internal derangement of knee or prolapsed disc. For this reason alone condensations of the Intermediate List, as in Table 1 of the preliminary report, do not meet the needs of hospital reporting in England and Wales. These objections can, of course, be removed by expanding the Intermediate List, as was done in Table 3 of the preliminary report; selected causes may then be distinguished within its broader groupings. But it is usually more desirable to compare the pattern of in-patient morbidity with sickness statistics, for example those compiled from general practitioner records, sickness surveys, and claims to sickness benefit, than with

---

* *International Statistical Classification of Diseases, Injuries and Causes of Death (6th Revision 1948, W.H.O. Geneva).* [H.M.S.O. Vol. 1 and Vol. 2 (Index) 30s. (both volumes inclusive)].

causes of death, for which the Intermediate List was primarily designed. The Special List of 50 causes is preferred as a base for sickness statistics: it is shorter and more flexible than the Intermediate List and it can easily be expanded to suit a variety of needs. The diagnostic list of some 270 causes in Table H.2 has been prepared so that the 'C' list can be derived from it by condensation; each title carries the detailed list number or numbers in brackets alongside and where necessary the crude figures can be added together in accordance with the 'key' on pages 363-365 of the International Classification (Part 1) to make up the broader 'C' list numbers.

It would be premature at this stage in the development of hospital morbidity statistics to regard this provisional Hospital Intermediate List (or any other list) as definitive and suitable for general use. Better groupings will undoubtedly suggest themselves when the diagnoses can be cross-classified in terms of the responsible clinical department or specialty.

Analysis by Detailed International List according to sex and age in decennial age-groups (Tables H1a and H1b)

Description of the table. In Table H.1 the discharges are classified by sex and age according to the detailed International List. Certain of the optional fourth-digit sub-divisions in the sections devoted to Pregnancy, Childbirth and the Puerperium, and to Injuries have been omitted. The numbers who died in hospital and the numbers of patients describing their marital status as single are also shown for each disease entity but without distinction of age.

Table H.1a brings together discharges from Teaching hospitals, irrespective of whether they are in London or elsewhere in England and Wales, and Table H.1b shows the experience of the hospitals under Regional Hospital Boards.

Uses to which the table may be put. Proportionate discharge rates, for example the percentage of discharges with a given diagnosis among the total number at all ages or in a particular age group, must be interpreted with due regard to the unrepresentative character of the participating hospitals. (See p.5). There are, however, two ways in which proportionate rates based on data in this table may be useful: (1) to portray for medical students the relative frequency with which they are likely to meet patients suffering from different conditions in the wards of teaching hospitals, and (2) to show the broad variation in the diagnostic picture as between the ages of infancy, childhood, adult life and retirement.

Greater confidence can be placed in the proportionate sex and age distributions for *individual* diseases; these proportions should not differ substantially from what would be obtained from a count of all discharges relating to the diseases in question in the country as a whole. Hospitals vary greatly in the kind of diseases which

they admit. The distribution of the case load may differ considerably from one general hospital to another depending on the size and variety of their clinical specialties and the reputations of their consultants. But if a disease is admitted at all, it is probable that the chances of admission in each sex-age group will not differ greatly from hospital to hospital. In other words, where we are dealing with the pooled data from an assortment of hospitals the distribution of cases within a disease-category is more likely to be representative of the 'true' hospital picture than the distribution of cases *between* disease categories. But there are important qualifications to this statement (a) in the case of certain diseases (e.g. heart disease, arteriosclerosis, pneumonia) older patients with an unfavourable prognosis may have less chance of admission to a teaching hospital than younger patients in the same geographical area with the same disease, and these older patients will appear more frequently in the beds of non-teaching hospitals; (b) the number of beds available for each sex may be out of step with actual requirements; (c) in the case of some diseases working males or particular categories of workers may be given priority of admission; and (d) certain kinds of elective surgery may be favoured by one sex rather than the other.

Value of sex and age distribution data in hospital clinical practice. Knowledge of the sex and age distributions of diseases treated in hospital is part of the equipment necessary to the practice of differential diagnosis within the hospital and for this reason statistics relating to them are cited in most standard text books. These figures are usually derived from the experience of one hospital or one observer over a period of time. The present data in Tables 1a and 1b, despite their various limitations, are likely to be more applicable to conditions in England and Wales as a whole than the majority of the text-book sources. The age distributions in Table H.1a for example, will reflect the age distribution of the English urban population in 1949. Similar figures collected in this country 50 years ago (or in parts of the United States today) may show a quite different age distribution due solely to changes or differences in the relative proportions of children, adults and elderly in the community. The condition Lymphatic Leukaemia' provides a good illustration of the differences which may be encountered. The ratios of the discharges classed to this disease in each age-group in Table H.1a to the number of people in England and Wales alive at the same ages have been applied to the populations at ages in England and Wales in 1901. This gives us a set of figures showing the number of discharges at different ages which might have been recorded had the present Enquiry taken place about 50 years ago. The following table compares the proportionate age distributions of these and present day figures.

	All ages	0-	15-	45-	65 and over	Average age in years
England and Wales 1901	100	20	13	49	18	46
1949	100	9	10	53	28	54

Data of this kind are generally appreciated by the hospital clinician only when they relate to clinically distinct and homo-

geneous conditions. A sex and age distribution based on as few as 12 cases may give him definite information providing that the twelve cases all relate to one clear cut condition. The amalgamation of two different conditions such as 'Keloid scar' and 'Milroy's disease' under a heading 'Hypertrophic and Atrophic conditions of the skin' clouds any conclusions which he might have drawn from the data for each separately.

The International Classification distinguishes a number of homogeneous entities in the main list of three-digit categories, particularly those which are important in mortality analyses, and fourth digit sub-divisions offer a greater variety for the purposes of morbidity studies. By giving full details for practically all the fourth digit sub-divisions Table H.1 demonstrates the range of specific clinical entities at present available to meet the needs of clinicians. A classification, however is not a nomenclature. The International Statistical Classification does not allot a separate number to every diagnosis which can be differentiated in terms of site and aetiology, as is done, for example, in the American Standard Nomenclature. Three main principles guided its compilers in deciding which conditions should be separately specified: frequency, importance, and clarity of characterisation.

The disease titles printed in the Tables do not always by themselves indicate whether or not the groups of diagnoses classified therein represent homogeneous clinical entities. Readers who are unfamiliar with the classification should refer to Volume 1 when they are consulting the tables; under each title they will find a brief list of diagnoses assigned to it. Four examples illustrate the need for this: (a) number 510, 'Hypertrophy of Tonsils and Adenoids' includes all discharges with a diagnosis of chronic tonsillitis without mention of tonsillar hypertrophy; (b) Raynaud's disease, number 453.0, includes all instances of Raynaud's phenomenon; (c) cases diagnosed as peptic ulcer without reference to site are put with 'ulcer of the stomach' (540.0), and (d) 'essential benign hypertension *with* mention of heart disease' (440) includes only discharges where the hypertension is actually specified as benign, while 'essential benign hypertension *without* mention of heart disease' (444) includes all diagnoses labelled as 'hypertension' without further qualification, e.g. without mention of the word 'benign.'

In addition to distinguishing diseases which are clinically well-defined the International Classification provides categories by which conditions may be differentiated according to other criteria. As the general standard of medical reporting and record keeping in hospitals participating in the Enquiry was well above the average, Table H.1 shows how often the data required for these subsidiary categories were available on the front sheet of well-kept hospital records as part of the diagnoses or were thought worth mentioning by doctors who completed summary forms specially for the Enquiry. The results will help to decide whether such expansions of the classification have justified themselves in the hospital field. For example, in a high proportion of cases 'acute' or 'chronic' has not been stated in the diagnosis although allowed for by the classification. There is not always a separate number for diagnoses unspecified in this respect - they may be classed to either the

'acute' or the 'chronic' number in accordance with what the compilers of the classification believed to be the average characteristics of such cases; thus, all cases described as 'sinusitis' are classified under the title 'chronic sinusitis'; whereas all cases described as 'nasopharangitis' are classed to 'acute nasopharangitis'. The nature of the infecting organism was not always specified (053,340) and the agents responsible for dermatitis were seldom mentioned (703). As a rule it was not possible to find the information necessary for sub-classification according to a period of time other than the patient's age as witnessed by the results for 028, nor was it usually possible to classify disease by whether occupational or not (702,742).

The *diagnostic* entries on a hospital record generally represent the minimum necessary to specify the diseases or conditions present from the clinical point of view. The details required for sub-classifications by aetiology, duration of disease, acuteness or chronicity etc. are doubtless contained within the text of the record, but doctors do not usually include them in the leading diagnoses from which the summary forms are transcribed. On the other hand, examination of individual summary forms suggests that clinical entities are specified precisely enough to justify further sub-division of many of the rubrics in Volume 1 in the interests of clarity of characterisation. But the International Classification was designed to deal with diagnoses reported on death certificates, sickness incapacity certificates and records from general practitioners as well as those on hospital records, and this imposes a limit on the amount of detail which can be included to meet one particular type of record. The classification is based on the decimal principle, so that it is possible to expand it by subdividing existing titles; many hospitals have already done so in connexion with disease indexing. Extensive sub-division for the purposes of the national in-patient enquiry will be justified only if Table H.1 is found useful and informative in clinical practice. The International Statistical Classification already contains sufficient diagnostic detail for most of the administrative problems which the enquiry may be called upon to answer.

Analysis by Condensed International List showing bed-days, average duration of stay and deaths in hospital according to age and sex. (Table H.2)

Description of the table. Table H.2 shows the number of discharges and the number of bed-days by sex and age, together with the mean bed-days or average stay, classified according to a condensed version of the detailed diagnostic list. The deaths among the discharges are separately distinguished. Figures relating to the London Teaching hospitals, the Provincial Teaching hospitals, and the Regional Board hospitals are presented separately.

Uses to which the table may be put. 1949 was the first complete year of the National Health Service, and the average hospital stay at that time for the conditions mentioned in the list will be useful for future reference. The Table also invites comparisons between the experience of the three hospital groupings at different

ages as well as at all ages combined. The main intention, however, is to show whether or not the average stay for *individual* diseases varies appreciably with age.

The frequency distributions of the number of days spent in hospital are not shown in the present series of tables, but the tables prepared from the 1950 data will include frequency distributions for 61 of the more important causes in Table H.2. Until these are available the difference between the sexes in average stay for the same condition is a rough guide to the amount of variation in the distribution. Where this is small in comparison with differences between the age groups or hospital groups it indicates that the latter are likely to be significant. The tables covering 1950 will add to the analysis shown in Table H.2 by showing the average stay in each of the participating hospitals and in the different social classes for the 61 selected causes.

The average stay in hospital for *all* discharges might be expected to increase at the older ages, when chronic and degenerative diseases requiring prolonged hospital care, such as arteriosclerosis of the heart and arteries, chronic bronchitis, and osteoarthritis occur more frequently. The following summary shows little difference in this respect between the age groups in Teaching hospitals, but a definite increase in the average stay with age is apparent in the Regional Board Hospital data, particularly at ages 65 and over. Teaching hospitals do not cater for the long term treatment of chronic sick or elderly patients; they may be admitted for diagnosis or perhaps for an operation but are discharged quite soon to await a bed in a chronic sick hospital if further attentions are required. The Regional Hospital Board figures are more representative of the general experience taking the hospital service as a whole.

	Teaching Hospitals		Regional Board Hospitals	
Age groups	Discharges *(excluding* live births)	Average stay	Discharges *(excluding* live births)	Average stay
ALL AGES	223,529	17	71,386	22
under 15	43,574	16	14,897	17
15 - 44	102,227	15	32,975	19
45 - 64	55,926	19	14,433	25
65 and over	20,921	22	8,608	42

Forecasts of the distribution of population expected in 1970 show relatively slight decreases in the number of people alive at ages 0-14 and 15-44, but there will be a definite increase at ages 55-64 and a substantial increase - more than one-third - in the numbers alive at 65 and over. An increase by one-third in the number discharged from hospital at 65 and over in the table set out above would have raised the average stay for all discharges at all ages by only 0.2 days in the case of the Teaching hospitals and 0.7 days in the case of the Regional Board hospitals. When the possible increase in the numbers aged 55-64 is also taken into account these fractions are 0.3 and 1 day respectively.

Although the Enquiry is not sufficiently representative to give accurate estimates of the average stay characteristic of all discharges at each age group, Table H.2 provides useful evidence in regard to another aspect of the problem. Older people affected by diseases *not* specially associated with ageing (for example appendicitis, hernia, cholelithiasis, or fractures) may require a longer period in hospital than younger patients with the same conditions; there are more likely to be associated diseases, the risk of post operative complications is greater, and the processes of healing may take longer. Table H.2 helps to show (a) for what diseases this may be an important factor; (b) whether its effects are likely to be small in comparison with changes in the relative proportions of different diseases and (c) whether these effects are together likely to be greater or less than contemporary variations in average stay attributable to different policies in regard to bed utilization.

Analysis by Condensed International List showing distribution of discharges by Social Class according to age and sex. (Table H.3)

Description of the table. Table H.3 classifies the discharges in each of the three hospital groupings by age, sex and diagnosis according to social class. Occupation is the basis of the social class assignment (see p.9). In the case of children under 15 it is the parent's or guardian's occupation, for housewives the husband's occupation, and for retired patients the occupation prior to retirement. Classes I and II and classes IV and V are considered together. A column is provided for discharges with social class unstated, i.e. where no relevant occupation was given on the summary form.

The diagnostic list is the same as in Table H.2. The *total* discharges in respect of all ages and in the age groups 0-14, 15-44, 45-64, and 65 and over, are those shown in Table H.2.

The proportion of discharges to which no social class could be assigned is greatest among males over 65 and among women. A number of hospitals found it difficult or impossible to question retired men about their previous occupation and married women about their husbands' occupation; record keeping was very disappointing in this respect at many of the London Teaching hospitals. Table H.4 classifies the total discharges from each participating hospital according to social class and certain occupational groupings within some of the classes and shows how far individual hospitals succeeded in obtaining what was required. It is doubtful whether valid conclusions can be based on the London hospitals' figures for women and children; one should be chary of distributing the very large proportion in the 'unstated' column *pro rata* over the three social class groups.

Fortunately, the Provincial Teaching and the Regional Board hospitals which participated were able to do rather better. The number of discharges with social class unstated, while higher than desirable, is sufficiently low to justify the separate publication of their results.

(7306)

The social class distribution of the working male population by age in different regions of England and Wales is shown in certain of the 1951 Census 1% Sample tables*. In making comparisons between the social class distributions of hospital discharges and those of the census figures the London Teaching hospital grouping should be compared with figures relating to the Greater London and South-East areas. The other two groupings cannot be exactly matched, but, as only two of the Regional Board hospitals were in the London area and none of the hospitals in South-West England participated, it would seem appropriate, at least for the Provincial Teaching hospital group, to use the census figures for England and Wales less those for Greater London, the South-East and South-West regions.

Uses to which the table may be put. An average standard may be provided by adding together the discharges for all diseases and injuries in the three social class groups and expressing the number in each as a percentage of all discharges with social class stated. The proportionate social class distributions for individual diseases and disease groups may then be compared against this standard.

A higher proportion of discharges at one end of the social class scale may certainly be due to a greater prevalence of the disease in question among members of the social classes concerned, and quite possibly this is the correct explanation in most instances, particularly where we know that *all* cases of that disease are admitted to hospital. But the possible bias introduced by various selective factors, should first be explored where social class distributions depart from the average expectation. Table H.3 is as likely to provide clues to differences between the social classes in the way they *use* the hospital service as to contribute information about general environmental differences. Unfortunately, it is not easy to separate these influences. Two important groups of selective factors are mentioned by way of conclusion to illustrate the difficulties which beset the interpretation of hospital morbidity statistics:

(a) The professional classes may be keener to go to their doctors and to hospital in the early or premonitory stages of disease and may be more willing to accept the advice of their practitioners on this point. In some areas, at all events, proportionately more children from middle-class homes may get hospitalized in the non-paralytic stage of poliomyelitis, when the diagnosis is not yet fully established; many of these children may never proceed to develop definite paralyses. (c/f the social class distributions for international list numbers 080 and 081.)

(b) There may be considerable differences between the social classes (or between the two sexes in the same social class) in attitudes to elective surgery or other treatment for relatively minor conditions such as sinusitis, nasal polyp, uterine fibromyomata, and to getting vague syndromes such as fibrositis and lumbago investigated and explained.

---

* Census 1951 Great Britain One Per Cent. Sample Tables, Parts I and II (H.M.S.O. price 17s.6d. and 40s. respectively).

TABLE H.1(a) - Final diagnoses of the Principal Cause of Admission to participating Teaching Hospitals classified according to the International Classification of Disease:- distribution of the discharges (including deaths) reported for 1949 by Sex, Age and Marital Status in respect of each title in the classification.

TABLE H.1(a)

PRINCIPAL CAUSE OF ADMISSION		TEACHING HOSPITALS														
		TOTAL	Died	Marital status		Discharges (including deaths) by age										
				Single	N.S.	0-	1-	5-	15-	25-	35-	45-	55-	65-	75 and over	N.S.
ALL DISCHARGES	M	105,114	4158	50899	4543	14459	7731	13584	8830	10579	12660	14124	12463	7710	2574	400
	F	140,268	3159	49271	4325	12915	5771	10970	19664	28289	22206	17194	12144	8034	2600	481
LIVEBIRTHS IN HOSPITAL	M	11,109	284	11109	-	11109	-	-	-	-	-	-	-	-	-	-
	F	10,748	200	10748	-	10748	-	-	-	-	-	-	-	-	-	-
OTHER SPECIAL ADMISSIONS	M	669	-	325	20	92	32	68	67	82	88	113	79	32	8	8
	F	799	-	331	16	74	35	56	138	174	135	85	57	27	7	11
ALL DISCHARGES OTHER THAN SPECIAL ADMISSIONS	M	93,336	3874	39465	4523	3258	7699	13516	8763	10497	12572	14011	12384	7678	2566	392
	F	128.721	2959	38192	4309	2093	5736	10914	19526	28115	22071	17109	12087	8007	2593	470

TABLE II.1(a) (Contd.)

I.S.C. No.	PRINCIPAL CAUSE OF ADMISSION		TEACHING HOSPITALS														
			TOTAL	Died	Marital status		Discharges (including deaths) by age										
					Single	N.S.	0-	1-	5-	15-	25-	35-	45-	55-	65-	75 and over	N.S.
	I. INFECTIVE AND PARASITIC DISEASES																
001-008	**Tuberculosis of Respiratory System**	**M**	**748**	**43**	**366**	**45**	**7**	**78**	**108**	**112**	**117**	**104**	**106**	**81**	**29**	**5**	**1**
		F	**682**	**32**	**367**	**8**	**8**	**64**	**67**	**193**	**169**	**79**	**42**	**27**	**17**	**4**	**12**
001	With mention of occupational disease of lung	M	9	3	-	-	-	-	-	-	-	-	3	6	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
002	Pulmonary	M	455	38	170	37	6	22	24	80	83	80	76	60	22	2	-
		F	410	28	194	6	5	15	25	133	116	57	26	12	11	4	6
003	Pleural	M	158	1	90	5	-	7	36	28	29	19	19	11	5	3	1
		F	153	2	81	2	1	5	14	49	34	14	15	13	5	-	3
	.0 Pleurisy specified as tuberculous	*M*	*59*	-	*46*	*1*	-	*5*	*23*	*8*	*11*	*5*	*5*	*2*	-	-	-
		F	*54*	-	*40*	-	*1*	*3*	*10*	*20*	*14*	-	*2*	*3*	-	-	*1*
	.1 Pleurisy with effusion without mention of cause	*M*	*99*	*1*	*44*	*4*	-	*2*	*13*	*20*	*18*	*14*	*14*	*9*	*5*	*3*	*1*
		F	*99*	*2*	*41*	*2*	-	*2*	*4*	*29*	*20*	*14*	*13*	*10*	*5*	-	*2*
004	Primary, complex with symptoms	M	91	-	90	1	1	46	42	1	-	-	-	1	-	-	-
		F	70	2	70	-	2	37	25	3	1	-	-	-	-	-	2
005	Tracheobronchial glandular, with symptoms	M	2	-	2	-	-	1	1	-	-	-	-	-	-	-	-
		F	5	-	5	-	-	2	2	-	-	-	-	1	-	-	-
006	Radiological evidence suggestive of active respiratory tuberculosis not classifiable elsewhere	M	2	-	2	-	-	1	-	-	-	1	-	-	-	-	-
		F	3	-	2	-	-	1	-	-	2	-	-	-	-	-	-
007	Other respiratory	M	16	-	5	2	-	-	3	1	4	-	6	2	-	-	-
		F	13	-	5	-	-	2	-	3	6	1	-	-	1	-	-

(7306)

TABLE H.1(a) (Contd.)

I.S.C. No.	PRINCIPAL CAUSE OF ADMISSION		TEACHING HOSPITALS														
			TOTAL	Died	Marital status		Discharges (including deaths) by age										
					Single	N.S.	0-	1-	5-	15-	25-	35-	45-	55-	65-	75 and over	N.S.
008	Unspecified site	M	15	1	7	-	-	1	2	2	1	4	2	1	2	-	-
		F	28	-	10	-	-	2	1	5	10	7	1	1	-	-	1
010-019	Tuberculosis, Other forms	M	1154	56	814	37	14	143	340	214	180	127	70	36	17	5	8
		F	1322	67	763	19	11	132	255	330	266	157	95	44	25	3	4
010	Meninges and central nervous system	M	144	26	131	-	5	35	53	28	13	6	2	1	1	-	-
		F	140	38	108	3	6	41	33	35	14	10	1	-	-	-	-
011	Intestines, peritoneum and mesenteric glands	M	63	5	45	1	-	6	21	9	14	6	3	2	1	1	-
		F	85	6	48	2	-	10	10	29	23	9	3	1	-	-	-
012	Bones and joints, active or unspecified	M	375	3	274	14	1	39	127	80	48	38	21	9	6	1	5
		F	294	3	184	6	1	29	66	75	63	21	23	9	5	-	2
	.0 Vertebral column	M	*112*	*1*	*66*	*7*	-	*14*	*17*	*25*	*27*	*15*	*9*	*2*	-	-	*3*
		F	*123*	*2*	*64*	*2*	-	*5*	*14*	*40*	*30*	*13*	*12*	*5*	*2*	-	*2*
	.1 Hip	M	*128*	*1*	*114*	-	-	*3*	*74*	*26*	*9*	*9*	*2*	*3*	-	-	*2*
		F	*60*	-	*50*	*1*	-	*8*	*27*	*11*	*11*	-	*3*	-	-	-	-
	.2 Knee	M	*51*	*1*	*37*	*2*	-	*7*	*19*	*8*	*3*	*7*	*4*	-	*3*	-	-
		F	*34*	*1*	*27*	-	*1*	*2*	*12*	*10*	*5*	*3*	-	-	*1*	-	-
	.3 Other and unspecified bones and joints	M	*84*	-	*57*	*5*	*1*	*15*	*17*	*21*	*9*	*7*	*6*	*4*	*3*	*1*	-
		F	*77*	-	*43*	*3*	-	*14*	*13*	*14*	*17*	*5*	*8*	*4*	*2*	-	-
013	Late effects, bones and joints	M	13	-	5	1	-	-	2	1	5	1	2	1	-	1	-
		F	18	-	14	1	-	-	4	5	2	5	-	1	1	-	-
	.0 Vertebral column	M	*2*	-	-	*1*	-	-	-	-	*2*	-	-	-	-	-	-
		F	*1*	-	-	-	-	-	-	-	-	*1*	-	-	-	-	-
	.1 Hip	M	*8*	-	*4*	-	-	-	*1*	*1*	*2*	-	*2*	*1*	-	*1*	-
		F	*13*	-	*12*	-	-	-	*3*	*5*	*1*	*3*	-	*1*	-	-	-

	.2 Knee	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	.3 Other and unspecified	M	3	-	1	-	-	-	1	-	1	1	-	-	-	-	-
		F	3	-	2	1	-	-	1	-	1	-	-	-	1	-	-
014	Skin and subcutaneous cellular tissue	M	92	-	66	3	-	14	23	14	11	12	6	7	3	1	1
		F	124	1	77	-	-	10	35	23	13	10	21	8	4	-	-
	.0 Primary of skin	M	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-
		F	4	-	1	-	-	1	-	-	-	-	-	-	3	-	-
	.1 Erythema nodosum specified as tuberculous	M	5	-	5	-	-	4	1	-	-	-	-	-	-	-	-
		F	11	-	11	-	-	4	7	-	-	-	-	-	-	-	-
	.2 Lupus	M	21	-	9	1	-	-	2	3	2	6	5	3	-	-	-
		F	27	1	13	-	-	-	3	4	1	3	11	4	1	-	-
	.3 Other	M	65	-	52	2	-	10	20	11	9	6	1	4	2	1	1
		F	82	-	52	-	-	5	25	19	12	7	10	4	-	-	-
015	Lymphatic system	M	242	1	191	4	3	40	98	38	28	15	10	9	1	-	-
		F	407	3	237	4	-	32	94	112	72	48	25	13	7	2	2
016	Genito-urinary system	M	173	9	65	11	-	3	6	33	56	43	20	5	4	1	2
		F	188	1	54	2	-	1	4	39	68	43	17	10	6	-	-
017	Adrenal glands	M	3	1	2	-	-	-	-	-	-	3	-	-	-	-	-
		F	3	1	1	-	-	-	-	-	1	1	1	-	-	-	-
018	Other organs	M	18	2	10	3	-	2	3	3	1	2	5	1	1	-	-
		F	31	1	13	1	1	1	3	2	9	8	4	1	1	1	-
	.0 Eye	M	4	-	2	-	-	-	-	2	-	1	1	-	-	-	-
		F	15	-	8	1	-	1	1	1	3	5	3	-	1	-	-
	.1 Ear	M	2	-	2	-	-	1	-	-	-	-	1	-	-	-	-
		F	2	-	2	-	1	-	1	-	-	-	-	-	-	-	-
	.2 Other	M	12	2	6	3	-	1	3	1	1	1	3	1	1	-	-
		F	14	1	3	-	-	-	1	1	6	3	1	1	-	1	-

TABLE H.1(a) (Contd.)

I.S.C. No.	PRINCIPAL CAUSE OF ADMISSION		TEACHING HOSPITALS														
			TOTAL	Died	Marital status		Discharges (including deaths) by age										
					Single	N.S.	0-	1-	5-	15-	25-	35-	45-	55-	65-	75 and over	N.S.
019	Disseminated tuberculosis	M	31	9	25	-	5	4	7	8	4	1	1	1	-	-	-
		F	32	13	27	-	3	8	6	10	1	2	-	1	1	-	-
	.0 Acute miliary specified as nonpulmonary	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	.1 Acute miliary, unspecified	M	2	-	2	-	-	-	1	-	1	-	-	-	-	-	-
		F	1	-	1	-	-	-	-	1	-	-	-	-	-	-	-
	.2 Other forms	M	29	9	23	-	5	4	6	8	3	1	1	1	-	-	-
		F	31	13	26	-	3	8	6	9	1	2	-	1	1	-	-
020-029	**Syphilis and its Sequelae**	**M**	**462**	**21**	**104**	**27**	**14**	**8**	**7**	**19**	**30**	**81**	**119**	**125**	**52**	**6**	**1**
		F	**345**	**12**	**87**	**10**	**8**	**3**	**8**	**45**	**61**	**52**	**81**	**67**	**16**	**4**	**-**
020	Congenital syphilis	M	45	2	33	1	13	8	3	6	7	4	3	-	-	-	1
		F	42	1	28	1	8	3	7	9	10	4	-	1	-	-	-
	.0 Interstitial keratitis	M	8	-	4	-	-	-	-	3	3	1	1	-	-	-	-
		F	11	-	7	-	-	1	2	4	3	1	-	-	-	-	-
	.1 Juvenile neurosyphilis	M	2	-	-	-	-	-	-	-	1	1	-	-	-	-	-
		F	2	-	2	-	1	-	1	-	-	-	-	-	-	-	-
	.2 Other congenital	M	35	2	29	1	13	8	3	3	3	2	2	-	-	-	1
		F	29	1	19	1	7	2	4	5	7	3	-	1	-	-	-
021	Early syphilis	M	21	-	15	1	-	-	1	5	10	4	1	-	-	-	-
		F	28	-	9	-	-	-	-	13	8	2	2	2	1	-	-
	.0 Primary, except extragenital chancre	M	9	-	7	1	-	-	-	1	6	2	-	-	-	-	-
		F	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-

	.1 Extragenital chancre	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	.2 Secondary syphilis	M	10	-	6	-	-	-	1	2	4	2	1	-	-	-	-
		F	26	-	9	-	-	-	-	12	7	2	2	2	1	-	-
	.3 Relapse following treatment	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	.4 Unspecified stage	M	2	-	2	-	-	-	-	2	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
022	Aneurysm of aorta	M	51	8	4	4	-	-	-	1	-	4	10	24	10	2	-
		F	14	3	1	1	-	-	-	-	-	1	5	5	2	1	-
023	Other cardiovascular syphilis	M	52	7	7	2	-	-	-	-	-	5	14	25	8	-	-
		F	30	3	5	2	-	-	-	-	-	2	12	11	4	1	-
024	Tabes dorsalis	M	142	1	18	6	-	-	-	3	6	33	48	38	13	1	-
		F	85	3	14	4	-	-	-	4	8	19	27	24	3	-	-
025	General paralysis of insane	M	51	-	11	2	-	-	1	3	2	11	20	8	5	1	-
		F	25	1	5	-	-	-	1	2	1	8	9	3	1	-	-
026	Other syphilis of central nervous system	M	53	-	5	6	-	-	-	1	3	12	12	14	11	-	-
		F	29	1	1	1	-	-	-	-	6	5	8	7	2	1	-
027	Other forms of late syphilis	M	26	2	4	3	1	-	1	-	-	3	5	11	4	1	-
		F	28	-	2	1	-	-	-	-	2	3	13	7	2	1	-
028	Latent syphilis	M	3	-	-	-	-	-	-	-	-	-	1	2	-	-	-
		F	22	-	4	-	-	-	-	6	6	3	4	3	-	-	-
	.0 Early	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	.1 Late	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	.2 Unspecified	M	3	-	-	-	-	-	-	-	-	-	1	2	-	-	-
		F	22	-	4	-	-	-	-	6	6	3	4	3	-	-	-
029	Syphilis unqualified	M	18	1	7	2	-	-	1	-	2	5	5	3	1	1	-
		F	42	-	18	-	-	-	-	11	20	5	1	4	1	-	-

TABLE H.1(a) (Contd.)

I.S.C. No.	PRINCIPAL CAUSE OF ADMISSION		TEACHING HOSPITALS														
			TOTAL	Died	Marital status		Discharges (including deaths) by age										
					Single	N.S.	0-	1-	5-	15-	25-	35-	45-	55-	65-	75 and over	N.S.
030-039	Gonococcal infection and other venereal diseases	M	17	1	7	-	-	-	-	3	5	3	3	2	1	-	-
		F	34	-	17	-	1	1	1	19	7	3	1	1	-	-	-
030	Acute or unspecified gonorrhoea	M	8	-	5	-	-	-	-	3	3	-	1	1	-	-	-
		F	12	-	6	-	1	-	-	7	4	-	-	-	-	-	-
031	Chronic gonococcal infection of genito-urinary system	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	14	-	9	-	-	1	1	10	1	-	-	1	-	-	-
032	Gonococcal infection of joint	M	6	-	1	-	-	-	-	-	1	3	1	1	-	-	-
		F	2	-	1	-	-	-	-	1	1	-	-	-	-	-	-
033	Gonococcal infection of eye	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
034	Gonococcal infection of other sites	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
035	Late effects of gonococcal infection	M	2	1	-	-	-	-	-	-	-	-	1	-	1	-	-
		F	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-
036	Chancroid	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	1	-	-	-	-	1	-	-	-	-	-	-	-
037	Lymphogranuloma venereum	M	1	-	1	-	-	-	-	-	1	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-
038	Granuloma inguinale, venereal	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-
039	Other and unspecified venereal diseases	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	2	-	-	-	-	-	-	-	1	1	-	-	-	-	-

040-049	Infectious diseases commonly arising in intestinal tract	M	198	5	93	7	5	23	17	28	61	40	16	4	3	-	1
		F	112	2	81	3	2	12	9	40	16	9	8	5	7	1	3
040	Typhoid fever	M	9	1	4	-	-	1	-	4	-	3	-	1	-	-	-
		F	4	-	3	-	-	1	-	2	-	-	1	-	-	-	-
041	Paratyphoid fever	M	4	-	3	-	-	1	2	1	-	-	-	-	-	-	-
		F	14	-	8	1	1	3	3	1	3	1	2	-	-	-	-
042	Other Salmonella infections	M	8	-	8	-	2	2	-	1	2	1	-	-	-	-	-
		F	47	2	37	2	-	2	2	24	7	2	2	2	3	-	3
	.0 Without mention of food as vehicle of infection	M	6	-	6	-	2	2	-	1	1	-	-	-	-	-	-
		F	21	1	13	2	-	1	2	11	-	2	1	1	2	-	1
	.1 With food as vehicle of infection	M	2	-	2	-	-	-	-	-	1	1	-	-	-	-	-
		F	26	1	24	-	-	1	-	13	7	-	1	1	1	-	2
043	Cholera	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
044	Brucellosis (undulant fever)	M	17	2	5	3	-	-	2	1	5	4	3	2	-	-	-
		F	7	-	4	-	1	-	-	-	-	1	2	1	2	-	-
045	Bacillary dysentery	M	23	-	14	-	2	5	5	1	3	3	3	-	1	-	-
		F	19	-	16	-	-	5	2	7	1	1	-	1	2	-	-
	.0 Flexner-Boyd group	M	2	-	-	-	-	-	-	-	-	1	1	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-
	.1 Schmitz	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	.2 Shiga	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	.3 Sonne	M	11	-	10	-	1	4	5	-	-	-	1	-	-	-	-
		F	12	-	10	-	-	3	1	5	-	1	-	1	1	-	-
	.4 Other and unspecified	M	10	-	4	-	1	1	-	1	3	2	1	-	1	-	-
		F	6	-	6	-	-	2	1	2	1	-	-	-	-	-	-

TABLE H.1(a) (Contd.)

I.S.C. No.	PRINCIPAL CAUSE OF ADMISSION		TEACHING HOSPITALS														
			TOTAL	Died	Marital status		Discharges (including deaths) by age										
					Single	N.S.	0-	1-	5-	15-	25-	35-	45-	55-	65-	75 and over	N.S.
046	Amoebiasis	M	99	1	33	3	-	1	2	18	46	24	8	-	-	-	-
		F	9	-	4	-	-	-	-	1	4	3	-	1	-	-	-
	.0 Without mention of liver abscess	*M*	*84*	-	*29*	*2*	-	*1*	*2*	*16*	*38*	*21*	*6*	-	-	-	-
		F	*8*	-	*4*	-	-	-	-	*1*	*3*	*3*	-	*1*	-	-	-
	.1 With liver abscess	*M*	*15*	*1*	*4*	*1*	-	-	-	*2*	*8*	*3*	*2*	-	-	-	-
		F	*1*	-	-	-	-	-	-	-	*1*	-	-	-	-	-	-
047	Other protozoal dysentery	M	19	-	19	-	-	11	5	-	2	-	-	-	-	-	1
		F	5	-	4	-	-	1	2	1	1	-	-	-	-	-	-
048	Unspecified forms of dysentery	M	5	-	2	-	1	1	-	-	-	2	1	-	-	-	-
		F	1	-	1	-	-	-	-	-	-	-	-	-	-	1	-
049	Food poisoning (infection and intoxication)	M	14	1	5	1	-	1	1	2	3	3	1	1	2	-	-
		F	6	-	4	-	-	-	-	4	-	1	1	-	-	-	-
	.0 Staphylococcal	*M*	*1*	-	*1*	-	-	-	-	-	-	*1*	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	.1 Botulism	*M*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	.2 Unspecified	*M*	*13*	*1*	*4*	*1*	-	*1*	*1*	*2*	*3*	*2*	*1*	*1*	*2*	-	-
		F	*6*	-	*4*	-	-	-	-	*4*	-	*1*	*1*	-	-	-	-
050-064	**Other Bacterial Diseases**	**M**	**213**	**16**	**175**	**3**	**36**	**51**	**64**	**16**	**14**	**6**	**8**	**13**	**4**	**-**	**1**
		F	**220**	**14**	**181**	**2**	**29**	**55**	**70**	**14**	**15**	**13**	**5**	**6**	**8**	**2**	**3**
050	Scarlet fever	M	73	-	69	1	-	19	43	5	3	-	2	-	-	-	1
		F	84	-	79	-	-	18	55	4	2	4	-	1	-	-	-
051	Streptococcal sore throat	M	10	1	8	-	1	2	2	1	4	-	-	-	-	-	-
		F	17	-	14	-	-	3	2	6	3	2	-	-	-	-	1

052	Erysipelas	M	14	-	5	1	-	1	1	-		2	1	6	3	-	-
		F	13	-	5	1	-	-	1	2	4	2	-	-	3	1	-
053	Septicaemia and pyaemia	M	34	9	23	1	7	3	8	4	2	2	2	5	1	-	-
		F	26	5	15	-	6	2	3	1	3	4	2	2	2	1	-
	.0 Streptococcus	M	6	1	3	-	-	2	1	-	-	1	-	1	1	-	-
		F	4	-	2	-	-	-	-	-	2	-	1	-	1	-	-
	.1 Staphylococcus	M	10	3	6	-	2	-	2	2	1	1	1	1	-	-	-
		F	5	1	2	-	-	-	-	-	1	3	-	1	-	-	-
	.2 Pneumococcus	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	.3 Other specified organism	M	1	1	1	-	1	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	.4 Organism unspecified	M	17	4	13	1	4	1	5	2	1	-	1	3	-	-	-
		F	17	4	11	-	6	2	3	1	-	1	1	1	1	1	-
054	Bacterial toxaemia	M	1	-	1	-	-	1	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
055	Diphtheria	M	1	-	1	-	-	-	-	1	-	-	-	-	-	-	-
		F	2	-	2	-	-	1	1	-	-	-	-	-	-	-	-
056	Whooping cough	M	26	-	25	-	9	11	4	2	-	-	-	-	-	-	-
		F	26	1	26	-	10	13	3	-	-	-	-	-	-	-	-
	.0 Without mention of pneumonia	M	17	-	17	-	6	6	4	1	-	-	-	-	-	-	-
		F	17	-	17	-	6	8	3	-	-	-	-	-	-	-	-
	.1 With pneumonia	M	9	-	8	-	3	5	-	1	-	-	-	-	-	-	-
		F	9	1	9	-	4	5	-	-	-	-	-	-	-	-	-
057	Meningococcal infections	M	40	3	37	-	19	14	1	2	2	1	1	-	-	-	-
		F	42	5	37	-	13	16	4	1	2	1	-	2	1	-	2
	.0 Meningococcal meningitis	M	36	2	33	-	17	12	1	2	2	1	1	-	-	-	-
		F	36	4	34	-	13	16	2	-	2	-	-	1	-	-	2
	.1 Acute and unspecified meningococcaemia	M	3	1	3	-	2	1	-	-	-	-	-	-	-	-	-
		F	5	1	3	-	-	-	2	1	-	1	-	-	1	-	-

TABLE H.1(a) (Contd.)

I.S.C. No.	PRINCIPAL CAUSE OF ADMISSION		TEACHING HOSPITALS														
			TOTAL	Died	Marital status		Discharges (including deaths) by age										
					Single	N.S.	0-	1-	5-	15-	25-	35-	45-	55-	65-	75 and over	N.S.
057	.2 Chronic meningococcaemia	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	.3 Other forms of meningococcal infection	M	1	-	1	-	-	1	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-
058	Plague	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	.0 Bubonic	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	.1 Pneumonic	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	.2 Other	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
059	Tularaemia	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
060	Leprosy	M	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
		F	2	-	-	-	-	-	-	-	1	-	1	-	-	-	-
	.0 Lepromatous leprosy	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	.1 Neuroleprosy	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	.2 Mixed	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	.3 Unspecified	M	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
		F	2	-	-	-	-	-	-	-	1	-	1	-	-	-	-

061	Tetanus	M	8	3	6	-	-	-	5	1	-	-	-	2	-	-	-
		F	8	3	3	1	-	2	1	-	-	-	2	1	2	-	-
062	Anthrax	M	4	-	-	-	-	-	-	-	2	-	2	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
063	Gas gangrene	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
064	Other bacterial diseases	M	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	.0 Epidemic arthritic erythema	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	.1 Rat-bite fever due to Streptobacillus moniliformis	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	.2 Glanders	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	.3 Melioidosis	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	.4 Other	M	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
070-074	Spirochaetal Diseases, except Syphilis	M	11	2	7	-	-	-	5	2	-	-	1	2	1	-	-
		F	8	-	5	1	-	3	2	-	-	2	1	-	-	-	-
070	Vincent's infection	M	2	-	1	-	-	-	1	-	-	-	1	-	-	-	-
		F	6	-	4	1	-	3	1	-	-	2	-	-	-	-	-
071	Relapsing fever	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	.0 Louse - borne	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	.1 Tick - borne	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	.3 Unspecified	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

TABLE H.1(a) (Contd.)

I.S.C. No.	PRINCIPAL CAUSE OF ADMISSION		TEACHING HOSPITALS														
			TOTAL	Died	Marital status		Discharges (including deaths) by age										
					Single	N.S.	0-	1-	5-	15-	25-	35-	45-	55-	65-	75 and over	N.S.
072	Leptospirosis icterohaemorrhagica (Weil's disease)	M	8	2	6	-	-	-	4	2	-	-	-	2	-	-	-
		F	1	-	1	-	-	-	1	-	-	-	-	-	-	-	-
073	Yaws	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
074	Other spirochaetal and leptospirochaetal infections	M	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-
		F	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-
	.0 Rat-bite fever due to spirochaeta morsus muris (sodoku)	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	.1 Other	M	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-
		F	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-
080-096	**Diseases attributable to Viruses**	M	**781**	**8**	**568**	**29**	**22**	**144**	**224**	**122**	**92**	**68**	**48**	**25**	**20**	**5**	**11**
		F	**680**	**17**	**482**	**8**	**12**	**108**	**149**	**142**	**90**	**80**	**37**	**25**	**24**	**6**	**7**
080	Acute poliomyelitis	M	232	2	205	2	10	63	93	39	14	7	5	1	-	-	-
		F	194	12	155	3	7	50	48	43	26	17	2	-	-	-	1
	.0 Specified as bulbar or polio-encephalitis	M	*13*	-	*11*	-	-	*3*	*5*	*3*	-	*2*	-	-	-	-	-
		F	*18*	*5*	*13*	-	*1*	*4*	*1*	*2*	*8*	*1*	-	-	-	-	*1*
	.1 With other paralysis	M	*13*	*1*	*9*	-	-	*1*	*8*	*1*	*2*	-	*1*	-	-	-	-
		F	*10*	-	*8*	*1*	*2*	*2*	*3*	*2*	-	*1*	-	-	-	-	-
	.2 Specified as nonparalytic	M	*4*	-	*4*	-	-	*1*	*2*	*1*	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	.3 Unspecified	M	*202*	*1*	*181*	*2*	*10*	*58*	*78*	*34*	*12*	*5*	*4*	*1*	-	-	-
		F	*166*	*7*	*134*	*2*	*4*	*44*	*44*	*39*	*18*	*15*	*2*	-	-	-	-

081	Late effects of acute poliomyelitis	M	79	-	64	1	-	7	44	7	4	9	4	1	2	1	-
		F	97	-	79	-	-	12	28	20	16	14	4	-	1	-	2
082	Acute infectious encephalitis	M	25	1	19	1	1	9	8	1	3	3	-	-	-	-	-
		F	23	1	16	-	-	4	6	6	2	3	1	-	1	-	-
083	Late effects of acute infectious encephalitis	M	35	-	14	1	-	1	1	1	5	15	11	1	-	-	-
		F	21	-	10	-	-	-	1	-	2	10	6	2	-	-	-
	.0 Postencephalitic Parkinsonism	M	29	-	11	1	-	-	-	1	4	14	9	1	-	-	-
		F	17	-	9	-	-	-	-	-	2	9	4	2	-	-	-
	.1 Postencephalitic personality and character disorders	M	2	-	1	-	-	-	1	-	-	1	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	.2 Postencephalitic psychosis	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	.3 Other postencephalitic conditions	M	4	-	2	-	-	1	-	-	1	-	2	-	-	-	-
		F	4	-	1	-	-	-	1	-	-	1	2	-	-	-	-
084	Smallpox	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
085	Measles	M	71	1	70	1	5	34	25	4	1	-	1	-	-	-	1
		F	40	-	37	1	2	21	9	3	2	1	2	-	-	-	-
	.0 Without mention of pneumonia	M	46	-	45	1	1	23	16	4	1	-	1	-	-	-	-
		F	28	-	25	1	1	11	8	3	2	1	2	-	-	-	-
	.1 With pneumonia	M	25	1	25	-	4	11	9	-	-	-	-	-	-	-	1
		F	12	-	12	-	1	10	1	-	-	-	-	-	-	-	-
086	Rubella (German measles)	M	5	-	5	-	-	2	1	2	-	-	-	-	-	-	-
		F	4	-	4	-	-	2	1	1	-	-	-	-	-	-	-
087	Chickenpox	M	9	-	9	-	-	1	3	4	-	-	-	-	-	-	1
		F	5	-	5	-	-	2	-	3	-	-	-	-	-	-	-
088	Herpes zoster	M	51	-	10	4	-	2	1	1	5	7	9	9	14	3	-
		F	60	-	15	1	-	-	1	-	1	10	10	16	18	4	-

TABLE H.1(a) (Contd.)

I.S.C. No.	PRINCIPAL CAUSE OF ADMISSION		TEACHING HOSPITALS														
			TOTAL	Died	Marital status		Discharges (including deaths) by age										
					Single	N.S.	0-	1-	5-	15-	25-	35-	45-	55-	65-	75 and over	N.S.
089	Mumps	M	16	-	11	2	1	2	-	5	7	1	-	-	-	-	-
		F	15	-	12	-	-	3	4	3	3	1	-	-	-	-	1
090	Dengue	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
091	Yellow fever	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
092	Infectious hepatitis	M	166	2	97	7	4	16	31	27	31	21	17	12	3	1	3
		F	131	3	87	1	-	10	35	27	27	17	8	5	1	-	1
093	Glandular fever (infectious mononucleosis)	M	68	2	51	5	1	5	14	26	14	3	1	-	-	-	4
		F	46	-	36	2	-	3	9	25	4	4	-	-	-	-	1
094	Rabies	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
095	Trachoma	M	3	-	-	2	-	-	-	-	2	1	-	-	-	-	-
		F	6	-	2	-	-	-	1	1	1	1	-	2	-	-	-
096	Other diseases attributable to viruses	M	21	-	13	3	-	2	3	5	6	1	-	1	1	-	2
		F	38	1	24	-	3	1	6	10	6	2	4	-	3	2	1
	.0 Herpes febrilis	M	6	-	2	1	-	1	-	-	1	1	-	-	1	-	2
		F	13	-	5	-	-	-	1	1	2	2	3	-	2	2	-
	.1 Infectious keratoconjunctivitis	M	1	-	-	1	-	-	-	-	-	-	-	1	-	-	-
		F	5	-	4	-	-	-	3	-	-	-	1	-	1	-	-
	.2 Psittacosis and ornithosis	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

	.3 Cowpox	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	.4 Epidemic hiccough	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	.5 Epidemic myalgia (Bornholm disease)	M	9	-	6	1	-	-	1	5	3	-	-	-	-	-	-
		F	11	-	8	-	-	1	1	6	3	-	-	-	-	-	-
	.6 Foot and mouth disease	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	.7 Sandfly fever	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	.8 Rift Valley fever	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	.9 Other	M	5	-	5	-	-	1	2	-	2	-	-	-	-	-	-
		F	9	1	7	-	3	-	1	3	1	-	-	-	-	-	1
100-108	**Typhus and other Rickettsial Diseases**	M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
100	Louse-borne epidemic typhus	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
101	Flea-borne endemic typhus (murine)	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
102	Brill's disease, not specified as louse-borne or flea-borne typhus	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
103	Tabardillo (Mexican typhus), not specified as louse- or flea-borne	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
104	Tick-borne typhus	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
105	Mite-borne typhus	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

TABLE H.1(a) (Contd.)

I.S.C. No.	PRINCIPAL CAUSE OF ADMISSION		TEACHING HOSPITALS														
			TOTAL	Died	Marital status		Discharges (including deaths) by age										
					Single	N.S.	0-	1-	5-	15-	25-	35-	45-	55-	65-	75 and over	N.S.
106	Wolhynian fever (trench fever)	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
107	Typhus, unspecified	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
108	Other rickettsial diseases	M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
110-117	Malaria	M	35	1	20	-	-	-	3	14	10	4	2	1	-	-	1
		F	5	-	3	-	-	-	1	1	1	2	-	-	-	-	-
110	Vivax malaria (benign tertian)	M	20	-	13	-	-	-	3	9	6	2	-	-	-	-	-
		F	2	-	1	-	-	-	1	1	-	-	-	-	-	-	-
111	Malariae malaria (quartan)	M	1	-	1	-	-	-	-	-	-	-	-	-	-	-	1
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
112	Falciparum malaria (malignant tertian)	M	3	-	-	-	-	-	-	-	-	-	2	1	-	-	-
		F	2	-	1	-	-	-	-	-	1	1	-	-	-	-	-
113	Ovale malaria	M	2	-	1	-	-	-	-	1	-	1	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
114	Mixed malarial infections	M	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
115	Blackwater fever	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	1	-	-	-	-	-	-	1	-	-	-	-	-
116	Other and unspecified forms of malaria	M	8	1	5	-	-	-	-	3	4	1	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
117	Recurrent induced malaria	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

120-138	Other infective and parasitic diseases	M	223	7	120	15	4	32	21	31	57	35	25	10	5	1	2
		F	154	3	69	5	8	18	16	20	21	25	27	11	6	1	1
120	Leishmaniasis	M	3	-	2	-	-	-	-	1	1	-	1	-	-	-	-
		F	2	-	-	-	-	-	-	-	1	1	-	-	-	-	-
	.0 Visceral (Kala-azar)	M	2	-	1	-	-	-	-	-	1	-	1	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	.1 Cutaneous (Oriental sore)	M	1	-	1	-	-	-	-	1	-	-	-	-	-	-	-
		F	2	-	-	-	-	-	-	-	1	1	-	-	-	-	-
	.2 Mucocutaneous (American)	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	.3 Unspecified	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
121	Trypanosomiasis	M	1	-	1	-	-	-	-	-	-	-	1	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	.0 African (sleeping sickness)	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	.1 South American (Chagas' disease)	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	.2 Other	M	1	-	1	-	-	-	-	-	-	-	1	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
122	Other protozoal diseases	M	4	1	4	-	-	2	-	2	-	-	-	-	-	-	-
		F	4	-	4	-	-	1	2	1	-	-	-	-	-	-	-
	.0 Coccidiosis	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	.1 Toxoplasmosis	M	4	1	4	-	-	2	-	2	-	-	-	-	-	-	-
		F	4	-	4	-	-	1	2	1	-	-	-	-	-	-	-
	.2 Other	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
123	Schistosomiasis	M	5	-	1	-	-	-	-	1	4	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

TABLE H.1(a) (Contd.)

I.S.C. No.	PRINCIPAL CAUSE OF ADMISSION		TEACHING HOSPITALS														
			TOTAL	Died	Marital status		Discharges (including deaths) by age										
					Single	N.S.	0-	1-	5-	15-	25-	35-	45-	55-	65-	75 and over	N.S.
123	.0 *Vesical* (*S. haematobium*)	M	3	-	-	-	-	-	-	-	3	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	.1 *Intestinal* (*S. Mansoni*)	M	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	.2 *Pulmonary* (*S. japonicum*)	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	.3 *Other and unspecified*	M	1	-	1	-	-	-	-	-	1	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
124	Other trematode infestation	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	.0 *Clonorchiasis*	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	.1 *Paragonimiasis*	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	.2 *Other*	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
125	Hydatid disease	M	4	-	3	1	-	-	-	-	3	-	-	-	1	-	-
		F	14	2	3	-	-	-	-	3	2	1	4	3	1	-	-
126	Other cestode infestation	M	44	1	32	1	-	10	9	6	12	3	3	1	-	-	-
		F	30	-	21	1	-	9	7	5	1	4	3	-	-	-	1
127	Filariasis	M	3	-	1	-	-	-	-	1	1	1	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-
128	Trichiniasis	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

129	Ankylostomiasis	M	2	-	-	1	-	-	-	-	1	-	-	-	-	-	1
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
130	Infestation with worms of other, mixed, and unspecified type	M	20	-	19	1	-	13	5	1	1	-	-	-	-	-	-
		F	21	-	15	-	-	6	6	2	1	3	2	1	-	-	-
	.0 Ascariasis	M	5	-	4	1	-	4	-	-	1	-	-	-	-	-	-
		F	7	-	2	-	-	2	-	-	1	1	2	1	-	-	-
	.1 Oxyuriasis	M	10	-	10	-	-	4	5	1	-	-	-	-	-	-	-
		F	11	-	11	-	-	3	6	2	-	-	-	-	-	-	-
	.2 Mixed intestinal helminth infestation	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	.3 Other	M	5	-	5	-	-	5	-	-	-	-	-	-	-	-	-
		F	3	-	2	-	-	1	-	-	-	2	-	-	-	-	-
131	Dermatophytosis	M	29	-	15	3	-	3	6	1	6	6	2	3	1	-	1
		F	14	-	8	1	-	-	1	4	3	3	1	-	2	-	-
132	Actinomycosis	M	37	2	8	3	-	-	-	6	9	12	7	2	1	-	-
		F	9	-	-	-	-	-	-	-	3	1	3	2	-	-	-
133	Coccidioido mycosis	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
134	Other fungus infections	M	16	1	11	-	4	2	1	2	2	2	2	1	-	-	-
		F	26	-	10	1	8	1	-	1	5	3	4	2	1	1	-
	.0 Blastomycosis	M	6	-	4	-	-	-	-	2	2	1	1	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	.1 Cryptococcosis (torulosis)	M															
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	.2 Histoplasmosis	M	1	1	1	-	-	-	1	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	.3 Moniliasis	M	7	-	6	-	4	2	-	-	-	-	-	1	-	-	-
		F	23	-	10	-	8	1	-	1	5	3	2	2	-	1	-

TABLE H.1(a) (Contd.)

I.S.C. No.	PRINCIPAL CAUSE OF ADMISSION		TEACHING HOSPITALS														
			TOTAL	Died	Marital status		Discharges (including deaths) by age										
					Single	N.S.	0-	1-	5-	15-	25-	35-	45-	55-	65-	75 and over	N.S.
134	.4 *Sporotrichosis*	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	.5 *Other*	M	2	-	-	-	-	-	-	-	-	1	1	-	-	-	-
		F	3	-	-	1	-	-	-	-	-	-	2	-	1	-	-
135	Scabies	M	3	-	1	-	-	-	-	-	-	1	1	-	1	-	-
		F	3	-	2	1	-	-	-	3	-	-	-	-	-	-	-
136	Pediculosis	M	1	-	1	-	-	1	-	-	-	-	-	-	-	-	-
		F	1	-	1	-	-	1	-	-	-	-	-	-	-	-	-
137	Other arthropod infestation	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
138	Other infective and parasitic diseases	M	51	2	21	5	-	1	-	10	17	10	8	3	1	1	-
		F	29	1	5	1	-	-	-	1	5	9	10	2	2	-	-
	.0 *Sarcoid of Boeck*	M	21	2	6	2	-	-	-	4	4	3	7	2	1	-	-
		F	25	1	5	1	-	-	-	1	5	7	9	2	1	-	-
	.1 *Other*	M	30	-	15	3	-	1	-	6	13	7	1	1	-	1	-
		F	4	-	-	-	-	-	-	-	-	2	1	-	1	-	-
	II. NEOPLASMS																
140-148	**Malignant neoplasm of buccal cavity and pharynx**	M	**658**	**44**	**67**	**53**	**-**	**2**	**4**	**3**	**8**	**25**	**103**	**183**	**208**	**117**	**5**
		F	**366**	**11**	**67**	**13**	**-**	**-**	**3**	**13**	**28**	**37**	**68**	**86**	**93**	**38**	**-**
140	Lip	M	78	1	7	5	-	-	-	-	-	-	10	17	33	18	-
		F	10	-	2	-	-	-	-	-	-	1	1	1	7	-	-
141	Tongue	M	189	14	15	15	-	-	-	-	3	8	19	67	59	32	1
		F	91	1	14	1	-	-	-	-	1	3	17	22	30	18	-

142	Salivary gland	M	59	-	5	4	-	-	1	3	4	7	26	11	5	2	-
		F	84	-	22	2	-	-	-	7	14	15	15	17	13	3	-
	.0 Mixed salivary gland tumour	*M*	*31*	-	*1*	*2*	-	-	-	*1*	*3*	*5*	*17*	*4*	*1*	-	-
		F	*61*	-	*18*	-	-	-	-	*6*	*10*	*12*	*11*	*11*	*10*	*1*	-
	.1 Other	*M*	*28*	-	*4*	*2*	-	-	*1*	*2*	*1*	*2*	*9*	*7*	*4*	*2*	-
		F	*23*	-	*4*	*2*	-	-	-	*1*	*4*	*3*	*4*	*6*	*3*	*2*	-
143	Floor of mouth	M	47	5	6	3	-	-	-	-	-	-	3	20	13	11	-
		F	6	-	3	1	-	-	-	-	-	-	2	1	2	1	-
144	Other parts of mouth and mouth unspecified	M	101	4	6	10	-	-	-	-	-	-	17	24	32	28	-
		F	45	1	7	3	-	-	-	1	3	2	7	10	17	5	-
145	Oral mesopharynx	M	75	6	9	7	-	-	-	-	-	3	14	16	29	12	1
		F	10	-	-	1	-	-	-	-	-	-	2	2	4	2	-
146	Nasopharynx	M	35	5	9	1	-	2	3	-	-	6	10	8	4	1	1
		F	25	2	12	-	-	-	3	5	4	4	2	2	4	1	-
147	Hypopharynx	M	46	4	6	5	-	-	-	-	-	1	2	13	22	7	1
		F	67	6	3	3	-	-	-	-	3	10	18	18	12	6	-
148	Pharynx unspecified	M	28	5	4	3	-	-	-	-	1	-	2	7	11	6	1
		F	28	1	4	2	-	-	-	-	3	2	4	13	4	2	-
150–159	**Malignant neoplasm of digestive organs and peritoneum**	**M**	**2175**	**539**	**179**	**110**	**4**	**1**	**1**	**4**	**39**	**157**	**409**	**682**	**683**	**186**	**9**
		F	**1624**	**327**	**252**	**35**	**1**	**1**	**1**	**5**	**38**	**130**	**323**	**503**	**454**	**165**	**3**
150	Oesophagus	M	220	73	26	15	-	-	-	1	6	7	31	58	89	25	3
		F	120	30	14	4	-	-	-	-	2	7	14	37	40	20	-
151	Stomach	M	752	190	55	42	-	-	-	1	12	67	175	261	202	33	1
		F	399	86	50	8	-	-	-	1	14	33	78	123	109	41	-
152	Small intestine including duodenum	M	13	4	2	-	-	-	-	-	1	-	4	3	5	-	-
		F	18	5	5	1	-	-	-	-	-	4	5	3	6	-	-
153	Large intestine, except rectum	M	412	95	23	17	-	-	-	-	10	38	70	110	128	58	-
		F	503	95	79	13	-	-	1	3	11	46	105	152	132	52	1

TABLE H.1(a) (Contd.)

I.S.C. No.	PRINCIPAL CAUSE OF ADMISSION		TEACHING HOSPITALS														
			TOTAL	Died	Marital status		Discharges (including deaths) by age										
					Single	N.S.	0-	1-	5-	15-	25-	35-	45-	55-	65-	75 and over	N.S.
154	Rectum	M	576	109	52	28	-	-	-	2	5	35	88	186	202	55	3
		F	352	46	54	8	-	-	-	-	8	32	67	106	105	33	1
155	Biliary passages and liver (stated to be primary site)	M	26	11	3	-	1	-	-	-	2	2	5	7	6	3	-
		F	62	25	11	-	-	-	-	-	-	-	9	23	20	10	-
156	Liver (secondary and unspecified)	M	27	8	4	2	2	1	-	-	1	3	3	7	7	2	1
		F	25	8	3	-	-	1	-	-	1	2	6	9	5	1	-
157	Pancreas	M	119	46	9	5	-	-	-	-	-	4	26	44	34	10	1
		F	62	21	12	1	-	-	-	-	1	2	8	25	21	5	-
158	Peritoneum	M	29	3	5	1	1	-	1	-	2	3	7	6	9	-	-
		F	83	11	24	-	1	-	-	1	1	4	31	25	16	3	1
159	Unspecified digestive organs	M	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
160-165	**Malignant neoplasm of respiratory system**	**M**	**1519**	**258**	**118**	**104**	**-**	**-**	**1**	**5**	**23**	**150**	**453**	**539**	**290**	**49**	**9**
		F	**309**	**67**	**50**	**5**	**-**	**-**	**1**	**1**	**25**	**33**	**70**	**104**	**59**	**14**	**2**
160	Nose, nasal cavities, middle ear, and accessory sinuses	M	84	2	4	6	-	-	-	-	1	8	26	28	16	5	-
		F	64	5	8	-	-	-	-	1	5	9	9	18	12	9	1
161	Larynx	M	284	23	31	16	-	-	-	-	1	19	58	90	85	30	1
		F	35	2	5	-	-	-	-	-	4	1	9	11	10	-	-
162	Trachea, bronchus and lung specified as primary	M	155	42	13	7	-	-	-	-	5	17	42	53	35	2	1
		F	56	19	8	-	-	-	-	-	5	3	18	20	9	1	-
163	Lung and bronchus, unspecified as to whether primary	M	980	188	67	74	-	-	1	4	15	104	323	361	153	12	7
		F	138	38	26	3	-	-	1	-	9	16	32	49	26	4	1

164	Mediastinum	M	9	3	2	1	-	-	-	-	1	2	3	2	1	-	-
		F	4	-	-	2	-	-	-	-	-	1	1	1	1	-	-
165	Thoracic organs (secondary)	M	7	-	1	-	-	-	-	1	-	-	1	5	-	-	-
		F	12	3	3	-	-	-	-	-	2	3	1	5	1	-	-
170-181	Malignant neoplasm of breast and genito-urinary organs	M	978	149	84	59	1	11	5	7	28	70	126	285	312	131	2
		F	4340	272	608	98	1	14	3	13	163	636	1223	1243	817	213	14
170	Breast	M	41	1	2	3	-	-	-	1	1	8	10	9	10	2	-
		F	1831	72	338	58	-	-	1	6	59	320	511	463	358	107	6
171	Cervix Uteri	F	1328	80	57	14	-	-	-	3	66	192	402	415	207	39	4
172	Corpus Uteri	F	295	16	44	4	-	-	-	1	4	16	86	120	59	9	-
173	Other parts of uterus including chorion epithelioma	F	18	2	1	2	-	-	-	2	4	7	3	1	-	-	1
174	Uterus, unspecified	F	124	12	25	3	-	2	-	-	1	16	38	42	23	2	-
175	Ovary, Fallopian tube, and broad ligament	F	344	43	78	11	-	1	2	1	21	61	110	95	43	7	3
176	Other and unspecified female genital organs	F	224	15	32	3	-	3	-	-	4	19	46	55	68	29	-
177	Prostate	M	306	58	17	20	-	-	-	-	-	-	22	79	135	70	-
178	Testis	M	71	7	15	3	1	1	1	4	23	30	5	5	1	-	-
179	Other and unspecified male genital organs	M	83	1	9	4	-	-	2	-	4	7	13	16	25	15	1
180	Kidney	M	90	16	15	3	-	8	2	2	-	11	28	19	17	3	-
		F	48	9	12	2	1	7	-	-	4	-	7	15	12	2	-
181	Bladder and other urinary organs	M	387	66	26	26	-	2	-	-	-	14	48	157	124	41	1
		F	128	23	21	1	-	1	-	-	-	5	20	37	47	18	-

TABLE H.1(a) (Contd.)

I.S.C. No.	PRINCIPAL CAUSE OF ADMISSION		TEACHING HOSPITALS														
			TOTAL	Died	Marital status		Discharges (including deaths) by age										
					Single	N.S.	0-	1-	5-	15-	25-	35-	45-	55-	65-	75 and over	N.S.
190-199	**Malignant neoplasm of other and unspecified sites**	**M**	**1222**	**107**	**213**	**76**	**8**	**17**	**38**	**54**	**79**	**119**	**230**	**307**	**256**	**109**	**5**
		F	**1075**	**122**	**277**	**37**	**11**	**23**	**53**	**55**	**62**	**109**	**219**	**235**	**214**	**89**	**5**
190	Malignant melanoma of skin	M	48	3	13	3	1	-	4	3	4	7	8	8	9	4	-
		F	63	5	24	2	-	-	8	8	12	8	8	11	7	1	-
191	Other malignant neoplasm of skin	M	523	9	50	39	-	-	-	3	11	31	85	167	147	76	3
		F	307	4	55	18	-	-	-	3	10	22	45	75	95	56	1
192	Eye	M	34	1	10	1	1	6	1	-	1	-	10	9	6	-	-
		F	45	-	23	1	5	7	5	2	1	6	7	6	4	2	-
193	Brain and other parts of nervous system	M	217	52	65	4	3	5	24	18	37	41	52	31	6	-	-
		F	155	48	65	4	2	12	25	13	17	17	41	24	1	1	2
194	Thyroid gland	M	28	2	4	2	-	-	-	1	-	6	6	6	3	6	-
		F	108	16	20	2	-	-	1	8	7	18	27	15	26	6	-
195	Other endocrine glands	M	17	4	7	-	1	4	-	1	3	3	4	1	-	-	-
		F	9	2	5	-	2	2	1	-	-	-	3	1	-	-	-
196	Bone (including jaw bone)	M	122	9	44	5	1	-	7	23	14	8	21	26	20	2	-
		F	82	5	29	2	1	1	4	16	4	8	21	13	12	2	-
197	Connective tissue	M	38	4	11	1	1	2	2	-	6	7	6	8	6	-	-
		F	41	3	12	-	1	-	3	3	2	5	10	7	10	-	-
198	Secondary and unspecified malignant neoplasm of lymph nodes	M	42	-	2	2	-	-	-	2	-	6	8	10	9	5	2
		F	48	-	9	3	-	-	-	-	-	3	12	15	15	3	-
199	Other and unspecified sites	M	153	23	7	19	-	-	-	3	3	10	30	41	50	16	-
		F	217	39	35	5	-	1	6	2	9	22	45	68	44	18	2

200-205	Neoplasms of lymphatic and haematopoietic tissues	M	716	166	197	39	2	36	47	52	94	128	151	122	66	16	2
		F	473	99	155	5	8	26	19	35	50	73	91	89	65	14	3
200	Lymphosarcoma and reticulosarcoma	M	149	36	33	6	1	5	7	10	19	19	43	21	14	9	1
		F	78	17	23	1	1	-	1	5	1	10	21	19	17	3	-
	.0 Reticulum cell sarcoma	M	49	9	9	3	-	1	2	3	4	9	13	8	4	4	1
		F	41	10	14	-	-	-	-	2	1	4	13	9	12	-	-
	.1 Lymphosarcoma	M	97	26	22	3	-	3	5	7	15	10	30	13	9	5	-
		F	33	6	8	1	1	-	1	3	-	6	7	9	4	2	-
	.2 Other primary malignant neoplasms of lymphoid tissue	M	3	1	2	-	1	1	-	-	-	-	-	-	1	-	-
		F	4	1	1	-	-	-	-	-	-	-	1	1	1	1	-
201	Hodgkin's disease	M	225	28	64	13	-	-	16	21	48	58	44	27	10	1	-
		F	108	11	29	1	-	-	2	13	28	33	13	8	9	1	1
202	Other forms of lymphoma (reticulosis)	M	46	4	8	3	-	-	3	3	1	11	7	17	4	-	-
		F	35	3	13	1	-	3	-	1	3	5	9	9	3	1	1
	.0 Giant follicular lymphoma (Brill-Symmer's disease)	M	15	-	2	-	-	-	1	2	-	5	2	5	-	-	-
		F	9	-	3	-	-	-	-	-	-	-	2	6	1	-	-
	.1 Other	M	31	4	6	3	-	-	2	1	1	6	5	12	4	-	-
		F	26	3	10	1	-	3	-	1	3	5	7	3	2	1	1
203	Multiple mycloma (plasmocytoma)	M	22	8	5	2	-	-	1	-	-	4	8	5	4	-	-
		F	24	7	4	-	-	-	-	-	1	2	7	11	3	-	-
204	Leukaemia and aleukaemia	M	267	88	87	14	1	31	20	18	26	36	49	47	32	6	1
		F	222	59	85	2	7	23	16	16	17	22	41	39	32	8	1
	.0 Lymphatic leukaemia	M	90	18	12	8	-	3	3	-	2	7	23	30	16	5	1
		F	70	10	17	-	-	5	3	1	1	4	13	20	18	5	-
	.1 Myeloid leukaemia	M	98	38	24	6	1	5	4	6	17	24	20	10	11	-	-
		F	86	21	18	2	4	-	2	10	11	13	20	16	7	2	1
	.2 Monocytic leukaemia	M	15	10	3	-	-	-	1	2	-	3	3	3	3	-	-
		F	16	6	11	-	-	2	1	2	2	-	5	-	4	-	-

TABLE H.1(a) (Contd.)

I.S.C. No.	PRINCIPAL CAUSE OF ADMISSION		TEACHING HOSPITALS														
			TOTAL	Died	Marital status		Discharges (including deaths) by age										
					Single	N.S.	0-	1-	5-	15-	25-	35-	45-	55-	65-	75 and over	N.S.
204	*.3 Acute leukaemia, unspecified type*	*M*	*39*	*14*	*33*	*-*	*-*	*14*	*6*	*10*	*6*	*-*	*-*	*2*	*-*	*1*	*-*
		F	*32*	*17*	*27*	*-*	*1*	*13*	*8*	*1*	*2*	*2*	*3*	*-*	*2*	*-*	*-*
	.4 Other and unspecified leukaemia	*M*	*25*	*8*	*15*	*-*	*-*	*9*	*6*	*-*	*1*	*2*	*3*	*2*	*2*	*-*	*-*
		F	*18*	*5*	*12*	*-*	*2*	*3*	*2*	*2*	*1*	*3*	*-*	*3*	*1*	*1*	*-*
205	Mycosis fungoides	M	7	2	-	1	-	-	-	-	-	-	-	5	2	-	-
		F	6	2	1	-	-	-	-	-	-	1	-	3	1	1	-
210-229	**Benign neoplasm**	**M**	**2086**	**26**	**669**	**123**	**57**	**153**	**169**	**180**	**232**	**300**	**324**	**382**	**222**	**59**	**8**
		F	**6913**	**47**	**1796**	**98**	**88**	**232**	**193**	**491**	**976**	**2102**	**1893**	**579**	**272**	**74**	**13**
210	Buccal cavity and pharynx	M	72	-	28	5	3	6	13	5	10	11	12	7	2	3	-
		F	87	-	28	2	1	-	10	7	15	12	17	11	12	2	-
211	Other parts of digestive system	M	124	1	40	7	1	16	10	6	13	15	15	23	20	5	-
		F	100	1	27	1	1	4	6	2	8	24	17	16	19	3	-
212	Respiratory system	M	220	1	85	22	-	24	24	25	40	41	32	24	7	-	3
		F	127	-	60	4	1	6	20	16	26	16	20	18	3	1	-
213	Breast	M	3	-	-	-	-	-	-	1	-	1	-	1	-	-	-
		F	268	-	86	8	-	1	1	56	65	68	54	10	10	2	1
214	Uterine fibromyoma	F	2361	14	402	28	-	-	-	12	171	1068	988	94	22	3	3
215	Uterus	F	1150	2	147	8	-	-	-	20	174	425	357	128	39	5	2
216	Ovary	F	873	6	170	13	-	2	5	126	254	181	140	104	42	17	2
217	Other female genital organs	F	282	-	43	3	1	2	2	32	79	86	59	13	7	-	1
218	Male genital organs	M	51	-	11	2	1	1	1	4	4	11	14	12	3	-	-

219	Kidney and other urinary organs	M	582	5	24	30	-	-	1	1	11	54	112	216	147	40	-
		F	228	-	43	6	-	-	-	4	6	13	30	69	80	26	-
220	Benign melanoma of skin	M	33	-	31	1	2	13	13	1	2	1	-	-	-	1	-
		F	86	-	73	-	1	29	25	14	7	4	1	-	2	3	-
221	Pilonidal cyst	M	100	-	38	9	1	-	1	24	49	18	4	1	1	-	1
		F	134	-	75	4	1	2	-	67	40	16	6	-	-	2	-
222	Other benign neoplasm of skin	M	130	-	69	12	4	24	18	22	14	13	13	14	5	2	1
		F	124	-	74	-	6	27	17	22	13	13	10	13	2	1	-
223	Brain and other parts of nervous system	M	173	10	65	7	3	11	17	17	22	34	43	22	3	-	1
		F	222	17	87	3	2	11	13	18	32	48	58	29	9	1	1
224	Endocrine glands	M	19	6	10	-	-	1	2	8	1	3	2	1	1	-	-
		F	19	2	11	1	-	1	5	1	5	2	4	1	-	-	-
225	Bone and cartilage	M	177	1	73	9	-	2	28	32	32	31	25	18	9	-	-
		F	191	3	86	2	1	6	20	42	29	40	27	14	8	3	1
226	Lipoma	M	130	-	20	7	1	4	3	4	11	37	33	22	11	3	1
		F	230	-	58	6	5	2	6	15	25	51	73	40	10	2	1
227	Other benign neoplasm of muscular and connective tissue	M	24	-	7	-	-	1	2	4	2	6	4	3	2	-	-
		F	20	1	7	-	1	-	2	2	2	3	5	4	1	-	-
228	Haemangioma and lymphangioma	M	181	2	144	6	40	47	28	17	9	10	10	11	7	1	1
		F	349	-	295	6	65	133	55	29	17	20	16	8	4	2	-
229	Other and unspecified organs and tissues	M	67	-	24	6	1	3	8	9	12	14	5	7	4	4	-
		F	62	1	24	3	2	6	6	6	8	12	11	7	2	1	1
230-239	**Neoplasm of unspecified nature**	**M**	**579**	**66**	**115**	**34**	**7**	**14**	**30**	**26**	**58**	**80**	**154**	**123**	**70**	**16**	**1**
		F	**510**	**41**	**124**	**9**	**5**	**14**	**33**	**31**	**63**	**76**	**110**	**94**	**68**	**14**	**2**
230	Digestive organs	M	79	5	8	5	3	1	1	1	4	5	22	18	21	3	-
		F	83	6	11	-	-	2	1	3	-	10	14	19	27	5	2
231	Respiratory organs	M	93	6	11	9	-	-	3	3	2	7	30	32	15	1	-
		F	22	1	7	1	-	-	2	-	4	2	7	5	2	-	-

TABLE H.1(a) (Contd.)

I.S.C. No.	PRINCIPAL CAUSE OF ADMISSION		TEACHING HOSPITALS														
			TOTAL	Died	Marital status		Discharges (including deaths) by age										
					Single	N.S.	0-	1-	5-	15-	25-	35-	45-	55-	65-	75 and over	N.S.
232	Breast	M	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-
		F	39	-	5	-	-	-	-	1	5	5	7	12	9	-	-
233	Uterus	F	3	-	-	-	-	-	-	-	-	1	-	-	2	-	-
234	Ovary	F	35	-	6	-	-	1	2	3	12	5	3	5	4	-	-
235	Other female genital organs	F	3	-	1	-	-	-	-	-	1	-	1	1	-	-	-
236	Other genito-urinary organs	M	21	1	1	1	-	1	-	-	1	2	7	3	7	-	-
		F	9	-	2	-	-	-	-	-	-	-	1	4	3	1	-
237	Brain and other parts of nervous system	M	291	48	71	15	2	7	22	18	39	56	78	51	14	3	1
		F	203	30	65	8	5	9	22	12	26	33	52	32	9	3	-
238	Skin and musculo-skeletal system	M	34	3	10	2	1	2	3	2	6	3	5	5	4	3	-
		F	35	1	13	-	-	2	3	7	5	6	6	3	2	1	-
239	Other and unspecified organs	M	60	3	14	2	1	3	1	2	6	7	12	14	9	5	-
		F	78	3	14	-	-	-	3	5	10	14	19	13	10	4	-
	III. ALLERGIC, ENDOCRINE SYSTEM, METABOLIC, AND NUTRITIONAL DISEASES																
240-245	**Allergic disorders**	M	**564**	**17**	**322**	**16**	**9**	**83**	**148**	**57**	**42**	**65**	**73**	**61**	**24**	**1**	**1**
		F	**561**	**8**	**258**	**11**	**4**	**31**	**74**	**86**	**80**	**97**	**97**	**66**	**23**	**2**	**1**
240	Hay fever	M	27	-	14	1	-	-	11	2	4	4	1	4	1	-	-
		F	24	-	18	1	-	1	4	10	4	1	2	1	1	-	-
241	Asthma	M	448	15	259	12	5	67	124	42	34	45	61	47	22	1	-
		F	451	8	206	9	4	26	62	62	56	77	86	58	18	1	1

242	Angioneurotic oedema	M	10	1	2	1	-	-	2	-	-	2	1	4	-	-	1
		F	28	-	10	1	-	-	3	7	3	5	2	6	2	-	-
243	Urticaria	M	40	1	25	1	2	11	6	6	3	7	3	2	-	-	-
		F	38	-	17	-	-	3	3	6	13	10	2	-	1	-	-
244	Allergic eczema	M	17	-	9	-	-	3	1	4	1	3	2	2	1	-	-
		F	8	-	3	-	-	-	2	-	1	1	2	-	1	1	-
245	Other allergic disorders	M	22	-	13	1	2	2	4	3	-	4	5	2	-	-	-
		F	12	-	4	-	-	1	-	1	3	3	3	1	-	-	-
250-254	**Diseases of thyroid gland**	M	**451**	**7**	**84**	**19**	**2**	**3**	**7**	**43**	**92**	**96**	**100**	**78**	**27**	**-**	**3**
		F	**2817**	**14**	**617**	**33**	**6**	**9**	**19**	**275**	**593**	**767**	**618**	**392**	**122**	**9**	**7**
250	Simple goitre	M	45	-	11	1	2	-	-	8	5	8	12	5	4	-	1
		F	168	2	40	1	1	-	-	19	34	54	42	13	2	3	-
251	Nontoxic nodular goitre	M	90	1	17	3	-	-	2	11	17	17	16	15	11	-	1
		F	788	-	157	7	-	1	4	56	160	261	182	91	28	2	3
252	Thyrotoxicosis with or without goitre	M	265	4	45	11	-	-	-	22	67	67	61	45	2	-	1
		F	1633	12	371	21	-	-	8	190	380	404	332	242	74	1	2
	.0 Toxic diffuse goitre	*M*	*252*	*4*	*45*	*10*	-	-	-	*22*	*63*	*65*	*58*	*41*	*2*	-	*1*
		F	*1504*	*10*	*353*	*19*	-	-	*8*	*185*	*364*	*356*	*305*	*216*	*68*	-	*2*
	.1 Toxic nodular goitre	*M*	*13*	-	-	*1*	-	-	-	-	*4*	*2*	*3*	*4*	-	-	-
		F	*129*	*2*	*18*	*2*	-	-	-	*5*	*16*	*48*	*27*	*26*	*6*	*1*	-
253	Myxoedema and cretinism	M	41	2	8	3	-	3	3	1	2	2	10	11	9	-	-
		F	151	-	37	1	5	8	5	9	12	24	37	31	16	3	1
254	Other diseases of thyroid gland	M	10	-	3	1	-	-	2	1	1	2	1	2	1	-	-
		F	77	-	12	3	-	-	2	1	7	24	25	15	2	-	1
260	**Diabetes mellitus**	M	**617**	**28**	**169**	**30**	**-**	**11**	**43**	**67**	**67**	**84**	**92**	**129**	**94**	**25**	**5**
		F	**991**	**53**	**226**	**21**	**-**	**10**	**61**	**78**	**108**	**95**	**127**	**252**	**213**	**47**	**-**
270-277	**Diseases of other endocrine glands**	M	**204**	**12**	**92**	**8**	**4**	**13**	**27**	**23**	**31**	**32**	**44**	**25**	**5**	**-**	**-**
		F	**595**	**15**	**125**	**6**	**1**	**11**	**28**	**47**	**124**	**205**	**136**	**32**	**9**	**2**	**-**
270	Disorders of pancreatic internal secretion other than diabetes mellitus	M	19	-	9	1	-	-	1	-	7	5	2	3	1	-	-
		F	15	1	5	-	-	-	1	-	4	4	3	1	1	1	-

TABLE H.1(a) (Contd.)

I.S.C. No.	PRINCIPAL CAUSE OF ADMISSION		TEACHING HOSPITALS														
			TOTAL	Died	Marital status		Discharges (including deaths) by age										
					Single	N.S.	0-	1-	5-	15-	25-	35-	45-	55-	65-	75 and over	N.S.
271	Diseases of parathyroid gland	M	12	-	8	-	-	1	2	4	-	-	4	1	-	-	-
		F	14	1	4	-	-	-	1	1	1	5	2	2	2	-	-
	.0 Hyperparathyroidism	M	9	-	7	-	-	-	2	4	-	-	2	1	-	-	-
		F	9	1	3	-	-	-	1	-	-	3	1	2	2	-	-
	.1 Hypoparathyroidism	M	3	-	1	-	-	1	-	-	-	-	2	-	-	-	-
		F	3	-	-	-	-	-	-	-	1	1	1	-	-	-	-
	.2 Other and unspecified	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	2	-	1	-	-	-	-	1	-	1	-	-	-	-	-
272	Diseases of pituitary gland	M	93	6	32	2	-	3	9	11	13	16	23	15	3	-	-
		F	96	6	33	1	-	6	8	10	18	18	19	15	2	-	-
273	Diseases of thymus gland	M	7	1	6	-	4	2	-	-	1	-	-	-	-	-	-
		F	1	-	1	-	1	-	-	-	-	-	-	-	-	-	-
274	Diseases of adrenal glands	M	34	4	8	3	-	2	1	3	5	5	13	4	1	-	-
		F	62	6	9	2	-	1	1	3	13	22	20	1	1	-	-
275	Ovarian dysfunction	F	25	-	6	-	-	-	-	3	8	10	4	-	-	-	-
276	Testicular dysfunction	M	9	-	6	-	-	-	2	2	2	2	1	-	-	-	-
277	Polyglandular dysfunction and other diseases of endocrine glands	M	30	1	23	2	-	5	12	3	3	4	1	2	-	-	-
		F	382	1	67	3	-	4	17	30	80	146	88	13	3	1	-
280-289	**Avitaminoses and other metabolic diseases**	**M**	**262**	**8**	**161**	**10**	**9**	**71**	**53**	**9**	**17**	**29**	**31**	**24**	**15**	**4**	**-**
		F	**383**	**9**	**221**	**6**	**15**	**85**	**65**	**33**	**40**	**54**	**44**	**24**	**19**	**4**	**-**
280	Beriberi	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

281	Pellagra	M	2	-	1	-	-	1	-	-	-	-	1	-	-	-	-
		F	2	-	2	-	-	-	1	-	-	-	-	1	-	-	-
282	Scurvy	M	13	-	7	-	4	-	-	-	1	-	2	1	4	1	-
		F	9	-	5	-	4	1	-	-	-	-	-	1	3	-	-
283	Active rickets	M	11	-	11	-	-	7	3	1	-	-	-	-	-	-	-
		F	14	-	14	-	3	8	3	-	-	-	-	-	-	-	-
284	Late effects of rickets	M	5	-	5	-	-	4	1	-	-	-	-	-	-	-	-
		F	6	-	3	-	-	1	-	1	-	1	-	2	1	-	-
285	Osteomalacia	M	1	-	1	-	-	-	-	1	-	-	-	-	-	-	-
		F	3	1	1	-	-	-	-	-	1	-	1	-	1	-	-
286	Other avitaminoses and nutritional deficiency states	M	117	2	84	-	4	48	24	1	7	14	6	7	6	-	-
		F	172	2	124	3	4	68	36	6	13	16	12	7	7	3	-
	.0 Steatorrhoea and sprue	M	83	1	59	-	2	31	20	1	6	11	4	5	3	-	-
		F	130	2	104	2	4	56	31	6	10	8	10	3	2	-	-
	.1 Vitamin A deficiency	M	1	1	1	-	1	-	-	-	-	-	-	-	-	-	-
		F	3	-	2	-	-	-	1	-	-	1	-	-	1	-	-
	.2 Vitamin B deficiency, except beriberi and pellagra	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	3	-	-	-	-	-	-	-	-	1	-	-	1	1	-
	.3 Vitamin C deficiency, except scurvy	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	.4 Vitamin D deficiency, except rickets and osteomalacia	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	2	-	1	-	-	-	-	-	-	1	-	1	-	-	-
	.5 Malnutrition, unqualified	M	27	-	24	-	1	17	4	-	-	-	2	2	1	-	-
		F	24	-	16	-	-	12	4	-	1	-	2	1	3	1	-
	.6 Other and multiple deficiency states	M	6	-	-	-	-	-	-	-	1	3	-	-	2	-	-
		F	10	-	1	1	-	-	-	-	2	5	-	2	-	1	-
287	Obesity, not specified as of endocrine origin	M	34	1	21	3	-	1	16	3	4	5	3	2	-	-	-
		F	121	3	47	3	-	2	16	24	17	24	26	7	4	1	-

TABLE H.1(a) (Contd.)

I.S.C. No.	PRINCIPAL CAUSE OF ADMISSION		TEACHING HOSPITALS														
			TOTAL	Died	Marital status		Discharges (including deaths) by age										
					Single	N.S.	0-	1-	5-	15-	25-	35-	45-	55-	65-	75 and over	N.S.
288	Gout	M	31	-	2	2	-	-	-	-	-	5	8	11	4	3	-
		F	6	-	2	-	-	-	-	-	2	1	-	2	1	-	-
289	Other metabolic diseases	M	48	5	29	5	1	10	9	3	5	5	11	3	1	-	-
		F	50	3	23	-	4	5	9	2	7	12	5	4	2	-	-
	.0 Lipidesis (disturbance of lipid metabolism)	M	13	-	7	-	-	3	4	-	-	1	3	1	1	-	-
		F	16	-	9	-	1	3	5	-	-	3	1	3	-	-	-
	.1 Amyloidosis	M	6	4	2	1	-	-	-	1	1	2	2	-	-	-	-
		F	4	3	2	-	-	-	-	-	1	2	1	-	-	-	-
	.2 Other	M	29	1	20	4	1	7	5	2	4	2	6	2	-	-	-
		F	30	-	12	-	3	2	4	2	6	7	3	1	2	-	-
	IV. DISEASES OF THE BLOOD AND BLOOD-FORMING ORGANS																
290-299	**Diseases of blood and blood-forming organs**	M	**784**	**26**	**301**	**32**	**19**	**75**	**95**	**41**	**60**	**69**	**112**	**154**	**109**	**47**	**3**
		F	**1047**	**29**	**310**	**23**	**19**	**37**	**57**	**64**	**84**	**201**	**207**	**192**	**142**	**41**	**3**
290	Pernicious and other hyperchromic anaemias	M	191	3	17	15	-	-	-	2	4	17	52	61	47	8	-
		F	309	3	38	8	-	1	2	2	10	43	68	92	74	17	-
	.0 Pernicious anaemia	M	149	3	16	12	-	-	-	1	4	12	35	50	39	8	-
		F	235	3	29	8	-	1	1	2	8	29	47	73	62	12	-
	.1 Subacute combined degeneration of spinal cord	M	34	-	-	2	-	-	-	-	-	5	17	7	5	-	-
		F	58	-	6	-	-	-	-	-	2	8	17	16	12	3	-
	.2 Other hyperchromic anaemias	M	8	-	1	1	-	-	-	1	-	-	-	4	3	-	-
		F	16	-	3	-	-	-	1	-	-	6	4	3	-	2	-

291	Iron deficiency anaemias (hyperchromic anaemias)	M	90	3	29	1	4	9	5	3	6	9	11	18	21	4	-
		F	314	1	69	8	3	3	4	13	36	90	82	48	25	9	1
292	Other anaemias of specified type	M	166	10	67	5	10	30	10	9	7	9	11	32	16	31	1
		F	162	8	81	3	13	14	14	20	8	27	13	22	23	8	-
	.0 Familial acholuric jaundice	M	16	-	10	1	1	4	3	3	2	1	-	1	-	-	1
		F	30	-	20	1	8	3	5	3	2	2	3	2	2	-	-
	.1 Acute haemalytic anaemia	M	5	-	3	1	1	1	-	-	1	1	-	1	-	-	-
		F	10	-	8	-	2	1	2	3	-	1	-	1	-	-	-
	.2 Other haemalytic anaemias	M	20	-	8	1	1	4	-	2	1	1	2	4	4	1	-
		F	29	1	11	1	-	-	2	3	4	10	6	1	3	-	-
	.3 Leuko erythroblastic anaemia	M	6	1	1	-	-	-	-	-	-	-	2	3	1	-	-
		F	13	2	3	-	-	-	-	-	-	6	1	3	3	-	-
	.4 Aplastic anaemia	M	90	7	29	-	1	13	7	3	3	4	5	16	10	28	-
		F	54	4	27	-	1	6	2	10	1	6	2	11	11	4	-
	.5 Nonregenerative anaemia	M	5	1	-	-	-	-	-	-	-	-	1	3	-	1	-
		F	3	-	1	-	-	-	-	-	-	1	-	-	2	-	-
	.6 Sickle cell anaemia	M	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	.7 Other specified anaemias	M	23	1	16	2	6	8	-	1	-	2	1	4	1	-	-
		F	23	1	11	1	2	4	3	1	1	1	1	4	2	4	-
293	Anaemia of unspecified type	M	52	-	14	3	3	2	4	2	3	2	5	15	13	2	1
		F	71	3	32	1	2	3	7	10	10	16	9	6	4	4	-
294	Polycythaemia	M	48	2	13	2	-	-	-	1	4	5	17	14	5	2	-
		F	30	1	5	1	-	-	-	-	1	2	8	10	7	1	1
295	Haemophilia	M	101	1	82	-	-	20	34	19	12	8	3	5	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
296	Purpura and other haemorrhagic conditions	M	81	3	54	5	2	11	35	3	3	7	6	8	6	-	-
		F	98	6	63	1	1	13	28	9	12	10	10	8	5	1	1
297	Agranulocytosis	M	3	-	2	-	-	1	1	-	-	-	1	-	-	-	-
		F	13	2	6	-	-	3	-	1	1	2	3	2	1	-	-

TABLE H.1(a) (Contd.)

I.S.C. No.	PRINCIPAL CAUSE OF ADMISSION		TEACHING HOSPITALS														
			TOTAL	Died	Marital status		Discharges (including deaths) by age										
					Single	N.S.	0-	1-	5-	15-	25-	35-	45-	55-	65-	75 and over	N.S.
298	Diseases of spleen	M	50	4	22	1	-	2	6	1	21	12	6	1	-	-	1
		F	46	5	13	1	-	-	2	9	5	10	12	4	3	1	-
	.0 Hepatolienal-fibrosis	M	43	4	19	1	-	1	6	1	18	11	4	1	-	-	1
		F	38	3	10	-	-	-	1	7	4	9	10	4	3	-	-
	.1 Other	M	7	-	3	-	-	1	-	-	3	1	2	-	-	-	-
		F	8	2	3	1	-	-	1	2	1	1	2	-	-	1	-
299	Other diseases of blood and blood-forming organs	M	2	-	1	-	-	-	-	1	-	-	-	-	1	-	-
		F	4	-	3	-	-	-	-	-	1	1	2	-	-	-	-
	V. MENTAL PSYCHONEUROTIC, AND PERSONALITY DISORDERS																
300-309	**Psychoses**	M	299	7	126	7	1	-	1	38	78	40	70	46	23	2	-
		F	515	5	181	4	-	-	5	52	102	88	118	98	41	10	1
300	Schizophrenic disorders (dementia praecox)	M	104	2	78	2	-	-	1	30	52	17	4	-	-	-	-
		F	135	1	86	1	-	-	4	37	54	27	10	2	-	-	1
	.0 Simple type	M	2	1	2	-	-	-	-	1	-	1	-	-	-	-	-
		F	9	-	6	-	-	-	-	5	3	1	-	-	-	-	-
	.1 Hebephrenic type	M	5	-	4	-	-	-	-	1	3	-	1	-	-	-	-
		F	17	-	14	-	-	-	-	7	3	5	2	-	-	-	-
	.2 Catatonic type	M	12	1	10	-	-	-	-	6	5	1	-	-	-	-	-
		F	8	-	5	-	-	-	1	1	4	2	-	-	-	-	-
	.3 Paranoid type	M	23	-	17	-	-	-	-	1	14	7	1	-	-	-	-
		F	19	1	10	1	-	-	-	-	10	6	3	-	-	-	-

	.4 Acute schizophrenic reaction	M	5	-	3	-	-	-	-	2	2	1	-	-	-	-	-
		F	3	-	1	-	-	-	-	1	2	-	-	-	-	-	-
	.5 Latent schizophrenia	M	3	-	3	-	-	-	-	1	-	1	1	-	-	-	-
		F	1	-	1	-	-	-	-	-	-	1	-	-	-	-	-
	.6 Schizo-affective psychosis	M	8	-	7	-	-	-	-	3	4	1	-	-	-	-	-
		F	15	-	8	-	-	-	-	5	5	3	2	-	-	-	-
	.7 Other and unspecified	M	46	-	32	2	-	-	1	15	24	5	1	-	-	-	-
		F	63	-	41	-	-	-	3	18	27	9	3	2	-	-	1
301	Manic-depressive reaction	M	92	2	27	-	-	-	-	6	17	16	30	15	8	-	-
		F	196	2	53	3	-	-	-	13	38	44	45	38	16	2	-
	.0 Manic and circular	M	13	-	4	-	-	-	-	2	3	3	3	1	1	-	-
		F	30	-	8	1	-	-	-	2	8	6	6	6	1	1	-
	.1 Depressive	M	74	2	22	-	-	-	-	3	12	12	26	14	7	-	-
		F	157	2	43	2	-	-	-	9	28	38	37	31	13	1	-
	.2 Other	M	5	-	1	-	-	-	-	1	2	1	1	-	-	-	-
		F	9	-	2	-	-	-	-	2	2	-	2	1	2	-	-
302	Involutional melancholia	M	24	-	1	2	-	-	-	-	1	-	13	9	1	-	-
		F	97	-	21	-	-	-	-	-	-	8	46	36	6	1	-
303	Paranoia and paranoid states	M	9	-	4	-	-	-	-	-	2	1	4	1	1	-	-
		F	7	-	4	-	-	-	-	-	1	2	3	1	-	-	-
304	Senile psychosis	M	15	1	2	1	-	-	-	-	-	-	1	3	9	2	-
		F	18	1	2	-	-	-	-	-	-	-	-	-	12	6	-
305	Presenile psychosis	M	13	1	1	-	-	-	-	-	-	-	6	7	-	-	-
		F	16	-	2	-	-	-	-	-	-	1	6	9	-	-	-
306	Psychosis with cerebral arteriosclerosis	M	12	1	1	-	-	-	-	-	-	-	2	6	4	-	-
		F	10	1	2	-	-	-	-	-	-	-	-	5	5	-	-
307	Alcoholic psychosis	M	12	-	5	-	-	-	-	1	2	1	6	2	-	-	-
		F	2	-	-	-	-	-	-	-	-	-	1	1	-	-	-
308	Psychosis of other demonstrable aetiology	M	8	-	3	-	1	-	-	-	3	3	1	-	-	-	-
		F	6	-	1	-	-	-	1	-	2	2	1	-	-	-	-

TABLE H.1(a) (Contd.)

I.S.C. No.	PRINCIPAL CAUSE OF ADMISSION		TEACHING HOSPITALS														
			TOTAL	Died	Marital status		Discharges (including deaths) by age										
					Single	N.S.	0-	1-	5-	15-	25-	35-	45-	55-	65-	75 and over	N.S.
308	.0 Resulting from brain tumour	M	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	.1 Resulting from epilepsy and other convulsive disorders	M	3	-	1	-	1	-	-	-	1	-	1	-	-	-	-
		F	4	-	1	-	-	-	1	-	1	2	-	-	-	-	-
	.2 Other	M	4	-	2	-	-	-	-	-	2	2	-	-	-	-	-
		F	2	-	-	-	-	-	-	-	1	-	1	-	-	-	-
309	Other and unspecified psychoses	M	10	-	4	2	-	-	-	1	1	2	3	3	-	-	-
		F	28	-	10	-	-	-	-	2	7	4	6	6	2	1	-
310-318	**Psychoneurotic disorders**	**M**	**718**	**2**	**207**	**24**	**1**	**5**	**37**	**77**	**156**	**197**	**161**	**73**	**11**	**-**	**-**
		F	**1300**	**4**	**395**	**25**	**2**	**5**	**37**	**180**	**314**	**344**	**257**	**112**	**41**	**4**	**4**
310	Anxiety reaction without mention of somatic symptoms	M	218	-	53	6	-	-	9	16	56	68	55	14	-	-	-
		F	400	-	105	5	-	-	5	53	115	112	77	31	6	-	1
311	Hysterical reaction without mention of anxiety reaction	M	133	1	38	10	-	-	7	21	26	35	27	14	3	-	-
		F	305	1	139	10	-	2	17	67	72	74	45	17	8	1	2
312	Phobic reaction	M	2	-	-	-	-	-	-	-	-	1	1	-	-	-	-
		F	6	-	2	-	-	-	1	1	1	3	-	-	-	-	-
313	Obsessive-compulsive reaction	M	23	1	13	-	-	1	-	5	9	3	3	2	-	-	-
		F	31	1	12	2	-	-	1	5	12	9	3	1	-	-	-
314	Neurotic-depressive reaction	M	120	-	35	1	-	-	1	17	24	29	30	16	3	-	-
		F	188	-	38	1	-	-	-	8	57	43	49	21	8	2	-

315	Psychoneurosis with somatic symptoms (somatization reaction) affecting circulatory system	M	15	-	4	-	-	-	-	2	5	6	-	2	-	-	-
		F	23	-	8	-	-	-	1	1	3	10	5	2	1	-	-
	.0 Neurocirculatory asthenia	M	12	-	2	-	-	-	-	-	5	5	-	2	-	-	-
		F	20	-	7	-	-	-	1	-	3	10	5	1	-	-	-
	.1 Other heart manifestations specified as of psychogenic origin	M	1	-	1	-	-	-	-	1	-	-	-	-	-	-	-
		F	2	-	1	-	-	-	-	1	-	-	-	1	-	-	-
	.2 Other circulatory manifestations of psychogenic origin	M	2	-	1	-	-	-	-	1	-	1	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-
316	Psychoneurosis with somatic symptoms (somatization reaction) affecting digestive system	M	66	-	23	5	1	4	10	3	11	19	10	8	-	-	-
		F	96	1	31	-	2	3	8	10	15	21	17	11	8	1	-
	.0 Mucous colitis specified as of psychogenic origin	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	3	-	1	-	-	-	-	1	-	1	-	-	1	-	-
	.1 Irritability of colon specified as of psychogenic origin	M	11	-	2	1	-	-	-	-	6	2	-	3	-	-	-
		F	11	-	1	-	-	-	-	1	3	1	3	2	1	-	-
	.2 Gastric neuroses	M	41	-	15	4	-	3	9	2	4	13	6	4	-	-	-
		F	62	1	23	-	2	3	7	4	9	13	11	7	5	1	-
	.3 Other digestive manifestations specified as of psychogenic origin	M	14	-	6	-	1	1	1	1	1	4	4	1	-	-	-
		F	20	-	6	-	-	-	1	4	3	6	3	2	1	-	-
317	Psychoneurosis with somatic symptoms (somatization reactions) affecting other systems	M	29	-	9	-	-	-	5	1	7	6	6	2	2	-	-
		F	51	-	13	-	-	-	3	5	7	16	12	7	-	-	1

TABLE H.1(a) (Contd.)

I.S.C. No.	PRINCIPAL CAUSE OF ADMISSION		TEACHING HOSPITALS														
			TOTAL	Died	Marital status		Discharges (including deaths) by age										
					Single	N.S.	0-	1-	5-	15-	25-	35-	45-	55-	65-	75 and over	N.S.
317	.0 Psychogenic reactions affecting respiratory system	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	7	-	3	-	-	-	1	-	2	2	1	-	-	-	1
	.1 Psychogenic reactions affecting genito-urinary system	M	7	-	2	-	-	-	1	-	2	1	-	1	2	-	-
		F	8	-	2	-	-	-	-	2	-	3	2	1	-	-	-
	.2 Pruritus of psychogenic origin	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	3	-	-	-	-	-	-	-	-	2	-	1	-	-	-
	.3 Other cutaneous neuroses	M	5	-	2	-	-	-	-	1	1	2	1	-	-	-	-
		F	2	-	1	-	-	-	-	-	-	1	-	1	-	-	-
	.4 Psychogenic reactions affecting musculoskeletal system	M	6	-	3	-	-	-	2	-	1	1	2	-	-	-	-
		F	7	-	3	-	-	-	-	1	2	2	2	-	-	-	-
	.5 Psychogenic reactions affecting other systems	M	11	-	2	-	-	-	2	-	3	2	3	1	-	-	-
		F	24	-	4	-	-	-	2	2	3	6	7	4	-	-	-
318	Psychoneurotic disorders, other, mixed, and unspecified types	M	112	-	32	2	-	-	5	12	18	30	29	15	3	-	-
		F	200	1	47	7	-	-	1	30	32	56	49	22	10	-	-
	.0 Hypochondriacal reaction	M	12	-	2	-	-	-	-	-	1	4	3	3	1	-	-
		F	9	-	2	-	-	-	-	-	1	4	3	-	1	-	-
	.1 Depersonalization	M	2	-	2	-	-	-	-	1	1	-	-	-	-	-	-
		F	9	-	6	-	-	-	-	3	5	1	-	-	-	-	-
	.2 Occupational neurosis	M	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

	.3 Asthenic reaction	M	12	-	2	1	-	-	2	-	-	1	5	4	-	-	-
		F	20	-	5	1	-	-	1	2	1	12	4	-	-	-	-
	.4 Mixed	M	1	-	1	-	-	-	-	1	-	-	-	-	-	-	-
		F	5	-	2	1	-	-	-	-	1	2	1	-	1	-	-
	.5 Of other and unspecified types	M	84	-	25	1	-	-	3	10	16	25	20	8	2	-	-
		F	157	1	32	5	-	-	-	25	24	37	41	22	8	-	-
320-326	**Disorders of character, behaviour, and intelligence**	**M**	**219**	**4**	**133**	**5**	**18**	**51**	**28**	**18**	**28**	**34**	**24**	**11**	**4**	**1**	**2**
		F	**167**	**1**	**115**	**3**	**12**	**43**	**23**	**26**	**16**	**15**	**22**	**6**	**3**	**1**	**-**
320	Pathological personality	M	37	-	16	-	-	-	-	8	16	7	3	3	-	-	-
		F	37	-	23	-	-	-	1	16	8	6	3	2	1	-	-
	.0 Schizoid personality	M	5	-	3	-	-	-	-	-	4	1	-	-	-	-	-
		F	7	-	6	-	-	-	1	4	1	-	1	-	-	-	-
	.1 Paranoid personality	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	2	-	-	-	-	-	-	-	1	1	-	-	-	-	-
	.2 Cyclothymic personality	M	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-
		F	1	-	1	-	-	-	-	1	-	-	-	-	-	-	-
	.3 Inadequate personality	M	5	-	4	-	-	-	-	1	1	1	1	1	-	-	-
		F	8	-	5	-	-	-	-	4	-	1	1	2	-	-	-
	.4 Antisocial personality	M	16	-	6	-	-	-	-	4	8	3	-	1	-	-	-
		F	15	-	9	-	-	-	-	6	3	4	1	-	1	-	-
	.5 Asocial personality	M	4	-	1	-	-	-	-	1	1	-	2	-	-	-	-
		F	2	-	-	-	-	-	-	-	2	-	-	-	-	-	-
	.6 Sexual deviation	M	5	-	2	-	-	-	-	2	2	-	-	1	-	-	-
		F	2	-	2	-	-	-	-	1	1	-	-	-	-	-	-
	.7 Other and unspecified	M	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
321	Immature personality	M	5	-	4	-	-	-	1	1	-	3	-	-	-	-	-
		F	19	-	14	-	-	-	7	5	4	-	3	-	-	-	-
	.0 Emotional instability	M	2	-	1	-	-	-	-	-	-	2	-	-	-	-	-
		F	8	-	4	-	-	-	1	3	2	-	2	-	-	-	-

TABLE H.1(a) (Contd.)

I.S.C. No.	PRINCIPAL CAUSE OF ADMISSION		TEACHING HOSPITALS														
			TOTAL	Died	Marital status		Discharges (including deaths) by age										
					Single	N.S.	0-	1-	5-	15-	25-	35-	45-	55-	65-	75 and over	N.S.
321	.1 Passive dependency	M	1	-	1	-	-	-	1	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	.2 Aggressiveness	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	4	-	3	-	-	-	1	1	1	-	1	-	-	-	-
	.3 Enuresis characterizing immature personality	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	4	-	4	-	-	-	4	-	-	-	-	-	-	-	-
	.4 Other symptomatic habits except speech impediments	M	1	-	1	-	-	-	-	1	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	.5 Other and unspecified	M	1	-	1	-	-	-	-	-	-	1	-	-	-	-	-
		F	3	-	3	-	-	-	1	1	1	-	-	-	-	-	-
322	Alcoholism	M	71	2	11	5	-	-	-	6	12	19	21	7	4	1	1
		F	25	-	3	3	-	-	-	1	4	9	8	1	2	-	-
	.0 Acute	M	12	-	4	3	-	-	-	2	3	1	1	1	3	-	1
		F	1	-	-	1	-	-	-	-	-	-	1	-	-	-	-
	.1 Chronic	M	13	-	-	-	-	-	-	-	1	3	6	3	-	-	-
		F	8	-	1	1	-	-	-	-	3	-	4	-	1	-	-
	.2 Unspecified	M	46	2	7	2	-	-	-	4	8	15	14	3	1	1	-
		F	16	-	2	1	-	-	-	1	1	9	3	1	1	-	-
323	Other drug addiction	M	3	-	-	-	-	-	-	-	-	2	-	1	-	-	-
		F	8	-	-	-	-	-	-	-	-	-	7	-	-	1	-
324	Primary childhood behaviour disorders	M	30	-	30	-	1	14	14	-	-	-	-	-	-	-	1
		F	27	-	27	-	2	17	7	1	-	-	-	-	-	-	-

325	Mental deficiency	M	65	2	65	-	16	36	10	2	-	1	-	-	-	-	-
		F	44	1	44	-	10	25	7	1	-	-	-	1	-	-	-
	.0 Idiocy	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	1	-	-	1	-	-	-	-	-	-	-	-	-
	.1 Imbecility	M	2	-	2	-	-	1	1	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	.2 Moron	M	6	-	6	-	1	4	1	-	-	-	-	-	-	-	-
		F	13	-	13	-	3	9	1	-	-	-	-	-	-	-	-
	.3 Borderline intelligence	M	3	-	3	-	-	3	-	-	-	-	-	-	-	-	-
		F	5	-	5	-	-	4	1	-	-	-	-	-	-	-	-
	.4 Mongolism	M	8	2	8	-	5	3	-	-	-	-	-	-	-	-	-
		F	3	1	3	-	3	-	-	-	-	-	-	-	-	-	-
	.5 Other and unspecified types	M	46	-	46	-	10	25	8	2	-	1	-	-	-	-	-
		F	22	-	22	-	4	11	5	1	-	-	-	1	-	-	-
326	Other and unspecified character behaviour, and intelligence disorders	M	8	-	7	-	1	1	3	1	-	2	-	-	-	-	-
		F	7	-	4	-	-	1	1	2	-	-	1	2	-	-	-
	.0 Specific learning defects	M	1	-	1	-	-	-	-	1	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	.1 Stammering and stuttering of nonorganic origin	M	2	-	2	-	-	-	1	-	-	1	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-
	.2 Other speech impediments of nonorganic origin	M	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-
		F	2	-	-	-	-	-	-	-	-	-	1	1	-	-	-
	.3 Acute situational maladjustment	M	1	-	1	-	-	-	1	-	-	-	-	-	-	-	-
		F	2	-	2	-	-	1	1	-	-	-	-	-	-	-	-
	.4 Other and unspecified	M	3	-	3	-	1	1	1	-	-	-	-	-	-	-	-
		F	2	-	2	-	-	-	-	2	-	-	-	-	-	-	-

TABLE H.1(a) (Contd.)

I.S.C. No.	PRINCIPAL CAUSE OF ADMISSION		TEACHING HOSPITALS														
			TOTAL	Died	Marital status		Discharges (including deaths) by age										
					Single	N.S.	0-	1-	5-	15-	25-	35-	45-	55-	65-	75 and over	N.S.
	VI. DISEASES OF THE NERVOUS SYSTEM AND SENSE ORGANS																
330-334	**Vascular lesions affecting central nervous system**	**M**	**643**	**178**	**74**	**55**	**2**	**8**	**4**	**15**	**19**	**64**	**139**	**203**	**121**	**58**	**10**
		F	**552**	**217**	**102**	**44**	**1**	**6**	**9**	**14**	**21**	**51**	**100**	**158**	**122**	**64**	**6**
330	Subarachnoid haemorrhage	M	88	20	15	6	1	-	1	6	10	23	18	22	5	1	1
		F	115	45	26	5	-	1	4	10	10	21	26	25	14	2	2
331	Cerebral haemorrhage	M	139	93	18	18	1	4	2	6	3	14	32	33	22	18	4
		F	133	105	22	20	1	1	2	-	2	10	23	44	32	18	-
332	Cerebral embolism and thrombosis	M	246	51	24	20	-	-	-	1	3	15	60	80	53	29	5
		F	194	56	38	12	-	2	1	2	2	13	36	55	49	32	2
333	Spasm of cerebral arteries	M	6	-	1	-	-	-	-	-	1	-	2	1	1	1	-
		F	2	-	-	-	-	-	-	-	-	1	1	-	-	-	-
334	Other and ill-defined vascular lesions affecting central nervous system	M	164	14	16	11	-	4	1	2	2	12	27	67	40	9	-
		F	108	11	16	7	-	2	2	2	7	6	14	34	27	12	2
340-345	**Inflammatory diseases of central nervous system**	**M**	**503**	**48**	**208**	**16**	**36**	**31**	**37**	**56**	**82**	**125**	**90**	**34**	**6**	**3**	**3**
		F	**546**	**39**	**212**	**4**	**22**	**28**	**40**	**67**	**106**	**129**	**107**	**38**	**6**	**2**	**1**
340	Meningitis, except meningococcal and tuberculous	M	123	22	67	2	23	13	15	10	10	19	18	9	4	1	1
		F	62	13	47	-	15	13	15	2	2	3	7	5	-	-	-
	.0 H. influenzae	*M*	*15*	*1*	*14*	*1*	*3*	*9*	*1*	*1*	-	-	-	-	-	-	*1*
		F	*12*	*2*	*12*	-	*2*	*10*	-	-	-	-	-	-	-	-	-

	.1 Pneumococcus	M	18	5	7	-	4	-	2	-	3	4	2	1	1	1	-
		F	13	5	11	-	6	1	4	-	-	-	1	1	-	-	-
	.2 Due to other specified organism	M	12	2	11	-	4	-	5	1	1	1	-	-	-	-	-
		F	10	2	9	-	3	-	5	1	-	-	-	1	-	-	-
	.3 Unspecified cause	M	78	14	35	1	12	4	7	8	6	14	16	8	3	-	-
		F	27	4	15	-	4	2	6	1	2	3	6	3	-	-	-
341	Phlebitis and thrombophlebitis of intracranial venous sinuses	M	10	-	4	-	-	-	3	1	1	2	2	1	-	-	-
		F	7	-	-	2	-	-	-	3	-	2	-	1	1	-	-
342	Intracranial and intraspinal abscess	M	51	15	26	3	1	1	8	13	10	7	8	2	-	-	1
		F	38	12	27	-	-	1	10	16	2	6	-	3	-	-	-
343	Encephalitis, myelitis and encephalomyelitis (except acute infectious)	M	48	7	26	-	5	10	5	1	3	11	9	4	-	-	-
		F	49	9	29	1	2	8	8	8	8	7	2	3	2	1	-
344	Late effects of intracranial abscess or pyogenic infections	M	28	-	25	-	7	7	6	2	2	2	2	-	-	-	-
		F	28	3	24	-	5	6	7	4	2	3	1	-	-	-	-
345	Multiple sclerosis	M	243	4	60	11	-	-	-	29	56	84	51	18	2	2	1
		F	362	2	85	1	-	-	-	34	92	108	97	26	3	1	1
350-357	Other diseases of central nervous system	M	1028	11	470	32	21	81	159	105	146	176	154	122	49	6	9
		F	809	23	384	11	11	54	122	110	116	131	125	99	31	4	6
350	Paralysis agitans	M	57	2	9	1	-	-	-	1	3	16	9	15	11	2	-
		F	41	3	4	-	-	-	-	-	3	6	9	17	5	1	-
351	Cerebral spastic infantile paralysis	M	118	1	106	-	7	24	54	15	2	7	3	3	3	-	-
		F	84	1	71	3	3	19	29	13	5	4	4	5	1	-	1
352	Other cerebral paralysis	M	57	2	22	1	-	2	8	2	4	9	12	15	4	-	1
		F	45	5	16	3	-	-	3	6	5	5	7	11	5	2	1
353	Epilepsy	M	434	3	236	21	10	44	73	68	95	64	52	18	3	2	5
		F	350	4	203	2	7	27	66	69	72	61	28	14	3	-	3
	.0 Petit mal	M	33	-	24	1	2	6	12	3	3	4	2	-	-	-	1
		F	26	-	24	-	-	5	12	5	1	2	-	-	-	-	1

TABLE H.1(a) (Contd.)

I.S.C. No.	PRINCIPAL CAUSE OF ADMISSION		TEACHING HOSPITALS														
			TOTAL	Died	Marital status		Discharges (including deaths) by age										
					Single	N.S.	0-	1-	5-	15-	25-	35-	45-	55-	65-	75 and over	N.S.
353	.1 Grand mal	M	37	-	20	-	-	1	9	8	6	8	4	1	-	-	-
		F	19	-	14	-	-	2	2	6	4	4	-	-	1	-	-
	.2 Status epilepticus	M	12	2	8	1	-	3	2	1	4	2	-	-	-	-	-
		F	13	3	10	-	1	-	6	3	1	1	-	-	1	-	-
	.3 Other and unspecified	M	352	1	184	19	8	34	50	56	82	50	46	17	3	2	4
		F	292	1	155	2	6	20	46	55	66	54	28	14	1	-	2
354	Migraine	M	44	-	16	3	-	-	9	6	8	15	3	2	-	-	1
		F	78	-	24	1	-	-	3	8	9	27	17	12	1	-	1
355	Other diseases of brain	M	92	-	35	1	1	9	14	3	9	19	14	15	6	-	2
		F	86	5	32	1	1	6	16	3	5	14	22	13	6	-	-
356	Motor neurone disease and muscular atrophy	M	132	3	22	3	2	1	-	5	11	25	32	39	16	1	-
		F	62	5	11	-	-	2	2	1	6	3	23	15	9	1	-
	.0 Progressive muscular atrophy	M	46	1	4	1	-	-	-	1	4	11	11	13	5	1	-
		F	28	5	5	-	-	-	1	-	3	2	9	7	5	1	-
	.1 Amyotrophic lateral sclerosis	M	26	-	8	1	-	-	-	-	1	5	9	9	2	-	-
		F	12	-	1	-	-	-	-	-	-	-	6	6	-	-	-
	.2 Spiral type of muscular atrophy	M	11	1	7	-	2	1	-	3	1	2	2	-	-	-	-
		F	2	-	1	-	-	1	-	-	1	-	-	-	-	-	-
	.3 Other and unspecified manifestations	M	49	1	3	1	-	-	-	1	5	7	10	17	9	-	-
		F	20	-	4	-	-	1	1	1	2	1	8	2	4	-	-
357	Other diseases of spinal cord	M	94	-	24	2	1	1	1	5	14	21	29	15	6	1	-
		F	63	-	23	1	-	-	3	10	11	11	15	12	1	-	-
360-369	Diseases of nerves and peripheral ganglia	M	452	3	105	25	19	22	5	16	46	103	103	85	41	11	1
		F	486	9	124	5	23	16	10	24	47	75	85	82	88	33	3

360	Facial paralysis	M	26	1	9	3	-	1	2	3	2	5	7	4	1	1	-
		F	28	-	17	-	1	-	6	4	3	3	8	2	1	-	-
361	Trigeminal neuralgia	M	92	-	4	5	-	-	-	-	6	13	18	30	22	3	-
		F	211	1	21	3	-	-	-	-	4	21	38	53	64	29	2
362	Brachial neuritis	M	60	-	12	4	-	2	1	3	8	11	16	13	4	2	-
		F	33	-	8	-	-	-	1	2	8	8	10	1	2	1	-
363	Sciatica	M	107	-	20	4	-	-	1	2	19	37	32	11	4	1	-
		F	80	-	23	1	-	-	1	10	19	26	8	10	5	-	1
364	Polyneuritis and polyradiculitis	M	44	2	9	2	-	4	-	1	4	12	8	11	3	-	1
		F	28	5	8	1	-	3	2	1	5	4	3	6	4	-	-
365	Erythroedema polyneuritica	M	33	-	33	-	19	14	-	-	-	-	-	-	-	-	-
		F	35	3	35	-	22	13	-	-	-	-	-	-	-	-	-
366	Other and unspecified forms of neuralgia and neuritis	M	52	-	8	5	-	1	-	3	2	15	12	11	4	4	-
		F	41	-	4	-	-	-	-	3	3	7	9	6	10	3	-
367	Other diseases of cranial nerves	M	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
368	Other diseases of peripheral nerves except autonomic	M	32	-	10	2	-	-	1	4	4	9	8	3	3	-	-
		F	21	-	5	-	-	-	-	3	2	4	7	3	2	-	-
369	Diseases of peripheral autonomic nervous system	M	5	-	-	-	-	-	-	-	-	1	2	2	-	-	-
		F	8	-	3	-	-	-	-	1	2	2	2	1	-	-	-
370-379	Inflammatory diseases of eye	M	886	-	315	59	39	64	69	76	102	133	164	133	79	22	5
		F	1165	1	382	37	35	64	85	73	95	172	229	211	140	55	6
370	Conjunctivitis and ophthalmia	M	78	-	50	6	17	19	8	5	6	7	8	4	1	2	1
		F	60	-	45	-	16	13	7	7	4	4	3	2	3	1	-
371	Blepharitis	M	7	-	3	1	-	2	-	-	1	2	1	1	-	-	-
		F	9	-	3	1	-	1	2	-	2	-	2	1	1	-	-
372	Hordeolum (stye)	M	36	-	26	1	3	8	8	8	3	3	1	1	1	-	-
		F	41	-	32	-	1	14	9	10	1	1	3	1	-	-	1

TABLE H.1(a) (Contd.)

I.S.C. No.	PRINCIPAL CAUSE OF ADMISSION		TEACHING HOSPITALS														
			TOTAL	Died	Marital status		Discharges (including deaths) by age										
					Single	N.S.	0-	1-	5-	15-	25-	35-	45-	55-	65-	75 and over	N.S.
373	Iritis	M	160	-	35	12	1	-	3	16	29	33	41	20	11	4	2
		F	117	-	25	9	-	-	3	5	13	19	21	25	19	11	1
374	Keratitis	M	1 56	-	55	11	-	12	18	9	21	29	27	22	13	5	-
		F	206	1	80	6	2	15	31	17	17	32	23	32	26	10	1
375	Choroiditis	M	12	-	3	2	-	-	1	-	3	3	3	2	-	-	-
		F	15	-	7	1	-	-	-	7	3	4	-	1	-	-	-
376	Other inflammation of uveal tract	M	226	-	46	17	1	3	10	13	20	30	55	54	35	5	-
		F	173	-	46	3	3	3	3	11	24	25	29	37	28	9	1
377	Inflammation of optic nerve and retina	M	28	-	11	1	1	-	1	4	7	6	4	3	2	-	-
		F	34	-	15	3	-	-	5	3	6	7	8	3	1	1	-
378	Inflammation of lachrymal glands and ducts	M	131	-	60	3	14	14	12	13	8	13	20	17	13	6	1
		F	467	-	109	12	12	13	20	9	24	74	133	98	60	22	2
379	Other inflammatory diseases of eye	M	52	-	26	5	2	6	8	8	4	7	4	9	3	-	1
		F	43	-	20	2	1	5	5	4	1	6	7	11	2	1	-
380-389	**Other diseases and conditions of eye**	**M**	**3893**	**6**	**1598**	**222**	**24**	**155**	**853**	**347**	**200**	**253**	**391**	**598**	**721**	**339**	**12**
		F	**4118**	**7**	**1675**	**132**	**20**	**171**	**749**	**284**	**151**	**193**	**373**	**617**	**1031**	**515**	**14**
380	Refractive errors	M	5	-	2	1	-	1	-	-	1	1	-	1	1	-	-
		F	8	-	5	-	1	-	1	2	-	-	2	-	2	-	-
381	Corneal ulcer	M	276	-	76	22	1	16	23	19	17	44	47	50	42	16	1
		F	184	-	78	5	2	19	29	10	9	19	29	37	18	12	-
382	Corneal opacity	M	16	-	1	5	-	-	-	-	4	3	4	3	2	-	-
		F	21	-	4	-	-	-	-	2	2	4	5	6	1	1	-
383	Pterygium	M	14	-	3	1	-	1	-	1	4	1	4	2	1	-	-
		F	2	-	1	-	-	-	-	-	1	1	-	-	-	-	-

384	Strabismus	M	1121	2	1036	17	3	81	716	205	51	41	11	7	2	1	3
		F	1118	1	1031	5	2	100	675	219	63	34	11	6	6	1	1
385	Cataract	M	1216	1	178	81	11	11	40	38	42	47	130	269	398	227	3
		F	1561	2	290	60	4	13	20	15	18	50	109	297	647	383	5
386	Detachment of retina	M	259	1	75	18	-	2	17	32	35	39	55	59	18	1	1
		F	209	-	52	8	-	1	2	20	25	32	56	39	30	2	2
387	Glaucoma	M	564	2	56	49	2	1	-	11	8	32	89	159	200	60	2
		F	680	3	93	44	1	3	1	1	10	21	106	183	258	91	5
388	Other diseases of eye	M	367	-	159	23	7	39	56	36	35	38	41	38	46	29	2
		F	286	1	105	8	7	33	20	14	20	27	43	44	56	21	1
389	Blindness	M	55	-	12	5	-	3	1	5	3	7	10	10	11	5	-
		F	49	-	16	2	3	2	1	1	3	5	12	5	13	4	-
	.0 Blindness, both eyes, specifically defined	*M*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	*13*	-	-	*2*	-	-	-	-	-	-	-	-	*11*	*2*	-
	.1 Blindness, both eyes, not specifically defined	*M*	*7*	-	*3*	*1*	-	*3*	-	-	-	-	*1*	*2*	*1*	-	-
		F	*6*	-	*4*	-	*3*	*1*	-	-	*1*	-	*1*	-	-	-	-
	.2 Blindness, one eye, specifically defined	*M*	*7*	-	-	*1*	-	-	-	-	*1*	-	*2*	*2*	*1*	*1*	-
		F	*5*	-	-	-	-	-	-	-	-	-	*2*	*2*	*1*	-	-
	.3 Blindness, one eye, not specifically defined	*M*	*41*	-	*9*	*3*	-	-	*1*	*5*	*2*	*7*	*7*	*6*	*9*	*4*	-
		F	*25*	-	*12*	-	-	*1*	*1*	*1*	*2*	*5*	*9*	*3*	*1*	*2*	-
390-398	**Diseases of ear and mastoid process**	**M**	**2221**	**15**	**1638**	**72**	**117**	**447**	**753**	**237**	**230**	**187**	**149**	**69**	**23**	**3**	**6**
		F	**2060**	**11**	**1517**	**25**	**91**	**340**	**711**	**288**	**196**	**208**	**125**	**62**	**29**	**3**	**7**
390	Otitis externa	M	51	-	36	2	1	9	13	11	9	6	2	-	-	-	-
		F	59	-	43	1	2	7	21	13	3	5	4	2	2	-	-
391	Otitis media without mention of mastoiditis	M	1283	8	1041	32	86	330	448	129	115	71	71	20	9	-	4
		F	1130	9	920	7	70	231	433	155	67	81	56	25	8	2	2
	.0 Acute	*M*	*472*	-	*434*	*2*	*30*	*171*	*194*	*33*	*18*	*11*	*10*	*3*	*2*	-	-
		F	*444*	*3*	*394*	-	*21*	*123*	*191*	*51*	*19*	*22*	*7*	*6*	*3*	-	*1*

TABLE H.1(a) (Contd.)

I.S.C. No.	PRINCIPAL CAUSE OF ADMISSION		TEACHING HOSPITALS														
			TOTAL	Died	Marital status		Discharges (including deaths) by age										
					Single	N.S.	0-	1-	5-	15-	25-	35-	45-	55-	65-	75 and over	N.S.
391	.1 Chronic	M	412	5	243	20	2	30	94	78	89	50	50	13	5	-	1
		F	321	3	189	2	3	11	75	79	39	47	45	17	4	1	-
	.2 Unspecified	M	399	3	364	10	54	129	160	18	8	10	11	4	2	-	3
		F	365	3	337	5	46	97	167	25	9	12	4	2	1	1	1
392	Otitis media with mastoiditis	M	62	-	51	-	7	14	24	4	4	7	1	1	-	-	-
		F	59	1	48	-	4	12	26	7	5	3	2	-	-	-	-
	.0 Acute	M	23	-	19	-	2	9	8	-	2	1	1	-	-	-	-
		F	22	-	20	-	2	8	8	2	1	1	-	-	-		-
	.1 Chronic	M	21	-	14	-	-	-	8	4	2	6	-	1	-	-	-
		F	22	-	13	-	-	-	11	3	4	2	2	-	-	-	-
	.2 Unspecified	M	18	-	18	-	5	5	8	-	-	-	-	-	-	-	-
		F	15	1	15	-	2	4	7	2	-	-	-	-	-	-	-
393	Mastoiditis without mention of otitis media	M	539	6	386	25	19	80	206	71	60	49	27	16	8	1	2
		F	471	1	337	10	14	73	165	77	49	43	23	16	8	-	3
	.0 Acute	M	175	3	144	6	4	32	93	16	8	10	5	3	4	-	-
		F	145	-	120	2	4	33	69	13	7	9	5	4	1	-	-
	.1 Chronic	M	96	1	61	10	-	7	30	21	16	10	8	2	2	-	-
		F	94	-	49	3	1	3	20	26	14	14	6	4	5	-	1
	.2 Unspecified	M	268	2	181	9	15	41	83	34	36	29	14	11	2	1	2
		F	232	1	168	5	9	37	76	38	28	20	12	8	2	-	2
394	Other inflammatory diseases of ear	M	36	1	24	-	-	6	12	4	6	3	3	2	-	-	-
		F	47	-	39	-	1	9	22	4	1	7	2	1	-	-	-
395	Meniere's disease	M	79	-	7	7	-	-	1	3	3	11	36	21	3	1	-
		F	62	-	11	3	-	-	-	1	5	16	17	14	8	1	-

396	Other diseases of ear and mastoid process	M	125	-	55	6	2	5	18	13	31	37	9	6	3	1	-
		F	197	-	87	4	-	4	21	28	65	51	20	3	3	-	2
397	Deaf mutism	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
398	Other deafness	M	46	-	38	-	2	3	31	2	2	3	-	3	-	-	-
		F	35	-	32	-	-	4	23	3	1	2	1	1	-	-	-
	.0 Deafness, both ears	M	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-
		F	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	.1 Deafness, one ear, and partial deafness in other	M	1	-	1	-	-	-	1	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	.2 Deafness, one ear	M	2	-	-	-	-	-	-	-	-	2	-	-	-	-	-
		F	3	-	3	-	-	-	-	1	1	1	-	-	-	-	-
	.3 Impairment of hearing, one or both ears	M	42	-	37	-	2	3	30	2	2	1	-	2	-	-	-
		F	31	-	29	-	-	4	23	1	-	1	1	1	-	-	-
	VII. DISEASES OF THE CIRCULATORY SYSTEM																
400-402	**Rheumatic fever**	**M**	**169**	**9**	**141**	**-**	**-**	**9**	**100**	**28**	**14**	**5**	**5**	**5**	**3**	**-**	**-**
		F	**198**	**10**	**158**	**1**	**-**	**1**	**127**	**30**	**16**	**10**	**3**	**10**	**-**	**-**	**1**
400	Rheumatic fever without mention of heart involvement	M	62	1	55	-	-	4	38	12	6	2	-	-	-	-	-
		F	55	3	41	-	-	-	25	13	4	7	2	3	-	-	-
401	Rheumatic fever with heart involvement	M	59	7	42	-	-	2	21	16	7	3	5	4	1	-	-
		F	63	7	42	-	-	1	37	4	11	3	1	6	-	-	-
	.0 Active rheumatic pericarditis	M	6	-	4	-	-	-	1	2	1	1	1	-	-	-	-
		F	5	2	4	-	-	-	2	1	-	-	-	2	-	-	-
	.1 Active rheumatic endocarditis	M	4	1	4	-	-	-	1	2	1	-	-	-	-	-	-
		F	9	-	3	-	-	-	3	-	4	2	-	-	-	-	-
	.2 Active rheumatic myocarditis	M	4	-	4	-	-	-	4	-	-	-	-	-	-	-	-
		F	5	1	5	-	-	-	4	1	-	-	-	-	-	-	-

TABLE H.1(a) (Contd.)

I.S.C. No.	PRINCIPAL CAUSE OF ADMISSION		TEACHING HOSPITALS														
			TOTAL	Died	Marital status		Discharges (including deaths) by age										
					Single	N.S.	0-	1-	5-	15-	25-	35-	45-	55-	65-	75 and over	N.S.
401	.3 Active rheumatic fever with other and multiple types of heart involvement	M	45	6	30	-	-	2	15	12	5	2	4	4	1	-	-
		F	44	4	30	-	-	1	28	2	7	1	1	4	-	-	-
402	Chorea	M	48	1	44	-	-	3	41	-	1	-	-	1	2	-	-
		F	80	-	75	1	-	-	65	13	1	-	-	1	-	-	-
	.0 Without mention of heart involvement	M	39	-	37	-	-	2	35	-	1	-	-	-	1	-	-
		F	72	-	68	1	-	-	59	12	1	-	-	-	-	-	-
	.1 With heart involvement	M	9	1	7	-	-	1	6	-	-	-	-	1	1	-	-
		F	8	-	7	-	-	-	6	1	-	-	-	1	-	-	-
410-416	Chronic rheumatic heart disease	M	324	40	84	21	-	1	20	36	59	75	79	42	10	2	-
		F	776	66	174	41	-	1	29	99	182	232	152	63	15	3	-
410	Diseases of mitral valve	M	217	32	54	15	-	1	11	25	32	55	57	28	7	1	-
		F	618	48	128	38	-	1	17	81	156	174	124	54	8	3	-
411	Diseases of aortic valve specified as rheumatic	M	26	1	5	2	-	-	-	4	5	6	5	5	1	-	-
		F	8	-	2	1	-	-	-	-	-	3	1	3	1	-	-
412	Diseases of tricuspid valve	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	1	-	-	-	-	-	1	-	-	-	-	-	-
413	Diseases of pulmonary valve specified as rheumatic	M	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
414	Other endocarditis specified as rheumatic	M	1	-	1	-	-	-	-	1	-	-	-	-	-	-	-
		F	11	3	2	-	-	-	1	-	2	5	1	1	1	-	-
415	Other myocarditis specified as rheumatic	M	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-
		F	1	-	1	-	-	-	1	-	-	-	-	-	-	-	-

416	Other heart disease specified as rheumatic	M	78	7	24	4	-	-	9	6	21	14	17	9	2	-	-
		F	137	15	40	2	-	-	10	18	23	50	26	5	5	-	-
420-422	**Arteriosclerotic and degenerative heart disease**	M	890	186	74	68	-	-	3	2	10	54	272	311	194	38	6
		F	366	87	38	24	-	-	2	5	9	13	68	108	128	31	2
420	Arteriosclerotic heart disease, including coronary disease	M	753	154	62	57	-	-	-	1	5	49	238	267	156	31	6
		F	284	69	27	19	-	-	-	-	1	6	56	88	110	22	1
	.0 Arteriosclerotic heart disease so described	M	31	-	2	3	-	-	-	-	-	-	3	11	13	4	-
		F	28	9	2	1	-	-	-	-	-	-	4	1	7	16	-
	.1 Heart disease specified as involving coronary arteries	M	616	154	51	50	-	-	-	1	3	41	189	219	130	27	6
		F	192	60	21	16	-	-	-	-	-	2	32	65	88	4	1
	.2 Angina pectoris without mention of coronary disease	M	106	-	9	4	-	-	-	-	2	8	46	37	13	-	-
		F	64	-	4	2	-	-	-	-	1	4	20	22	15	2	-
421	Chronic endocarditis not specified as rheumatic	M	69	10	9	5	-	-	3	-	5	2	23	21	15	-	-
		F	44	7	7	4	-	-	2	5	7	5	10	8	4	2	1
	.0 Of mitral valve, specified as nonrheumatic	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	4	-	-	1	-	-	-	-	1	-	1	-	-	1	1
	.1 Of aortic valve, not specified as rheumatic	M	62	10	6	5	-	-	-	-	5	2	22	20	13	-	-
		F	31	5	2	3	-	-	-	1	5	3	9	8	4	1	-
	.2 Of tricuspid valve, specified as nonrheumatic	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	.3 Of pulmonary valve, not specified as rheumatic	M	4	-	3	-	-	-	3	-	-	-	-	-	1	-	-
		F	7	1	4	-	-	-	1	4	-	2	-	-	-	-	-
	.4 Other and ill-defined, not specified as rheumatic	M	3	-	-	-	-	-	-	-	-	-	1	1	1	-	-
		F	2	1	1	-	-	-	1	-	1	-	-	-	-	-	-

TABLE H.1(a) (Contd.)

I.S.C. No.	PRINCIPAL CAUSE OF ADMISSION		TEACHING HOSPITALS														
			TOTAL	Died	Marital status		Discharges (including deaths) by age										
					Single	N.S.	0-	1-	5-	15-	25-	35-	45-	55-	65-	75 and over	N.S.
422	Other myocardial degeneration	M	68	22	3	6	-	-	-	1	-	3	11	23	23	7	-
		F	38	11	4	1	-	-	-	-	1	2	2	12	14	7	-
	.0 Fatty degeneration	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	7	4	1	-	-	-	-	-	-	-	-	-	-	7	-
	.1 With arteriosclerosis	M	13	5	-	-	-	-	-	-	-	-	1	6	3	3	-
		F	3	-	-	-	-	-	-	-	-	-	-	3	-	-	-
	.2 Other	M	55	17	3	6	-	-	-	1	-	3	10	17	20	4	-
		F	28	7	3	1	-	-	-	-	1	2	2	9	14	-	-
430-434	Other diseases of heart	M	475	82	91	46	4	11	12	22	42	59	83	126	84	30	2
		F	414	70	78	15	-	1	15	37	53	66	83	69	63	25	2
430	Acute and subacute endocarditis	M	67	17	23	5	-	1	4	12	22	18	3	2	5	-	-
		F	57	15	13	1	-	-	2	12	19	14	4	2	4	-	-
	.0 Acute and subacute bacterial endocarditis	M	67	17	23	5	-	1	4	12	22	18	3	2	5	-	-
		F	57	15	13	1	-	-	2	12	19	14	4	2	4	-	-
	.1 Other acute endocarditis	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
431	Acute myocarditis not specified as rheumatic	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
432	Acute pericarditis specified as nonrheumatic	M	3	2	-	1	-	-	-	-	2	-	1	-	-	-	-
		F	2	-	1	-	-	-	-	-	1	-	1	-	-	-	-
433	Functional disease of heart	M	151	4	29	15	1	7	4	6	10	18	29	40	24	12	-
		F	109	7	26	5	-	1	6	4	11	17	24	26	12	7	1
	.0 Heart block	M	29	3	2	2	-	-	-	-	-	1	7	6	9	6	-
		F	10	-	4	1	-	-	2	-	1	2	-	3	2	-	-

	.1 Other disorders of heart rhythm	M	121	1	26	13	1	7	3	6	10	17	22	34	15	6	-
		F	97	7	21	4	-	1	4	3	9	15	24	23	10	7	1
	.2 Other functional diseases of heart	M	1	-	1	-	-	-	1	-	-	-	-	-	-	-	-
		F	2	-	1	-	-	-	-	1	1	-	-	-	-	-	-
434	Other and unspecified diseases of heart	M	254	59	39	25	3	3	4	4	8	23	50	84	55	18	2
		F	246	48	38	9	-	-	7	21	22	35	54	41	47	18	1
	.0 Kyphoscoliotic heart disease	M	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-
		F	2	2	1	-	-	-	-	1	-	-	1	-	-	-	-
	.1 Congestive heart failure	M	132	33	19	13	1	-	-	-	3	9	16	50	35	17	1
		F	148	37	17	6	-	-	1	1	10	23	37	24	36	15	1
	.2 Left ventricular failure	M	24	6	3	2	1	-	-	-	-	-	6	7	9	1	-
		F	19	5	4	3	-	-	2	-	-	3	2	6	4	2	-
	.3 Other and unspecified disease of heart	M	97	20	17	10	1	3	4	4	5	14	28	26	11	-	1
		F	77	4	16	-	-	-	4	19	12	9	14	11	7	1	-
440-447	Hypertensive disease	M	883	100	84	50	1	-	3	14	58	165	265	225	124	28	-
		F	1070	65	178	24	-	-	2	23	71	228	359	213	140	33	1
440	Essential benign hypertension with heart disease	M	3	2	-	-	-	-	-	-	-	-	2	-	1	-	-
		F	4	-	-	-	-	-	-	-	-	-	1	1	2	-	-
441	Essential malignant hypertension with heart disease	M	7	2	-	-	-	-	-	-	1	1	2	2	1	-	-
		F	2	1	1	-	-	-	-	-	-	1	1	-	-	-	-
442	Hypertensive heart disease with arteriolar nephrosclerosis	M	6	2	-	-	-	-	-	-	1	2	2	1	-	-	-
		F	8	2	-	-	-	-	-	-	2	1	1	2	2	-	-
443	Other and unspecified hypertensive heart disease	M	262	41	21	20	-	-	-	-	3	5	55	104	75	20	-
		F	256	34	32	8	-	-	-	-	1	20	75	70	67	23	-
444	Essential benign hypertension without mention of heart	M	463	26	42	24	1	-	3	10	42	121	161	85	34	6	-
		F	708	17	125	13	-	-	-	15	61	182	254	125	61	9	1

TABLE H.1(a) (Contd.)

I.S.C. No.	PRINCIPAL CAUSE OF ADMISSION		TEACHING HOSPITALS														
			TOTAL	Died	Marital status		Discharges (including deaths) by age										
					Single	N.S.	0-	1-	5-	15-	25-	35-	45-	55-	65-	75 and over	N.S.
445	Essential malignant hypertension without mention of heart	M	79	24	14	4	-	-	-	4	7	29	30	8	1	-	-
		F	47	8	7	2	-	-	1	6	6	15	15	4	-	-	-
446	Hypertension with arteriolar nephrosclerosis without mention of heart	M	11	2	2	1	-	-	-	-	2	2	3	3	1	-	-
		F	9	1	5	-	-	-	1	2	-	2	4	-	-	-	-
447	Other hypertensive disease without mention of heart	M	52	1	5	1	-	-	-	-	2	5	10	22	11	2	-
		F	36	2	8	1	-	-	-	-	1	7	8	11	8	1	-
450-456	**Diseases of arteries**	M	**1105**	**50**	**108**	**55**	**1**	**7**	**6**	**23**	**60**	**132**	**262**	**358**	**189**	**65**	**2**
		F	**463**	**36**	**127**	**18**	**-**	**1**	**2**	**37**	**60**	**100**	**83**	**78**	**77**	**24**	**1**
450	General arteriosclerosis	M	428	14	20	17	-	-	-	1	5	15	84	164	118	41	-
		F	72	10	14	2	-	-	-	1	1	3	8	21	26	12	-
	.0 Without mention of gangrene	M	*313*	*5*	*12*	*12*	-	-	-	*1*	*2*	*14*	*73*	*138*	*74*	*11*	-
		F	*55*	*7*	*10*	*1*	-	-	-	*1*	*1*	*2*	*8*	*18*	*18*	*7*	-
	.1 With gangrene	M	*115*	*9*	*8*	*5*	-	-	-	-	*3*	*1*	*11*	*26*	*44*	*30*	-
		F	*17*	*3*	*4*	*1*	-	-	-	-	-	*1*	-	*3*	*8*	*5*	-
451	Aortic aneurysm specified as non-syphilitic, and dissecting aneurysm	M	9	4	1	1	-	-	-	-	-	1	1	1	3	3	-
		F	3	3	-	-	-	-	-	-	-	-	-	-	2	1	-
452	Other aneurysm, except of heart and aorta	M	66	8	15	4	-	1	1	6	6	10	20	16	4	1	1
		F	59	3	16	5	-	-	-	5	8	22	11	11	2	-	-
453	Peripheral vascular disease	M	297	3	41	19	-	3	2	8	34	73	92	67	16	2	-
		F	201	1	78	5	-	-	1	27	41	54	42	22	14	-	-

	.0 Raynaud's disease	M	43	1	3	1	-	1	-	-	9	10	13	10	-	-	-
		F	108	-	36	2	-	-	1	6	15	38	28	13	7	-	-
	.1 Thrombo-angiitis obliterans	M	162	2	25	9	-	-	2	7	21	49	53	24	4	2	-
		F	10	-	3	1	-	-	-	-	5	-	2	1	2	-	-
	.2 Chilblains	M	3	-	1	-	-	1	-	-	1	-	-	-	1	-	-
		F	3	-	1	-	-	-	-	1	2	-	-	-	-	-	-
	.3 Other	M	89	-	12	9	-	1	-	1	3	14	26	33	11	-	-
		F	80	1	38	2	-	-	-	20	19	16	12	8	5	-	-
454	Arterial embolism and thrombosis	M	65	6	7	4	-	-	-	1	7	10	14	24	6	3	-
		F	33	7	1	3	-	-	-	-	5	4	9	8	5	2	-
455	Gangrene of unspecified cause	M	73	5	7	5	1	1	1	-	3	3	7	22	25	9	1
		F	27	2	4	1	-	-	-	-	-	1	4	4	10	8	-
456	Other diseases of artèries	M	167	10	17	5	-	2	2	7	5	20	44	64	17	6	-
		F	68	10	14	2	-	1	1	4	5	16	9	12	18	1	1
460–468	**Diseases of veins and other diseases of circulatory system**	**M**	**2482**	**24**	**650**	**136**	**13**	**87**	**139**	**174**	**391**	**661**	**569**	**316**	**113**	**14**	**5**
		F	**2220**	**22**	**607**	**42**	**6**	**65**	**128**	**132**	**360**	**570**	**507**	**314**	**106**	**22**	**10**
460	Varicose veins of lower extremities	M	892	1	209	54	-	-	2	92	203	280	180	92	34	7	2
		F	1134	4	230	28	-	-	1	61	218	323	299	159	53	15	5
461	Haemorrhoids	M	977	3	118	54	-	3	1	31	134	305	290	160	49	3	1
		F	509	2	83	8	1	-	2	16	78	159	129	99	22	1	2
462	Varicose veins of other specified sites	M	37	1	22	1	-	-	1	14	10	2	8	1	1	-	-
		F	12	1	4	-	-	-	1	1	2	2	3	1	1	1	-
	.0 Varicocele	M	30	-	19	1	-	-	1	14	5	2	7	1	-	-	-
		F	2	-	1	-	-	-	-	1	1	-	-	-	-	-	-
	.1 Varicose veins of oesophagus	M	4	1	2	-	-	-	-	-	2	-	1	-	1	-	-
		F	3	1	1	-	-	-	1	-	-	1	-	1	-	-	-
	.2 Other	M	3	-	1	-	-	-	-	-	3	-	-	-	-	-	-
		F	7	-	2	-	-	-	-	-	1	1	3	-	1	1	-

TABLE H.1(a) (Contd.)

I.S.C. No.	PRINCIPAL CAUSE OF ADMISSION		TEACHING HOSPITALS														
			TOTAL	Died	Marital status		Discharges (including deaths) by age										
					Single	N.S.	0-	1-	5-	15-	25-	35-	45-	55-	65-	75 and over	N.S.
463	Phlebitis and thrombophlebitis of lower extremities	M	41	-	6	3	-	-	-	2	5	13	10	8	3	-	-
		F	58	-	8	2	-	-	-	-	8	19	12	10	7	1	1
464	Phlebitis and thrombophlebitis of other sites	M	42	-	6	2	-	1	-	-	5	10	15	4	6	1	-
		F	53	3	6	-	-	-	-	1	7	18	17	6	4	-	-
465	Pulmonary embolism and infarction	M	42	8	4	3	-	-	-	1	2	7	15	10	5	2	-
		F	36	8	7	1	-	-	-	3	2	9	7	9	5	1	-
466	Other venous embolism and thrombosis	M	86	4	17	4	1	1	1	6	7	19	22	19	9	1	-
		F	67	2	18	1	-	2	2	7	12	12	14	11	6	1	-
467	Other diseases of circulatory system	M	52	5	9	5	-	-	1	5	8	10	14	8	6	-	-
		F	48	-	9	-	-	2	2	2	11	5	11	10	3	2	-
	.0 Hypotension	M	6	-	1	-	-	-	-	-	-	1	3	1	1	-	-
		F	4	-	-	-	-	-	-	-	-	-	3	-	1	-	-
	.1 Diseases of capillaries	M	5	-	1	1	-	-	-	-	2	-	-	-	3	-	-
		F	10	-	2	-	-	-	-	-	-	1	3	4	2	-	-
	.2 Other and unspecified circulatory diseases	M	41	5	7	4	-	-	1	5	6	9	11	7	2	-	-
		F	34	-	7	-	-	2	2	2	11	4	5	6	-	2	-
468	Certain diseases of lymph nodes and lymph channels	M	313	2	259	10	12	82	133	23	17	15	15	14	-	-	2
		F	303	2	242	2	5	61	120	41	22	23	15	9	5	-	2
	.0 Chronic lymphadenitis	M	9	-	7	1	-	3	4	-	1	-	-	1	-	-	-
		F	16	1	8	1	-	2	3	-	2	1	3	1	4	-	-
	.1 Nonspecific mesenteric lymphadenitis	M	94	-	94	-	3	16	67	6	-	-	1	-	-	-	1
		F	115	-	102	-	3	16	63	21	7	2	3	-	-	-	-

	.2 Lymphadenitis, unqualified	*M*	*207*	*1*	*157*	*9*	*9*	*63*	*61*	*17*	*16*	*13*	*14*	*13*	*-*	*-*	*1*
		F	*164*	*1*	*128*	*1*	*2*	*42*	*54*	*20*	*13*	*16*	*7*	*7*	*1*	*-*	*2*
	.3 Noninfective diseases of lymphatic channels	*M*	*3*	*1*	*1*	*-*	*-*	*-*	*1*	*-*	*-*	*2*	*-*	*-*	*-*	*-*	*-*
		F	*8*	*-*	*4*	*-*	*-*	*1*	*-*	*-*	*-*	*4*	*2*	*1*	*-*	*-*	*-*
	VIII. DISEASES OF THE RESPIRATORY SYSTEM																
470-475	**Acute upper respiratory infections**	**M**	**1133**	**2**	**985**	**29**	**88**	**308**	**483**	**86**	**76**	**49**	**20**	**15**	**3**	**-**	**5**
		F	**1192**	**4**	**1057**	**19**	**54**	**222**	**502**	**235**	**73**	**42**	**27**	**7**	**3**	**3**	**24**
470	Acute nasopharyngitis (common cold)	M	58	-	49	5	7	20	14	4	5	4	1	1	-	-	2
		F	88	-	79	3	3	8	12	41	7	2	3	-	1	1	10
471	Acute sinusitis	M	65	-	32	4	-	5	8	11	22	14	4	1	-	-	-
		F	55	-	32	1	1	2	15	11	9	7	6	1	2	-	1
472	Acute pharyngitis	M	23	-	13	1	1	5	5	2	2	1	4	2	1	-	-
		F	41	-	33	1	1	4	8	16	4	3	2	2	-	-	1
	.0 Sore throat, unqualified	*M*	*6*	*-*	*5*	*-*	*-*	*-*	*4*	*1*	*1*	*-*	*-*	*-*	*-*	*-*	*-*
		F	*12*	*-*	*12*	*-*	*-*	*-*	*5*	*4*	*1*	*-*	*-*	*1*	*-*	*-*	*1*
	.1 Other	*M*	*17*	*-*	*8*	*1*	*1*	*5*	*1*	*1*	*1*	*1*	*4*	*2*	*1*	*-*	*-*
		F	*29*	*-*	*21*	*1*	*1*	*4*	*3*	*12*	*3*	*3*	*2*	*1*	*-*	*-*	*-*
473	Acute tonsillitis	M	722	-	650	17	10	166	401	64	45	23	6	5	-	-	2
		F	820	-	737	14	4	139	414	160	49	29	12	-	-	2	11
474	Acute laryngitis and tracheitis	M	34	1	22	-	5	15	1	1	1	3	3	3	2	-	-
		F	13	2	8	-	2	3	2	1	1	-	3	1	-	-	-
475	Acute upper respiratory infection of multiple or unspecified sites	M	231	1	219	2	65	97	54	4	1	4	2	3	-	-	1
		F	175	2	168	-	43	66	51	6	3	1	1	3	-	-	1
480-483	**Influenza**	**M**	**79**	**-**	**48**	**8**	**2**	**2**	**10**	**16**	**22**	**10**	**6**	**4**	**2**	**1**	**4**
		F	**117**	**6**	**85**	**3**	**-**	**2**	**5**	**56**	**24**	**4**	**7**	**5**	**4**	**3**	**7**
480	Influenza with pneumonia	M	9	-	5	-	2	-	1	-	5	-	-	1	-	-	-
		F	19	4	7	1	-	-	1	4	4	1	4	1	3	1	-

TABLE H.1(a) (Contd.)

I.S.C. No.	PRINCIPAL CAUSE OF ADMISSION		TEACHING HOSPITALS														
			TOTAL	Died	Marital status		Discharges (including deaths) by age										
					Single	N.S.	0-	1-	5-	15-	25-	35-	45-	55-	65-	75 and over	N.S.
481	Influenza with other respiratory manifestations and influenza unqualified	M	65	-	39	8	-	1	9	14	17	9	5	3	2	1	4
		F	96	2	77	2	-	2	4	52	19	3	3	4	-	2	7
482	Influenza with digestive manifestations, but without respiratory symptoms	M	2	-	1	-	-	-	-	1	-	-	1	-	-	-	-
		F	1	-	1	-	-	-	-	-	1	-	-	-	-	-	-
483	Influenza with nervous manifestations, but without digestive or respiratory symptoms	M	3	-	3	-	-	1	-	1	-	1	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-
490-493	**Pneumonia**	**M**	**1278**	**147**	**672**	**53**	**203**	**171**	**152**	**63**	**85**	**120**	**170**	**173**	**108**	**30**	**3**
		F	**943**	**105**	**546**	**18**	**159**	**152**	**123**	**59**	**66**	**65**	**95**	**90**	**98**	**30**	**6**
490	Lobar pneumonia	M	441	22	201	21	15	56	68	32	41	57	83	51	32	6	-
		F	271	12	120	5	7	29	44	26	37	25	39	31	27	4	2
491	Bronchopneumonia	M	505	112	330	19	170	83	42	9	12	22	41	55	53	17	1
		F	437	86	296	5	136	90	35	12	6	22	26	31	57	19	3
492	Primary atypical pneumonia	M	83	1	35	2	6	5	9	6	16	11	12	12	4	1	1
		F	57	-	35	4	4	3	12	6	7	6	11	4	3	1	-
493	Pneumonia, other and unspecified	M	249	12	106	11	12	27	33	16	16	30	34	55	19	6	1
		F	178	7	95	4	12	30	32	15	16	12	19	24	11	6	1
500-502	**Bronchitis**	**M**	**703**	**41**	**271**	**32**	**78**	**79**	**63**	**13**	**15**	**63**	**122**	**179**	**73**	**17**	**1**
		F	**397**	**17**	**233**	**10**	**55**	**53**	**67**	**21**	**17**	**31**	**45**	**51**	**44**	**8**	**5**
500	Acute bronchitis	M	132	3	83	7	35	25	12	4	7	6	17	13	9	4	-
		F	121	7	78	4	20	22	15	7	6	9	11	14	13	2	2

501	Bronchitis unqualified	M	176	2	119	2	38	39	34	5	4	15	16	18	6	1	-
		F	123	4	92	1	31	25	22	7	6	7	8	5	9	2	1
502	Chronic bronchitis	M	395	36	69	23	5	15	17	4	4	42	89	148	58	12	1
		F	153	6	63	5	4	6	30	7	5	15	26	32	22	4	2
	.0 Bronchitis with emphysema	*M*	*216*	*26*	*19*	*12*	-	-	*1*	-	-	*19*	*60*	*95*	*35*	*5*	*1*
		F	*39*	*2*	*7*	*1*	*1*	-	*2*	*1*	*2*	*5*	*9*	*13*	*3*	*2*	*1*
	.1 Other	*M*	*179*	*10*	*50*	*11*	*5*	*15*	*16*	*4*	*4*	*23*	*29*	*53*	*23*	*7*	-
		F	*114*	*4*	*56*	*4*	*3*	*6*	*28*	*6*	*3*	*10*	*17*	*19*	*19*	*2*	*1*
510-527	**Other diseases of respiratory system**	**M**	**8239**	**58**	**5884**	**239**	**40**	**1347**	**3467**	**760**	**775**	**688**	**596**	**363**	**153**	**24**	**26**
		F	**6966**	**40**	**5487**	**77**	**25**	**1063**	**3200**	**985**	**597**	**463**	**309**	**205**	**77**	**16**	**26**
510	Hypertrophy of tonsils and adenoids	M	4652	2	4358	34	12	1206	2843	253	193	99	29	6	1	1	9
		F	4584	2	4214	18	9	906	2683	550	227	131	44	15	6	2	11
	.0 Without mention of tonsillectomy or adenoidectomy	*M*	*2895*	*1*	*2708*	*15*	*9*	*745*	*1767*	*166*	*119*	*62*	*16*	*3*	*1*	*1*	*6*
		F	*2940*	*2*	*2682*	*13*	*4*	*569*	*1702*	*363*	*162*	*88*	*33*	*6*	*3*	*1*	*9*
	.1 With tonsillectomy or adenoidectomy	*M*	*1757*	*1*	*1650*	*19*	*3*	*461*	*1076*	*87*	*74*	*37*	*13*	*3*	-	-	*3*
		F	*1644*	-	*1532*	*5*	*5*	*337*	*981*	*187*	*65*	*43*	*11*	*9*	*3*	*1*	*2*
511	Peritonsillar abscess (quinsy)	M	79	-	32	10	1	5	13	10	20	8	13	9	-	-	-
		F	79	-	36	3	-	6	12	13	22	15	7	2	1	1	-
512	Chronic Pharyngitis and nasopharyngitis	M	57	1	37	1	2	4	25	6	5	10	3	-	1	1	-
		F	56	1	41	-	-	12	14	9	7	3	7	3	-	1	-
	.0 Chronic Pharyngitis	*M*	*15*	-	*15*	-	-	*2*	*9*	*3*	*1*	-	-	-	-	-	-
		F	*11*	-	*10*	-	-	*3*	*3*	*2*	*2*	-	-	-	-	*1*	-
	.1 Chronic Nasopharyngitis	*M*	*42*	*1*	*22*	*1*	*2*	*2*	*16*	*3*	*4*	*10*	*3*	-	*1*	*1*	-
		F	*45*	*1*	*31*	-	-	*9*	*11*	*7*	*5*	*3*	*7*	*3*	-	-	-
513	Chronic sinusitis	M	688	1	381	38	-	28	217	86	130	107	75	31	8	1	5
		F	616	2	348	18	-	33	166	105	102	85	72	40	6	1	6
514	Deflected Nasal septum	M	701	1	305	46	-	6	49	207	202	135	69	26	3	1	3
		F	245	-	128	10	-	1	21	85	51	40	35	8	1	-	3

TABLE H.1(a) (Contd.)

I.S.C. No.	PRINCIPAL CAUSE OF ADMISSION		TEACHING HOSPITALS														
			TOTAL	Died	Marital status		Discharges (including deaths) by age										
					Single	N.S.	0-	1-	5-	15-	25-	35-	45-	55-	65-	75 and over	N.S.
515	Nasal polyp	M	409	-	95	38	-	2	25	52	55	84	92	54	33	6	6
		F	318	-	117	7	-	-	23	57	52	61	53	49	18	1	4
516	Chronic laryngitis	M	22	-	6	4	1	2	-	-	2	4	6	3	4	-	-
		F	16	-	7	-	-	-	3	1	1	1	4	4	2	-	-
517	Other diseases of upper respiratory tract	M	203	2	108	13	10	28	42	22	22	15	24	22	15	2	1
		F	130	1	63	4	2	11	23	21	13	22	14	12	8	4	-
518	Empyema	M	110	4	33	5	3	8	6	10	11	19	25	13	13	2	-
		F	53	2	24	2	1	7	10	4	7	8	6	2	8	-	-
519	Pleurisy	M	96	2	36	7	-	1	6	21	19	11	14	12	11	1	-
		F	61	-	21	-	-	1	4	16	13	7	7	6	4	2	1
	.0 Without mention of effusion or tuberculosis	*M*	*68*	*1*	*29*	*6*	-	*1*	*6*	*20*	*14*	*7*	*5*	*8*	*7*	-	-
		F	*46*	-	*16*	-	-	-	*4*	*13*	*12*	*7*	*5*	*2*	-	*2*	*1*
	.1 With effusion with mention of a bacterial cause other than tuberculosis	*M*	*8*	-	*1*	-	-	-	-	-	*1*	*1*	*1*	*2*	*2*	*1*	-
		F	*4*	-	*3*	-	-	*1*	-	-	*1*	-	-	*1*	*1*	-	-
	.2 Other specified forms of effusion, except tuberculosis	*M*	*20*	*1*	*6*	*1*	-	-	-	*1*	*4*	*3*	*8*	*2*	*2*	-	-
		F	*11*	-	*2*	-	-	-	-	*3*	-	-	*2*	*3*	*3*	-	-
520	Spontaneous pneumothorax	M	90	3	39	7	3	-	2	23	27	10	15	7	2	1	-
		F	10	-	5	-	-	-	-	5	3	1	1	-	-	-	-
521	Abscess of lung	M	83	6	23	6	1	1	4	4	12	19	25	13	4	-	-
		F	37	5	9	1	1	1	1	4	5	4	11	6	3	1	-

522	Pulmonary congestion and hypostasis	M	5	4	1	-	-	1	-	-	-	1	1	-	2	-	-
		F	7	2	3	-	-	-	-	1	1	2	1	1	-	1	-
523	Pneumoconiosis due to silica and silicates (occupational)	M	267	7	31	7	-	-	-	-	18	82	88	63	13	3	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	.0 Silicosis	M	31	2	1	-	-	-	-	-	3	8	10	8	1	1	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	.1 Anthracosilicosis	M	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	.2 Asbestosis	M	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	.3 Other, including pneumoconiosis unspecified	M	234	5	30	7	-	-	-	-	15	74	78	53	12	2	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
524	Other specified pneumoconiosis and pulmonary fibrosis of occupational origin	M	3	-	-	-	-	-	-	-	-	2	1	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
525	Other chronic interstitial pneumonia	M	22	2	8	-	1	1	4	-	-	1	5	6	4	-	-
		F	17	1	7	-	-	2	3	1	1	3	3	2	2	-	-
526	Bronchiectasis	M	504	16	273	18	1	18	176	56	51	61	54	58	26	3	-
		F	531	11	319	10	3	35	165	99	79	68	34	33	13	1	1
527	Other diseases of lung and pleural cavity	M	248	8	118	5	5	36	55	10	8	20	57	40	13	2	2
		F	206	13	145	4	9	48	72	14	13	12	10	22	5	1	-
	.0 Pulmonary collapse (1 year and over)	M	115	1	88	-	-	27	51	7	1	8	11	6	4	-	-
		F	141	2	111	3	-	40	65	8	8	6	3	9	1	1	-
	.1 Emphysema without mention of bronchitis	M	77	6	7	3	1	-	-	1	5	8	33	20	7	2	-
		F	20	2	5	1	1	2	-	1	1	2	3	8	2	-	-
	.2 Other	M	56	1	23	2	4	9	4	2	2	4	13	14	2	-	2
		F	45	9	29	-	8	6	7	5	4	4	4	5	2	-	-

TABLE H.1(a) (Contd.)

I.S.C. No.	PRINCIPAL CAUSE OF ADMISSION		TEACHING HOSPITALS														
			TOTAL	Died	Marital status		Discharges (including deaths) by age										
					Single	N.S.	0-	1-	5-	15-	25-	35-	45-	55-	65-	75 and over	N.S.
	IX. DISEASES OF THE DIGESTIVE SYSTEM																
530-539	**Diseases of Buccal cavity and oesophagus**	**M**	**1124**	**5**	**492**	**82**	**14**	**61**	**134**	**197**	**210**	**174**	**155**	**95**	**58**	**20**	**6**
		F	**1307**	**7**	**567**	**30**	**9**	**50**	**119**	**251**	**281**	**195**	**188**	**129**	**59**	**17**	**9**
530	Dental caries	M	211	-	123	9	-	16	41	47	34	27	22	13	6	3	2
		F	354	1	149	3	-	14	37	68	86	69	39	21	13	5	2
	.0 Dental caries, unqualified	*M*	*203*	-	*118*	*9*	-	*15*	*39*	*47*	*33*	*24*	*22*	*13*	*5*	*3*	*2*
		F	*346*	*1*	*144*	*3*	-	*13*	*36*	*65*	*86*	*67*	*38*	*21*	*13*	*5*	*2*
	.1 With pulp exposure	*M*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	.2 With periapical abscess	*M*	*5*	-	*4*	-	-	*1*	*2*	-	*1*	*1*	-	-	-	-	-
		F	*6*	-	*4*	-	-	*1*	*1*	*2*	-	*2*	-	-	-	-	-
	.3 Other	*M*	*3*	-	*1*	-	-	-	-	-	-	*2*	-	-	*1*	-	-
		F	*2*	-	*1*	-	-	-	-	*1*	-	-	*1*	-	-	-	-
531	Abscesses of supporting structures of teeth	M	87	-	47	6	-	4	23	9	25	12	8	5	1	-	-
		F	50	-	29	1	1	1	15	5	12	6	5	2	-	2	1
	.0 Pericoronal	*M*	*1*	-	-	-	-	-	-	-	-	*1*	-	-	-	-	-
		F	*1*	-	-	-	-	-	-	-	-	-	-	-	-	*1*	-
	.1 Peridontal (parietal)	*M*	*57*	-	*35*	*2*	-	*3*	*15*	*8*	*15*	*7*	*6*	*3*	-	-	-
		F	*30*	-	*17*	-	-	-	*8*	*4*	*9*	*4*	*3*	*1*	-	-	*1*
	.2 Other and unspecified	*M*	*29*	-	*12*	*4*	-	*1*	*8*	*1*	*10*	*4*	*2*	*2*	*1*	-	-
		F	*19*	-	*12*	*1*	*1*	*1*	*7*	*1*	*3*	*2*	*2*	*1*	-	*1*	-

532	Other inflammatory diseases of supporting structures of teeth	M	172	-	51	15	2	3	7	33	37	29	34	16	11	-	-
		F	196	1	72	3	-	2	12	36	48	36	31	22	4	3	2
	.0 Gingivitis, except ulcerative	M	4	-	4	-	-	2	1	1	-	-	-	-	-	-	-
		F	14	-	8	-	-	2	3	1	4	3	-	-	-	1	-
	.1 Periodontitis (Pyorrhoea, inflammatory)	M	3	-	1	-	-	-	-	1	-	-	1	-	1	-	-
		F	7	1	2	-	-	-	-	-	1	1	2	2	-	1	-
	.2 Periodontosis (Pyorrhoea, degenerative)	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	.3 Other	M	165	-	46	15	2	1	6	31	37	29	33	16	10	-	-
		F	175	-	62	3	-	-	9	35	43	32	29	20	4	1	2
533	Disorders of occlusion, eruption, and tooth development	M	250	-	127	19	5	7	31	66	55	33	26	14	9	2	2
		F	309	-	169	14	-	3	33	99	86	30	29	23	6	-	-
	.0 Malocclusion	M	2	-	2	-	-	-	1	-	1	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	.1 Disorders of first dentition	M	12	-	12	-	5	7	-	-	-	-	-	-	-	-	-
		F	3	-	3	-	-	1	2	-	-	-	-	-	-	-	-
	.2 Impacted teeth	M	112	-	55	12	-	-	6	40	32	14	9	4	3	2	2
		F	148	-	89	8	-	1	3	63	59	10	7	5	-	-	-
	.3 Unerupted teeth	M	61	-	22	3	-	-	4	8	15	14	10	5	5	-	-
		F	85	-	37	3	-	-	8	22	16	12	13	13	1	-	-
	.4 Partially erupted teeth	M	4	-	2	-	-	-	-	2	-	1	-	1	-	-	-
		F	6	-	3	-	-	-	-	3	1	-	-	2	-	-	-
	.5 Congenital anomalies of teeth	M	21	-	18	1	-	-	14	4	1	1	1	-	-	-	-
		F	17	-	15	-	-	1	13	2	-	-	1	-	-	-	-
	.6 Chronic dental fluorosis	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	.7 Other	M	38	-	16	3	-	-	6	12	6	3	6	4	1	-	-
		F	50	-	22	3	-	-	7	9	10	8	8	3	5	-	-

TABLE H.1(a) (Contd.)

I.S.C. No.	PRINCIPAL CAUSE OF ADMISSION		TEACHING HOSPITALS														
			TOTAL	Died	Marital status		Discharges (including deaths) by age										
					Single	N.S.	0-	1-	5-	15-	25-	35-	45-	55-	65-	75 and over	N.S.
534	Toothache from unspecified cause	M	2	-	1	-	-	-	-	1	-	-	-	-	-	1	-
		F	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
535	Other diseases of teeth and supporting structures	M	63	-	26	5	-	1	9	9	13	13	10	6	2	-	-
		F	79	-	31	2	-	1	7	10	16	15	14	12	4	-	-
536	Stomatitis	M	31	-	23	1	1	13	2	2	5	3	2	1	-	1	1
		F	29	-	22	-	2	14	2	4	1	2	1	2	1	-	-
537	Diseases of salivary glands	M	146	-	49	7	3	9	10	19	30	27	32	13	1	2	-
		F	110	-	46	2	4	8	10	17	17	12	17	10	12	3	-
538	Other diseases of buccal cavity	M	34	1	10	6	-	-	4	2	2	5	8	5	7	1	-
		F	40	-	14	3	-	-	3	5	5	5	10	4	5	-	3
539	Diseases of oesophagus	M	128	4	35	14	3	8	7	9	9	25	13	22	21	10	1
		F	139	5	35	2	2	7	-	7	9	20	42	33	14	4	1
	.0 Functional disorders of oesophagus	M	*39*	*1*	*10*	*2*	*1*	-	*1*	*4*	*7*	*9*	*6*	*8*	*1*	*2*	-
		F	*45*	-	*9*	-	*1*	-	-	*3*	*5*	*10*	*13*	*6*	*5*	*1*	*1*
	.1 Other	M	*89*	*3*	*25*	*12*	*2*	*8*	*6*	*5*	*2*	*16*	*7*	*14*	*20*	*8*	*1*
		F	*94*	*5*	*26*	*2*	*1*	*7*	-	*4*	*4*	*10*	*29*	*27*	*9*	*3*	-
540-545	**Diseases of stomach and duodenum**	**M**	**6149**	**228**	**908**	**270**	**17**	**13**	**22**	**271**	**746**	**1527**	**1851**	**1226**	**401**	**59**	**16**
		F	**1690**	**47**	**357**	**26**	**11**	**13**	**23**	**93**	**154**	**351**	**453**	**342**	**200**	**43**	**7**
540	Ulcer of stomach	M	1748	89	220	79	1	1	4	48	144	388	553	431	151	22	5
		F	624	23	108	13	-	1	4	16	34	120	167	161	96	25	-
	.0 Without mention of perforation	M	*1541*	*63*	*182*	*72*	*1*	*1*	*4*	*35*	*116*	*342*	*497*	*398*	*125*	*18*	*4*
		F	*590*	*14*	*100*	*11*	-	*1*	*4*	*13*	*28*	*113*	*163*	*154*	*92*	*22*	-
	.1 With perforation	M	*207*	*26*	*38*	*7*	-	-	-	*13*	*28*	*46*	*56*	*33*	*26*	*4*	*1*
		F	*34*	*9*	*8*	*2*	-	-	-	*3*	*6*	*7*	*4*	*7*	*4*	*3*	-

541	Ulcer of duodenum	M	3594	119	530	151	-	-	8	187	531	968	1060	629	175	29	7
		F	604	16	126	7	-	-	3	29	75	147	179	112	48	9	2
	.0 Without mention of perforation	M	3002	72	401	108	-	-	6	135	409	827	933	532	135	20	5
		F	570	12	116	5	-	-	3	25	71	137	174	105	47	6	2
	.1 With perforation	M	592	47	129	43	-	-	2	52	122	141	127	97	40	9	2
		F	34	4	10	2	-	-	-	4	4	10	5	7	1	3	-
542	Gastrojejunal ulcer	M	133	6	18	10	-	1	-	1	5	28	50	40	7	-	1
		F	18	-	1	1	-	-	-	-	-	3	7	5	3	-	-
	.0 Without mention of perforation	M	123	5	15	9	-	1	-	1	3	26	48	36	7	-	1
		F	18	-	1	1	-	-	-	-	-	3	7	5	3	-	-
	.1 With perforation	M	10	1	3	1	-	-	-	-	2	2	2	4	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
543	Gastritis and duodenitis	M	160	1	28	12	1	1	3	10	11	35	52	29	14	3	1
		F	109	1	37	2	2	2	3	27	11	19	16	16	9	3	1
544	Disorders of function of stomach	M	298	2	68	8	4	6	7	20	38	68	85	52	17	1	-
		F	242	3	64	3	4	7	11	16	28	55	58	31	25	5	2
	.0 Disorders of gastric secretion	M	17	-	4	-	-	-	1	1	3	5	5	2	-	-	-
		F	16	-	2	2	-	-	-	-	2	2	6	3	3	-	-
	.1 Disorders of gastric motility	M	6	2	2	-	-	-	-	1	-	-	3	1	1	-	-
		F	7	3	1	-	-	-	-	-	1	-	2	-	3	1	-
	.2 Other	M	275	-	62	8	4	6	6	18	35	63	77	49	16	1	-
		F	219	-	61	1	4	7	11	16	25	53	50	28	19	4	2
545	Other diseases of stomach and duodenum	M	216	11	44	10	11	4	-	5	17	40	51	45	37	4	2
		F	93	4	21	-	5	3	2	5	6	7	26	17	19	1	2
550-553	**Appendicitis**	**M**	**3282**	**38**	**1847**	**116**	**4**	**117**	**769**	**843**	**619**	**440**	**276**	**132**	**58**	**16**	**8**
		F	**3972**	**21**	**2244**	**64**	**2**	**65**	**617**	**1432**	**819**	**495**	**288**	**164**	**57**	**24**	**9**
550	Acute appendicitis	M	2442	37	1396	83	3	101	598	640	445	303	190	94	48	14	6
		F	2341	20	1340	32	2	50	439	799	407	252	195	121	51	19	6
	.0 Without mention of peritonitis	M	1980	8	1160	74	2	53	510	556	380	239	141	66	21	6	6
		F	1985	6	1177	28	1	24	379	741	366	199	149	77	33	10	6

TABLE H.1(a) (Contd.)

I.S.C. No.	PRINCIPAL CAUSE OF ADMISSION		TEACHING HOSPITALS														
			TOTAL	Died	Marital status		Discharges (including deaths) by age										
					Single	N.S.	0-	1-	5-	15-	25-	35-	45-	55-	65-	75 and over	N.S.
550	.1 With peritonitis	M	462	29	236	9	1	48	88	84	65	64	49	28	27	8	-
		F	356	14	163	4	1	26	60	58	41	53	46	44	18	9	-
551	Appendicitis, unqualified	M	358	1	226	11	1	10	91	94	68	52	23	13	4	1	1
		F	586	1	329	16	-	9	80	216	146	77	32	16	5	4	1
552	Other appendicitis	M	418	-	192	14	-	3	67	94	95	77	56	19	6	1	-
		F	915	-	494	14	-	5	79	360	239	148	55	25	1	1	2
553	Other diseases of appendix	M	64	-	33	8	-	3	13	15	11	8	7	6	-	-	1
		F	130	-	81	2	-	1	19	57	27	18	6	2	-	-	-
560-561	**Hernia of abdominal cavity**	**M**	**4802**	**40**	**1781**	**192**	**154**	**665**	**347**	**273**	**462**	**793**	**964**	**725**	**280**	**130**	**9**
		F	**1954**	**41**	**650**	**29**	**42**	**263**	**165**	**49**	**130**	**333**	**370**	**318**	**207**	**74**	**3**
560	Hernia of abdominal cavity without mention of obstruction	M	4395	20	1683	164	130	633	337	264	447	760	918	652	189	57	8
		F	1663	10	617	16	38	260	164	47	127	302	316	258	127	21	3
	.0 Inguinal	M	3572	4	1380	136	96	473	295	239	394	638	748	491	145	47	6
		F	531	-	203	5	9	50	83	32	59	113	100	55	27	2	1
	.1 Femoral	M	205	1	30	10	1	3	5	3	17	53	60	46	13	4	-
		F	366	1	62	5	-	2	7	4	40	93	88	79	38	14	1
	.2 Umbilical	M	309	9	207	5	26	144	27	3	4	17	40	41	6	1	-
		F	388	4	284	2	25	197	58	3	6	35	34	16	10	4	-
	.3 Ventral (incisional)	M	163	1	24	7	-	5	5	6	16	31	45	40	12	2	1
		F	221	3	37	2	-	8	10	6	18	39	58	62	18	1	1
	.4 Other specified site	M	57	5	13	4	3	1	2	2	3	7	8	18	10	2	1
		F	125	2	26	2	3	3	4	-	-	16	31	38	30	-	-

	.5 Unspecified site	M	89	-	29	2	4	7	3	11	13	14	17	16	3	1	-
		F	32	-	5	-	1	-	2	2	4	6	5	8	4	-	-
561	Hernia of abdominal cavity with obstruction	M	407	20	98	28	24	32	10	9	15	33	46	73	91	73	1
		F	291	31	33	13	4	3	1	2	3	31	54	60	80	53	-
	.0 Inguinal	M	291	11	85	18	23	29	10	6	12	20	29	46	62	54	-
		F	37	-	7	2	1	2	-	1	-	3	7	13	6	4	-
	.1 Femoral	M	74	5	5	5	-	-	-	1	2	10	13	19	18	10	1
		F	159	10	16	6	-	-	1	-	2	20	32	22	49	33	-
	.2 Umbilical	M	10	-	2	1	-	1	-	-	1	1	1	2	2	2	-
		F	27	4	1	2	-	-	-	-	-	3	4	6	10	4	-
	.3 Ventral (incisional)	M	9	2	1	1	-	-	-	1	-	-	2	3	1	2	-
		F	46	12	5	1	1	1	-	-	1	3	8	14	12	6	-
	.4 Other specified site	M	5	-	1	1	-	-	-	-	-	1	-	1	-	3	-
		F	9	3	3	-	2	-	-	1	-	1	-	1	-	4	-
	.5 Unspecified site	M	18	2	4	2	1	2	-	1	-	1	1	2	8	2	-
		F	13	2	1	2	-	-	-	-	-	1	3	4	3	2	-
570-578	Other diseases of intestines and peritoneum	M	2375	118	1041	113	420	215	137	129	274	342	299	294	181	75	9
		F	2269	105	932	36	294	139	90	181	276	317	346	289	243	80	14
570	Intestinal obstruction without mention of hernia	M	415	52	213	14	105	52	22	15	29	29	31	54	49	24	5
		F	356	50	165	10	80	22	14	17	22	40	38	44	45	33	1
	.0 Intussusception	M	151	8	145	1	93	45	4	-	5	-	-	2	-	-	2
		F	92	9	90	-	65	18	7	-	-	1	-	1	-	-	-
	.1 Paralytic ileus	M	10	3	3	-	2	-	1	-	-	3	2	2	-	-	-
		F	3	3	2	-	-	-	-	-	-	1	1	-	1	-	-
	.2 Mesenteric infarction	M	7	4	1	-	-	-	-	1	-	1	-	3	1	1	-
		F	10	5	-	-	-	-	-	1	-	1	1	2	4	1	-
	.3 Volvulus	M	35	11	11	1	2	2	3	2	4	1	3	6	8	4	-
		F	40	10	17	-	2	-	-	3	4	6	5	6	6	8	-
	.4 Impaction of intestine	M	17	-	5	-	-	2	1	-	-	1	-	1	8	4	-
		F	25	2	9	-	2	2	2	3	-	2	-	4	3	7	-

TABLE H.1(a) (Contd.)

I.S.C. No.	PRINCIPAL CAUSE OF ADMISSION		TEACHING HOSPITALS														
			TOTAL	Died	Marital status		Discharges (including deaths) by age										
					Single	N.S.	0-	1-	5-	15-	25-	35-	45-	55-	65-	75 and over	N.S.
570	.5 Other	M	195	26	48	12	8	3	13	12	20	23	26	40	32	15	3
		F	186	21	47	10	11	2	5	10	18	29	31	31	31	17	1
571	Gastro-enteritis and colitis, except ulcerative, age 4 weeks and over	M	511	29	401	15	289	64	18	19	40	27	24	12	14	1	3
		F	427	16	326	6	196	48	17	48	18	24	39	22	10	1	4
	.0 Ages between 4 weeks and 2 years	M	338	24	338	-	289	48	-	-	-	-	-	-	-	-	1
		F	227	15	227	-	196	31	-	-	-	-	-	-	-	-	-
	.1 Ages 2 years and over	M	173	5	63	15	-	16	18	19	40	27	24	12	14	1	2
		F	200	1	99	6	-	17	17	48	18	24	39	22	10	1	4
572	Chronic enteritis and ulcerative colitis	M	286	10	60	11	1	7	3	24	35	58	41	62	36	19	-
		F	424	23	96	4	-	2	7	21	69	70	76	78	75	22	4
	.0 Regional enteritis	M	32	-	11	2	-	-	1	2	11	12	2	4	-	-	-
		F	47	4	17	-	-	-	-	5	24	9	1	5	2	-	1
	.1 Diverticulitis	M	132	7	9	8	-	-	-	2	1	6	21	49	34	19	-
		F	187	9	29	2	-	1	-	-	-	5	33	57	67	22	2
	.2 Ulcerative colitis	M	109	3	31	1	-	1	1	19	21	40	17	8	2	-	-
		F	181	10	46	2	-	-	6	16	44	54	41	14	5	-	1
	.3 Other	M	13	-	9	-	1	6	1	1	2	-	1	1	-	-	-
		F	9	-	4	-	-	1	1	-	1	2	1	2	1	-	-
573	Functional disorders of intestines	M	243	-	117	11	7	43	38	11	17	35	20	33	29	10	-
		F	284	1	121	7	5	32	29	34	42	29	32	35	34	9	3
	.0 Constipation	M	179	-	104	10	7	41	38	5	5	15	10	21	27	10	-
		F	211	1	106	6	4	32	29	29	32	10	18	21	25	8	3

	.1 Mucous colitis	M	15	-	3	-	-	1	-	-	1	6	3	3	1	-	-
		F	12	-	1	-	-	-	-	1	1	3	1	3	2	1	-
	.2 Irritability of colon	M	40	-	9	1	-	-	-	6	11	12	5	5	1	-	-
		F	46	-	11	1	1	-	-	4	8	13	11	7	2	-	-
	.3 Other	M	9	-	1	-	-	1	-	-	-	2	2	4	-	-	-
		F	15	-	3	-	-	-	-	-	1	3	2	4	5	-	-
574	Anal fissure and fistula	M	258	-	49	20	4	5	6	10	48	74	68	31	10	1	1
		F	198	1	43	2	2	1	1	15	48	56	62	9	3	1	-
575	Abscess of anal and rectal regions	M	272	4	68	22	4	7	10	29	60	62	48	33	10	8	-
		F	108	-	39	4	-	6	4	21	19	18	20	12	5	2	1
576	Peritonitis	M	62	15	19	4	1	1	7	6	3	10	14	13	6	1	-
		F	52	5	19	1	-	4	3	3	9	11	10	6	4	1	1
577	**Peritoneal adhesion**	M	49	-	11	2	-	-	1	7	9	7	16	4	5	-	-
		F	73	1	14	1	-	-	3	2	15	18	17	8	10	-	-
578	Other diseases of intestines and peritoneum	M	279	8	103	14	9	36	32	8	33	40	36	52	22	11	-
		F	347	8	109	1	11	24	12	20	34	51	52	75	57	11	-
580-587	**Diseases of liver, gallbladder, and pancreas**	**M**	**676**	**86**	**119**	**35**	**19**	**12**	**15**	**21**	**28**	**96**	**153**	**185**	**101**	**42**	**4**
		F	**1793**	**85**	**229**	**20**	**18**	**19**	**17**	**23**	**117**	**300**	**504**	**456**	**268**	**67**	**4**
580	Acute and subacute yellow atrophy of liver	M	15	7	6	1	-	1	1	2	2	5	1	1	1	1	-
		F	18	8	5	-	-	2	2	1	2	3	2	4	2	-	-
581	**Cirrhosis of liver**	M	182	38	37	9	3	2	7	7	7	23	38	67	13	15	-
		F	113	18	23	2	1	2	8	4	5	13	32	28	19	1	-
	.0 Without mention of alcoholism	M	174	37	37	9	3	2	7	7	7	23	35	63	12	15	-
		F	112	18	23	2	1	2	8	4	5	13	32	28	18	1	-
	.1 With alcoholism	M	8	1	-	-	-	-	-	-	-	-	3	4	1	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-
582	Suppurative hepatitis and liver abscess	M	10	2	2	-	-	-	-	-	1	2	4	2	-	-	1
		F	5	-	3	-	-	1	-	-	2	2	-	-	-	-	-
583	Other diseases of liver	M	17	2	10	2	-	1	4	2	1	6	1	1	-	-	1
		F	33	5	9	-	2	1	2	1	2	6	8	11	-	-	-

TABLE H.1(a) (Contd.)

I.S.C. No.	PRINCIPAL CAUSE OF ADMISSION		TEACHING HOSPITALS														
			TOTAL	Died	Marital status		Discharges (including deaths) by age										
					Single	N.S.	0-	1-	5-	15-	25-	35-	45-	55-	65-	75 and over	N.S.
584	Cholelithiasis	M	175	9	17	9	-	-	-	4	6	30	44	48	31	12	-
		F	804	31	84	3	1	-	-	9	49	136	229	219	123	37	1
585	Cholecystitis without mention of calculi	M	184	13	18	10	-	-	1	6	8	25	47	48	40	7	2
		F	650	12	64	11	-	-	-	7	46	124	183	157	106	24	3
586	Other diseases of gallbladder and biliary ducts	M	31	3	6	1	3	-	1	-	1	4	6	8	6	2	-
		F	76	2	6	2	1	-	-	-	6	10	28	23	7	1	-
587	Diseases of pancreas	M	62	12	23	3	13	8	1	-	2	1	12	10	10	5	-
		F	94	9	35	2	13	13	5	1	5	6	22	14	11	4	-
	.0 Acute pancreatitis	*M*	*26*	*3*	*-*	*3*	*-*	*-*	*-*	*-*	*2*	*-*	*5*	*8*	*7*	*4*	*-*
		F	*45*	*4*	*3*	*2*	*-*	*-*	*-*	*-*	*2*	*2*	*17*	*12*	*8*	*4*	*-*
	.1 Chronic pancreatitis	*M*	*8*	*2*	*-*	*-*	*-*	*-*	*-*	*-*	*-*	*1*	*5*	*-*	*1*	*1*	*-*
		F	*7*	*-*	*-*	*-*	*-*	*-*	*-*	*-*	*1*	*1*	*1*	*2*	*2*	*-*	*-*
	.2 Other diseases of pancreas	*M*	*28*	*7*	*23*	*-*	*13*	*8*	*1*	*-*	*-*	*-*	*2*	*2*	*2*	*-*	*-*
		F	*42*	*5*	*32*	*-*	*13*	*13*	*5*	*1*	*2*	*3*	*4*	*-*	*1*	*-*	*-*
	X. DISEASES OF THE GENITO-URINARY SYSTEM																
590-594	**Nephritis and nephrosis**	**M**	**448**	**64**	**240**	**11**	**7**	**46**	**104**	**54**	**70**	**67**	**55**	**29**	**13**	**2**	**1**
		F	**355**	**49**	**212**	**2**	**8**	**45**	**84**	**65**	**53**	**45**	**25**	**19**	**10**	**1**	**-**
590	Acute nephritis	M	159	7	116	2	2	23	68	17	15	16	13	4	-	1	-
		F	135	7	102	1	3	26	52	22	13	12	3	3	1	-	-
591	Nephritis with oedema, including nephrosis	M	76	8	43	2	4	16	7	12	10	10	8	6	2	1	-
		F	54	5	38	-	4	10	13	12	7	3	2	3	-	-	-

592	Chronic nephritis	M	148	45	42	7	-	2	12	17	32	28	29	16	11	-	1
		F	115	31	39	1	-	5	8	16	23	24	18	12	8	1	-
593	Nephritis not specified as acute or chronic	M	60	4	36	-	-	4	16	8	13	12	4	3	-	-	-
		F	42	5	26	-	1	3	8	12	9	5	2	1	1	-	-
594	Other renal sclerosis	M	5	-	3	-	1	1	1	-	-	1	1	-	-	-	-
		F	9	1	7	-	-	1	3	3	1	1	-	-	-	-	-
600-609	**Other diseases of urinary system**	**M**	**1493**	**52**	**386**	**76**	**29**	**63**	**74**	**99**	**196**	**271**	**275**	**237**	**176**	**70**	**3**
		F	**1881**	**40**	**480**	**25**	**27**	**52**	**107**	**205**	**270**	**357**	**332**	**300**	**184**	**39**	**8**
600	Infections of kidney	M	202	16	73	5	10	6	13	29	33	36	32	24	12	6	1
		F	542	19	207	7	21	26	59	113	93	86	64	38	31	9	2
	.0 Pyelitis, pyelocystitis and pyelonephritis	*M*	*155*	*14*	*52*	*4*	*9*	*4*	*10*	*17*	*31*	*31*	*22*	*18*	*8*	*5*	-
		F	*507*	*19*	*195*	*6*	*20*	*23*	*55*	*109*	*87*	*82*	*58*	*35*	*28*	*8*	*2*
	.1 Abscess of kidney and perirenal tissue	*M*	*39*	*2*	*17*	-	-	*2*	*3*	*9*	*2*	*5*	*8*	*4*	*4*	*1*	*1*
		F	*23*	-	*6*	*1*	-	*2*	*2*	*2*	*4*	*4*	*4*	*3*	*2*	-	-
	.2 Other	*M*	*8*	-	*4*	*1*	*1*	-	-	*3*	-	-	*2*	*2*	-	-	-
		F	*12*	-	*6*	-	*1*	*1*	*2*	*2*	*2*	-	*2*	-	*1*	*1*	-
601	Hydronephrosis	M	147	10	60	7	5	6	22	21	31	23	22	12	4	1	-
		F	171	4	46	2	1	3	12	23	19	42	28	27	15	1	-
602	Calculi of kidney and ureter	M	383	10	80	20	6	14	10	15	68	115	87	40	23	3	2
		F	268	7	52	4	2	4	10	17	49	71	53	45	12	2	3
603	Other diseases of kidney and ureter	M	66	1	19	2	3	1	6	8	12	12	13	6	4	1	-
		F	132	1	30	3	-	3	7	14	32	33	18	15	10	-	-
604	Calculi of other parts of urinary system	M	90	3	12	4	-	-	1	3	5	7	12	29	25	8	-
		F	13	2	3	-	-	-	-	-	4	1	4	1	3	-	-
605	Cystitis	M	138	2	21	8	1	-	1	10	15	19	30	28	24	10	-
		F	294	4	70	5	1	3	11	29	48	47	44	64	39	6	2
606	Other diseases of bladder	M	111	2	19	5	-	2	3	4	3	19	19	26	25	10	-
		F	92	1	18	-	-	2	2	3	8	29	29	12	6	-	1

TABLE H.1(a) (Contd.)

I.S.C. No.	PRINCIPAL CAUSE OF ADMISSION		TEACHING HOSPITALS														
			TOTAL	Died	Marital status		Discharges (including deaths) by age										
					Single	N.S.	0-	1-	5-	15-	25-	35-	45-	55-	65-	75 and over	N.S.
607	Urethritis (nonvenereal)	M	29	1	18	-	-	11	1	2	5	3	5	2	-	-	-
		F	16	-	2	-	-	-	1	-	-	2	7	5	1	-	-
608	Stricture of urethra	M	243	7	48	20	-	13	7	5	18	27	39	59	45	30	-
		F	18	-	9	1	-	-	-	1	2	-	5	4	5	1	-
609	Other diseases of urethra	M	84	-	36	5	4	10	10	2	6	10	16	11	14	1	-
		F	335	2	43	3	2	11	5	5	15	46	80	89	62	20	-
610-617	**Diseases of male genital organs**	**M**	**3006**	**129**	**1003**	**136**	**130**	**349**	**190**	**123**	**145**	**187**	**272**	**560**	**714**	**321**	**15**
610	Hyperplasia of prostate	M	1424	122	103	91	1	-	1	1	5	14	85	383	622	303	9
611	Prostatitis	M	58	4	9	4	-	-	-	2	3	14	12	19	7	-	1
612	Other diseases of prostate	M	35	2	7	-	-	-	-	-	3	2	2	13	11	4	-
613	Hydrocele	M	424	-	175	9	6	62	43	33	37	60	74	71	33	3	2
614	Orchitis and epididymitis	M	157	-	40	9	2	-	1	23	30	38	33	18	9	3	-
615	Redundant prepuce and phimosis	M	696	-	593	12	117	261	130	49	47	30	26	12	16	6	2
616	Sterility, male	M	7	-	-	-	-	-	-	-	4	3	-	-	-	-	-
617	Other diseases of male genital organs	M	205	1	76	11	4	26	15	15	16	26	40	44	16	2	1
620-626	**Diseases of breast, ovary, Fallopian tube and parametrium**	**M**	**66**	**-**	**25**	**5**	**4**	**-**	**4**	**10**	**11**	**10**	**12**	**7**	**7**	**1**	**-**
		F	**2011**	**12**	**400**	**31**	**2**	**3**	**21**	**337**	**593**	**595**	**374**	**51**	**19**	**4**	**12**

620	Chronic cystic disease of breast	M	35	-	10	3	-	-	1	3	6	4	9	6	6	-	-
		F	513	-	125	9	-	1	-	20	76	202	183	20	6	1	4
621	Other diseases of breast	M	31	-	15	2	4	-	3	7	5	6	3	1	1	1	-
		F	327	2	67	12	2	1	5	85	119	59	36	9	7	3	1
	.0 Acute mastitis not associated with lacation	M	*14*	-	*4*	*2*	*4*	-	-	*2*	*2*	*3*	*2*	*1*	-	-	-
		F	*277*	-	*53*	*12*	*2*	*1*	*4*	*80*	*107*	*45*	*25*	*7*	*4*	*1*	*1*
	.1 Hypertrophy of breast	M	*16*	-	*10*	-	-	-	*2*	*5*	*3*	*3*	*1*	-	*1*	*1*	-
		F	*17*	-	*7*	-	-	-	*1*	*2*	*5*	*4*	*4*	-	*1*	-	-
	.2 Other	M	*1*	-	*1*	-	-	-	*1*	-	-	-	-	-	-	-	-
		F	*33*	*2*	*7*	-	-	-	-	*3*	*7*	*10*	*7*	*2*	*2*	*2*	-
622	Acute salpingitis and oophoritis	F	111	-	33	-	-	-	1	44	37	22	5	-	-	-	2
623	Chronic salpingitis and oophoritis	F	175	-	16	4	-	-	1	26	88	50	10	-	-	-	-
624	Salpingitis and oophoritis, unqualified	F	285	4	71	1	-	-	3	76	102	74	20	5	1	-	4
625	Other diseases of ovary and Fallopian tube	F	393	2	59	2	-	-	5	62	103	122	92	7	2	-	-
626	Diseases of parametrium and pelvic peritoneum (female)	F	207	4	29	3	-	1	6	24	68	66	28	10	3	-	1
630-637	**Diseases of uterus and other female gential organs**	**F**	**12489**	**22**	**1304**	**124**	**1**	**24**	**58**	**1096**	**3084**	**3372**	**2831**	**1322**	**592**	**86**	**23**
630	Infective disease of uterus, vagina and vulva	F	1902	3	257	18	1	22	21	184	653	564	286	108	51	10	2
	.0 Cervicitis	F	*1300*	-	*125*	*6*	-	*4*	*4*	*118*	*518*	*421*	*182*	*35*	*15*	*1*	*2*
	.1 Other infective diseases of uterus	F	*115*	*3*	*10*	*3*	-	-	-	*13*	*17*	*37*	*26*	*14*	*7*	*1*	-
	.2 Vaginitis and vulvitis	F	*487*	-	*122*	*9*	*1*	*18*	*17*	*53*	*118*	*106*	*78*	*59*	*29*	*8*	-

TABLE H.1(a) (Contd.)

I.S.C. No.	PRINCIPAL CAUSE OF ADMISSION		TEACHING HOSPITALS														
			TOTAL	Died	Marital status		Discharges (including deaths) by age										
					Single	N.S.	0-	1-	5-	15-	25-	35-	45-	55-	65-	75 and over	N.S.
631	Uterovaginal prolapse	F	3733	15	76	32	-	-	-	11	315	930	1115	908	395	54	5
632	Malposition of uterus	F	605	1	36	6	-	-	-	73	360	143	26	2	1	-	-
633	Other diseases of uterus	F	440	1	33	3	-	-	3	31	126	127	95	36	19	2	1
634	Disorders of menstruation	F	3494	1	730	44	-	-	14	581	846	1126	798	87	28	7	7
635	Menopausal symptoms (including premature and artificial menopause)	F	309	-	24	3	-	-	-	-	3	80	215	10	1	-	-
636	Sterility, Female	F	889	1	10	8	-	-	-	116	578	190	3	-	-	-	2
637	Other diseases of female genital organs	F	1117	-	138	10	-	2	20	100	203	212	293	171	97	13	6
	.0 Leukorrhoea	*F*	*109*	-	*36*	-	-	*1*	*7*	*14*	*28*	*27*	*17*	*10*	*2*	*2*	*1*
	.1 Other	*F*	*1008*	-	*102*	*10*	-	*1*	*13*	*86*	*175*	*185*	*276*	*161*	*95*	*11*	*5*
	XI. DELIVERIES AND COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM																
64x	Normal Pregnancy	F	1147	-	57	44	-	-	-	367	545	229	6	-	-	-	-
640-649	Complications of Pregnancy	F	5789	26	164	233	-	-	3	1608	2823	1295	51	-	-	-	9
640	Pyelitis and Pyelonephitis of pregnancy	F	266	2	13	12	-	-	-	120	116	28	1	-	-	-	1

641	Other infections of genito-urinary tract during pregnancy	F	72	-	7	3	-	-	-	28	35	7	1	-	-	-	1
642	Toxaemias of pregnancy	F	2781	13	69	165	-	-	2	745	1318	686	28	-	-	-	2
	.0 Hypertensive disease arising during pregnancy	F	657	-	4	8	-	-	-	119	289	239	10	-	-	-	-
	.1 Renal disease arising during pregnancy	F	99	-	2	-	-	-	1	19	56	22	1	-	-	-	-
	.2 Pre-eclampsia of pregnancy	F	905	4	28	20	-	-	-	296	426	176	6	-	-	-	1
	.3 Eclampsia of pregnancy	F	34	4	4	-	-	-	1	12	13	8	-	-	-	-	-
	.4 Hyperemesis gravidarum	F	247	1	7	9	-	-	-	69	126	52	-	-	-	-	-
	.5 Other	F	839	4	26	128	-	-	-	230	408	189	11	-	-	-	1
643	Placenta praevia	F	127	-	5	1	-	-	-	33	54	38	2	-	-	-	-
644	Other haemorrhage of pregnancy	F	426	2	10	17	-	-	-	102	219	103	1	-	-	-	1
645	Ectopic pregnancy	F	239	2	13	3	-	-	-	44	141	51	3	-	-	-	-
	.0 Without mention of sepis	F	236	2	13	3	-	-	-	44	138	51	3	-	-	-	-
	.1 With sepis	F	3	-	-	-	-	-	-	-	3	-	-	-	-	-	-
646	Anaemia of pregnancy	F	130	-	3	2	-	-	-	20	55	53	2	-	-	-	-
647	Pregnancy with malposition of foetus in uterus	F	658	3	10	5	-	-	-	196	327	128	5	-	-	-	2
648	Other complications arising from pregnancy	F	1057	3	32	25	-	-	1	313	542	192	7	-	-	-	2

TABLE H.1(a) (Contd.)

I.S.C. No.	PRINCIPAL CAUSE OF ADMISSION		TEACHING HOSPITALS															
			TOTAL	Died	Marital status		Discharges (including deaths) by age											
					Single	N.S.	0-	1-	5-	15-	25-	35-	45-	55-	65-	75 and over	N.S.
648	*.0 Threatened abortion*	F	*320*	-	*9*	*6*	-	-	-	*90*	*183*	*47*	-	-	-	-	-
	.1 Hydatidiform mole	F	*38*	-	-	-	-	-	-	*9*	*23*	*5*	*1*	-	-	-	-
	.2 Placental abnormalities not classified elsewhere	F	*2*	-	-	-	-	-	-	-	*1*	*1*	-	-	-	-	-
	.3 Other	F	*697*	*3*	*23*	*19*	-	-	*1*	*214*	*335*	*139*	*6*	-	-	-	*2*
649	Pregnancy associated with other conditions	F	33	1	2	-	-	-	-	7	16	9	1	-	-	-	-
650-652	**Abortion**	F	**2024**	**3**	**147**	**44**	-	-	**1**	**429**	**1037**	**530**	**22**	-	-	-	**5**
650	Abortion without mention of sepis or toxaemia	F	1940	2	140	42	-	-	1	407	989	516	22	-	-	-	5
	.0 Spontaneous or unspecified	F	*1726*	*2*	*123*	*41*	-	-	*1*	*366*	*872*	*461*	*21*	-	-	-	*5*
	.1 Induced for medical or legal indications	F	*98*	-	*9*	*1*	-	-	-	*18*	*49*	*30*	*1*	-	-	-	-
	.2 Induced for other reasons	F	*6*	-	*2*	-	-	-	-	*2*	*2*	*2*	-	-	-	-	-
	.3 Other	F	*110*	-	*6*	-	-	-	-	*21*	*66*	*23*	-	-	-	-	-
651	Abortion with sepsis	F	83	1	7	2	-	-	-	21	48	14	-	-	-	-	-
	.0 Spontaneous or unspecified	F	*81*	*1*	*7*	*2*	-	-	-	*21*	*46*	*14*	-	-	-	-	-

	.1 Induced for medical or legal indications	F	2	-	-	-	-	-	-	-	2	-	-	-	-	-	-
	.2 Induced for other reasons	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	.3 Other	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
652	Abortion with toxaemia without mention of sepsis	F	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	.0 Spontaneous or unspecified	F	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	.1 Induced for medical or legal indications	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	.2 Induced for other reasons	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	.3 Other	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
660	Delivery without complication	F	14154	16	308	1727	-	-	5	4644	7243	2183	59	-	-	-	20
	.0 Spontaneous	F	6910	5	158	17	-	-	3	2565	3418	896	21	-	-	-	7
	.1 Manipulation without instruments	F	102	-	-	11	-	-	-	35	52	15	-	-	-	-	-
	.2 Forceps (only) low and unspecified	F	621	3	11	25	-	-	-	158	332	127	3	-	-	-	1
	.3 Forceps (only) mid and high	F	33	-	1	2	-	-	-	6	17	9	1	-	-	-	-
	.4 Other surgical or instrumental, except Caesarean section	F	6	-	-	-	-	-	-	1	3	2	-	-	-	-	-
	.5 Caesarean section	F	405	4	7	26	-	-	1	24	206	168	6	-	-	-	-
	.6 Unspecified type of delivery	F	6024	4	129	1643	-	-	1	1836	3189	959	27	-	-	-	12

TABLE H.1(a) (Contd.)

I.S.C. No.	PRINCIPAL CAUSE OF ADMISSION		TEACHING HOSPITALS															
			TOTAL	Died	Marital status		Discharges (including deaths) by age											
					Single	N.S.	0-	1-	5-	15-	25-	35-	45-	55-	65-	75 and over	N.S.
660	*.7 Delivered before admission*	F	53	-	2	3	-	-	-	19	26	7	1	-	-	-	-
670-678	**Delivery with specified complication**	**F**	**5276**	**8**	**139**	**374**	**-**	**-**	**1**	**1637**	**2742**	**882**	**9**	**-**	**-**	**-**	**5**
670	Delivery complicated by placenta praevia or antepartum haemorrhage	F	209	1	-	24	-	-	-	42	98	66	3	-	-	-	-
671	Delivery complicated by retained placenta	F	268	1	8	12	-	-	-	71	149	47	-	-	-	-	1
672	Delivery complicated by other postpartum haemorrhage	F	445	-	13	32	-	-	-	157	241	47	-	-	-	-	-
673	Delivery complicated by abnormality of bony pelvis	F	235	-	6	9	-	-	-	54	128	52	1	-	-	-	-
674	Delivery complicated by disproportion or malposition of foetus	F	750	1	14	45	-	-	-	217	373	158	2	-	-	-	-
675	Delivery complicated by prolonged labour of other origin	F	1078	3	21	163	-	-	-	273	600	202	1	-	-	-	2
676	Delivery with laceration of perineum, without mention of other laceration	F	1555	-	52	7	-	-	1	545	794	215	-	-	-	-	-
677	Delivery with other trauma	F	485	1	17	11	-	-	-	198	249	36	1	-	-	-	1

678	Delivery with other complications of childbirth	F	251	1	8	71	-	-	-	80	110	59	1	-	-	-	1
680-689	**Complications of the puerperium**	**F**	**159**	**-**	**5**	**1**	**-**	**-**	**-**	**55**	**74**	**28**	**2**	**-**	**-**	**-**	**-**
680	Puerperal urinary infection without other sepsis	F	3	-	-	-	-	-	-	1	1	1	-	-	-	-	-
681	Sepsis of childbirth and the puerperium	F	25	-	1	1	-	-	-	13	9	3	-	-	-	-	-
682	Puerperal phlebitis and thrombosis	F	13	-	-	-	-	-	-	2	5	5	1	-	-	-	-
683	Pyrexia of unknown origin during the puerperium	F	20	-	3	-	-	-	-	11	9	-	-	-	-	-	-
684	Puerperal pulmonary embolism	F	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-
685	Puerperal eclampsia	F	6	-	-	-	-	-	-	-	4	2	-	-	-	-	-
686	Other forms of puerperal toxaemia	F	2	-	-	-	-	-	-	1	-	1	-	-	-	-	-
687	Cerebral haemorrhage in the puerperium	F	2	-	-	-	-	-	-	-	1	1	-	-	-	-	-
688	Other and unspecified complications of the puerperium	F	46	-	1	-	-	-	-	9	24	12	1	-	-	-	-
	.0 Anaemia of puerperium	*F*	*7*	-	-	-	-	-	-	*3*	*3*	*1*	-	-	-	-	-
	.1 Puerperal psychosis	*F*	*22*	-	*1*	-	-	-	-	*2*	*13*	*7*	-	-	-	-	-
	.2 Sudden death from unknown cause in the puerperium	*F*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	.3 Other	*F*	*17*	-	-	-	-	-	-	*4*	*8*	*4*	*1*	-	-	-	-

TABLE H.1(a). (Contd.)

I.S.C. No.	PRINCIPAL CAUSE OF ADMISSION		TEACHING HOSPITALS														
			TOTAL	Died	Marital status		Discharges (including deaths) by age										
					Single	N.S.	0-	1-	5-	15-	25-	35-	45-	55-	65-	75 and over	N.S.
689	Mastitis and other disorders of lactation	F	41	-	-	-	-	-	-	17	21	3	-	-	-	-	-
	XII. DISEASES OF THE SKIN AND CELLULAR TISSUE																
690-698	Infections of Skin and subcutaneous tissue	M	1236	3	687	84	47	185	216	156	168	162	137	99	43	16	7
		F	1015	5	592	32	39	161	146	179	125	94	116	73	47	17	18
690	Boil and carbuncle	M	150	-	59	19	2	8	13	22	23	25	29	15	9	3	1
		F	139	-	73	8	2	7	20	31	23	13	22	8	5	4	4
	.0 Of face	M	54	-	29	4	-	5	7	14	9	7	6	3	2	1	-
		F	84	-	46	4	1	4	15	17	13	10	12	5	1	3	3
	.1 Of neck	M	34	-	8	4	-	-	2	2	2	5	11	7	4	-	1
		F	8	-	1	-	-	-	-	-	1	-	2	2	3	-	-
	.2 Of trunk	M	9	-	2	1	-	-	-	1	1	2	3	1	-	1	-
		F	6	-	2	1	-	1	-	1	-	1	2	-	1	-	-
	.3 Of upper arm and forearm	M	9	-	2	2	-	-	-	-	5	2	2	-	-	-	-
		F	4	-	2	-	-	-	-	2	-	-	1	1	-	-	-
	.4 Of hand	M	6	-	1	2	-	-	-	2	1	1	2	-	-	-	-
		F	3	-	1	1	-	-	1	-	-	-	1	-	-	-	1
	.5 Of buttock	M	5	-	2	1	-	1	1	-	2	-	-	1	-	-	-
		F	5	-	4	1	-	2	1	-	-	1	1	-	-	-	-
	.6 Of other parts of lower extremity	M	11	-	7	2	-	-	2	1	1	5	2	-	-	-	-
		F	7	-	6	-	-	-	-	5	1	-	1	-	-	-	-
	.7 Of other and multiple sites	M	4	-	1	1	1	-	-	-	-	1	1	-	1	-	-
		F	10	-	4	-	1	-	1	2	4	1	1	-	-	-	-

	.8 Of unspecified site	M	18	-	7	2	1	2	1	2	2	2	2	3	2	1	-
		F	12	-	7	1	-	-	2	4	4	-	1	-	-	1	-
691	Cellulitis of finger and toe	M	109	-	57	3	1	6	14	19	19	12	19	10	8	1	-
		F	111	-	55	5	3	2	9	28	19	11	16	9	7	4	3
692	Other cellulitis and abscess without mention of lymphangitis	M	809	2	472	46	43	144	154	96	100	102	76	55	23	12	4
		F	624	3	384	13	29	134	95	92	59	59	64	48	28	9	7
	.0 Of head and neck	M	291	-	198	14	23	82	58	30	30	27	20	14	2	4	1
		F	262	1	199	5	17	84	49	36	21	19	16	12	3	2	3
	.1 Of trunk	M	176	-	95	8	10	36	26	17	17	25	13	22	9	1	-
		F	119	-	57	4	6	23	9	16	9	11	14	13	15	2	1
	.2 Of upper arm and forearm	M	75	-	37	5	3	8	13	10	11	8	11	5	3	2	1
		F	69	-	31	1	-	7	7	13	10	9	10	6	4	2	1
	.3 Of hand, except fingers	M	60	-	23	2	-	3	6	12	10	12	8	5	3	-	1
		F	24	-	14	1	-	2	3	6	1	2	5	4	1	-	-
	.4 Of leg	M	144	1	83	10	6	13	37	15	23	19	16	6	4	4	1
		F	97	1	50	1	3	11	19	11	9	14	12	11	4	1	2
	.5 Of foot, except toes	M	44	1	26	6	-	-	8	11	7	10	5	2	1	-	-
		F	31	-	18	1	1	4	3	7	6	2	5	1	1	1	-
	.6 Of other, multiple and unspecified sites	M	19	-	10	1	1	2	6	1	2	1	3	1	1	1	-
		F	22	1	15	-	2	3	5	3	3	2	2	1	-	1	-
693	Other cellulitis and abscess with lymphangitis	M	31	1	13	4	-	-	3	7	5	8	2	5	-	-	1
		F	15	-	8	-	-	3	3	2	2	2	1	1	1	-	-
	.0 Of head and neck	M	2	-	1	-	-	-	-	1	-	1	-	-	-	-	-
		F	2	-	1	-	-	-	1	-	-	1	-	-	-	-	-
	.1 Of trunk	M	3	-	-	-	-	-	-	-	1	1	-	1	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	.2 Of upper arm and forearm	M	9	1	3	3	-	-	-	4	2	1	-	2	-	-	-
		F	2	-	1	-	-	1	-	-	1	-	-	-	-	-	-

TABLE H.1(a) (Contd.)

I.S.C. No.	PRINCIPAL CAUSE OF ADMISSION		TEACHING HOSPITALS														
			TOTAL	Died	Marital status		Discharges (including deaths) by age										
					Single	N.S.	0-	1-	5-	15-	25-	35-	45-	55-	65-	75 and over	N.S.
693	.3 Of hand, except fingers	M	3	-	1	-	-	-	-	-	1	-	1	-	-	-	1
		F	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	.4 Of leg	M	6	-	2	1	-	-	2	-	-	2	-	2	-	-	-
		F	4	-	4	-	-	1	2	1	-	-	-	-	-	-	-
	.5 Of foot, except toes	M	1	-	1	-	-	-	-	-	-	1	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	.6 Of other, multiple, and unspecified sites	M	7	-	5	-	-	-	1	2	1	2	1	-	-	-	-
		F	6	-	2	-	-	1	-	1	1	-	1	1	1	-	-
694	Acute lymphadenitis	M	36	-	33	-	-	14	16	2	2	2	-	-	-	-	-
		F	28	-	23	1	2	10	9	3	1	-	2	1	-	-	-
695	Impetigo	M	16	-	10	4	-	6	2	2	2	1	1	2	-	-	-
		F	15	-	10	1	1	3	2	4	2	1	.	.	2	-	-
696	Infectious warts	M	40	-	19	3	-	4	8	4	9	3	4	6	1	-	1
		F	52	-	27	3	-	1	6	17	10	4	6	4	-	-	4
697	Molluscum contagiosum	M	2	-	1	1	-	-	1	-	-	-	-	1	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
698	Other local infections of skin and subcutaneous tissue	M	43	-	23	4	1	3	5	4	8	9	6	5	2	-	-
		F	31	2	12	1	2	1	2	2	9	4	5	2	4	-	-
700-716	**Other diseases of skin and subcutaneous tissue**	**M**	**1202**	**7**	**499**	**59**	**44**	**69**	**95**	**175**	**183**	**187**	**186**	**135**	**94**	**31**	**3**
		F	**1325**	**9**	**530**	**17**	**10**	**63**	**126**	**169**	**177**	**206**	**250**	**192**	**95**	**32**	**5**
700	Seborrhoeic dermatitis	M	105	-	27	4	3	2	1	11	25	22	23	8	7	3	-
		F	63	-	24	1	-	3	5	6	7	10	17	8	3	4	-
701	Eczema	M	260	1	124	12	34	35	13	22	27	41	28	32	22	5	1
		F	158	1	70	2	7	24	17	15	14	16	28	21	11	5	-

702	Occupational dermatitis	M	3	-	-	2	-	-	-	-	1	-	1	-	1	-	-
		F	2	-	1	-	-	-	-	1	-	-	1	-	-	-	-
	.0 Due to plants	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	.1 Due to oils and greases	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	.2 Due to solvents	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	.3 Due to drugs	M	-	-	-	-	-	--	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	.4 Due to other chemicals	M	1	-	-	1	-	-	-	-	1	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-
	.5 Due to radiation	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	1	-	-	-	-	1	-	-	-	-	-	-	-
	.6 Other	M	2	-	-	1	-	-	-	-	-	-	1	-	1	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
703	Other dermatitis	M	147	2	36	11	4	4	-	11	25	28	29	26	14	5	1
		F	113	2	34	3	-	2	2	10	10	22	24	24	15	4	-
	.0 Due to plants	M	2	-	-	-	-	-	-	-	-	-	-	-	2	-	-
		F	1	-	1	-	-	-	-	-	-	1	-	-	-	-	-
	.1 Due to oils and greases	M	2	-	-	-	-	-	-	-	1	1	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-
	.2 Due to solvents	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-
	.3 Due to drugs	M	21	-	6	-	-	-	-	1	2	10	4	4	-	-	-
		F	17	-	6	-	-	-	1	2	4	3	1	2	4	-	-
	.4 Due to other chemicals	M	4	-	2	-	1	-	-	1	2	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	.5 Due to radiation	M	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-

TABLE H.1(a) (Contd.)

I.S.C. No.	PRINCIPAL CAUSE OF ADMISSION		TEACHING HOSPITALS														
			TOTAL	Died	Marital status		Discharges (including deaths) by age										
					Single	N.S.	0-	1-	5-	15-	25-	35-	45-	55-	65-	75 and over	N.S.
703	.6 Due to other specified agents	M	26	-	8	2	1	1	-	3	6	2	8	3	1	1	-
		F	25	-	9	-	-	-	-	2	1	6	6	5	5	-	-
	.7 Unqualified	M	78	1	19	8	2	3	-	6	13	14	14	15	6	4	1
		F	58	-	16	3	-	2	1	6	4	10	15	12	6	2	-
	.X Exfoliative dermatitis	M	13	1	1	1	-	-	-	-	1	-	3	4	5	-	-
		F	9	2	2	-	-	-	-	-	1	2	2	3	-	1	-
704	Pemphigus	M	27	3	6	1	-	-	2	1	-	4	4	8	4	4	-
		F	23	3	5	-	1	-	2	-	1	4	5	6	2	2	-
	.0 Dermatitis herpetiformis	M	16	1	4	1	-	-	2	-	-	3	3	3	4	1	-
		F	6	-	3	-	-	-	2	-	1	1	2	-	-	-	-
	.1 Other	M	11	2	2	-	-	-	-	1	-	1	1	5	-	3	-
		F	17	3	2	-	1	-	-	-	-	3	3	6	2	2	-
705	Erythematous conditions	M	55	1	25	3	1	2	11	6	7	7	11	5	4	1	-
		F	120	2	46	2	1	8	9	14	25	22	23	11	7	-	-
	.0 Toxic erythema	M	2	-	1	-	-	1	-	-	1	-	-	-	-	-	-
		F	9	1	3	-	-	2	-	-	1	5	1	-	-	-	-
	.1 Erythema multiforme (erythema iris)	M	7	-	2	-	-	-	-	1	1	1	2	1	1	-	-
		F	20	1	10	-	-	6	3	1	1	1	4	1	3	-	-
	.2 Erythema nodosum	M	20	-	15	1	-	1	9	5	2	2	1	-	-	-	-
		F	43	-	19	-	1	-	5	10	13	8	4	2	-	-	-
	.3 Rosacea	M	8	-	-	-	-	-	-	-	-	1	1	3	2	1	-
		F	15	-	6	-	-	-	1	-	2	4	1	4	3	-	-
	.4 Lupus erythematosus	M	7	1	3	2	-	-	-	-	2	1	4	-	-	-	-
		F	26	-	7	2	-	-	-	3	7	3	9	3	1	-	-

	.5 Other and unqualified	M	11	-	4	-	1	-	2	-	1	2	3	1	1	-	-
		F	7	-	1	-	-	-	-	-	1	1	4	1	-	-	-
706	Psoriasis and similar disorders	M	105	-	43	3	-	4	14	12	23	17	19	8	7	1	-
		F	148	-	79	1	-	2	28	33	25	14	16	15	13	1	1
	.0 Psoriasis	M	103	-	43	3	-	4	14	12	23	16	18	8	7	1	-
		F	142	-	75	1	-	2	28	31	24	14	16	13	13	1	-
	.1 Parapsoriasis	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	.2 Pityriasis rosea	M	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-
		F	3	-	2	-	-	-	-	2	-	-	-	-	-	-	1
	.3 Other and unspecified pityriasis	M	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-
		F	3	-	2	-	-	-	-	-	1	-	-	2	-	-	-
	.4 Other	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
707	Lichen planus	M	2	-	-	-	-	-	-	-	1	-	-	1	-	-	-
		F	7	-	2	-	-	-	-	-	-	1	2	1	2	1	-
708	Pruritus and related conditions	M	50	-	16	1	-	-	7	3	5	12	7	8	7	1	-
		F	149	-	27	-	-	1	4	3	24	30	44	30	10	2	1
	.0 Pruritus ani	M	21	-	4	-	-	-	-	1	2	7	3	3	5	-	-
		F	20	-	5	-	-	-	-	-	4	3	5	8	-	-	-
	.1 Pruritus of genital organs	M	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-
		F	96	-	8	-	-	-	1	1	12	22	32	16	9	2	1
	.2 Prurigo	M	4	-	3	-	-	-	3	-	-	-	-	1	-	-	-
		F	3	-	1	-	-	-	1	-	1	-	-	1	-	-	-
	.3 Lichenification and lichen simplex chronicus	M	18	-	6	-	-	-	1	2	3	4	4	4	-	-	-
		F	22	-	8	-	-	-	1	2	5	4	5	4	1	-	-
	.4 Dermatitis factitia (artefacta)	M	3	-	2	1	-	-	2	-	-	1	-	-	-	-	-
		F	1	-	1	-	-	-	-	-	1	-	-	-	-	-	-
	.5 Other pruritic conditions	M	3	-	1	-	-	-	1	-	-	-	-	-	2	-	-
		F	7	-	4	-	-	1	1	-	1	1	2	1	-	-	-

TABLE H.1(a) (Contd.)

I.S.C. No.	PRINCIPAL CAUSE OF ADMISSION		TEACHING HOSPITALS															
			TOTAL	Died	Marital status		Discharges (including deaths) by age											
					Single	N.S.	0-	1-	5-	15-	25-	35-	45-	55-	65-	75 and over	N.S.
709	Corns and callosities	M	9	-	6	-	-	-	4	-	2	2	-	1	-	-	-
		F	7	-	1	-	-	-	-	1	-	1	2	-	2	1	-
710	Other hypertrophic and atrophic conditions of skin	M	49	-	27	1	-	3	12	10	4	6	5	4	2	3	-
		F	97	1	46	3	-	9	15	14	11	7	16	20	4	1	-
	.0 Scleroderma and dermatomyositis	M	9	-	3	1	-	-	1	1	1	1	1	3	1	-	-
		F	42	1	10	2	-	3	3	-	6	4	10	13	3	-	-
	.1 Keratoderma	M	12	-	3	-	-	-	1	3	1	2	2	1	1	1	-
		F	12	-	8	-	-	2	2	3	-	1	1	3	-	-	-
	.2 Hereditary oedema of legs (Milroy's disease)	M	4	-	-	-	-	-	-	-	-	3	1	-	-	-	-
		F	9	-	5	1	-	2	-	3	2	1	1	-	-	-	-
	.3 Striae atrophicae	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	.4 Keloid scar	M	20	-	19	-	-	3	10	4	2	-	1	-	-	-	-
		F	22	-	19	-	-	2	7	8	2	1	1	1	-	-	-
	.5 Other hypertrophic and atrophic conditions of skin	M	4	-	2	-	-	-	-	2	-	-	-	-	-	2	-
		F	12	-	4	-	-	-	3	-	1	-	3	3	1	1	-
711	Other dermatoses	M	13	-	3	2	-	-	1	-	1	-	4	4	3	-	-
		F	12	-	4	-	-	-	-	-	-	1	3	4	2	2	-
712	Diseases of nail	M	80	-	55	3	-	3	8	38	13	2	7	7	-	2	-
		F	87	-	41	-	-	2	4	25	8	18	15	9	3	2	1
713	Diseases of hair and hair follicles	M	27	-	9	3	-	-	2	5	6	6	5	3	-	-	-
		F	18	-	7	-	-	-	1	1	4	5	3	2	2	-	-

714	Diseases of sweat and sebaceous glands	M	87	-	32	6	-	4	4	23	12	10	20	3	9	2	-
		F	73	-	25	1	1	3	3	9	12	14	13	11	4	3	-
	.0 Diseases of sweat glands	*M*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	*1*	-	*1*	-	-	-	-	*1*	-	-	-	-	-	-	-
	.1 Acne	*M*	*12*	-	*11*	*1*	-	-	-	*12*	-	-	-	-	-	-	-
		F	*15*	-	*6*	-	-	-	-	*3*	*4*	-	*1*	*7*	-	-	-
	.2 Other diseases of sebaceous glands	*M*	*75*	-	*21*	*5*	-	*4*	*4*	*11*	*12*	*10*	*20*	*3*	*9*	*2*	-
		F	*57*	-	*18*	*1*	*1*	*3*	*3*	*5*	*8*	*14*	*12*	*4*	*4*	*3*	-
715	Chronic ulcer of skin	M	85	-	25	2	2	2	1	5	14	15	18	14	10	3	1
		F	107	-	30	3	-	2	6	7	19	16	23	23	8	3	-
716	Other diseases of skin	M	98	-	65	5	-	10	15	28	17	15	5	3	4	1	-
		F	141	-	88	1	-	7	30	30	17	25	15	7	7	1	2
	XIII. DISEASES OF THE BONES AND ORGANS OF MOVEMENT																
720–727	**Arthritis and rheumatism, except rheumatic fever**	**M**	**985**	**8**	**314**	**55**	**4**	**32**	**130**	**77**	**107**	**146**	**211**	**190**	**67**	**13**	**8**
		F	**1186**	**6**	**435**	**25**	**5**	**48**	**121**	**91**	**118**	**146**	**263**	**272**	**98**	**17**	**7**
720	Acute arthritis due to pyogenic organisms	M	64	-	38	3	1	3	22	10	6	10	6	4	2	-	-
		F	52	-	31	1	3	7	10	9	10	2	7	2	1	1	-
721	Acute nonpyogenic arthritis	M	9	-	2	1	-	-	-	1	1	2	3	2	-	-	-
		F	2	-	-	-	-	-	-	-	1	-	1	-	-	-	-
722	Rheumatoid arthritis and allied conditions	M	272	5	79	14	2	3	20	26	46	55	73	35	8	2	2
		F	392	2	115	6	-	10	16	22	54	66	102	96	22	3	1
	.0 Rheumatoid arthritis	*M*	*190*	*5*	*48*	*8*	*2*	*2*	*19*	*12*	*18*	*35*	*59*	*32*	*8*	*2*	*1*
		F	*372*	*2*	*108*	*6*	-	*10*	*16*	*21*	*48*	*63*	*97*	*92*	*21*	*3*	*1*
	.1 Spondylitis ankylopoietica	*M*	*81*	-	*30*	*6*	-	-	*1*	*14*	*28*	*20*	*14*	*3*	-	-	*1*
		F	*20*	-	*7*	-	-	-	-	*1*	*6*	*3*	*5*	*4*	*1*	-	-
	.2 Chronic rheumatoid nodular fibrositis	*M*	*1*	-	*1*	-	-	*1*	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
723	Osteo-arthritis (arthrosis) and allied conditions	M	324	2	33	27	-	-	2	14	13	34	77	123	48	9	4
		F	366	4	62	13	-	-	2	6	11	44	102	128	61	9	3

TABLE H.1(a) (Contd.)

I.S.C. No.	PRINCIPAL CAUSE OF ADMISSION		TEACHING HOSPITALS														
			TOTAL	Died	Marital status		Discharges (including deaths) by age										
					Single	N.S.	0-	1-	5-	15-	25-	35-	45-	55-	65-	75 and over	N.S.
723	.0 Osteo-arthritis (arthrosis)	M	267	1	27	22	-	-	2	9	12	28	61	102	42	9	2
		F	321	4	51	12	-	-	2	5	8	35	96	108	55	9	3
	.1 Spondylitis osteo-arthritica (Spondylarthrosis)	M	54	1	4	5	-	-	-	2	1	6	16	21	6	-	2
		F	43	-	9	1	-	-	-	1	2	8	6	20	6	-	-
	.2 Adult osteochondrosis of spine	M	3	-	2	-	-	-	-	3	-	-	-	-	-	-	-
		F	2	-	2	-	-	-	-	-	1	1	-	-	-	-	-
724	Other specified forms of arthritis	M	43	-	21	2	-	4	6	4	6	13	9	1	-	-	-
		F	43	-	19	1	-	3	6	6	3	5	10	8	2	-	-
725	Arthritis, unspecified	M	81	1	29	3	1	5	9	7	15	10	16	12	4	1	1
		F	101	-	51	1	-	6	11	13	13	10	15	20	7	4	2
726	Muscular rheumatism	M	117	-	63	5	-	15	35	5	14	12	20	11	4	-	1
		F	139	-	89	2	2	16	37	12	18	13	20	17	3	-	1
	.0 Lumbago	M	4	-	-	1	-	-	-	-	1	2	1	-	-	-	-
		F	18	-	5	-	1	-	-	2	-	1	1	13	-	-	-
	.1 Myofibrosis of humeroscapular region	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	3	-	1	1	-	-	-	-	2	1	-	-	-	-	-
	.2 Torticollis not specified as congenital, psychogenic, or traumatic	M	53	-	50	-	-	15	31	2	-	1	2	1	-	-	1
		F	54	-	52	-	-	15	33	1	1	1	3	-	-	-	-
	.3 Other muscular rheumatism, fibrositis, and myalgia	M	60	-	13	4	-	-	4	3	13	9	17	10	4	-	-
		F	64	-	31	1	1	1	4	9	15	10	16	4	3	-	1
727	Rheumatism unspecified	M	75	-	49	-	-	2	36	10	6	10	7	2	1	1	-
		F	91	-	68	1	-	6	39	23	8	6	6	1	2	-	-

	A. Acute	*M*	*44*	*-*	*31*	*-*	*-*	*-*	*24*	*7*	*4*	*5*	*4*	*-*	*-*	*-*	*-*
		F	*53*	*-*	*39*	*1*	*-*	*5*	*21*	*13*	*4*	*4*	*4*	*1*	*1*	*-*	*-*
	B. Subacute	*M*	*18*	*-*	*11*	*-*	*-*	*1*	*8*	*3*	*2*	*2*	*1*	*-*	*1*	*-*	*-*
		F	*35*	*-*	*28*	*-*	*-*	*1*	*17*	*10*	*3*	*2*	*2*	*-*	*-*	*-*	*-*
	C. Chronic	*M*	*2*	*-*	*-*	*-*	*-*	*-*	*-*	*-*	*-*	*-*	*-*	*2*	*-*	*-*	*-*
		F	*-*	*-*	*-*	*-*	*-*	*-*	*-*	*-*	*-*	*-*	*-*	*-*	*-*	*-*	*-*
	D. Not otherwise specified	*M*	*11*	*-*	*7*	*-*	*-*	*1*	*4*	*-*	*-*	*3*	*2*	*-*	*-*	*1*	*-*
		F	*3*	*-*	*1*	*-*	*-*	*-*	*1*	*-*	*1*	*-*	*-*	*-*	*1*	*-*	*-*
730-738	**Osteomyelitis and other diseases of bone and joint**	**M**	**2285**	**5**	**867**	**114**	**19**	**81**	**232**	**381**	**503**	**505**	**366**	**134**	**46**	**5**	**13**
		F	**1079**	**5**	**488**	**26**	**8**	**53**	**130**	**166**	**175**	**238**	**160**	**88**	**47**	**2**	**12**
730	Osteomyelitis and periostitis	M	554	-	338	26	13	43	134	122	79	61	62	25	11	1	3
		F	253	2	169	2	6	36	75	46	36	26	14	9	5	-	-
	.0 Acute osteomyelitis	*M*	*70*	*-*	*58*	*2*	*3*	*17*	*28*	*8*	*3*	*2*	*8*	*1*	*-*	*-*	*-*
		F	*38*	*-*	*29*	*-*	*1*	*12*	*12*	*7*	*2*	*-*	*-*	*4*	*-*	*-*	*-*
	.1 Chronic osteomyelitis	*M*	*171*	*-*	*91*	*11*	*-*	*4*	*18*	*55*	*34*	*20*	*22*	*12*	*3*	*1*	*2*
		F	*56*	*1*	*32*	*-*	*1*	*4*	*11*	*12*	*9*	*8*	*4*	*5*	*2*	*-*	*-*
	.2 Unspecified osteomyelitis	*M*	*305*	*-*	*188*	*11*	*10*	*21*	*88*	*58*	*42*	*36*	*30*	*11*	*8*	*-*	*1*
		F	*155*	*1*	*105*	*2*	*4*	*19*	*51*	*27*	*24*	*17*	*10*	*-*	*3*	*-*	*-*
	.3 Periostitis without mention of osteomyelitis	*M*	*8*	*-*	*1*	*2*	*-*	*1*	*-*	*1*	*-*	*3*	*2*	*1*	*-*	*-*	*-*
		F	*4*	*-*	*3*	*-*	*-*	*1*	*1*	*-*	*1*	*1*	*-*	*-*	*-*	*-*	*-*
731	Osteitis deformans	M	44	2	3	2	-	1	-	1	-	3	6	20	10	3	-
		F	27	-	4	1	-	-	-	-	-	-	2	7	16	1	1
732	Osteochondrosis	M	101	-	82	2	1	14	51	15	10	5	5	-	-	-	-
		F	47	-	35	-	-	6	19	9	6	3	3	-	-	-	1
733	Other diseases of bone	M	74	1	35	5	2	6	11	12	8	5	11	7	12	-	-
		F	58	3	15	2	-	1	1	4	6	8	15	12	11	-	-
734	Internal derangement of knee joint	M	483	-	171	31	-	1	8	116	176	116	56	7	1	-	2
		F	85	-	54	3	-	-	12	31	14	15	9	3	1	-	-

TABLE H.1(a) (Contd.)

I.S.C. No.	PRINCIPAL CAUSE OF ADMISSION		TEACHING HOSPITALS														
			TOTAL	Died	Marital status		Discharges (including deaths) by age										
					Single	N.S.	0-	1-	5-	15-	25-	35-	45-	55-	65-	75 and over	N.S.
735	Displacement of inter-vertebral disc	M	723	2	110	34	-	-	1	51	168	252	185	54	7	-	5
		F	369	-	105	11	-	-	1	36	79	148	70	23	4	1	7
736	Affection of sacro-iliac joint	M	13	-	4	2	-	-	-	3	3	4	1	1	-	-	1
		F	24	-	5	-	-	-	-	4	10	7	1	1	1	-	-
737	Ankylosis of joint	M	13	-	5	-	-	-	1	3	3	2	1	2	1	-	-
		F	24	-	11	-	-	1	-	4	4	5	8	1	1	-	-
	.0 Of spine	M	3	-	-	-	-	-	-	-	2	1	-	-	-	-	-
		F	7	-	3	-	-	-	-	-	1	2	3	1	-	-	-
	.1 Of shoulder	M	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-
		F	2	-	-	-	-	-	-	-	-	-	2	-	-	-	-
	.2 Of elbow	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	.3 Of wrist	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	.4 Of finger	M	1	-	1	-	-	-	-	-	1	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	.5 Of hip	M	3	-	1	-	-	-	-	1	-	-	-	2	-	-	-
		F	8	-	6	-	-	-	-	4	2	1	-	-	1	-	-
	.6 Of knee	M	2	-	2	-	-	-	1	1	-	-	-	-	-	-	-
		F	2	-	-	-	-	-	-	-	-	1	1	-	-	-	-
	.7 Of ankle	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-
	.8 Of other and multiple sites	M	2	-	1	-	-	-	-	1	-	-	-	-	1	-	-
		F	3	-	2	-	-	1	-	-	1	-	1	-	-	-	-

	.9 Of unspecified site	M	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
738	Other diseases of joint	M	280	-	119	12	3	16	26	58	56	57	39	18	4	1	2
		F	192	-	90	7	2	9	22	32	20	26	38	32	8	-	3
740-749	**Other diseases of musculoskeletal system**	**M**	**1309**	**4**	**774**	**69**	**20**	**240**	**276**	**143**	**131**	**171**	**175**	**109**	**34**	**6**	**4**
		F	**1806**	**7**	**854**	**48**	**12**	**108**	**222**	**250**	**264**	**327**	**321**	**214**	**71**	**6**	**11**
740	Bunion	M	5	-	1	1	-	-	1	-	-	2	-	1	1	-	-
		F	29	-	4	3	-	-	-	3	7	4	7	6	1	-	1
741	Synovitis, bursitis and tenosynovitis without mention of occupational origin	M	318	-	129	33	1	18	50	33	53	61	52	36	12	1	1
		F	335	2	159	13	1	15	31	72	65	57	48	28	15	1	2
742	Synovitis, bursitis, and tenosynovitis of occupational origin	M	2	-	-	-	-	-	-	2	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-
743	Infective myositis and other inflammatory diseases of tendon and fascia	M	13	-	8	-	-	-	2	2	4	3	2	-	-	-	-
		F	7	-	4	-	-	-	1	1	2	1	1	1	-	-	-
744	Other diseases of muscle, tendon, and fascia	M	247	4	86	18	4	16	27	20	21	49	62	30	14	3	1
		F	171	4	75	3	4	11	24	10	32	33	36	10	10	-	1
	.0 Myasthenia gravis	M	30	3	6	2	-	-	-	3	4	11	5	4	2	1	-
		F	55	1	21	-	-	-	4	5	16	19	9	1	1	-	-
	.1 Inborn defect of muscle	M	42	1	32	1	3	6	13	2	4	8	6	-	-	-	-
		F	25	2	18	-	4	4	6	2	5	1	3	-	-	-	-
	.2 Other	M	175	-	48	15	1	10	14	15	13	30	51	26	12	2	1
		F	91	1	36	3	-	7	14	3	11	13	24	9	9	-	1
745	Curvature of spine	M	32	-	22	3	1	7	5	5	3	1	6	3	1	-	-
		F	61	1	51	1	-	10	17	17	2	10	2	2	1	-	-
746	Flat foot	M	32	-	26	-	-	1	9	15	2	2	3	-	-	-	-
		F	28	-	19	-	-	1	8	8	3	5	-	1	2	-	-

TABLE H.1(a) (Contd.)

I.S.C. No.	PRINCIPAL CAUSE OF ADMISSION		TEACHING HOSPITALS														
			TOTAL	Died	Marital status		Discharges (including deaths) by age										
					Single	N.S.	0-	1-	5-	15-	25-	35-	45-	55-	65-	75 and over	N.S.
747	Hallux valgus and varus	M	85	-	32	4	-	2	4	11	15	17	13	17	4	1	1
		F	691	-	217	21	-	1	16	64	105	158	186	123	30	4	4
748	Clubfoot	M	390	-	358	2	14	171	141	23	19	9	9	3	-	-	1
		F	227	-	188	3	3	60	73	28	19	21	11	7	2	1	2
749	Other deformities	M	185	-	112	8	-	25	37	32	14	27	28	19	2	1	-
		F	256	-	137	4	4	10	52	47	29	37	30	36	10	-	1
	XIV. CONGENITAL MALFORMATIONS																
750-759	**Congenital malformations**	M	**2815**	**112**	**2545**	**43**	**724**	**678**	**812**	**265**	**114**	**86**	**59**	**40**	**19**	**5**	**13**
		F	**2302**	**91**	**1919**	**14**	**395**	**725**	**514**	**207**	**166**	**136**	**81**	**42**	**19**	**4**	**13**
750	Monstrosity	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	1	1	-	1	-	-	-	-	-	-	-	-	-	-
751	Spina bifida and meningocele	M	62	7	61	-	20	14	19	1	3	2	1	-	1	-	1
		F	73	9	69	-	22	23	18	3	3	2	-	1	-	-	1
752	Congenital hydrocephalus	M	27	5	27	-	13	8	4	-	1	-	-	-	-	-	1
		F	30	4	30	-	15	13	1	-	-	-	-	-	-	-	1
753	Other congenital malformations of nervous system and sense organs	M	160	1	135	6	27	42	44	20	17	4	3	1	1	-	1
		F	146	1	128	1	32	43	31	12	14	4	4	2	1	2	1
	.0 Congenital cataract	*M*	*75*	-	*64*	*4*	*8*	*21*	*23*	*10*	*7*	*3*	*1*	*1*	-	-	*1*
		F	*79*	-	*71*	-	*14*	*27*	*17*	*10*	*7*	*2*	*2*	-	-	-	-
	.1 Other	*M*	*85*	*1*	*71*	*2*	*19*	*21*	*21*	*10*	*10*	*1*	*2*	-	*1*	-	-
		F	*67*	*1*	*57*	*1*	*18*	*16*	*14*	*2*	*7*	*2*	*2*	*2*	*1*	*2*	*1*
754	Congenital malformations of circulatory system	M	363	39	300	9	38	54	146	55	23	23	11	9	3	-	1
		F	414	29	348	5	35	36	216	45	31	31	9	9	1	-	1

	.0 Tetralogy of Fallot	M	73	3	68	1	-	16	42	10	4	1	-	-	-	-	-
		F	71	6	63	-	3	6	41	14	1	1	1	3	-	-	1
	.1 Patent ductus arteriosus (Botalli)	M	38	4	33	-	1	5	21	6	1	3	-	1	-	-	-
		F	129	5	116	-	2	11	91	11	8	4	1	1	-	-	-
	.2 Interventricular septal defect	M	23	1	20	2	1	5	6	8	2	-	-	-	-	-	1
		F	20	-	12	2	-	-	8	2	5	3	1	-	1	-	-
	.3 Interauricular septal defect	M	23	3	16	1	2	2	8	2	6	1	1	-	1	-	-
		F	35	1	19	2	1	1	11	5	8	5	2	2	-	-	-
	.4 Other and unspecified malformations of heart	M	126	23	117	1	33	24	47	10	4	4	-	2	2	-	-
		F	133	14	120	-	28	17	58	8	6	11	3	2	-	-	-
	.5 Coarctation of aorta	M	38	2	30	1	1	-	15	13	1	5	3	-	-	-	-
		F	5	-	5	-	-	-	1	3	1	-	-	-	-	-	-
	.6 Other circulatory malformations	M	42	3	16	3	-	2	7	6	5	9	7	6	-	-	-
		F	21	3	13	1	1	1	6	2	2	7	1	1	-	-	-
755	Cleft palate and harelip	M	532	1	523	3	188	210	82	38	8	1	-	3	-	-	2
		F	323	2	318	2	82	133	67	28	6	5	-	-	-	-	2
756	Congenital malformations of digestive system	M	555	44	516	10	389	58	50	11	5	5	10	11	7	5	4
		F	263	32	228	1	133	38	40	7	10	3	10	9	8	2	3
	.0 Congenital hypertrophic pyloric stenosis	M	307	12	307	-	299	4	1	1	-	-	-	-	-	-	2
		F	77	5	77	-	76	-	-	-	-	-	-	-	-	-	1
	.1 Imperforate anus	M	28	5	28	-	20	4	1	-	-	-	-	-	-	1	2
		F	9	1	8	-	5	2	1	-	-	-	-	1	-	-	-
	.2 Other	M	220	27	181	10	70	50	48	10	5	5	10	11	7	4	-
		F	177	26	143	1	52	36	39	7	10	3	10	8	8	2	2
757	Congenital malformations of genito-urinary system	M	672	6	613	9	12	137	346	104	30	23	12	5	3	-	-
		F	214	7	92	1	10	22	20	46	47	29	20	11	8	-	1
	.0 Undescended testicle	M	321	-	305	1	-	16	208	71	15	7	3	-	1	-	-
	.1 Polycystic disease of kidney	M	14	1	3	-	-	-	1	1	1	5	4	2	-	-	-
		F	32	6	9	-	2	-	1	1	1	6	8	6	6	-	1

TABLE H.1(a) (Contd.)

I.S.C. No.	PRINCIPAL CAUSE OF ADMISSION		TEACHING HOSPITALS														
			TOTAL	Died	Marital status		Discharges (including deaths) by age										
					Single	N.S.	0-	1-	5-	15-	25-	35-	45-	55-	65-	75 and over	N.S.
757	.2 Congenital malformations of external genital organs	M	230	-	217	7	7	77	111	22	8	2	2	1	-	-	-
		F	50	1	14	1	4	5	3	14	19	5	-	-	-	-	-
	.3 Other	M	107	5	88	1	5	44	26	10	6	9	3	2	2	-	-
		F	132	-	69	-	4	17	16	31	27	18	12	5	2	-	-
758	Congenital malformations of bone and joint	M	191	3	163	3	12	76	51	20	9	10	8	2	1	-	2
		F	614	2	535	3	44	365	56	40	30	41	29	7	1	-	1
	.0 Congenital dislocation of hip	M	52	1	49	-	3	37	4	4	-	2	1	-	-	-	1
		F	416	1	403	1	32	327	20	2	8	18	7	1	-	-	1
	.1 Chondrodystrophy	M	12	1	9	1	1	-	4	4	-	2	-	-	1	-	-
		F	12	-	9	1	-	-	6	4	1	-	-	1	-	-	-
	.2 Congenital malformations of skull	M	17	1	16	-	3	7	5	-	-	-	1	-	-	-	1
		F	10	-	10	-	3	2	2	-	3	-	-	-	-	-	-
	.3 Brittle bones	M	7	-	6	1	-	1	4	1	1	-	-	-	-	-	-
		F	9	-	9	-	1	6	2	-	-	-	-	-	-	-	-
	.4 Cervical rib	M	13	-	4	1	-	1	-	3	3	3	3	-	-	-	-
		F	63	-	18	-	-	-	2	14	12	14	19	2	-	-	-
	.5 Congenital abnormalities of lumbosacral region	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	2	-	1	-	-	-	-	1	-	1	-	-	-	-	-
	.6 Other congenital malformations of bone and joint	M	90	-	79	-	5	30	34	8	5	3	3	2	-	-	-
		F	102	1	85	1	8	30	24	19	6	8	3	3	1	-	-
759	Other and unspecified congenital malformations not elsewhere classified	M	253	6	207	3	25	79	70	16	18	18	14	9	3	-	1
		F	224	4	170	1	21	52	65	26	25	21	9	3	-	-	2

	.0 Of respiratory system	M	44	3	29	1	13	10	3	1	2	5	4	5	1	-	-
		F	43	3	35	-	13	9	7	1	5	4	2	1	-	-	1
	.1 Of skin	M	57	-	57	-	-	29	26	1	1	-	-	-	-	-	-
		F	32	-	31	-	-	10	16	4	-	-	1	-	-	-	1
	.2 Of muscle	M	11	-	10	-	1	2	1	1	-	4	2	-	-	-	-
		F	12	-	7	-	-	2	2	1	3	2	2	-	-	-	-
	.3 Other and unspecified	M	141	3	111	2	11	38	40	13	15	9	8	4	2	-	1
		F	137	1	97	1	8	31	40	20	17	15	4	2	-	-	-
	XV. CERTAIN DISEASES OF EARLY INFANCY																
760-769	Birth injuries, asphyxia and infections of newborn	M	150	33	150	-	136	3	9	2	-	-	-	-	-	-	-
		F	98	16	97	-	77	6	11	-	2	-	-	-	-	-	2
760	Intracranial and spinal injury at birth	M	23	10	23	-	23	-	-	-	-	-	-	-	-	-	-
		F	12	5	12	-	12	-	-	-	-	-	-	-	-	-	-
	.0 Without mention of immaturity	M	17	4	17	-	17	-	-	-	-	-	-	-	-	-	-
		F	12	5	12	-	12	-	-	-	-	-	-	-	-	-	-
	.5 With immaturity	M	6	6	6	-	6	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
761	Other birth injury	M	22	1	22	-	9	2	9	2	-	-	-	-	-	-	-
		F	26	1	25	-	9	4	11	-	2	-	-	-	-	-	-
	.0 Without mention of immaturity	M	22	1	22	-	9	2	9	2	-	-	-	-	-	-	-
		F	26	1	25	-	9	4	11	-	2	-	-	-	-	-	-
	.5 With immaturity	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
762	Postnatal asphyxia and atelectasis	M	24	6	24	-	24	-	-	-	-	-	-	-	-	-	-
		F	10	4	10	-	9	-	-	-	-	-	-	-	-	-	1
	.0 Without mention of immaturity	M	22	5	22	-	22	-	-	-	-	-	-	-	-	-	-
		F	10	4	10	-	9	-	-	-	-	-	-	-	-	-	1
	.5 With immaturity	M	2	1	2	-	2	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

TABLE H.1(a) (Contd.)

I.S.C. No.	PRINCIPAL CAUSE OF ADMISSION		TEACHING HOSPITALS															
			TOTAL	Died	Marital status		Discharges (including deaths) by age											
					Single	N.S.	0-	1-	5-	15-	25-	35-	45-	55-	65-	75 and over	N.S.
763	Pneumonia of newborn	M	14	7	14	-	14	-	-	-	-	-	-	-	-	-	-
		F	6	1	6	-	5	-	-	-	-	-	-	-	-	-	1
	.0 Without mention of immaturity	M	11	5	11	-	11	-	-	-	-	-	-	-	-	-	-
		F	5	1	5	-	4	-	-	-	-	-	-	-	-	-	1
	.5 With immaturity	M	3	2	3	-	3	-	-	-	-	-	-	-	-	-	-
		F	1	-	1	-	1	-	-	-	-	-	-	-	-	-	-
764	Diarrhoea of newborn	M	13	-	13	-	13	-	-	-	-	-	-	-	-	-	-
		F	8	2	8	-	7	1	-	-	-	-	-	-	-	-	-
	.0 Without mention of immaturity	M	12	-	12	-	12	-	-	-	-	-	-	-	-	-	-
		F	8	2	8	-	7	1	-	-	-	-	-	-	-	-	-
	.5 With immaturity	M	1	-	1	-	1	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
765	Ophthalmia neonatorum	M	28	-	28	-	28	-	-	-	-	-	-	-	-	-	-
		F	20	-	20	-	20	-	-	-	-	-	-	-	-	-	-
	.0 Without mention of immaturity	M	28	-	28	-	28	-	-	-	-	-	-	-	-	-	-
		F	19	-	19	-	19	-	-	-	-	-	-	-	-	-	-
	.1 With immaturity	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	1	-	1	-	-	-	-	-	-	-	-	-	-
766	Pemphigus neonatorum	M	1	-	1	-	1	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	.0 Without mention of immaturity	M	1	-	1	-	1	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	.5 With immaturity	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

767	Umbilical sepsis	M	8	4	8	-	7	1	-	-	-	-	-	-	-	-	-
		F	5	-	5	-	4	1	-	-	-	-	-	-	-	-	-
	.0 Without mention of immaturity	M	8	4	8	-	7	1	-	-	-	-	-	-	-	-	-
		F	5	-	5	-	4	1	-	-	-	-	-	-	-	-	-
	.5 With immaturity	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
768	Other sepsis of newborn	M	16	5	16	-	16	-	-	-	-	-	-	-	-	-	-
		F	11	3	11	-	11	-	-	-	-	-	-	-	-	-	-
	.0 without mention of immaturity	M	15	4	15	-	15	-	-	-	-	-	-	-	-	-	-
		F	11	3	11	-	11	-	-	-	-	-	-	-	-	-	-
	.5 With immaturity	M	1	1	1	-	1	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
769	Neonatal disorders arising from maternal toxaemia	M	1	-	1	-	1	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	.0 Attributed to 'toxaemia of pregnancy', without mention of immaturity	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	.1 Attributed to maternal diabetes, without mention of immaturity	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	.2 Attributed to maternal rubella, without mention of immaturity	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	.3 Attributed to toxoplasmosis, without mention of immaturity	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	.4 Attributed to other or unspecified maternal toxaemia, without mention of immaturity	M	1	-	1	-	1	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

TABLE H.1(a) (Contd.)

I.S.C. No.	PRINCIPAL CAUSE OF ADMISSION		TEACHING HOSPITALS														
			TOTAL	Died	Marital status		Discharges (including deaths) by age										
					Single	N.S.	0-	1-	5-	15-	25-	35-	45-	55-	65-	75 and over	N.S.
769	.5 *Attributed to 'toxaemia of pregnancy', with immaturity*	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	.6 *Attributed to maternal diabetes, with immaturity*	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	.7 *Attributed to maternal rubella, with immaturity*	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	.8 *Attributed to toxoplasmosis, with immaturity*	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	.9 *Attributed to other or unspecified maternal toxaemia, with immaturity*	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
770-776	Other diseases peculiar to early infancy	M	315	25	315	-	308	3	-	-	-	-	-	-	-	-	4
		F	242	14	242	-	238	-	1	-	-	-	-	-	-	-	3
770	Haemolytic diseases of newborn (erythroblastosis)	M	67	4	67	-	66	-	-	-	-	-	-	-	-	-	1
		F	55	2	55	-	54	-	1	-	-	-	-	-	-	-	-
	.0 *Erythroblastosis, without mention of nervous affection or immaturity*	M	62	3	62	-	61	-	-	-	-	-	-	-	-	-	1
		F	48	1	48	-	48	-	-	-	-	-	-	-	-	-	-
	.1 *Kernicterus, without mention of immaturity*	M	2	1	2	-	2	-	-	-	-	-	-	-	-	-	-
		F	2	-	2	-	1	-	1	-	-	-	-	-	-	-	-

	.2 Erythroblastosis with disorder of liver other than icterus gravis, without mention of immaturity	M	1	-	1	-	1	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	.5 Erythroblastosis, without mention of nervous affection but with immaturity	M	2	-	2	-	2	-	-	-	-	-	-	-	-	-	-
		F	5	1	5	-	5	-	-	-	-	-	-	-	-	-	-
	.6 Kernicterus with immaturity	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	.7 Erythroblastosis with disorder of liver other than icterus gravis, with immaturity	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
771	Haemorrhagic disease of newborn	M	24	3	24	-	24	-	-	-	-	-	-	-	-	-	-
		F	19	2	19	-	19	-	-	-	-	-	-	-	-	-	-
	.0 Without mention of immaturity	M	22	2	22	-	22	-	-	-	-	-	-	-	-	-	-
		F	19	2	19	-	19	-	-	-	-	-	-	-	-	-	-
	.5 With immaturity	M	2	1	2	-	2	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
772	Nutritional maladjustment	M	170	3	170	-	167	-	-	-	-	-	-	-	-	-	3
		F	125	1	125	-	125	-	-	-	-	-	-	-	-	-	-
	.0 Without mention of immaturity	M	165	2	165	-	162	-	-	-	-	-	-	-	-	-	3
		F	123	1	123	-	123	-	-	-	-	-	-	-	-	-	-
	.5 With immaturity	M	5	1	5	-	5	-	-	-	-	-	-	-	-	-	-
		F	2	-	2	-	2	-	-	-	-	-	-	-	-	-	-
773	Ill-defined diseases peculiar to early infancy	M	29	5	29	-	26	3	-	-	-	-	-	-	-	-	-
		F	16	3	16	-	16	-	-	-	-	-	-	-	-	-	-
	.0 Without mention of immaturity	M	28	4	28	-	25	3	-	-	-	-	-	-	-	-	-
		F	14	1	14	-	14	-	-	-	-	-	-	-	-	-	-

TABLE H.1(a) (Contd.)

I.S.C. No.	PRINCIPAL CAUSE OF ADMISSION		TEACHING HOSPITALS														
			TOTAL	Died	Marital status		Discharges (including deaths) by age										
					Single	N.S.	0-	1-	5-	15-	25-	35-	45-	55-	65-	75 and over	N.S.
773	*.5 With immaturity*	*M*	*1*	*1*	*1*	-	*1*	-	-	-	-	-	-	-	-	-	-
		F	*2*	*2*	*2*	-	*2*	-	-	-	-	-	-	-	-	-	-
774	Immaturity with mention of any other subsidiary condition	M	1	1	1	-	1	-	-	-	-	-	-	-	-	-	-
		F	3	-	3	-	3	-	-	-	-	-	-	-	-	-	-
775	Immaturity subsidiary to some other cause	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
776	Immaturity unqualified	M	24	9	24	-	24	-	-	-	-	-	-	-	-	-	-
		F	24	6	24	-	21	-	-	-	-	-	-	-	-	-	3
	XVI. SYMPTOMS, SENILITY, AND ILL-DEFINED CONDITIONS																
780–789	**Symptoms referable to systems or organs**	**M**	**3396**	**54**	**1380**	**184**	**121**	**260**	**478**	**282**	**416**	**468**	**515**	**425**	**319**	**96**	**16**
		F	**3735**	**38**	**1529**	**81**	**95**	**245**	**463**	**471**	**511**	**570**	**592**	**445**	**260**	**68**	**15**
780	Certain symptoms referable to nervous system and special senses	M	188	4	122	7	28	46	25	7	22	21	17	15	4	1	2
		F	178	3	128	5	29	48	27	11	12	14	21	12	-	1	3
	.0 Coma and stupor	*M*	*8*	*3*	*2*	*2*	-	-	*1*	-	*1*	*1*	*1*	*3*	-	-	*1*
		F	*5*	*3*	-	*1*	-	-	-	-	-	-	*1*	*3*	-	-	*1*
	.1 Delirium	*M*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	.2 Convulsions	*M*	*78*	-	*76*	-	*27*	*41*	*7*	-	-	-	*2*	-	-	*1*	-
		F	*87*	-	*85*	-	*29*	*44*	*10*	-	*1*	*1*	-	-	-	-	*2*
	.3 Jacksonion epilepsy	*M*	*25*	*1*	*9*	*2*	*1*	*1*	*1*	*2*	*7*	*6*	*2*	*4*	*1*	-	-
		F	*17*	-	*7*	-	-	*1*	*2*	*3*	-	*3*	*7*	*1*	-	-	-

	.4 Abnormal involuntary movement	M	27	-	18	-	-	2	11	4	3	1	5	1	-	-	-
		F	26	-	17	-	-	2	12	1	1	1	7	2	-	-	-
	.5 Disturbance of coordination	M	13	-	7	1	-	1	1	-	2	3	1	2	3	-	-
		F	4	-	3	-	-	1	1	-	-	1	-	-	-	1	-
	.6 Vertigo	M	23	-	4	-	-	-	-	-	6	7	5	5	-	-	-
		F	25	-	11	4	-	-	2	5	6	5	3	4	-	-	-
	.7 Disturbance of sleep	M	5	-	2	-	-	1	1	-	1	1	1	-	-	-	-
		F	12	-	5	-	-	-	-	2	4	1	3	2	-	-	-
	.8 Disturbance of memory	M	7	-	3	1	-	-	2	1	1	2	-	-	-	-	1
		F	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	.9 Meningismus	M	2	-	1	1	-	-	1	-	1	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-
781	Other symptoms referable to nervous system and special senses	M	105	1	49	5	2	16	17	8	13	17	16	11	4	1	-
		F	72	1	29	1	-	9	12	8	8	9	13	9	1	3	-
	.0 Disturbance of vision except defective sight	M	2	-	1	-	1	-	-	-	1	-	-	-	-	-	-
		F	3	-	-	-	-	-	-	1	-	-	2	-	-	-	-
	.1 Oculomotor disturbance	M	28	-	7	-	1	1	3	1	2	9	5	3	3	-	-
		F	27	-	5	1	-	1	3	2	5	3	6	6	1	-	-
	.2 Photophobia	M	1	-	1	-	-	-	1	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	.3 Disturbance of hearing except deafness	M	3	-	-	1	-	-	-	-	2	-	1	-	-	-	-
		F	5	-	1	-	-	-	-	-	1	1	1	1	-	1	-
	.4 Disturbance of cranial nerves except optic, oculomotor and auditory	M	48	-	35	2	-	15	10	6	8	3	3	2	-	1	-
		F	28	-	23	-	-	8	9	5	1	1	1	1	-	2	-
	.5 Stammering and stuttering	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

TABLE H.1(a) (Contd.)

I.S.C. No.	PRINCIPAL CAUSE OF ADMISSION		TEACHING HOSPITALS														
			TOTAL	Died	Marital status		Discharges (including deaths) by age										
					Single	N.S.	0-	1-	5-	15-	25-	35-	45-	55-	65-	75 and over	N.S.
781	.6 Other disturbance of speech, including alexia and agraphia	M	4	-	1	1	-	-	-	-	-	1	1	2	-	-	-
		F	2	-	-	-	-	-	-	-	-	1	-	1	-	-	-
	.7 Other disturbance of sensation	M	15	-	2	1	-	-	1	1	-	2	6	4	1	-	-
		F	6	-	-	-	-	-	-	-	1	2	3	-	-	-	-
	.8 Encephalopathy	M	4	1	2	-	-	-	2	-	-	2	-	-	-	-	-
		F	1	1	-	-	-	-	-	-	-	1	-	-	-	-	-
	.9 Hallucinations	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
782	Symptoms referable to cordiovascular and lymphatic system	M	216	19	78	16	1	10	21	23	32	25	34	30	29	9	2
		F	250	14	91	10	2	8	20	32	29	46	43	35	26	8	1
	.0 Precordial pain	M	4	-	-	1	-	-	-	-	-	-	1	3	-	-	-
		F	2	-	-	-	-	-	-	-	-	-	1	1	-	-	-
	.1 Palpitation	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-
	.2 Tachycardia	M	6	-	4	-	-	1	1	2	-	1	1	-	-	-	-
		F	10	-	6	-	-	-	3	2	4	-	1	-	-	-	-
	.3 Pallor and cyanosis (not of newborn)	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	2	-	1	-	-	1	-	-	1	-	-	-	-	-	-
	.4 Acute heart failure, undefined	M	55	15	4	7	-	-	-	-	4	-	11	15	18	7	-
		F	56	13	10	3	-	1	-	1	5	6	7	12	19	5	-
	.5 Syncope or collapse	M	70	2	26	4	-	1	5	13	14	9	13	7	5	2	1
		F	38	-	12	4	-	-	3	8	3	8	7	6	1	2	-

	.6 Oedema and dropsy (not of newborn)	M	30	-	15	1	1	1	3	3	3	10	5	3	1	-	-
		F	73	-	28	2	1	1	2	9	11	25	17	5	-	1	1
	.7 Enlargement of lymph node	M	34	-	18	3	-	3	10	3	6	3	3	2	3	-	1
		F	49	-	25	1	1	3	9	11	3	5	4	9	4	-	-
	.8 Splenomegaly	M	15	-	11	-	-	4	2	2	5	1	-	-	1	-	-
		F	15	1	7	-	-	1	3	1	2	1	4	1	2	-	-
	.9 Shock without mention of trauma	M	2	2	-	-	-	-	-	-	-	1	-	-	1	-	-
		F	4	-	2	-	-	1	-	-	-	1	1	1	-	-	-
783	Symptoms referable to respiratory system	M	317	4	96	30	6	13	28	24	34	37	56	64	48	6	1
		F	226	1	79	12	2	8	30	22	20	27	28	48	31	7	3
	.0 Epistaxis	M	135	1	46	16	-	8	17	11	15	10	19	23	28	3	1
		F	98	-	26	11	-	1	14	5	5	7	12	23	21	7	3
	.1 Haemoptysis	M	90	-	16	6	1	-	1	6	10	16	19	21	15	1	-
		F	53	1	15	1	-	1	3	5	11	6	11	12	4	-	-
	.2 Dyspnoea	M	12	1	6	1	1	2	1	-	1	1	2	3	1	-	-
		F	9	-	2	-	-	-	2	1	-	3	1	1	1	-	-
	.3 Cough	M	8	-	4	-	1	1	2	-	-	-	1	1	2	-	-
		F	12	-	9	-	-	2	5	1	1	-	-	3	-	-	-
	.4 Excess of sputum	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	.5 Change in voice	M	12	-	6	2	-	-	4	2	1	1	2	-	2	-	-
		F	14	-	9	-	-	2	2	-	1	2	3	2	2	-	-
	.6 Stridor	M	4	1	4	-	3	1	-	-	-	-	-	-	-	-	-
		F	2	-	2	-	2	-	-	-	-	-	-	-	-	-	-
	.7 Pain in chest	M	56	1	14	5	-	1	3	5	7	9	13	16	-	2	-
		F	38	-	16	-	-	2	4	10	2	9	1	7	3	-	-
784	Symptoms referable to upper gastro-intestinal tract	M	312	3	99	24	32	21	4	17	35	51	63	38	41	8	2
		F	295	4	120	5	32	24	16	27	22	40	46	54	24	9	1
	.0 Anorexia	M	2	-	1	-	-	1	-	1	-	-	-	-	-	-	-
		F	7	-	4	-	-	-	1	3	-	1	-	2	-	-	-

TABLE H.1(a) (Contd.)

I.S.C. No.	PRINCIPAL CAUSE OF ADMISSION		TEACHING HOSPITALS															
			TOTAL	Died	Marital status		Discharges (including deaths) by age											
					Single	N.S.	0-	1-	5-	15-	25-	35-	45-	55-	65-	75 and over	N.S.
784	.1 *Nausea and vomiting*	M	59	-	44	-	26	13	3	1	3	4	6	2	1	-	-
		F	76	2	61	-	21	18	10	8	4	7	2	2	2	1	1
	.2 *Pylorospasm*	M	9	-	5	-	3	-	-	-	1	3	1	-	1	-	-
		F	9	-	8	-	3	1	2	3	-	-	-	-	-	-	-
	.3 *Heartburn*	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-
	.4 *Dysphagia*	M	49	-	6	8	-	2	-	2	3	6	10	14	9	3	-
		F	82	1	14	1	-	2	-	2	7	15	16	26	10	4	-
	.5 *Haematemesis*	M	188	3	40	16	2	4	1	12	28	38	46	22	29	4	2
		F	116	1	30	4	6	3	3	11	10	16	27	24	12	4	-
	.6 *Excessive salivation*	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	.7 *Hiccough*	M	2	-	-	-	-	-	-	-	-	-	-	-	1	1	-
		F	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	.8 *Eructation*	M	3	-	3	-	1	1	-	1	-	-	-	-	-	-	-
		F	3	-	3	-	2	-	-	-	1	-	-	-	-	-	-
785	Symptoms referable to abdomen and lower gastro-intestinal system	M	1126	6	473	45	26	91	187	97	136	169	171	144	84	19	2
		F	1521	12	592	28	14	63	201	239	229	220	229	182	119	24	1
	.0 *Abdominal swelling (not referable to any particular organ)*	M	3	-	3	-	-	1	1	-	-	-	1	-	-	-	-
		F	7	-	2	-	-	-	2	-	2	1	-	-	2	-	-
	.1 *Hepatomegaly*	M	15	1	6	1	2	3	1	-	1	-	3	4	1	-	-
		F	12	-	6	-	2	1	2	-	1	-	1	4	1	-	-

	.2 Jaundice	M	32	4	9	-	6	1	-	-	2	1	7	4	9	2	-
		F	35	4	7	1	4	-	1	-	-	2	10	10	7	1	-
	.3 Ascites	M	18	-	3	1	-	-	-	-	-	1	2	11	2	2	-
		F	33	1	2	3	-	-	-	-	-	9	7	4	11	2	-
	.4 Flatulence	M	5	-	-	-	-	-	-	-	-	-	-	1	3	1	-
		F	5	-	-	-	-	-	-	-	-	-	4	1	-	-	-
	.5 Abdominal pain	M	855	1	373	38	18	61	159	85	112	138	125	85	57	14	1
		F	1269	6	499	22	8	41	177	223	208	186	186	137	82	20	1
	.6 Diarrhoea, age 2 years and over	M	112	-	48	5	-	16	11	8	15	21	17	20	3	-	1
		F	91	-	41	-	-	10	6	12	15	14	12	13	9	-	-
	.7 Incontinence of faeces	M	20	-	17	-	-	4	13	-	-	1	1	-	1	-	-
		F	16	-	12	-	-	2	8	1	2	1	1	1	-	-	-
	.8 Melaena (age 1 year and over)	M	66	-	14	-	-	5	2	4	6	7	15	19	8	-	-
		F	53	1	23	2	-	9	5	3	1	7	8	12	7	1	-
	.9 Visible peristalsis	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
786	Symptoms referable to genito-urinary system	M	517	12	166	28	1	14	77	35	62	61	70	67	80	45	5
		F	453	3	124	10	1	28	36	33	61	91	119	50	31	3	-
	.0 Pain referable to urinary system	M	209	-	45	13	-	1	5	14	49	50	58	23	7	-	2
		F	126	-	27	4	-	-	3	20	34	28	20	12	8	1	-
	.1 Retention of urine	M	166	11	15	13	-	2	3	3	5	6	8	32	66	39	2
		F	21	-	3	1	-	2	-	2	1	4	5	2	5	-	-
	.2 Incontinence of urine	M	107	1	96	-	1	9	67	17	3	-	2	3	2	2	1
		F	255	1	71	4	-	24	31	7	14	51	85	29	14	-	-
	.3 Frequency of micturition	M	25	-	9	1	-	1	2	1	3	5	1	5	4	3	-
		F	34	-	16	-	-	1	2	3	9	5	6	5	3	-	-
	.4 Polyuria	M	1	-	1	-	-	1	-	-	-	-	-	-	-	-	-
		F	2	-	2	-	-	-	-	-	-	1	-	-	-	1	-
	.5 Oliguria, anuria (not of newborn)	M	2	-	-	1	-	-	-	-	1	-	1	-	-	-	-
		F	6	2	1	1	1	-	-	-	1	-	1	2	1	-	-

TABLE H.1(a) (Contd.)

I.S.C. No.	PRINCIPAL CAUSE OF ADMISSION		TEACHING HOSPITALS														
			TOTAL	Died	Marital status		Discharges (including deaths) by age										
					Single	N.S.	0-	1-	5-	15-	25-	35-	45-	55-	65-	75 and over	N.S.
786	.6 Priapism	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	.7 Pain referable to genital organs, including dyspareunia	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	5	-	3	-	-	-	-	1	1	2	1	-	-	-	-
	.X Pain on micturition	M	7	-	-	-	-	-	-	-	1	-	-	4	1	1	-
		F	4	-	1	-	-	1	-	-	1	-	1	-	-	1	-
787	Symptoms referable to limbs and back	M	185	-	75	13	2	13	34	15	26	39	26	19	8	2	1
		F	289	-	101	3	-	7	30	34	58	71	49	25	7	5	3
	.0 Transient paralysis of limb, cause unknown	M	3	-	-	-	-	-	-	-	1	1	-	1	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	.1 Pain in limb	M	54	-	32	3	1	6	17	6	5	5	9	4	1	-	-
		F	68	-	28	-	-	1	11	12	4	15	10	9	1	4	1
	.2 Swelling of limb	M	10	-	4	2	1	3	-	-	2	2	-	-	-	1	1
		F	13	-	9	-	-	1	5	1	1	1	2	1	1	-	-
	.3 Pain in joint	M	23	-	10	2	-	-	8	3	2	2	3	3	2	-	-
		F	22	-	13	1	-	2	6	2	5	4	1	-	2	-	-
	.4 Swelling of joint	M	9	-	3	1	-	1	1	1	2	3	-	1	-	-	-
		F	8	-	4	-	-	-	2	1	-	1	-	3	1	-	-
	.5 Pain in back	M	80	-	22	5	-	1	6	5	14	25	14	9	5	1	-
		F	176	-	46	2	-	2	6	18	48	50	36	11	2	1	2
	.6 Difficulty in walking	M	2	-	-	-	-	-	-	-	-	1	-	1	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	.7 Abnormality of gait	M	4	-	4	-	-	2	2	-	-	-	-	-	-	-	-
		F	2	-	1	-	-	1	-	-	-	-	-	1	-	-	-

788	Other general symptoms	M	236	1	147	12	14	25	60	31	34	22	31	13	5	-	1
		F	231	-	163	6	10	29	45	46	36	22	23	9	6	3	2
	.0 Dehydration	M	2	-	1	-	-	1	-	-	-	-	-	1	-	-	-
		F	1	-	1	-	-	1	-	-	-	-	-	-	-	-	-
	.1 Excessive sweating	M	4	-	1	-	-	-	-	1	-	3	-	-	-	-	-
		F	6	-	1	-	-	-	-	2	3	-	1	-	-	-	-
	.2 Rash	M	6	-	3	1	-	1	1	1	1	1	1	-	-	-	-
		F	4	-	1	-	-	1	-	-	1	-	1	-	1	-	-
	.3 Subcutaneous nodules	M	6	-	1	1	1	-	-	-	1	2	2	-	-	-	-
		F	3	-	3	-	-	-	1	-	-	1	-	-	-	1	-
	.4 Loss of weight	M	11	-	3	-	-	-	1	-	1	1	4	2	2	-	-
		F	9	-	5	-	-	2	-	3	3	1	-	-	-	-	-
	.5 Tetany	M	3	-	1	-	1	-	-	-	-	1	1	-	-	-	-
		F	6	-	4	1	2	-	-	1	-	1	1	1	-	-	-
	.6 Acidosis	M	9	-	9	-	5	2	2	-	-	-	-	-	-	-	-
		F	8	-	7	-	1	-	6	-	-	-	-	-	1	-	-
	.7 Alkalosis	M	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	.8 Pyrexia of unknown origin	M	184	-	124	10	7	20	56	28	29	14	18	9	2	-	1
		F	184	-	137	5	7	25	36	39	29	17	16	7	4	2	2
	.9 Other specified symptoms not classifiable elsewhere	M	10	1	4	-	-	1	-	1	2	-	4	1	1	-	-
		F	10	-	4	-	-	-	2	1	-	2	4	1	-	-	-
789	Abnormal urinary constituents of unspecified cause	M	194	4	75	4	9	11	25	25	22	26	31	24	16	5	-
		F	220	-	102	1	5	21	46	19	36	30	21	21	15	5	1
	.0 Albuminuria, unqualified	M	9	-	5	-	-	1	3	1	3	1	-	-	-	-	-
		F	18	-	10	-	-	2	5	5	5	1	-	-	-	-	-
	.1 Albuminuria, orthostatic	M	7	-	5	-	-	-	2	3	2	-	-	-	-	-	-
		F	12	-	11	-	-	-	8	3	1	-	-	-	-	-	-

TABLE H.1(a) (Contd.)

I.S.C. No.	PRINCIPAL CAUSE OF ADMISSION		TEACHING HOSPITALS														
			TOTAL	Died	Marital status		Discharges (including deaths) by age										
					Single	N.S.	0-	1-	5-	15-	25-	35-	45-	55-	65-	75 and over	N.S.
789	.2 Pyuria and bacteriuria	M	32	2	19	-	9	2	3	2	3	2	5	4	-	2	-
		F	80	-	48	1	5	17	20	4	7	10	8	2	7	-	-
	.3 Chyluria	M	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	.4 Haematuria	M	133	2	39	4	-	6	14	17	13	22	24	18	16	3	-
		F	91	-	28	-	-	1	12	6	19	13	9	18	7	5	1
	.5 Haemoglobinuria	M	3	-	3	-	-	-	1	1	1	-	-	-	-	-	-
		F	4	-	2	-	-	-	-	-	1	1	2	-	-	-	-
	.6 Glycosuria	M	9	-	4	-	-	2	2	1	-	1	1	2	-	-	-
		F	15	-	3	-	-	1	1	1	3	5	2	1	1	-	-
	.7 Acetonuria	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
790-795	**Senility and ill-defined diseases**	**M**	**528**	**28**	**187**	**23**	**12**	**39**	**61**	**40**	**64**	**63**	**115**	**65**	**37**	**28**	**4**
		F	**751**	**30**	**255**	**16**	**7**	**32**	**68**	**92**	**160**	**116**	**105**	**86**	**52**	**26**	**7**
790	Nervousness and debility	M	55	2	29	-	-	6	8	7	4	7	14	9	-	-	-
		F	106	2	38	2	-	9	15	6	17	15	19	17	6	-	2
	.0 Nervousness	M	4	-	1	-	-	-	-	-	-	4	-	-	-	-	-
		F	3	-	2	-	-	-	2	-	-	-	-	1	-	-	-
	.1 Debility and undue fatigue	M	18	1	14	-	-	6	7	1	1	1	2	-	-	-	-
		F	50	2	29	-	-	9	13	4	4	5	8	5	1	-	1
	.2 Depression	M	33	1	14	-	-	-	1	6	3	2	12	9	-	-	-
		F	53	-	7	2	-	-	-	2	13	10	11	11	5	-	1
791	Headache	M	74	-	22	2	-	-	7	8	17	11	17	11	3	-	-
		F	85	-	43	2	-	-	10	23	25	7	12	6	2	-	-

792	Uraemia unqualified	M	24	18	3	2	-	1	-	-	3	2	5	2	7	3	1
		F	23	16	6	3	-	-	1	4	-	-	3	8	4	3	-
793	Observation, without need for further medical care	M	26	-	7	1	1	1	2	2	3	4	5	6	-	2	-
		F	22	-	7	-	1	-	3	3	2	3	4	3	3	-	-
	.0 Mental	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	.1 Other specified	M	9	-	-	-	-	-	-	-	-	2	3	4	-	-	-
		F	5	-	4	-	1	-	1	1	-	-	2	-	-	-	-
	.2 Unspecified	M	17	-	7	1	1	1	2	2	3	2	2	2	-	2	-
		F	17	-	3	-	-	-	2	2	2	3	2	3	3	-	-
794	Senility without mention of psychosis	M	17	5	1	-	-	-	-	-	-	-	-	-	4	13	-
		F	25	8	2	-	-	-	-	-	-	-	-	-	7	18	-
795	Ill-defined and unknown causes of morbidity and mortality	M	332	3	125	18	11	31	44	23	37	39	74	37	23	10	3
		F	490	4	159	9	6	23	39	56	116	91	67	52	30	5	5
	.0 Other ill-defined conditions	M	15	2	5	2	1	2	-	2	1	8	1	-	-	-	-
		F	25	4	7	-	1	4	-	3	9	3	1	2	1	1	-
	.1 Malingering	M	8	-	3	1	-	-	-	-	3	1	4	-	-	-	-
		F	1	-	1	-	-	-	-	-	1	-	-	-	-	-	-
	.2 Sudden death (cause unknown)	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	.3 Found dead (cause unknown)	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	.4 Died without sign of disease	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	.5 Other, unknown and unspecified causes	M	309	1	117	15	10	29	44	21	33	30	69	37	23	10	3
		F	464	-	151	9	5	19	39	53	106	88	66	50	29	4	5

TABLE H.1(a) (Contd.)

I.S.C. No.	PRINCIPAL CAUSE OF ADMISSION		TEACHING HOSPITALS														
			TOTAL	Died	Marital status		Discharges (including deaths) by age										
					Single	N.S.	0-	1-	5-	15-	25-	35-	45-	55-	65-	75 and over	N.S.
N	**XVII. ACCIDENTS, POISONINGS, AND VIOLENCE**																
N800-809	**Fracture of skull, spine, and trunk**	**M**	**1459**	**104**	**666**	**131**	**17**	**84**	**162**	**274**	**289**	**229**	**174**	**137**	**54**	**20**	**19**
		F	**397**	**37**	**190**	**23**	**4**	**40**	**64**	**58**	**36**	**36**	**53**	**35**	**29**	**37**	**5**
N800	Fracture of vault of skull	M	212	10	133	15	7	39	49	27	23	25	13	16	3	4	6
		F	76	9	52	4	4	14	26	7	4	4	5	6	1	4	1
N801	Fracture of base of skull	M	160	35	83	22	3	16	28	24	30	22	15	11	8	1	2
		F	39	9	22	5	-	9	5	5	6	2	5	1	3	1	2
N802	Fracture of face bones	M	434	2	211	40	-	7	41	124	110	73	36	28	9	3	3
		F	111	-	46	3	-	2	16	23	18	17	20	10	3	2	-
N803	Other and unqualified skull fractures	M	124	15	69	12	7	13	26	17	22	13	6	13	5	-	2
		F	38	10	20	6	-	9	6	7	1	1	3	3	2	6	-
N804	Multiple fractures involving skull or face with other bones	M	77	10	30	8	-	3	4	19	14	14	6	6	6	2	3
		F	25	3	10	2	-	1	3	3	1	2	5	1	6	3	-
N805	Fracture and fracture dislocating of vertebral column without mention of spinal cord lesion	M	173	10	45	10	-	-	3	28	43	34	32	24	6	2	1
		F	37	3	10	2	-	-	1	5	2	5	7	6	3	7	1
N806	Fracture and fracture dislocation of vertebral column with spinal cord lesion	M	22	6	9	-	-	-	-	3	8	5	5	-	1	-	-
		F	5	2	2	-	-	-	-	-	1	-	3	-	-	1	-
N807	Fracture of rib(s) and sternum	M	116	6	27	14	-	-	2	7	11	23	36	22	11	2	2
		F	21	-	4	-	-	-	2	1	2	1	2	4	4	5	-

N808	Fracture of pelvis	M	89	5	40	5	-	4	7	18	16	12	11	12	4	5	-
		F	32	1	16	1	-	3	4	4	-	2	-	4	7	7	1
N809	Multiple, and ill-defined fractures of trunk	M	52	5	19	5	-	2	2	7	12	8	14	5	1	1	-
		F	13	-	8	-	-	2	1	3	1	2	3	-	-	1	-
N810–819	**Fracture of upper limb**	**M**	**1136**	**4**	**624**	**51**	**1**	**48**	**340**	**164**	**192**	**150**	**119**	**81**	**33**	**7**	**1**
		F	**459**	**2**	**225**	**13**	**1**	**26**	**118**	**39**	**30**	**55**	**46**	**68**	**52**	**24**	**-**
N810	Fracture of clavicle	M	35	-	22	1	-	3	9	8	7	2	2	2	1	1	-
		F	18	1	8	1	-	2	1	2	2	3	3	1	3	1	-
N811	Fracture of scapula	M	18	1	1	1	-	-	1	1	2	6	1	5	2	-	-
		F	4	-	1	-	-	-	-	-	1	-	1	-	2	-	-
N812	Fracture of humerus	M	301	1	237	10	-	27	176	24	19	15	14	14	8	3	1
		F	148	-	104	3	1	10	72	10	2	8	13	14	10	8	-
N813	Fracture of radius and ulna	M	370	-	225	15	-	9	128	61	67	49	29	16	9	2	-
		F	214	1	79	7	-	5	39	12	15	31	24	42	32	14	-
N814	Fracture of carpal bone(s)	M	30	1	11	1	-	1	2	4	7	9	2	2	2	1	-
		F	8	-	4	-	-	-	-	2	-	2	2	2	-	-	-
N815	Fracture of metacarpal bone(s)	M	47	-	14	4	-	-	3	6	13	7	12	4	2	-	-
		F	4	-	3	-	-	1	-	2	-	-	-	1	-	-	-
N816	Fracture of one or more phalanges of hand	M	277	-	95	13	1	7	16	53	60	51	52	33	4	-	-
		F	40	-	20	1	-	8	3	8	7	9	1	4	-	-	-
N817	Multiple fractures of hand bones	M	11	-	3	1	-	-	1	-	3	2	4	1	-	-	-
		F	2	-	1	1	-	-	-	2	-	-	-	-	-	-	-
N818	Other, multiple, and ill-defined fractures of upper limb	M	26	-	10	3	-	1	4	4	9	6	-	1	1	-	-
		F	12	-	4	-	-	-	3	-	3	1	-	1	3	1	-
N819	Multiple fractures involving both upper limbs, and upper limb with rib(s) and sternum	M	21	1	6	2	-	-	-	3	5	3	3	3	4	-	-
		F	9	-	1	-	-	-	-	1	-	1	2	3	2	-	-
N820–N829	**Fracture of lower limb**	**M**	**1515**	**22**	**584**	**125**	**8**	**72**	**156**	**229**	**261**	**209**	**241**	**175**	**106**	**55**	**3**
		F	**1002**	**53**	**262**	**51**	**2**	**22**	**63**	**40**	**35**	**67**	**128**	**194**	**249**	**198**	**4**

TABLE H.1(a) (Contd.)

I.S.C. No.	PRINCIPAL CAUSE OF ADMISSION		TEACHING HOSPITALS														
			TOTAL	Died	Marital status		Discharges (including deaths) by age										
					Single	N.S.	0-	1-	5-	15-	25-	35-	45-	55-	65-	75 and over	N.S.
N820	Fracture of neck of femur	M	93	6	20	13	-	1	2	6	6	5	10	21	23	19	-
		F	334	30	64	16	-	-	8	2	2	2	14	60	130	113	3
N821	Fracture of other and unspecified parts of femur	M	308	7	195	12	8	62	60	50	26	18	22	19	24	17	2
		F	212	17	77	8	1	14	26	8	5	2	6	39	53	58	-
N822	Fracture of patella	M	90	1	29	7	-	-	6	19	21	10	17	8	6	3	-
		F	30	-	9	4	-	-	1	2	2	4	6	11	1	3	-
N823	Fracture of tibia and fibula	M	566	1	213	43	-	7	65	92	133	86	90	63	25	5	-
		F	195	2	60	7	1	6	22	16	9	28	40	37	24	12	-
N824	Fracture of ankle	M	179	-	41	22	-	-	5	22	33	35	41	24	15	3	1
		F	167	-	33	12	-	1	3	7	14	26	52	37	21	5	1
N825	Fracture of one or more tarsal and metatarsal bones	M	104	-	24	14	-	1	2	12	17	20	34	12	5	1	-
		F	15	-	3	1	-	1	-	-	2	3	2	4	2	1	-
N826	Fracture of one or more phalanges of foot	M	47	-	20	4	-	1	4	9	4	13	5	8	3	-	-
		F	5	-	4	-	-	-	-	2	1	1	-	1	-	-	-
N827	Other, multiple, and ill-defined fractures of lower limb	M	47	1	14	4	-	-	3	8	7	7	12	5	4	1	-
		F	12	-	3	1	-	-	2	-	-	-	-	1	8	1	-
N828	Multiple fractures involving both lower limbs, lower with upper limb, and lower limb(s) with rib(s) and sternum	M	76	6	26	5	-	-	7	11	12	15	10	14	1	6	-
		F	32	4	9	2	-	-	1	3	-	1	8	4	10	5	-
N829	Fracture of unspecified bones	M	5	-	2	1	-	-	2	-	2	-	-	1	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

N830–N839	**Dislocation without fracture**	M	254	-	124	11	-	3	31	68	62	54	17	11	5	2	1
		F	89	1	46	2	-	6	13	16	8	13	11	11	7	3	1
N830	Dislocation of jaw	M	2	-	1	-	-	-	-	1	-	1	-	-	-	-	-
		F	3	-	2	1	-	1	1	-	-	1	-	-	-	-	-
N831	Dislocation of shoulder	M	37	-	19	3	-	-	2	12	9	6	1	2	3	2	-
		F	25	-	12	-	-	1	2	5	1	4	1	3	6	2	-
N832	Dislocation of elbow	M	22	-	16	-	-	1	11	2	4	2	-	1	1	-	-
		F	9	-	5	-	-	-	2	1	1	3	1	1	-	-	-
N833	Dislocation of wrist	M	17	-	10	1	-	-	5	3	4	4	-	-	1	-	-
		F	5	-	2	-	-	-	2	-	-	-	1	2	-	-	-
N834	Dislocation of finger	M	19	-	9	-	-	-	3	3	4	3	3	3	-	-	-
		F	9	-	2	1	-	1	1	-	2	-	2	2	1	-	-
N835	Dislocation of hip	M	20	-	12	1	-	1	3	7	2	4	2	1	-	-	-
		F	6	1	4	-	-	1	-	2	-	-	-	1	-	1	1
N836	Dislocation of knee	M	116	-	43	6	-	-	3	33	36	33	9	1	-	-	1
		F	19	-	13	-	-	-	5	7	2	4	1	-	-	-	-
N837	Dislocation of ankle	M	6	-	5	-	-	-	1	3	-	1	1	-	-	-	-
		F	6	-	3	-	-	-	-	1	1	-	3	1	-	-	-
N838	Dislocation of foot	M	4	-	3	-	-	-	1	1	2	-	-	-	-	-	-
		F	5	-	1	-	-	-	-	-	1	1	2	1	-	-	-
N839	Other, multiple, and ill-defined dislocations	M	11	-	6	-	-	1	2	3	1	-	1	3	-	-	-
		F	2	-	2	-	-	2	-	-	-	-	-	-	-	-	-
N840–N848	**Sprains and strains of joints and adjacent muscles**	M	260	-	94	14	1	4	15	68	60	48	44	14	2	2	2
		F	104	-	54	3	1	2	7	26	23	18	15	8	2	1	1
N840	Sprains and strains of shoulder and upper arm	M	11	-	1	-	-	-	-	1	1	3	3	2	1	-	-
		F	6	-	2	-	1	-	-	1	-	-	3	1	-	-	-
N841	Sprains and strains of elbow and forearm	M	7	-	4	-	-	-	3	1	-	-	2	1	-	-	-
		F	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-

TABLE H.1(a) (Contd.)

I.S.C. No.	PRINCIPAL CAUSE OF ADMISSION		TEACHING HOSPITALS														
			TOTAL	Died	Marital status		Discharges (including deaths) by age										
					Single	N.S.	0-	1-	5-	15-	25-	35-	45-	55-	65-	75 and over	N.S.
N842	Sprains and strains of wrist and hand	M	13	-	8	1	-	1	-	4	4	-	3	1	-	-	-
		F	7	-	4	1	-	1	-	-	-	2	1	1	-	-	-
N843	Sprains and strains of hip and thigh	M	3	-	1	-	-	-	-	1	2	-	-	-	-	-	-
		F	4	-	4	-	-	1	1	2	-	-	-	-	-	-	-
N844	Sprains and strains of knee and leg	M	127	-	48	7	-	2	6	40	30	26	14	6	1	2	-
		F	12	-	8	-	-	-	1	4	3	1	1	1	1	-	-
N845	Sprains and strains of ankle and foot	M	28	-	9	2	-	-	-	9	5	9	4	-	-	-	1
		F	29	-	20	2	-	-	4	12	3	3	4	2	-	-	1
N846	Sprains and strains of sacro-iliac region	M	3	-	1	1	-	-	-	-	1	-	1	-	-	-	1
		F	15	-	4	-	-	-	-	1	6	5	3	-	-	-	-
N847	Sprains and strains of other and unspecified parts of back	M	52	-	15	3	-	1	4	9	16	8	11	3	-	-	-
		F	27	-	11	-	-	-	1	5	11	5	3	-	1	1	-
N848	Other and ill-defined sprains and strains	M	16	-	7	-	1	-	2	3	1	2	6	1	-	-	-
		F	3	-	1	-	-	-	-	1	-	1	-	1	-	-	-
N850-N856	**Head injury (excluding skull fracture)**	**M**	**1290**	**28**	**653**	**104**	**2**	**75**	**232**	**285**	**187**	**166**	**137**	**96**	**68**	**27**	**15**
		F	**511**	**17**	**240**	**42**	**3**	**49**	**69**	**74**	**46**	**45**	**64**	**48**	**64**	**39**	**10**
N850	Open wound of scalp	M	242	2	102	23	-	12	31	36	31	36	32	29	20	12	3
		F	119	3	43	8	-	8	8	10	8	9	18	15	25	15	3
N851	Contusion and haematoma of scalp	M	41	-	28	-	-	4	12	9	5	3	3	3	2	-	-
		F	22	-	13	1	-	5	6	2	-	-	-	3	4	2	-
N852	Concussion	M	798	2	425	57	1	49	156	191	116	103	82	48	33	9	10
		F	283	4	140	19	3	25	43	53	24	26	39	23	28	14	5

N853	Cerebral laceration and contusion	M	54	13	28	3	1	2	8	15	8	7	6	1	1	4	1
		F	24	6	11	2	-	1	2	4	4	2	3	1	2	3	2
N854	Subarachnoid, subdural, and extradural haemorrhage following injury (without mention of cerebral laceration or contusion)	M	11	3	4	1	-	-	-	3	2	2	-	2	2	-	-
		F	5	1	2	-	-	1	-	-	-	1	2	-	-	1	-
N855	Other and unspecified intracranial haemorrhage following injury (without mention of cerebral laceration or contusion)	M	1	-	1	-	-	-	1	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
N856	Head injury of other and unspecified nature	M	143	8	65	20	-	8	24	31	25	15	14	13	10	2	1
		F	58	3	31	12	-	9	10	5	10	7	2	6	5	4	-
N860-N869	**Internal injury of chest, abdomen, and pelvis**	**M**	**149**	**15**	**74**	**6**	**1**	**3**	**30**	**37**	**23**	**26**	**14**	**10**	**1**	**2**	**2**
		F	**41**	**2**	**23**	**-**	**-**	**6**	**10**	**5**	**5**	**7**	**4**	**1**	**3**	**-**	**-**
N860	Traumatic pneumothorax and haemothorax	M	4	1	1	-	-	-	-	1	2	-	1	-	-	-	-
		F	3	-	1	-	-	1	-	-	-	-	1	-	1	-	-
N861	Injury to heart and lung	M	9	1	3	-	-	-	-	1	1	2	1	4	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
N862	Injury to other and unspecified intra-thoracic organs	M	15	3	4	-	-	1	-	3	-	5	3	2	-	-	1
		F	4	1	2	-	-	-	1	-	-	-	2	-	1	-	-
N863	Injury to gastro-intestinal tract	M	15	2	7	-	-	-	-	6	3	3	2	1	-	-	-
		F	3	-	1	-	-	1	-	1	-	1	-	-	-	-	-
N864	Injury to liver	M	6	4	3	1	-	-	2	1	-	-	1	1	-	-	1
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
N865	Injury to spleen	M	5	-	1	1	-	-	1	1	-	2	1	-	-	-	-
		F	3	-	1	-	-	-	1	-	-	2	-	-	-	-	-
N866	Injury to kidney	M	38	-	26	1	-	1	14	12	9	1	1	-	-	-	-
		F	5	-	4	-	-	-	2	2	-	1	-	-	-	-	-

TABLE H.1(a) (Contd.)

I.S.C. No.	PRINCIPAL CAUSE OF ADMISSION		TEACHING HOSPITALS															
			TOTAL	Died	Marital status		Discharges (including deaths) by age											
					Single	N.S.	0-	1-	5-	15-	25-	35-	45-	55-	65-	75 and over	N.S.
N867	Injury to pelvic organs	M	33	-	20	-	1	-	9	8	2	7	3	1	1	1	-
		F	17	1	9	-	-	3	4	-	5	3	1	1	-	-	-
N868	Injury to other and unspecified intra-abdominal organs	M	14	2	4	1	-	-	3	2	4	3	1	1	-	-	-
		F	3	-	3	-	-	-	1	2	-	-	-	-	-	-	-
N869	Internal injury unspecified or involving intrathoracic with intra-abdominal organs	M	10	2	5	2	-	1	1	2	2	3	-	-	-	1	-
		F	3	-	2	-	-	1	1	-	-	-	-	-	1	-	-
N870-N879	**Laceration and open wound of face, neck and trunk**	**M**	**674**	**2**	**361**	**45**	**2**	**59**	**145**	**118**	**128**	**92**	**61**	**44**	**17**	**6**	**2**
		F	**209**	**1**	**138**	**7**	**-**	**42**	**56**	**32**	**15**	**20**	**14**	**13**	**8**	**7**	**2**
N870	Open wound of eye and orbit	M	374	-	200	28	1	24	102	57	68	57	35	19	9	2	-
		F	80	-	64	2	-	19	33	11	7	4	1	1	2	-	2
N871	Enucleation of eye	M	10	-	4	-	-	-	2	1	1	-	1	2	3	-	-
		F	6	1	2	-	-	-	-	1	-	-	3	-	2	-	-
N872	Open wound of ear	M	18	-	10	-	-	1	2	6	6	1	1	1	-	-	-
		F	3	-	2	-	-	1	-	1	-	1	-	-	-	-	-
N873	Other and unspecified laceration of face	M	181	-	108	13	1	31	25	35	34	24	16	7	3	3	2
		F	66	-	40	3	-	13	9	11	3	13	5	3	2	7	-
N874	Open wound of neck	M	21	2	4	2	-	-	2	2	5	1	3	5	2	1	-
		F	12	-	3	-	-	-	1	2	1	-	1	5	2	-	-
N875	Open wound of chest	M	17	-	5	-	-	1	1	3	4	5	3	-	-	-	-
		F	3	-	3	-	-	1	1	1	-	-	-	-	-	-	-
N876	Open wound of back	M	5	-	2	1	-	-	-	2	-	2	-	1	-	-	-
		F	2	-	1	-	-	-	-	1	-	1	-	-	-	-	-

N877	Open wound of buttock	M	14	-	9	-	-	1	3	4	3	-	-	3	-	-	-
		F	6	-	3	-	-	2	1	-	1	-	1	1	-	-	-
N878	Open wound of genital organs, including traumatic amputation	M	15	-	12	-	-	1	6	4	2	-	1	1	-	-	-
		F	24	-	18	1	-	6	9	4	2	-	2	1	-	-	-
N879	Multiple and unspecified open wounds of face, neck and trunk	M	19	-	7	1	-	-	2	4	5	2	1	5	-	-	-
		F	7	-	2	1	-	-	2	-	1	1	1	2	-	-	-
N880-N888	**Laceration and open wound of upper limb**	**M**	**1041**	**1**	**366**	**63**	**-**	**42**	**66**	**206**	**253**	**228**	**146**	**75**	**18**	**4**	**3**
		F	**228**	**2**	**109**	**7**	**-**	**18**	**20**	**71**	**30**	**29**	**35**	**8**	**11**	**4**	**2**
N880	Open wound of shoulder and upper arm	M	15	-	5	2	-	1	-	2	6	1	3	2	-	-	-
		F	4	-	-	-	-	-	-	-	1	-	1	-	2	-	-
N881	Open wound of elbow and forearm, and wrist not involving tendons	M	102	-	44	3	-	4	13	20	17	28	7	9	3	-	1
		F	24	-	8	-	-	2	2	9	4	1	3	-	3	-	-
N882	Open wound of wrist involving tendon(s)	M	43	-	20	3	-	2	3	15	10	7	3	1	2	-	-
		F	15	-	7	1	-	1	-	5	2	1	2	1	2	1	-
N883	Open wound of hand, except finger(s)	M	188	-	63	12	-	6	15	33	55	37	31	9	2	-	-
		F	52	2	27	2	-	-	7	19	7	8	7	1	1	2	-
N884	Open wound of finger(s)	M	480	-	176	29	-	27	28	98	112	101	66	36	7	3	2
		F	103	-	53	2	-	13	11	29	10	15	17	4	2	-	2
N885	Multiple and unspecified open wounds of one upper limb	M	21	1	10	-	-	-	1	7	5	5	2	-	-	1	-
		F	4	-	1	-	-	-	-	1	1	-	1	-	-	1	-
N886	Traumatic amputation of thumb(s)	M	25	-	9	1	-	-	2	1	6	10	4	1	1	-	-
		F	1	-	1	-	-	-	-	1	-	-	-	-	-	-	-
N887	Traumatic amputation of other finger(s)	M	158	-	38	12	-	1	4	29	39	36	29	17	3	-	-
		F	21	-	12	2	-	2	-	7	5	3	2	2	-	-	-
N888	Traumatic amputation of arm and hand	M	9	-	1	1	-	1	-	1	3	3	1	-	-	-	-
		F	4	-	-	-	-	-	-	-	-	1	2	-	1	-	-

TABLE H.1(a) (Contd.)

I.S.C. No.	PRINCIPAL CAUSE OF ADMISSION		TEACHING HOSPITALS														
			TOTAL	Died	Marital status		Discharges (including deaths) by age										
					Single	N.S.	0-	1-	5-	15-	25-	35-	45-	55-	65-	75 and over	N.S.
N890-N898	**Laceration and open wound of lower limb**	**M**	**264**	**1**	**134**	**13**	**1**	**13**	**60**	**49**	**57**	**39**	**23**	**13**	**7**	**1**	**1**
		F	**116**	**-**	**65**	**3**	**-**	**8**	**26**	**25**	**12**	**14**	**17**	**9**	**4**	**1**	**-**
N890	Open wound of hip and thigh	M	38	-	18	-	-	2	9	4	8	6	7	2	-	-	-
		F	12	-	6	1	-	2	4	-	1	-	4	-	-	1	-
N891	Open wound of knee, leg (except thigh), and ankle not involving tendons	M	141	-	75	8	1	7	40	22	33	21	7	6	3	-	1
		F	70	-	33	1	-	1	15	13	7	12	11	9	2	-	-
N892	Open wound of ankle involving tendons	M	14	-	9	-	-	1	3	4	1	4	1	-	-	-	-
		F	4	-	3	-	-	-	1	3	-	-	-	-	-	-	-
N893	Open wound of foot, except toe(s)	M	37	-	21	2	-	2	7	12	6	3	2	2	2	1	-
		F	22	-	18	1	-	5	5	7	4	-	1	-	-	-	-
N894	Open wound of toe(s)	M	6	-	2	-	-	1	-	1	-	2	2	-	-	-	-
		F	1	-	1	-	-	-	-	1	-	-	-	-	-	-	-
N895	Multiple and unspecified open wounds of one lower limb	M	6	-	1	-	-	-	1	-	2	2	-	1	-	-	-
		F	5	-	3	-	-	-	-	1	-	2	1	-	1	-	-
N896	Traumatic amputation of toe(s)	M	6	-	4	-	-	-	-	4	2	-	-	-	-	-	-
		F	2	-	1	-	-	-	1	-	-	-	-	-	1	-	-
N897	Traumatic amputation of foot	M	6	-	-	2	-	-	-	-	2	1	-	2	1	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
N898	Traumatic amputation of leg	M	10	1	4	1	-	-	-	2	3	-	4	-	1	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
N900-N908	**Laceration and open wounds of multiple location**	**M**	**62**	**-**	**22**	**6**	**-**	**3**	**8**	**10**	**10**	**20**	**4**	**2**	**3**	**1**	**1**
		F	**25**	**1**	**11**	**1**	**-**	**4**	**3**	**3**	**3**	**2**	**4**	**4**	**1**	**1**	**-**

N900	Multiple open wounds of both upper limbs	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	2	-	2	-	-	-	-	2	-	-	-	-	-	-	-
N901	Multiple open wounds of both lower limbs	M	2	-	1	-	-	1	-	-	-	1	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
N902	Multiple open wounds of both upper and lower limb(s)	M	4	-	1	-	-	-	-	-	2	2	-	-	-	-	-
		F	2	-	2	-	-	-	1	-	-	1	-	-	-	-	-
N903	Multiple open wounds of both hands	M	2	-	1	-	-	-	-	1	-	1	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
N904	Multiple open wounds of both head and limb	M	14	-	4	1	-	2	2	-	2	6	1	-	1	-	-
		F	4	-	2	-	-	1	1	-	-	-	-	1	-	1	-
N905	Multiple open wounds of both head and trunk	M	2	-	1	1	-	-	1	-	-	-	1	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
N906	Multiple open wounds of both trunk and limb	M	5	-	1	2	-	-	-	1	3	-	-	1	-	-	-
		F	1	-	1	-	-	1	-	-	-	-	-	-	-	-	-
N907	Multiple open wounds of face with other sites	M	17	-	8	-	-	-	3	3	3	3	1	-	2	1	1
		F	6	1	1	-	-	1	-	-	2	-	1	1	1	-	-
N908	Multiple open wounds of unspecified location	M	16	-	5	2	-	-	2	5	-	7	1	1	-	-	-
		F	10	-	3	1	-	1	1	1	1	1	3	2	-	-	-
N910-N918	**Superficial injury**	**M**	**113**	**2**	**65**	**5**	**-**	**9**	**27**	**25**	**17**	**15**	**9**	**5**	**5**	**1**	**-**
		F	**48**	**-**	**32**	**3**	**-**	**6**	**12**	**8**	**6**	**5**	**4**	**-**	**5**	**2**	**-**
N910	Superficial injury of face and neck	M	85	1	53	3	-	6	23	19	13	13	6	2	3	-	-
		F	19	-	15	-	-	5	4	2	4	3	-	-	1	-	-
N911	Superficial injury of trunk	M	2	-	1	-	-	1	-	-	-	-	1	-	-	-	-
		F	5	-	2	3	-	-	1	1	-	1	-	-	2	-	-
N912	Superficial injury of shoulder and upper arm	M	2	-	-	-	-	-	-	1	-	-	-	1	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
N913	Superficial injury of elbow, forearm and wrist	M	1	-	-	1	-	-	-	-	-	-	-	1	-	-	-
		F	3	-	2	-	-	1	-	1	-	-	1	-	-	-	-
N914	Superficial injury of hand(s), except fingers	M	4	-	2	-	-	1	-	2	1	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-

TABLE H.1(a) (Contd.)

I.S.C. No.	PRINCIPAL CAUSE OF ADMISSION		TEACHING HOSPITALS														
			TOTAL	Died	Marital status		Discharges (including deaths) by age										
					Single	N.S.	0-	1-	5-	15-	25-	35-	45-	55-	65-	75 and over	N.S.
N915	Superficial injury of finger(s)	M	3	-	-	-	-	-	-	-	1	-	1	1	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-
N916	Superficial injury of hip, thigh, leg, and ankle	M	3	-	2	-	-	-	1	-	-	1	1	-	-	-	-
		F	4	-	2	-	-	-	1	-	-	-	2	-	1	-	-
N917	Superficial injury of foot and toe(s)	M	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-
		F	2	-	2	-	-	-	1	1	-	-	-	-	-	-	-
N918	Superficial injury of other, multiple, and unspecified sites	M	12	1	7	1	-	1	3	3	2	1	-	-	1	1	-
		F	13	-	9	-	-	-	3	3	2	-	-	-	1	2	-
N920-N929	**Contusion and crushing with intact skin surface**	**M**	**390**	**1**	**213**	**14**	**-**	**27**	**90**	**77**	**54**	**67**	**39**	**25**	**11**	**-**	**-**
		F	**122**	**1**	**69**	**4**	**1**	**9**	**25**	**27**	**8**	**10**	**11**	**11**	**14**	**6**	**-**
N920	Contusion of face and neck, except eye(s)	M	35	1	25	2	-	7	5	9	6	3	4	1	-	-	-
		F	13	1	9	-	1	3	2	3	-	1	1	1	-	1	-
N921	Contusion of eye and orbit	M	131	-	88	2	-	9	55	22	10	15	8	7	5	-	-
		F	23	-	14	-	-	1	6	4	2	2	3	2	2	1	-
N922	Contusion of trunk	M	99	-	40	5	-	3	9	26	14	28	13	4	2	-	-
		F	33	-	16	3	-	3	8	6	2	3	1	3	5	2	-
N923	Contusion of shoulder and upper arm	M	5	-	1	1	-	-	-	1	1	2	-	1	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
N924	Contusion of elbow, forearm and wrist	M	4	-	3	1	-	-	2	1	-	1	-	-	-	-	-
		F	3	-	2	-	-	-	2	-	-	-	1	-	-	-	-
N925	Contusion of hand(s), except fingers	M	10	-	4	-	-	1	-	1	2	2	-	3	1	-	-
		F	2	-	2	-	-	-	-	1	-	1	-	-	-	-	-

N926	Contusion of finger(s)	M	27	-	12	2	-	2	3	3	6	8	3	2	-	-	-
		F	3	-	3	-	-	-	-	1	2	-	-	-	-	-	-
N927	Contusion of hip, thigh, leg, and ankle	M	51	-	29	1	-	3	13	10	10	8	5	1	1	-	-
		F	29	-	15	1	-	-	4	7	-	2	4	4	6	2	-
N928	Contusion of foot and toe(s)	M	7	-	3	-	-	1	2	1	-	-	1	1	1	-	-
		F	2	-	2	-	-	1	-	1	-	-	-	-	-	-	-
N929	Contusion of other, multiple, and unspecified sites	M	21	-	8	-	-	1	1	3	5	-	5	5	1	-	-
		F	14	-	6	-	-	1	3	4	2	1	1	1	1	-	-
N930–N936	**Effects of foreign body entering through orifice**	**M**	**401**	**4**	**196**	**31**	**6**	**58**	**38**	**61**	**92**	**62**	**38**	**27**	**10**	**4**	**5**
		F	**277**	**-**	**147**	**11**	**5**	**48**	**40**	**25**	**28**	**32**	**42**	**33**	**17**	**7**	**-**
N930	Foreign body in eye and adnexa	M	181	-	67	14	-	2	7	42	65	34	17	9	3	-	2
		F	9	-	6	-	-	1	2	2	2	2	-	-	-	-	-
N931	Foreign body in ear	M	9	-	8	-	-	3	4	1	-	-	1	-	-	-	-
		F	3	-	3	-	-	1	2	-	-	-	-	-	-	-	-
N932	Foreign body in nose	M	9	-	9	-	-	7	-	1	1	-	-	-	-	-	-
		F	7	-	7	-	1	5	1	-	-	-	-	-	-	-	-
N933	Foreign body in pharynx and larynx	M	18	2	8	2	1	4	1	-	3	4	4	-	1	-	-
		F	34	-	10	3	3	2	-	2	3	7	4	6	6	1	-
N934	Foreign body in bronchus and lung	M	12	-	8	-	1	5	1	-	3	-	2	-	-	-	-
		F	9	-	9	-	-	4	3	-	2	-	-	-	-	-	-
N935	Foreign body in digestive tract	M	163	1	92	13	4	37	25	14	17	23	14	17	5	4	3
		F	202	-	104	8	1	34	26	20	18	22	38	26	11	6	-
N936	Foreign body in genito-urinary tract	M	9	1	4	2	-	-	-	3	3	1	-	1	1	-	-
		F	13	-	8	-	-	1	6	1	3	1	-	1	-	-	-
N940–N949	**Burns**	**M**	**631**	**7**	**347**	**37**	**21**	**142**	**64**	**87**	**104**	**93**	**66**	**34**	**14**	**5**	**1**
		F	**298**	**16**	**220**	**6**	**19**	**116**	**35**	**33**	**27**	**21**	**13**	**13**	**14**	**7**	**-**
N940	Burn confined to eye	M	226	-	66	17	-	6	11	39	46	58	40	16	9	1	-
		F	27	-	15	-	-	3	4	7	3	1	3	3	2	1	-
N941	Burn confined to face, head, and neck	M	47	-	36	1	3	14	11	4	3	6	1	3	-	1	1
		F	39	1	27	1	3	10	7	5	5	6	-	-	2	1	-

TABLE H.1(a) (Contd.)

I.S.C. No.	PRINCIPAL CAUSE OF ADMISSION		TEACHING HOSPITALS														
			TOTAL	Died	Marital status		Discharges (including deaths) by age										
					Single	N.S.	0-	1-	5-	15-	25-	35-	45-	55-	65-	75 and over	N.S.
N942	Burn confined to trunk	M	38	1	32	1	2	24	5	-	3	2	1	-	-	1	-
		F	39	2	28	1	4	19	4	2	2	3	1	2	1	1	-
N943	Burn confined to upper limb(s) except wrist and hand	M	31	-	20	3	1	10	5	4	-	4	4	2	-	1	-
		F	18	1	15	-	1	7	4	-	3	-	1	-	2	-	-
N944	Burn confined to wrist(s) and hand(s)	M	43	-	31	1	2	15	1	10	7	2	4	2	-	-	-
		F	21	-	18	-	2	10	-	5	2	1	-	-	1	-	-
N945	Burn confined to lower limb(s)	M	56	-	40	2	1	14	13	6	11	4	2	4	1	-	-
		F	36	-	28	-	4	9	7	3	3	5	3	-	2	-	-
N946	Burn involving face, head, and neck, with limb(s)	M	85	-	44	8	3	15	7	16	21	9	6	6	2	-	-
		F	25	2	19	-	2	10	3	2	3	2	2	-	-	1	-
N947	Burn involving trunk with limb(s)	M	41	1	35	2	3	19	6	5	4	1	2	-	1	-	-
		F	48	7	33	3	2	23	2	5	4	2	1	5	2	2	-
N948	Burn involving face, head, and neck, with trunk and limb(s)	M	35	4	21	1	4	14	1	-	7	2	5	1	1	-	-
		F	26	2	24	-	-	18	3	2	1	-	1	-	1	-	-
N949	Burn involving other and unspecified parts	M	29	1	22	1	2	11	4	3	2	5	1	-	-	1	-
		F	19	1	13	1	1	7	1	2	1	1	1	3	1	1	-
N950-N959	**Injury to nerves and spinal cord without bone injury**	**M**	**127**	**1**	**67**	**4**	**1**	**2**	**18**	**33**	**36**	**23**	**10**	**4**	**-**	**-**	**-**
		F	**53**	**-**	**30**	**-**	**-**	**3**	**15**	**8**	**11**	**8**	**3**	**-**	**4**	**1**	**-**
N950	Injury to optic nerve(s)	M	14	-	9	-	-	-	5	2	5	2	-	-	-	-	-
		F	1	-	1	-	-	-	-	1	-	-	-	-	-	-	-
N951	Injury to other cranial nerve(s)	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

N952	Injury to nerve(s) in upper arm	M	26	-	5	2	-	-	2	4	11	5	4	-	-	-	-
		F	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
N953	Injury to nerve(s) in forearm	M	28	-	17	1	-	1	2	12	5	6	1	1	-	-	-
		F	15	-	6	-	-	1	5	-	4	3	1	-	1	-	-
N954	Injury to nerve(s) in wrist and hand	M	43	-	29	-	1	1	8	12	8	7	4	2	-	-	-
		F	29	-	20	-	-	-	10	6	6	4	2	-	-	1	-
N955	Injury to nerve(s) in thigh	M	3	-	2	-	-	-	-	2	1	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
N956	Injury to nerve(s) in lower leg	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	1	-	-	1	-	-	-	-	-	-	-	-	-
N957	Injury to nerve(s) in ankle and foot	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
N958	Spinal cord lesion without evidence of spinal bone injury	M	11	1	4	1	-	-	1	1	5	2	1	1	-	-	-
		F	5	-	2	-	-	1	-	1	-	-	-	-	3	-	-
N959	Other nerve injury including nerve injury in several parts	M	2	-	1	-	-	-	-	-	1	1	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-
N960-N979	**Effects of poisons**	**M**	**215**	**10**	**105**	**31**	**8**	**43**	**9**	**26**	**36**	**26**	**27**	**18**	**9**	**4**	**9**
		F	**220**	**15**	**79**	**19**	**-**	**30**	**5**	**32**	**39**	**39**	**25**	**22**	**13**	**7**	**8**
N960	Poisoning by noxious foodstuffs	M	4	-	2	-	-	2	-	-	1	-	1	-	-	-	-
		F	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-
N961	Poisoning by alcohol	M	4	-	-	1	-	-	-	-	-	-	2	-	1	-	1
		F	2	-	1	-	-	-	-	1	-	1	-	-	-	-	-
N962	Poisoning by petroleum products	M	4	-	3	-	-	2	1	-	-	1	-	-	-	-	-
		F	1	-	1	-	-	1	-	-	-	-	-	-	-	-	-
N963	Poisoning by industrial solvents	M	5	-	4	-	-	2	-	2	1	-	-	-	-	-	-
		F	3	-	3	-	-	3	-	-	-	-	-	-	-	-	-
N964	Poisoning by corrosive aromatics, acids and caustic alkalis	M	22	-	17	2	3	5	2	2	4	-	4	2	-	-	-
		F	16	3	6	2	-	4	-	-	2	3	3	1	2	-	1

TABLE H.1(a) (Contd.)

I.S.C. No.	PRINCIPAL CAUSE OF ADMISSION		TEACHING HOSPITALS														
			TOTAL	Died	Marital status		Discharges (including deaths) by age										
					Single	N.S.	0-	1-	5-	15-	25-	35-	45-	55-	65-	75 and over	N.S.
N965	Poisoning by mercury and its compounds	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
N966	Poisoning by lead and its compounds	M	5	-	1	-	-	-	-	1	2	2	-	-	-	-	-
		F	1	1	1	-	-	1	-	-	-	-	-	-	-	-	-
N967	Poisoning by arsenic and antimony and their compounds	M	1	-	1	-	-	-	-	-	1	-	-	-	-	-	-
		F	1	-	-	1	-	-	-	-	-	-	-	-	1	-	-
N968	Poisoning by carbon monoxide	M	35	5	9	10	-	-	1	3	4	2	7	5	5	4	4
		F	35	4	5	6	-	1	-	3	6	4	4	6	3	6	2
N969	Poisoning by other gases and vapours	M	9	-	2	1	-	-	-	2	2	2	2	1	-	-	-
		F	4	-	2	-	-	1	-	1	-	1	-	-	1	-	-
N970	Poisoning by morphine and other opium derivatives	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	2	-	1	-	-	1	-	1	-	-	-	-	-	-	-
N971	Poisoning by barbituric acid and derivatives	M	54	2	18	13	-	4	-	9	8	17	8	5	-	-	3
		F	82	1	24	4	-	2	3	13	16	19	13	10	3	-	3
N972	Poisoning by aspirin and salicylates	M	20	1	8	3	-	3	-	4	10	-	1	-	1	-	1
		F	38	4	15	4	-	1	1	10	11	7	3	1	2	1	1
N973	Poisoning by bromides	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
N974	Poisoning by other analgesic and soporific drugs	M	6	-	3	1	-	1	-	1	1	-	1	2	-	-	-
		F	3	1	2	-	-	1	-	-	-	-	-	2	-	-	-
N975	Poisoning by sulphonamides	M	5	-	3	-	-	2	1	-	-	-	-	1	1	-	-
		F	3	-	2	-	-	1	1	-	-	-	-	-	-	-	1

N976	Poisoning by strychnine	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
N977	Poisoning by belladonna, hyoscine and atropine	M	3	-	2	-	-	2	-	1	-	-	-	-	-	-	-
		F	6	-	6	-	-	5	-	-	1	-	-	-	-	-	-
N978	Poisoning by venom	M	2	-	2	-	-	-	-	-	1	-	-	-	1	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
N979	Poisoning by other and unspecified substances	M	36	2	30	-	5	20	4	1	1	2	1	2	-	-	-
		F	21	1	10	2	-	8	-	2	2	4	2	2	1	-	-
N980-N989	**Effects of weather, exposure and related conditions**	**M**	**17**	**-**	**11**	**-**	**3**	**2**	**-**	**5**	**3**	**-**	**2**	**1**	**-**	**1**	**-**
		F	**5**	**-**	**2**	**1**	**-**	**-**	**-**	**2**	**-**	**1**	**2**	**-**	**-**	**-**	**-**
N980	Effects of reduced temperature	M	2	-	-	-	-	-	-	-	-	-	1	1	-	-	-
		F	2	-	-	-	-	-	-	-	-	-	2	-	-	-	-
N981	Effects of heat and insolation	M	9	-	9	-	3	2	-	3	-	-	1	-	-	-	-
		F	2	-	2	-	-	-	-	2	-	-	-	-	-	-	-
N982	Effects of high altitude	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
N983	Caisson disease	M	3	-	-	-	-	-	-	-	3	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
N984	Effects of lightning	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
N985	Effects of hunger	M	2	-	2	-	-	-	-	2	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
N986	Effects of thirst	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
N987	Effects of exposure not elsewhere classified	M	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
N988	Effects of excessive exertion	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
N989	Motion (travel) sickness	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	1	-	-	-	-	-	1	-	-	-	-	-

TABLE H.1(a) (Contd.)

I.S.C. No.	PRINCIPAL CAUSE OF ADMISSION		TEACHING HOSPITALS														
			TOTAL	Died	Marital status		Discharges (including deaths) by age										
					Single	N.S.	0-	1-	5-	15-	25-	35-	45-	55-	65-	75 and over	N.S.
N990-N999	**Other and unspecified injuries and reactions**	**M**	**416**	**6**	**188**	**35**	**21**	**24**	**59**	**46**	**56**	**65**	**70**	**41**	**20**	**12**	**2**
		F	**302**	**2**	**118**	**6**	**3**	**10**	**39**	**37**	**42**	**42**	**68**	**34**	**22**	**5**	**-**
N990	Drowning and nonfatal submersion	M	8	-	5	1	-	1	3	-	1	1	1	-	-	1	-
		F	3	-	3	-	-	1	-	-	1	-	1	-	-	-	-
N991	Asphyxia and strangulation	M	1	1	1	-	-	-	-	1	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
N992	Electrocution and nonfatal effects of electric currents	M	7	-	1	1	-	-	-	2	1	2	2	-	-	-	-
		F	3	-	-	-	-	-	-	-	-	2	1	-	-	-	-
N993	Injury due to radiation, except sunburn	M	18	-	4	3	-	-	1	1	1	4	2	5	2	2	-
		F	28	-	3	1	-	-	-	-	4	6	5	8	4	1	-
N994	Other general effects of external causes	M	4	-	2	1	2	-	-	1	-	-	1	-	-	-	-
		F	2	-	2	-	2	-	-	-	-	-	-	-	-	-	-
N995	Certain early complications of trauma	M	26	-	13	1	1	2	6	2	4	4	6	-	1	-	-
		F	7	-	3	-	-	-	3	-	2	-	1	1	-	-	-
N996	Injury of other and unspecified nature	M	103	3	54	11	-	6	23	18	18	20	10	7	1	-	-
		F	31	1	19	2	-	2	6	11	4	2	2	2	1	1	-
N997	Reactions and complications due to non-therapeutic medical and surgical procedures	M	12	-	11	-	2	5	1	1	1	1	1	-	-	-	-
		F	7	-	6	-	1	1	-	2	1	-	1	1	-	-	-
N998	Adverse reaction to injections, infusions, and transfusions for therapeutic purposes	M	23	-	13	2	2	2	-	5	1	3	1	4	4	1	-
		F	15	-	6	-	-	-	-	5	3	2	2	2	1	-	-
N999	Adverse reaction to other therapeutic procedure	M	214	2	84	15	14	8	25	15	29	30	46	25	12	8	2
		F	206	1	76	3	-	6	30	19	27	30	55	20	16	3	-

*	SUPPLEMENTARY CLASSIFICATIONS FOR SPECIAL ADMISSIONS, AND LIVEBIRTHS																
Y00-Y09	Special conditions and examinations without sickness	M	500	-	239	12	91	24	39	34	54	64	90	62	26	8	8
		F	662	-	251	12	74	20	30	116	156	108	74	47	21	5	11
Y00	Medical or special examination	M	352	-	130	11	15	12	32	28	45	55	78	54	23	6	4
		F	445	-	136	12	4	14	16	81	99	91	70	44	19	5	2
Y01	Skin immunity and sensitization tests	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-
Y02	Persons receiving prophylactic inoculation and vaccination	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	1	-	-	-	-	-	-	-	1	-	-	-	-
Y03	Follow-up examination for tuberculosis not needing further medical care	M	28	-	19	1	-	11	5	3	4	2	1	1	-	1	-
		F	19	-	14	-	-	2	8	2	3	3	-	1	-	-	-
Y04	Follow-up examination after operation, injury or disease other than tuberculosis	M	37	-	7	-	-	1	2	2	3	7	11	7	3	1	-
		F	14	-	5	-	-	2	2	2	1	1	2	2	2	-	-
Y05	Carrier or suspected carrier of infective organisms	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
Y06	Prenatal care	F	11	-	-	-	-	-	-	2	8	1	-	-	-	-	-
Y07	Postpartum observation	F	11	-	-	-	-	-	-	3	5	3	-	-	-	-	-
Y08	Healthy person accompanying sick relative	M	80	-	80	-	74	-	-	1	2	-	-	-	-	-	3
		F	151	-	89	-	68	-	2	25	38	8	1	-	-	-	9
Y09	Other person without complaint or sickness	M	3	-	3	-	2	-	-	-	-	-	-	-	-	-	1
		F	8	-	6	-	2	2	2	1	1	-	-	-	-	-	-

* Special admissions are those causes enumerated in the Supplementary List of the International Classification except stillbirths. Stillbirths are not included in this enquiry.

TABLE H.1(a) (Contd.)

I.S.C. No.	PRINCIPAL CAUSE OF ADMISSION		TEACHING HOSPITALS														
			TOTAL	Died	Marital status		Discharges (including deaths) by age										
					Single	N.S.	0-	1-	5-	15-	25-	35-	45-	55-	65-	75 and over	N.S.
Y10-Y18	Admissions for convalescent care, plastic treatment, and fitting of prosthetic devices	M	154	-	84	8	1	8	29	31	27	20	20	13	5	-	-
		F	131	-	77	4	-	15	25	21	16	27	11	9	5	2	-
Y10	Medical and surgical aftercare	M	49	-	22	5	1	2	6	12	11	2	10	4	1	-	-
		F	30	-	14	1	-	6	2	3	3	7	1	4	3	1	-
Y11	Plastic surgical treatment	M	100	-	59	3	-	5	23	18	16	18	9	8	3	-	-
		F	96	-	59	2	-	8	21	18	13	20	10	4	2	-	-
Y12	Fitting of artificial arm(s)	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Y13	Fitting of artificial leg(s)	M	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Y14	Fitting of both artificial arm(s) and leg(s)	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Y15	Fitting of artificial eye(s)	M	2	-	2	-	-	1	-	1	-	-	-	-	-	-	-
		F	3	-	2	1	-	-	2	-	-	-	-	1	-	-	-
Y16	Fitting of dental prosthetic device	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Y17	Fitting of colostomy belt and other abdominal appliance	M	1	-	1	-	-	-	-	-	-	-	-	-	1	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Y18	Fitting of other prosthetic device	M	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-
		F	2	-	2	-	-	1	-	-	-	-	-	-	-	1	-

(7306)

Y20-Y29	Classification of liveborn infants according to type of birth	M	11109	284	11109	-	11109	-	-	-	-	-	-	-	-	-	-
		F	10748	200	10748	-	10748	-	-	-	-	-	-	-	-	-	-
Y20	Single, born without mention of immaturity	M	10082	105	10082	-	10082	-	-	-	-	-	-	-	-	-	-
		F	9596	61	9596	-	9596	-	-	-	-	-	-	-	-	-	-
Y21	Single, born immature	M	670	140	670	-	670	-	-	-	-	-	-	-	-	-	-
		F	783	118	783	-	783	-	-	-	-	-	-	-	-	-	-
Y22	Twin, without mention of immaturity, mate liveborn	M	164	4	164	-	164	-	-	-	-	-	-	-	-	-	-
		F	150	2	150	-	150	-	-	-	-	-	-	-	-	-	-
Y23	Twin, without mention of immaturity, mate stillborn	M	12	-	12	-	12	-	-	-	-	-	-	-	-	-	-
		F	7	-	7	-	7	-	-	-	-	-	-	-	-	-	-
Y22X	Twin, without mention of immaturity, mate not specified	M	2	-	2	-	2	-	-	-	-	-	-	-	-	-	-
		F	6	1	6	-	6	-	-	-	-	-	-	-	-	-	-
Y24	Twin, immature, with mate liveborn	M	147	22	147	-	147	-	-	-	-	-	-	-	-	-	-
		F	173	9	173	-	173	-	-	-	-	-	-	-	-	-	-
Y25	Twin, immature, with mate stillborn	M	11	4	11	-	11	-	-	-	-	-	-	-	-	-	-
		F	13	3	13	-	13	-	-	-	-	-	-	-	-	-	-
Y24X	Twin, immature, with mate not specified	M	4	1	4	-	4	-	-	-	-	-	-	-	-	-	-
		F	11	2	11	-	11	-	-	-	-	-	-	-	-	-	-
Y26	Multiple born, without mention of immaturity, mates all liveborn	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Y27	Multiple born without mention of immaturity, one or more mates stillborn	M	2	-	2	-	2	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Y26X	Multiple born without mention of immaturity, mates not specified	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

TABLE H.1(a) (Contd.)

I.S.C. No.	PRINCIPAL CAUSE OF ADMISSION		TEACHING HOSPITALS														
			TOTAL	Died	Marital status		Discharges (including deaths) by age										
					Single	N.S.	0-	1-	5-	15-	25-	35-	45-	55-	65-	75 and over	N.S.
Y28	Multiple born, immature, mates all liveborn	M	12	5	12	-	12	-	-	-	-	-	-	-	-	-	-
		F	9	4	9	-	9	-	-	-	-	-	-	-	-	-	-
Y29	Multiple born, immature, one or more mates stillborn	M	3	3	3	-	3	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Y28X	Multiple born, immature, mates not specified	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	SUPPLEMENTARY CLASSIFICATIONS FOR PROPHYLACTIC INOCULATIONS, IMPAIRMENTS, BLINDNESS, AND DEAFNESS																
Y40-Y49	Prophylactic inoculation and vaccination	M	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Y40	Vaccination against smallpox	M	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Y41	Inoculation against diphtheria	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Y42	Inoculation against whooping cough	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Y43	Inoculation against tuberculosis	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Y44	Inoculation against influenza	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Y45	Inoculation against tetanus	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Y46	Inoculation against typhoid and paratyphoid fever	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Y47	Inoculation against typhus fever	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Y48	Inoculation against yellow fever	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Y49	Inoculation against other infectious disease	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Y50-Y59	Impairment due to birth injury, congenital malformation, and musculoskeletal diseases	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-
Y50	Impairment due to cerebral palsy	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Y51	Impairment due to other and ill-defined birth injury	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Y52	Impairment due to congenital malformation	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-
Y53	Impairment due to tuberculosis of bones and joints	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Y54	Impairment due to arthritis and rheumatism	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Y55	Impairment due to rickets and osteomalacia	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Y56	Impairment due to osteomyelitis	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Y57	Impairment due to osteochondritis	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

TABLE H.1(a) (Contd.)

I.S.C. No.	PRINCIPAL CAUSE OF ADMISSION		TEACHING HOSPITALS														
			TOTAL	Died	Marital status		Discharges (including deaths) by age										
					Single	N.S.	0-	1-	5-	15-	25-	35-	45-	55-	65-	75 and over	N.S.
Y58	Impairment due to other diseases of bones and joints	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Y59	Impairment due to diseases of muscles, tendons and fascia	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Y60-Y69	Impairment due to other diseases and accidents	M	2	-	-	-	-	-	-	-	-	1	1	-	-	-	-
		F	2	-	1	-	-	-	-	1	1	-	-	-	-	-	-
Y60	Impairment due to intra-cranial haemorrhage, embolism and thrombosis	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Y61	Impairment due to poliomyelitis	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Y62	Impairment due to other nervous and mental diseases	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Y63	Impairment due to other local infections and infectious diseases	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Y64	Impairment due to other and ill-defined diseases	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Y65	Impairment due to motor vehicle accident	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Y66	Impairment due to accidental fall	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	1	-	-	-	-	1	-	-	-	-	-	-	-

Y67	Impairment due to machinery accident	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Y68	Impairment due to other and unspecified accidents and poisonings, except war	M	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
Y69	Impairment due to war injuries	M	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Y70-Y79	**Absence or amputation of Major and Minor members due to diseases, congenital malformations and injuries**	M	10	-	2	-	-	-	-	2	1	3	1	3	-	-	-
		F	2	-	2	-	-	-	1	-	-	-	-	-	1	-	-
Y70	Loss due to diseases of bones and joints including tuberculosis	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	1	-	-	-	1	-	-	-	-	-	-	-	-
Y71	Loss due to diabetes, gangrene, and peripheral vascular disease	M	3	-	-	-	-	-	-	-	1	-	-	2	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Y72	Loss due to local infection, unspecified	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Y73	Loss due to congenital malformation	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Y74	Loss due to other and ill-defined diseases	M	4	-	1	-	-	-	-	1	-	1	1	1	-	-	-
		F	1	-	1	-	-	-	-	-	-	-	-	-	1	-	-
Y75	Loss due to motor vehicle accident	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Y76	Loss due to machinery accident	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Y77	Loss due to accident by cutting and piercing instrument	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

TABLE H.1(a) (Contd.)

I.S.C. No.	PRINCIPAL CAUSE OF ADMISSION		TEACHING HOSPITALS														
			TOTAL	Died	Marital status		Discharges (including deaths) by age										
					Single	N.S.	0-	1-	5-	15-	25-	35-	45-	55-	65-	75 and over	N.S.
Y78	Loss due to other and unspecified accidents and poisonings except war	M	3	-	1	-	-	-	-	1	-	2	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Y79	Loss due to war injuries	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Y80-Y88	Blindness and deafness following disease or injury	M	2	-	-	-	-	-	-	-	-	-	-	1	1	-	-
		F	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
Y80	Blindness, both eyes, specifically defined	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Y81	Blindness, both eyes not specifically defined	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
Y82	Blindness, one eye specifically defined	M	2	-	-	-	-	-	-	-	-	-	-	1	1	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Y83	Blindness, one eye not specifically defined	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Y84	Deaf mutism	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Y85	Deafness, both ears	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Y86	Deafness in one ear with partial deafness in the other	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Y87	Deafness, one ear	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Y88	Impairment of hearing, one or both ears	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

TABLE H.1(b) - Final diagnoses of the Principal Cause of Admission to participating Hospitals under Regional Boards classified according to the international Classification of Disease:- distribution of the discharges (including deaths) reported for 1949 by Sex, Age and Marital Status in respect of each title in the classification.

TABLE H.1(b)

PRINCIPAL CAUSE OF ADMISSION		HOSPITALS UNDER REGIONAL BOARDS														
		TOTAL	Died	Marital status		Discharges (including deaths) by age										
				Single	N.S.	0-	1-	5-	15-	25-	35-	45-	55-	65-	75 and over	N.S.
ALL DISCHARGES	M	33731	2897	17642	770	6513	2528	4524	2352	2643	3278	3662	3586	2954	1484	207
	F	47743	2433	17076	509	5782	1901	3739	8368	10069	6265	4000	3186	2814	1353	266
LIVEBIRTHS IN HOSPITAL	M	5245	114	5245	-	5245	-	-	-	-	-	-	-	-	-	-
	F	4845	90	4845	-	4845	-	-	-	-	-	-	-	-	-	-
OTHER SPECIAL ADMISSIONS	M	393	2	205	7	123	24	15	14	26	31	54	60	34	4	8
	F	390	-	184	5	97	15	16	53	80	39	32	21	21	7	9
ALL DISCHARGES OTHER THAN SPECIAL ADMISSIONS	M	28093	2781	12192	763	1145	2504	4509	2338	2617	3247	3608	3526	2920	1480	199
	F	42508	2343	12047	504	840	1886	3723	8315	9989	6226	3968	3165	2793	1346	257

TABLE H.1(b) (Contd.)

I.S.C. No.	PRINCIPAL CAUSE OF ADMISSION		HOSPITALS UNDER REGIONAL BOARDS														
			TOTAL	Died	Marital status		Discharges (including deaths) by age										
					Single	N.S.	0-	1-	5-	15-	25-	35-	45-	55-	65-	75 and over	N.S.
	1. INFECTIVE AND PARASITIC DISEASES																
001-008	Tuberculosis of Respiratory System	M	736	110	330	15	5	31	45	152	192	110	87	72	30	7	5
		F	726	90	347	6	4	23	42	260	229	97	30	24	14	1	2
001	With mention of occupational disease of lung	M	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
002	Pulmonary	M	598	108	229	13	4	3	6	127	179	102	78	61	29	6	3
		F	585	85	258	3	2	7	12	215	210	88	26	16	7	1	1
003	Pleural	M	95	1	63	2	1	6	25	23	13	8	8	7	1	1	2
		F	103	4	56	3	-	1	19	41	14	9	4	8	7	-	-
	.0 Pleurisy specified as tuberculous	M	43	-	37	-	1	2	17	14	5	2	-	2	-	-	-
		F	35	1	25	-	-	1	12	14	5	3	-	-	-	-	-
	.1 Pleurisy with effusion without mention of cause	M	52	1	26	2	-	4	8	9	8	6	8	5	1	1	2
		F	68	3	31	3	-	-	7	27	9	6	4	8	7	-	-
004	Primary, complex with symptoms	M	33	-	33	-	-	19	12	2	-	-	-	-	-	-	-
		F	28	-	28	-	2	13	9	3	-	-	-	-	-	-	1
005	Tracheobronchial glandular, with symptoms	M	5	-	5	-	-	3	2	-	-	-	-	-	-	-	-
		F	6	-	4	-	-	1	2	1	2	-	-	-	-	-	-
006	Radiological evidence suggestive of active respiratory tuberculosis not classifiable elsewhere	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	1	-	-	1	-	-	-	-	-	-	-	-	-
007	Other respiratory	M	2	-	-	-	-	-	-	-	-	-	-	2	-	-	-
		F	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-

TABLE H.1(b) (Contd.)

I.S.C. No.	PRINCIPAL CAUSE OF ADMISSION		HOSPITALS UNDER REGIONAL BOARDS														
			TOTAL	Died	Marital status		Discharges (including deaths) by age										
					Single	N.S.	0-	1-	5-	15-	25-	35-	45-	55-	65-	75 and over	N.S.
008	Unspecified site	M	2	1	-	-	-	-	-	-	-	-	1	1	-	-	-
		F	2	1	-	-	-	-	-	-	2	-	-	-	-	-	-
010-019	Tuberculosis, Other forms	M	286	36	192	4	5	37	68	61	32	27	29	13	10	1	3
		F	241	25	153	3	1	20	53	71	37	27	15	5	11	-	1
010	Meninges and central nervous system	M	49	20	40	-	3	16	11	8	1	4	4	-	-	-	2
		F	34	12	32	-	-	13	10	7	3	1	-	-	-	-	-
011	Intestines, peritoneum and mesenteric glands	M	21	3	10	-	-	-	3	6	3	2	2	2	3	-	-
		F	24	1	12	-	-	-	1	12	5	3	-	2	1	-	-
012	Bones and joints, active or unspecified	M	88	1	52	-	1	6	21	24	8	7	7	7	5	1	1
		F	54	3	36	2	1	3	13	12	10	3	4	1	7	-	-
	.0 Vertebral column	M	30	1	13	-	-	1	2	11	3	2	6	3	2	-	-
		F	29	2	17	2	-	1	5	7	6	2	2	1	5	-	-
	.1 Hip	M	18	-	13	-	-	-	7	6	2	2	-	1	-	-	-
		F	8	-	8	-	-	-	5	1	1	1	-	-	-	-	-
	.2 Knee	M	15	-	2	-	-	1	6	4	1	-	1	-	-	1	1
		F	3	-	3	-	-	1	2	-	-	-	-	-	-	-	-
	.3 Other and unspecified bones and joints	M	25	-	14	-	1	4	6	3	2	3	-	3	3	-	-
		F	14	1	8	-	1	1	1	4	3	-	2	-	2	-	-
013	Late effects, bones and joints	M	4	-	3	-	-	-	1	2	-	1	-	-	-	-	-
		F	1	-	1	-	-	-	1	-	-	-	-	-	-	-	-
	.0 Vertebral column	M	1	-	1	-	-	-	-	-	-	1	-	-	-	-	-
		F	1	-	1	-	-	-	1	-	-	-	-	-	-	-	-
	.1 Hip	M	2	-	1	-	-	-	-	2	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

	.2 Knee	M	1	-	1	-	-	-	1	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	.3 Other and unspecified	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
014	Skin and subcutaneous cellular tissue	M	10	-	7	-	-	1	2	1	3	-	2	1	-	-	-
		F	12	-	7	-	-	-	2	3	2	1	2	1	1	-	-
	.0 Primary of skin	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	.1 Erythema nodosum specified as tuberculous	M	1	-	1	-	-	1	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	.2 Lupus	M	3	-	2	-	-	-	1	-	-	-	1	1	-	-	-
		F	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	.3 Other	M	6	-	4	-	-	-	1	1	3	-	1	-	-	-	-
		F	11	-	7	-	-	-	2	3	2	-	2	1	1	-	-
015	Lymphatic system	M	57	-	55	-	-	9	30	13	4	1	-	-	-	-	-
		F	74	2	43	1	-	2	25	21	8	11	4	1	2	-	-
016	Genito-urinary system	M	42	5	15	4	-	-	-	5	12	10	12	3	-	-	-
		F	24	-	10	-	-	-	-	7	7	7	3	-	-	-	-
017	Adrenal glands	M	1	1	-	-	-	-	-	-	-	1	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
018	Other organs	M	1	1	-	-	-	-	-	-	-	-	-	-	1	-	-
		F	6	-	1	-	-	1	-	1	2	-	2	-	-	-	-
	.0 Eye	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	.1 Ear	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	.2 Other	M	1	1	-	-	-	-	-	-	-	-	-	-	1	-	-
		F	6	-	1	-	-	1	-	1	2	-	2	-	-	-	-

TABLE H.1(b) (Contd.)

I.S.C. No.	PRINCIPAL CAUSE OF ADMISSION		HOSPITALS UNDER REGIONAL BOARDS														
			TOTAL	Died	Marital status		Discharges (including deaths) by age										
					Single	N.S.	0-	1-	5-	15-	25-	35-	45-	55-	65-	75 and over	N.S.
019	Disseminated tuberculosis	M	13	5	10	-	1	5	-	2	1	1	2	-	1	-	-
		F	12	7	11	-	-	1	1	8	-	1	-	-	-	-	1
	.0 Acute miliary, specified as nonpulmonary	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	.1 Acute miliary unspecified	M	1	1	1	-	-	-	-	-	-	1	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	.2 Other forms	M	12	4	9	-	1	5	-	2	1	-	2	-	1	-	-
		F	12	7	11	-	-	1	1	8	-	1	-	-	-	-	1
020-029	Syphilis and its Sequelae diphtherg	M	67	18	15	2	4	-	2	-	5	9	16	12	16	2	1
		F	64	7	20	-	3	3	4	10	4	8	12	10	4	4	2
020	Congenital syphilis	M	6	2	6	-	4	-	2	-	-	-	-	-	-	-	-
		F	8	2	7	-	3	1	2	1	-	1	-	-	-	-	-
	.0 Interstitial keratitis	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	.1 Juvenile neurosyphilis	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	.2 Other congenital	M	6	2	6	-	4	-	2	-	-	-	-	-	-	-	-
		F	8	2	7	-	3	1	2	1	-	1	-	-	-	-	-
021	Early syphilis	M	2	-	1	-	-	-	-	-	1	-	1	-	-	-	-
		F	11	-	6	-	-	1	1	5	2	1	-	1	-	-	-
	.0 Primary, except extragenital chancre	M	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

	.1 Extragenital chancre	*M*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	.2 Secondary syphilis	*M*	*1*	-	*1*	-	-	-	-	-	-	-	*1*	-	-	-	-
		F	*11*	-	*6*	-	-	*1*	*1*	*5*	*2*	*1*	-	*1*	-	-	-
	.3 Relapse following treatment	*M*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	.4 Unspecified stage	*M*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
022	Aneurysm of aorta	M	15	11	1	-	-	-	-	-	-	-	2	6	6	1	-
		F	4	2	-	-	-	-	-	-	-	1	-	-	-	3	-
023	Other cardiovascular syphilis	M	7	2	1	1	-	-	-	-	-	-	1	1	4	-	1
		F	6	1	-	-	-	-	-	-	-	-	4	2	-	-	-
024	Tabes dorsalis	M	19	2	2	1	-	-	-	-	1	5	4	4	5	-	-
		F	7	-	1	-	-	-	-	-	-	2	2	2	-	1	-
025	General paralysis of insane	M	9	1	2	-	-	-	-	-	1	1	5	1	1	-	-
		F	3	-	-	-	-	-	-	-	-	-	-	2	-	-	1
026	Other syphilis of central nervous system	M	3	-	1	-	-	-	-	-	1	1	1	-	-	-	-
		F	10	-	1	-	-	-	-	-	-	1	5	1	2	-	1
027	Other forms of late syphilis	M	3	-	1	-	-	-	-	-	-	-	2	-	-	1	-
		F	6	1	2	-	-	1	-	1	-	1	-	2	1	-	-
028	Latent syphilis	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	.0 Early	*M*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	.1 Late	*M*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	.2 Unspecified	*M*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
029	Syphilis unqualified	M	3	-	-	-	-	-	-	-	1	2	1	-	-	-	-
		F	9	1	3	-	-	-	1	3	2	1	1	-	1	-	-

TABLE H.1(b) (Contd.)

I.S.C. No.	PRINCIPAL CAUSE OF ADMISSION		HOSPITALS UNDER REGIONAL BOARDS														
			TOTAL	Died	Marital status		Discharges (including deaths) by age										
					Single	N.S.	0-	1-	5-	15-	25-	35-	45-	55-	65-	75 and over	N.S.
030-039	Gonococcal infection and other venereal diseases	M	6	-	1	-	-	-	-	1	2	3	-	-	-	-	-
		F	3	-	-	-	-	-	-	1	2	-	-	-	-	-	-
030	Acute or unspecified gonorrhoea	M	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
031	Chronic gonococcal infection of genito-urinary system	M	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-
		F	2	-	-	-	-	-	-	1	1	-	-	-	-	-	-
032	Gonococcal infection of joint	M	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
033	Gonococcal infection of eye	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
034	Gonococcal infection of other sites	M	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
035	Late effects of gonococcal infection	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
036	Chancroid	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
037	Lymphogranuloma venereum	M	1	-	1	-	-	-	-	1	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
038	Granuloma inguinale, venereal	M	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
039	Other and unspecified venereal diseases	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

040-049	Infectious diseases commonly arising in intestinal tract	M	97	3	61	-	9	28	14	11	9	11	10	4	1	-	-
		F	68	2	51	-	14	19	9	5	6	4	5	4	2	-	-
040	Typhoid fever	M	17	2	4	-	-	1	-	2	1	6	5	2	-	-	-
		F	5	-	2	-	1	-	-	2	-	1	1	-	-	-	-
041	Paratyphoid fever	M	15	-	12	-	-	-	6	6	3	-	-	-	-	-	-
		F	9	-	8	-	1	4	3	-	1	-	-	-	-	-	-
042	Other Salmonella infections	M	20	-	15	-	5	7	3	-	-	-	3	1	1	-	-
		F	23	2	18	-	9	3	3	2	-	2	1	1	2	-	-
	.0 Without mention of food as vehicle of infection	*M*	*16*	-	*13*	-	*5*	*6*	*2*	-	-	-	*1*	*1*	*1*	-	-
		F	*16*	*2*	*14*	-	*8*	*2*	*2*	*1*	-	*1*	*1*	-	*1*	-	-
	.1 With food as vehicle of infection	*M*	*4*	-	*2*	-	-	*1*	*1*	-	-	-	*2*	-	-	-	-
		F	*7*	-	*4*	-	*1*	*1*	*1*	*1*	-	*1*	-	*1*	*1*	-	-
043	Cholera	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
044	Brucellosis (undulant fever)	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	2	-	-	-	-	-	-	-	1	-	1	-	-	-	-
045	Bacillary dysentery	M	14	-	12	-	1	8	2	1	1	1	-	-	-	-	-
		F	11	-	11	-	1	8	1	1	-	-	-	-	-	-	-
	.0 Flexner-Boyd group	*M*	*2*	-	*1*	-	-	-	*1*	-	-	*1*	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	.1 Schmitz	*M*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	.2 Shiga	*M*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	.3 Sonne	*M*	*9*	-	*9*	-	-	*8*	*1*	-	-	-	-	-	-	-	-
		F	*9*	-	*9*	-	*1*	*6*	*1*	*1*	-	-	-	-	-	-	-
	.4 Other and unspecified	*M*	*3*	-	*2*	-	*1*	-	-	*1*	*1*	-	-	-	-	-	-
		F	*2*	-	*2*	-	-	*2*	-	-	-	-	-	-	-	-	-

TABLE H.1(b) (Con'td.)

I.S.C. No.	PRINCIPAL CAUSE OF ADMISSION		HOSPITALS UNDER REGIONAL BOARDS														
			TOTAL	Died	Marital status		Discharges (including deaths) by age										
					Single	N.S.	0-	1-	5-	15-	25-	35-	45-	55-	65-	75 and over	N.S.
046	Amoebiasis	M	10	1	-	-	-	-	-	2	4	3	-	1	-	-	-
		F	2	-	-	-	-	-	-	-	2	-	-	-	-	-	-
	.0 Without mention of liver abscess	M	5	-	-	-	-	-	-	-	3	2	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	.1 With liver abscess	M	5	1	-	-	-	-	-	2	1	1	-	1	-	-	-
		F	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
047	Other protozoal dysentery	M	10	-	10	-	1	9	-	-	-	-	-	-	-	-	-
		F	4	-	4	-	2	2	-	-	-	-	-	-	-	-	-
048	Unspecified forms of dysentery	M	7	-	6	-	2	3	1	-	-	1	-	-	-	-	-
		F	4	-	4	-	-	2	2	-	-	-	-	-	-	-	-
049	Food poisoning (infection and intoxication)	M	4	-	2	-	-	-	2	-	-	-	2	-	-	-	-
		F	8	-	4	-	-	-	-	-	2	1	2	3	-	-	-
	.0 Staphylococcal	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	1	-	-	-	-	-	-	-	-	1	-	-	-
	.1 Botulism	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	.2 Unspecified	M	4	-	2	-	-	-	2	-	-	-	2	-	-	-	-
		F	7	-	3	-	-	-	-	-	2	1	2	2	-	-	-
050–064	**Other Bacterial Diseases**	M	706	32	643	5	69	248	291	30	11	28	13	7	4	4	1
		F	731	26	664	1	62	220	336	42	13	19	14	14	10	-	1
050	Scarlet fever	M	455	1	442	1	1	155	263	20	7	4	3	1	-	1	-
		F	439	-	421	-	1	116	278	30	6	6	1	-	-	-	1
051	Streptococcal sore throat	M	20	-	13	1	-	5	4	4	2	3	1	-	-	-	1
		F	22	-	20	-	1	1	10	6	2	1	1	-	-	-	-

052	Erysipelas	M	33	2	6	1	1	-	1	1	-	17	5	2	4	2	-
		F	41	-	11	1	1	2	1	1	2	9	9	8	8	-	-
053	Septicaemia and pyaemia	M	18	7	10	-	2	2	6	2	2	2	1	1	-	-	-
		F	16	2	5	-	-	1	3	2	1	1	2	4	2	-	-
	.0 Streptococcus	M	2	-	2	-	-	-	2	-	-	-	-	-	-	-	-
		F	2	-	1	-	-	-	1	-	1	-	-	-	-	-	-
	.1 Staphylococcus	M	9	4	4	-	-	2	2	2	1	1	-	1	-	-	-
		F	6	1	2	-	-	1	-	-	-	1	1	1	2	-	-
	.2 Pneumococcus	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	.3 Other specified organism	M	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	.4 Organism unspecified	M	6	3	4	-	2	-	2	-	1	-	1	-	-	-	-
		F	8	1	2	-	-	-	2	2	-	-	1	3	-	-	-
054	Bacterial toxaemia	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
055	Diphtheria	M	10	-	8	-	-	3	3	1	-	2	1	-	-	-	-
		F	31	1	30	-	-	6	21	3	-	1	-	-	-	-	-
056	Whooping cough	M	140	19	140	-	52	74	14	-	-	-	-	-	-	-	-
		F	153	17	152	-	48	84	20	-	1	-	-	-	-	-	-
	.0 Without mention of pneumonia	M	79	7	79	-	33	40	6	-	-	-	-	-	-	-	-
		F	97	5	96	-	34	49	13	-	1	-	-	-	-	-	-
	.1 With pneumonia	M	61	12	61	-	19	34	8	-	-	-	-	-	-	-	-
		F	56	12	56	-	14	35	7	-	-	-	-	-	-	-	-
057	Meningococcal infections	M	27	2	24	2	13	9	-	2	-	-	-	3	-	-	-
		F	28	6	25	-	11	10	3	-	1	1	-	2	-	-	-
	.0 Meningococcal meningitis	M	23	-	20	2	11	8	-	1	-	-	-	3	-	-	-
		F	26	5	24	-	10	10	3	-	1	1	-	1	-	-	-
	.1 Acute and unspecified meningococcaemia	M	2	1	2	-	1	-	-	1	-	-	-	-	-	-	-
		F	2	1	1	-	1	-	-	-	-	-	-	1	-	-	-

TABLE H.1(b) (Contd.)

I.S.C. No.	PRINCIPAL CAUSE OF ADMISSION		HOSPITALS UNDER REGIONAL BOARDS														
			TOTAL	Died	Marital status		Discharges (including deaths) by age										
					Single	N.S.	0-	1-	5-	15-	25-	35-	45-	55-	65-	75 and over	N.S.
057	2. Chronic meningococcaemia	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	.3 Other forms of meningococcal infection	M	2	1	2	-	1	1	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
058	Plague	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	.0 Bubonic	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	.1 Pneumonic	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	.2 Other	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
059	Tularaemia	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
060	Leprosy	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	.0 Lepromatous leprosy	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	.1 Neuroleprosy	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	.2 Mixed	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	.3 Unspecified	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

061	Tetanus	M	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
062	Anthrax	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
063	Gas gangrene	M	2	1	-	-	-	-	-	-	-	-	1	-	-	1	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
064	Other bacterial diseases	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-
	.0 Epidemic arthritic erythema	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	.1 Rat-bite fever due to Streptobacillus moniliformis	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	.2 Glanders	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	.3 Melioidosis	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	.4 Other	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-
070-074	**Spirochaetal Diseases, except Syphilis**	M	2	-	-	-	-	-	-	-	2	-	-	-	-	-	-
		F	5	-	5	-	-	1	2	1	-	-	-	-	1	-	-
070	Vincent's infection	M	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
		F	4	-	4	-	-	1	2	1	-	-	-	-	-	-	-
071	Relapsing fever	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	.0 Louse-borne	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	.1 Tick-borne	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	.2 Unspecified	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

TABLE H.1(b) (Contd.)

I.S.C. No.	PRINCIPAL CAUSE OF ADMISSION		HOSPITALS UNDER REGIONAL BOARDS														
			TOTAL	Died	Marital status		Discharges (including deaths) by age										
					Single	N.S.	0-	1-	5-	15-	25-	35-	45-	55-	65-	75 and over	N.S.
072	Leptospirosis icterohaemorrhagica (Weil's disease)	M	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
073	Yaws	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
074	Other spirochaetal and leptospirochaetal infections	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	1	-	-	-	-	-	-	-	-	-	1	-	-
	.0 Rat-bite fever due to spirochaeta morsus muris (sodoku)	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	.1 Other	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	1	-	-	-	-	-	-	-	-	-	1	-	-
080-096	**Diseases attributable to Viruses**	**M**	**510**	**19**	**422**	**8**	**29**	**198**	**130**	**53**	**43**	**22**	**16**	**10**	**3**	**3**	**3**
		F	**461**	**13**	**371**	**3**	**22**	**173**	**93**	**70**	**47**	**16**	**9**	**13**	**14**	**2**	**2**
080	Acute poliomyelitis	M	146	11	123	3	5	50	49	17	16	8	-	-	-	-	1
		F	132	8	107	1	8	47	30	26	13	5	1	-	-	-	2
	.0 Specified as bulbar or polio-encephalitis	M	*10*	*4*	*9*	-	-	*3*	*4*	-	*2*	*1*	-	-	-	-	-
		F	*11*	*2*	*6*	-	-	*3*	*2*	*4*	*1*	-	*1*	-	-	-	-
	.1 With other paralysis	M	*4*	-	*4*	-	-	*2*	*2*	-	-	-	-	-	-	-	-
		F	*5*	-	*3*	-	-	*3*	-	-	*2*	-	-	-	-	-	-
	.2 Specified as nonparalytic	M	*7*	-	*5*	-	-	*1*	*3*	*1*	*1*	*1*	-	-	-	-	-
		F	*4*	-	*4*	-	-	*1*	*3*	-	-	-	-	-	-	-	-
	.3 Unspecified	M	*125*	*7*	*105*	*3*	*5*	*44*	*40*	*16*	*13*	*6*	-	-	-	-	*1*
		F	*112*	*6*	*94*	*1*	*8*	*40*	*25*	*22*	*10*	*5*	-	-	-	-	*2*

081	Late effects of acute poliomyelitis	M	18	-	17	-	-	4	11	-	1	-	1	-	-	-	1
		F	26	1	19	1	1	9	6	2	2	3	3	-	-	-	-
082	Acute infectious encephalitis	M	16	1	10	-	-	1	3	3	3	2	2	2	-	-	-
		F	20	-	13	-	1	4	3	2	6	2	-	2	-	-	-
083	Late effects of acute infectious encephalitis	M	5	1	3	-	-	-	1	-	1	1	1	-	1	-	-
		F	6	1	2	-	-	1	-	-	1	-	1	3	-	-	-
	.0 Postencephalitic Parkinsonism	*M*	*4*	*1*	*2*	-	-	-	-	-	*1*	*1*	*1*	-	*1*	-	-
		F	3	-	*1*	-	-	-	-	-	*1*	-	-	*2*	-	-	-
	.1 Postencephalitic personality and character disorders	*M*	*1*	-	*1*	-	-	-	*1*	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	.2 Postencephalitic psychosis	*M*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	.3 Other postencephalitic conditions	*M*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	3	*1*	*1*	-	-	*1*	-	-	-	-	*1*	*1*	-	-	-
084	Smallpox	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
085	Measles	M	166	2	165	-	20	109	33	2	-	1	1	-	-	-	-
		F	134	2	131	-	8	97	16	6	5	1	-	-	1	-	-
	.0 Without mention of pneumonia	*M*	*116*	-	*116*	-	*17*	*76*	*20*	*2*	-	*1*	-	-	-	-	-
		F	*109*	*1*	*106*	-	*6*	*75*	*15*	*6*	*5*	*1*	-	-	*1*	-	-
	.1 With pneumonia	*M*	*50*	*2*	*49*	-	*3*	*33*	*13*	-	-	-	*1*	-	-	-	-
		F	*25*	*1*	*25*	-	*2*	*22*	*1*	-	-	-	-	-	-	-	-
086	Rubella (German measles)	M	13	-	13	-	-	3	4	6	-	-	-	-	-	-	-
		F	24	-	21	1	-	4	7	9	3	-	1	-	-	-	-
087	Chickenpox	M	39	1	37	1	2	19	10	6	1	-	1	-	-	-	-
		F	27	1	26	-	2	9	11	3	2	-	-	-	-	-	-
088	Herpes zoster	M	11	-	2	-	-	1	-	-	-	-	2	3	2	2	1
		F	16	-	3	-	-	-	-	-	-	1	1	3	10	1	-

TABLE H.1(b) (Contd.)

I.S.C. No.	PRINCIPAL CAUSE OF ADMISSION		HOSPITALS UNDER REGIONAL BOARDS														
			TOTAL	Died	Marital status		Discharges (including deaths) by age										
					Single	N.S.	0-	1-	5-	15-	25-	35-	45-	55-	65-	75 and over	N.S.
089	Mumps	M	5	-	4	-	-	-	1	3	-	-	1	-	-	-	-
		F	3	-	1	-	-	-	-	1	2	-	-	-	-	-	-
090	Dengue	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
091	Yellow fever	M	1	1	1	-	-	-	-	-	-	-	1	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
092	Infectious hepatitis	M	53	2	30	2	2	5	12	8	14	6	3	2	-	1	-
		F	51	-	33	-	1	1	15	14	8	4	2	3	2	1	-
093	Glandular fever (infectious mononucleosis	M	28	-	14	1	-	3	6	8	7	2	2	-	-	-	-
		F	17	-	13	-	-	-	5	7	5	-	-	-	-	-	-
094	Rabies	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
095	Trachoma	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
096	Other diseases attributable to viruses	M	9	-	3	1	-	3	-	-	-	2	1	3	-	-	-
		F	5	-	2	-	1	1	-	-	-	-	-	2	1	-	-
	.0 Herpes febrilis	M	6	-	3	1	-	3	-	-	-	1	-	2	-	-	-
		F	4	-	2	-	1	1	-	-	-	-	-	1	1	-	-
	.1 Infectious keratoconjunclivitis	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	.2 Psittacosis and ornithosis	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

	.3 Cowpox	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	.4 Epidemic hiccough	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	.5 Epidemic myalgia (Bornholm disease)	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	.6 Foot and mouth disease	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	.7 Sandfly fever	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	.8 Rift Valley fever	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	.9 Other	M	3	-	-	-	-	-	-	-	-	1	1	1	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	1	-	-
100–108	Typhus and other Rickettsial Diseases	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-
100	Louse-borne epidemic typhus	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-
101	Flea-borne endemic typhus (murine)	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-
102	Brill's disease, not specified as louse-borne or flea-borne typhus	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-
103	Tabardillo (Mexican typhus), not specified as louse- or flea-borne	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-
104	Tick-borne typhus	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-
105	Mite-borne typhus	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-

TABLE H.1(b) (Contd.)

I.S.C. No.	PRINCIPAL CAUSE OF ADMISSION		HOSPITALS UNDER REGIONAL BOARDS														
			TOTAL	Died	Marital status		Discharges (including deaths) by age										
					Single	N.S.	0-	1-	5-	15-	25-	35-	45-	55-	65-	75 and over	N.S.
106	Wolhynian fever (trench fever)	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
107	Typhus, unspecified	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
108	Other rickettsial diseases	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
110-117	**Malaria**	M	5	1	4	-	-	-	-	3	-	-	1	1	-	-	-
		F	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
110	Vivax malaria (benign tertian)	M	1	-	1	-	-	-	-	1	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
111	Malariae malaria (quartan)	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
112	Falciparum malaria (malignant tertian)	M	1	-	1	-	-	-	-	1	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
113	Ovale malaria	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
114	Mixed malarial infections	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
115	Blackwater fever	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
116	Other and unspecified forms of malaria	M	3	1	2	-	-	-	-	1	-	-	1	1	-	-	-
		F	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
117	Recurrent induced malaria	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

120-138	Other infective and parasitic diseases	M	43	1	25	1	-	3	6	7	7	11	4	3	2	-	-
		F	62	1	38	-	3	6	11	15	10	5	7	2	1	-	2
120	Leishmaniasis	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	.0 Visceral (Kala-azar)	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	.1 Cutaneous (Oriental sore)	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	.2 Mucocutaneous (American)	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	.3 Unspecified	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
121	Trypanosomiasis	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	.0 African (sleeping sickness)	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	.1 South American (Chagas' disease)	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	.2 Other	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
122	Other protozoal diseases	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	.0 Coccidiosis	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	.1 Toxoplasmosis	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	.2 Other	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
123	Schistosomiasis	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

TABLE H.1(b) (Contd.)

I.S.C. No.	PRINCIPAL CAUSE OF ADMISSION		HOSPITALS UNDER REGIONAL BOARDS														
			TOTAL	Died	Marital status		Discharges (including deaths) by age										
					Single	N.S.	0-	1-	5-	15-	25-	35-	45-	55-	65-	75 and over	N.S.
123	.0 Vesical (S. haematobium)	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	.1 Intestinal (S. Mansoni)	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	.2 Pulmonary (S. japonicum)	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	.3 Other and unspecified	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
124	Other trematode infestation	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	.0 Clonorchiasis	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	.1 Paragonimiasis	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	.2 Other	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
125	Hydatid disease	M	2	1	1	-	-	-	1	-	-	-	-	-	1	-	-
		F	3	-	1	-	-	-	-	-	-	2	-	-	1	-	-
126	Other cestode infestation	M	5	-	3	1	-	-	2	2	-	1	-	-	-	-	-
		F	9	-	5	-	-	-	-	3	2	-	3	1	-	-	-
127	Filariasis	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
128	Trichiniasis	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

129	Ankylostomiasis	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
130	Infestation with worms of other, mixed, and unspecified type	M	5	-	3	-	-	-	2	1	1	-	-	1	-	-	-
		F	14	-	12	-	-	3	6	3	1	1	-	-	-	-	-
	.0 Ascariasis	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	1	-	-	1	-	-	-	-	-	-	-	-	-
	.1 Oxyuriasis	M	3	-	2	-	-	-	2	-	-	-	-	1	-	-	-
		F	11	-	10	-	-	2	5	3	-	1	-	-	-	-	-
	.2 Mixed intestinal helminth infestation	M	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	.3 Other	M	1	-	1	-	-	-	-	1	-	-	-	-	-	-	-
		F	2	-	1	-	-	-	1	-	1	-	-	-	-	-	-
131	Dermatophytosis	M	8	-	3	-	-	-	-	2	2	2	-	2	-	-	-
		F	3	-	1	-	-	-	-	-	1	-	2	-	-	-	-
132	Actinomycosis	M	5	-	1	-	-	-	-	1	-	1	3	-	-	-	-
		F	3	1	-	-	-	-	-	-	3	-	-	-	-	-	-
133	Coccidioido-mycosis	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
134	Other fungus infections	M	3	-	3	-	-	2	-	-	1	-	-	-	-	-	-
		F	11	-	4	-	1	-	-	4	3	2	-	-	-	-	1
	.0 Blastomycosis	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	.1 Cryptococcosis (torulosis)	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	.2 Histoplasmosis	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	.3 Moniliasis	M	2	-	2	-	-	2	-	-	-	-	-	-	-	-	-
		F	11	-	4	-	1	-	-	4	3	2	-	-	-	-	1

TABLE H.1(b) (Contd.)

I.S.C. No.	PRINCIPAL CAUSE OF ADMISSION		HOSPITALS UNDER REGIONAL BOARDS														
			TOTAL	Died	Marital status		Discharges (including deaths) by age										
					Single	N.S.	0-	1-	5-	15-	25-	35-	45-	55-	65-	75 and over	N.S.
134	*.4 Sporotrichosis*	*M*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	.5 Other	*M*	*1*	-	*1*	-	-	-	-	-	*1*	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
135	Scabies	M	3	-	2	-	-	1	-	1	-	-	-	-	1	-	-
		F	12	-	11	-	2	3	4	3	-	-	-	-	-	-	-
136	Pediculosis	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	4	-	1	-	-	-	-	1	-	-	2	1	-	-	-
137	Other arthropod infestation	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
138	Other infective and parasitic diseases	M	12	-	9	-	-	-	1	-	3	7	1	-	-	-	-
		F	3	-	3	-	-	-	1	1	-	-	-	-	-	-	1
	.0 Sarcoid of Boeck	*M*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	3	-	3	-	-	-	*1*	*1*	-	-	-	-	-	-	*1*
	.1 Other	*M*	*12*	-	9	-	-	-	*1*	-	3	7	*1*	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	II. NEOPLASMS																
140-148	Malignant neoplasm of buccal cavity and pharynx	M	108	17	15	5	-	-	1	-	3	7	17	23	30	26	1
		F	45	9	12	1	-	-	1	2	5	5	8	11	10	2	1
140	Lip	M	7	-	1	-	-	-	-	-	-	-	1	2	3	1	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-
141	Tongue	M	34	6	3	1	-	-	-	-	1	1	5	8	8	11	-
		F	6	2	2	1	-	-	-	-	1	-	1	1	2	1	-

142	Salivary gland	M	11	1	3	-	-	-	1	-	2	1	3	1	2	1	-
		F	14	1	3	-	-	-	-	2	4	3	3	1	1	-	-
	.0 Mixed salivary gland tumour	*M*	*3*	-	*1*	-	-	-	-	-	*1*	-	*2*	-	-	-	-
		F	*8*	-	*1*	-	-	-	-	*1*	*3*	*2*	*2*	-	-	-	-
	.1 Other	*M*	*8*	*1*	*2*	-	-	-	*1*	-	*1*	*1*	*1*	*1*	*2*	*1*	-
		F	*6*	*1*	*2*	-	-	-	-	*1*	*1*	*1*	*1*	*1*	*1*	-	-
143	Floor of mouth	M	13	3	3	3	-	-	-	-	-	2	-	3	3	5	-
		F	3	-	-	-	-	-	-	-	-	-	-	1	1	1	-
144	Other parts of mouth and mouth unspecified	M	22	3	1	1	-	-	-	-	-	1	2	3	9	6	1
		F	9	2	3	-	-	-	-	-	-	-	1	5	3	-	-
145	Oral mesopharynx	M	6	-	2	-	-	-	-	-	-	2	1	2	1	-	-
		F	1	-	1	-	-	-	-	-	-	-	-	1	-	-	-
146.	Nasopharynx	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
147	Hypopharynx	M	6	1	2	-	-	-	-	-	-	-	2	3	-	1	-
		F	7	2	2	-	-	-	-	-	-	1	2	2	1	-	1
148	Pharynx, unspecified	M	9	3	-	-	-	-	-	-	-	-	3	1	4	1	-
		F	4	2	1	-	-	-	1	-	-	1	1	-	1	-	-
150-159	**Malignant neoplasm of digestive organs and peritoneum**	**M**	**491**	**189**	**40**	**31**	**-**	**1**	**-**	**1**	**5**	**35**	**78**	**124**	**177**	**67**	**3**
		F	**414**	**172**	**49**	**7**	**-**	**-**	**-**	**-**	**3**	**25**	**59**	**95**	**162**	**68**	**2**
150	Oesophagus	M	45	21	3	3	-	-	-	1	-	2	5	7	18	12	-
		F	18	9	1	1	-	-	-	-	-	-	1	4	9	4	-
151	Stomach	M	154	64	12	12	-	-	-	-	1	11	26	50	53	12	1
		F	91	45	14	1	-	-	-	-	1	4	9	19	39	17	2
152	Small intestine including duodenum	M	2	-	-	-	-	-	-	-	-	-	1	-	-	1	-
		F	2	1	-	-	-	-	-	-	-	-	1	1	-	-	-
153	Large intestine, except rectum	M	122	37	15	11	-	-	-	-	3	6	18	28	57	9	1
		F	133	53	16	4	-	-	-	-	1	8	24	34	42	24	-

TABLE H.1(b) (Contd.)

I.S.C. No.	PRINCIPAL CAUSE OF ADMISSION		HOSPITALS UNDER REGIONAL BOARDS														
			TOTAL	Died	Marital status		Discharges (including deaths) by age										
					Single	N.S.	0-	1-	5-	15-	25-	35-	45-	55-	65-	75 and over	N.S.
154	Rectum	M	112	35	8	2	-	-	-	-	1	4	19	24	36	28	-
		F	83	29	14	1	-	-	-	-	1	8	13	19	28	14	-
155	Biliary passages and liver (stated to be primary site)	M	4	1	-	-	-	-	-	-	-	1	-	1	-	2	-
		F	16	9	-	-	-	-	-	-	-	2	1	5	3	5	-
156	Liver (secondary and unspecified)	M	3	2	1	-	-	-	-	-	-	1	-	1	-	1	-
		F	8	3	1	-	-	-	-	-	-	-	1	2	5	-	-
157	Pancreas	M	38	27	-	3	-	-	-	-	-	5	6	11	13	2	1
		F	27	20	1	-	-	-	-	-	-	-	4	8	14	1	-
158	Peritoneum	M	11	2	1	-	-	1	-	-	-	5	3	2	-	-	-
		F	35	2	2	-	-	-	-	-	-	3	5	3	21	3	-
159	Unspecified digestive organs	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	1	-	-	-	-	-	-	-	-	-	-	1	-	-
160-165	Malignant neoplasm of respiratory system	M	387	152	40	7	-	-	-	1	3	37	105	153	73	14	1
		F	83	40	13	1	-	2	1	1	4	13	16	30	12	4	-
160	Nose, nasal cavities, middle ear, and accessory sinuses	M	9	2	-	-	-	-	-	-	-	1	1	4	2	1	-
		F	4	-	2	-	-	-	-	1	-	3	-	-	-	-	-
161	Larynx	M	45	13	4	-	-	-	-	1	-	-	10	20	12	2	-
		F	5	1	-	-	-	-	-	-	-	2	1	-	1	1	-
162	Trachea, bronchus and lung specified as primary	M	43	25	5	-	-	-	-	-	1	5	13	15	6	2	1
		F	10	6	-	-	-	-	-	-	-	1	2	2	3	2	-
163	Lung and bronchus, unspecified as to whether primary	M	286	110	31	7	-	-	-	-	2	29	81	112	53	9	-
		F	60	32	9	1	-	2	1	-	3	6	13	26	8	1	-

164	Mediastinum	M	2	1	-	-	-	-	-	-	-	1	-	1	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-
165	Thoracic organs (secondary)	M	2	1	-	-	-	-	-	-	-	1	-	1	-	-	-
		F	3	1	2	-	-	-	-	-	1	1	-	1	-	-	-
170-181	**Malignant neoplasm of breast and genito-urinary organs**	**M**	**321**	**83**	**28**	**9**	**1**	**1**	**-**	**2**	**6**	**17**	**33**	**80**	**120**	**59**	**2**
		F	**824**	**135**	**92**	**10**	**-**	**1**	**3**	**3**	**25**	**116**	**191**	**262**	**164**	**56**	**3**
170	Breast	M	4	-	-	-	-	-	-	-	-	1	-	1	2	-	-
		F	322	59	41	2	-	-	-	-	9	61	83	76	70	21	2
171	Cervix uteri	F	184	22	14	2	-	1	-	-	8	31	54	51	32	6	1
172	Corpus uteri	F	62	2	12	1	-	-	-	1	-	7	16	22	13	3	-
173	Other parts of uterus including chorionepithelioma	F	4	2	2	-	-	-	-	-	3	-	-	-	1	-	-
174	Uterus, unspecified	F	45	12	5	1	-	-	-	-	-	5	7	18	9	6	-
175	Ovary, Fallopian tube, and broad ligament	F	134	30	6	3	-	-	-	2	3	10	23	70	22	4	-
176	Other and unspecified female genital organs	F	26	2	6	-	-	-	-	-	1	1	2	9	3	10	-
177	Prostate	M	132	29	5	4	-	-	-	1	-	1	10	23	65	32	-
178	Testis	M	13	2	4	-	-	-	-	-	6	5	-	1	1	-	-
179	Other and unspecified male genital organs	M	16	3	1	-	-	-	-	-	-	1	1	5	5	4	-
180	Kidney	M	29	11	4	1	1	1	-	1	-	3	4	6	11	2	-
		F	12	2	4	1	-	-	3	-	-	-	2	5	2	-	-
181	Bladder and other urinary organs	M	127	38	14	4	-	-	-	-	-	6	18	44	36	21	2
		F	35	4	2	-	-	-	-	-	1	1	4	11	12	6	-

TABLE H.1(b) (Contd.)

I.S.C. No.	PRINCIPAL CAUSE OF ADMISSION		HOSPITALS UNDER REGIONAL BOARDS														
			TOTAL	Died	Marital status		Discharges (including deaths) by age										
					Single	N.S.	0-	1-	5-	15-	25-	35-	45-	55-	65-	75 and over	N.S.
190-199	Malignant neoplasm of other and unspecified sites	M	133	37	18	2	1	4	5	2	5	16	28	16	40	16	-
		F	162	25	24	4	-	2	6	10	9	22	25	31	39	17	1
190	Malignant melanoma of skin	M	7	3	1	-	-	-	1	-	2	-	-	1	3	-	-
		F	12	1	3	-	-	-	2	-	1	1	3	2	2	1	-
191	Other malignant neoplasm of skin	M	32	2	2	1	-	-	1	-	-	6	7	2	13	3	-
		F	31	-	5	1	-	1	-	2	2	1	3	5	10	7	-
192	Eye	M	4	1	-	-	-	-	-	-	-	-	1	2	1	-	-
		F	4	-	1	-	-	-	1	-	-	-	1	2	-	-	-
193	Brain and other parts of nervous system	M	19	11	11	-	1	3	3	2	3	-	4	2	1	-	-
		F	7	2	2	-	-	1	1	-	-	3	1	-	-	-	1
194	Thyroid gland	M	6	1	-	-	-	-	-	-	-	3	2	1	-	-	-
		F	18	3	2	-	-	-	-	5	2	-	-	7	1	3	-
195	Other endocrine glands	M	2	2	-	1	-	-	-	-	-	2	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
196	Bone (including jaw bone)	M	10	2	-	-	-	-	-	-	-	-	3	1	4	2	-
		F	12	3	2	-	-	-	-	1	2	2	-	5	1	1	-
197	Connective tissue	M	6	-	1	-	-	-	-	-	-	1	3	1	1	-	-
		F	6	-	3	-	-	-	-	2	1	1	1	-	1	-	-
198	Secondary and unspecified malignant neoplasm of lymph nodes	M	13	2	2	-	-	-	-	-	-	2	2	4	1	4	-
		F	23	1	1	-	-	-	-	-	1	7	7	2	5	1	-
199	Other and unspecified sites	M	34	13	1	-	-	1	-	-	-	2	6	2	16	7	-
		F	49	15	5	3	-	-	2	-	-	7	9	8	19	4	-

200-205	Neoplasms of lymphatic and haematopoietic tissues	M	124	37	33	3	3	1	6	14	19	17	19	30	10	5	-
		F	63	19	28	1	-	4	1	3	7	11	17	8	9	3	-
200	Lymphosarcoma and reticulosarcoma	M	15	5	5	1	-	-	2	-	1	5	1	4	-	2	-
		F	7	4	2	-	-	-	1	-	-	1	1	2	1	1	-
	.0 Reticulum cell sarcoma	M	7	1	3	-	-	-	1	-	-	5	-	-	-	1	-
		F	2	2	-	-	-	-	-	-	-	1	-	-	-	1	-
	.1 Lymphosarcoma	M	8	4	2	1	-	-	1	-	1	-	1	4	-	1	-
		F	5	2	2	-	-	-	1	-	-	-	1	2	1	-	-
	.2 Other primary malignant neoplasms of lymphoid tissue	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
201	Hodgkin's disease	M	50	9	16	1	-	-	4	9	9	8	10	7	2	1	-
		F	26	5	12	-	-	-	-	2	6	8	6	2	1	1	-
202	Other forms of lymphoma (reticulosis)	M	8	2	2	-	1	-	-	-	1	1	-	2	3	-	-
		F	5	-	1	-	-	1	-	-	-	-	3	1	-	-	-
	.0 Giant follicular lymphoma (Brill-Symmer's disease)	M	6	1	1	-	-	-	-	-	1	1	-	1	3	-	-
		F	2	-	-	-	-	-	-	-	-	-	1	1	-	-	-
	.1 Other	M	2	1	1	-	1	-	-	-	-	-	-	1	-	-	-
		F	3	-	1	-	-	1	-	-	-	-	2	-	-	-	-
203	Multiple myeloma (plasmocytoma)	M	2	-	-	-	-	-	-	-	-	-	2	-	-	-	-
		F	4	1	3	1	-	-	-	-	-	-	4	-	-	-	-
204	Leukaemia and aleukaemia	M	49	21	10	1	2	1	-	5	8	3	6	17	5	2	-
		F	21	9	10	-	-	3	-	1	1	2	3	3	7	1	-
	.0 Lymphatic leukaemia	M	20	11	5	1	1	1	-	1	-	1	-	13	2	1	-
		F	7	3	3	-	-	-	-	1	1	-	1	1	3	-	-
	.1 Myeloid leukaemia	M	21	5	1	-	-	-	-	1	6	2	5	4	2	1	-
		F	8	3	4	-	-	-	-	-	-	2	1	2	3	-	-
	.2 Monocytic leukaemia	M	1	-	1	-	-	-	-	1	-	-	-	-	-	-	-
		F	1	1	-	-	-	-	-	-	-	-	1	-	-	-	-

TABLE H.1(b) (Contd.)

I.S.C. No.	PRINCIPAL CAUSE OF ADMISSION		HOSPITALS UNDER REGIONAL BOARDS														
			TOTAL	Died	Marital status		Discharges (including deaths) by age										
					Single	N.S.	0-	1-	5-	15-	25-	35-	45-	55-	65-	75 and over	N.S.
204	.3 *Acute leukaemia, unspecified type*	*M*	7	5	3	-	1	-	-	2	2	-	1	-	1	-	-
		F	3	1	3	-	-	3	-	-	-	-	-	-	-	-	-
	.4 *Other and unspecified leukaemia*	*M*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	2	1	-	-	-	-	-	-	-	-	-	-	1	1	-
205	Mycosis fungoides	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
210-229	**Benign neoplasm**	**M**	**491**	**7**	**123**	**12**	**9**	**31**	**43**	**24**	**36**	**81**	**99**	**67**	**73**	**24**	**4**
		F	**1399**	**14**	**307**	**17**	**10**	**16**	**40**	**119**	**187**	**448**	**343**	**134**	**78**	**16**	**8**
210	Buccal cavity and pharynx	M	17	-	5	1	-	1	2	1	5	2	3	2	-	1	-
		F	27	-	6	-	-	-	2	1	1	9	7	2	4	-	1
211	Other parts of digestive system	M	31	1	12	4	-	3	6	1	2	3	6	2	4	2	2
		F	20	-	8	-	-	1	4	2	2	1	5	1	3	1	-
212	Respiratory system	M	29	-	11	1	1	5	4	2	4	7	3	1	1	-	1
		F	20	-	7	-	-	1	3	2	2	3	2	6	1	-	-
213	Breast	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	64	-	14	1	-	-	-	10	17	19	9	5	2	1	1
214	Uterine fibromyoma	F	442	3	65	4	-	1	-	1	32	217	172	14	4	-	1
215	Uterus	F	203	-	19	5	-	-	-	5	25	80	57	26	7	3	-
216	Ovary	F	226	3	41	3	-	1	5	29	59	49	32	20	24	6	1
217	Other female genital organs	F	64	1	12	2	1	-	1	11	18	17	12	2	2	-	-
218	Male genital organs	M	16	-	-	-	-	-	-	-	1	5	5	2	2	1	-

219	Kidney and other urinary organs	M	211	6	8	3	-	-	-	1	4	24	54	51	58	19	-
		F	53	1	10	-	-	-	-	-	-	7	4	20	19	3	-
220	Benign melanoma of skin	M	2	-	1	-	-	-	-	1	-	-	1	-	-	-	-
		F	6	-	4	-	-	1	2	1	-	1	-	-	-	-	1
221	Pilonidal cyst	M	21	-	8	-	-	-	-	7	6	8	-	-	-	-	-
		F	30	-	22	1	-	-	-	22	6	2	-	-	-	-	-
222	Other benign neoplasm of skin	M	35	-	24	1	3	9	7	4	3	3	1	3	1	1	-
		F	38	-	20	-	3	3	7	5	2	1	5	5	7	-	-
223	Brain and other parts of nervous system	M	9	-	1	1	-	1	-	-	4	3	-	-	1	-	-
		F	21	4	11	-	-	1	1	3	1	2	7	5	-	-	1
224	Endocrine glands	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
225	Bone and cartilage	M	35	-	14	-	-	1	10	3	1	7	8	3	1	-	1
		F	53	1	25	-	-	-	5	17	7	11	6	5	1	1	-
226	Lipoma	M	34	-	8	-	-	4	-	1	3	8	12	3	3	-	-
		F	66	-	11	1	-	1	2	5	8	20	13	15	1	-	1
227	Other benign neoplasm of muscular and connective tissue	M	4	-	1	-	1	-	-	-	-	2	1	-	-	-	-
		F	9	-	5	-	-	-	-	2	-	1	3	2	1	-	-
228	Haemangioma and lymphangioma	M	24	-	16	-	4	6	4	1	2	3	3	-	1	-	-
		F	33	1	22	-	6	5	5	3	4	2	3	4	1	-	-
229	Other and unspecified organs and tissues	M	23	-	14	1	-	1	10	2	1	6	2	-	1	-	-
		F	24	-	5	-	-	1	3	-	3	6	6	2	1	1	1
230–239	**Neoplasm of unspecified nature**	**M**	**66**	**11**	**8**	**2**	**–**	**1**	**1**	**3**	**4**	**7**	**17**	**20**	**8**	**5**	**–**
		F	**71**	**9**	**18**	**2**	**–**	**1**	**4**	**2**	**8**	**8**	**19**	**13**	**11**	**5**	**–**
230	Digestive organs	M	7	-	-	-	-	-	-	-	-	-	2	2	2	1	-
		F	8	1	2	-	-	-	-	-	-	1	3	1	2	1	-
231	Respiratory organs	M	14	1	-	-	-	-	-	-	-	2	2	5	2	3	-
		F	2	-	1	-	-	-	-	1	-	-	1	-	-	-	-

TABLE H.1 (b) (Contd.)

I.S.C. No.	PRINCIPAL CAUSE OF ADMISSION		HOSPITALS UNDER REGIONAL BOARDS														
			TOTAL	Died	Marital status		Discharges (including deaths) by age										
					Single	N.S.	0-	1-	5-	15-	25-	35-	45-	55-	65-	75 and over	N.S.
232	Breast	M	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-
		F	6	-	4	-	-	-	-	-	2	-	2	1	1	-	-
233	Uterus	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
234	Ovary	F	8	-	2	1	-	-	-	-	1	-	1	2	2	2	-
235	Other female genital organs	F	2	-	1	-	-	-	1	-	1	-	-	-	-	-	-
236	Other genito-urinary organs	M	3	-	-	-	-	-	-	-	-	1	2	-	-	-	-
		F	3	-	-	-	-	-	-	-	1	-	-	1	1	-	-
237	Brain and other parts of nervous system	M	25	9	5	2	-	1	1	1	1	2	8	9	1	1	-
		F	27	7	6	1	-	1	3	1	1	6	8	6	1	-	-
238	Skin and musculo-skeletal system	M	4	-	1	-	-	-	-	1	1	1	1	-	-	-	-
		F	4	-	-	-	-	-	-	-	-	1	-	1	2	-	-
239	Other and unspecified organs	M	12	1	2	-	-	-	-	1	2	1	2	3	3	-	-
		F	11	1	2	-	-	-	-	-	2	-	4	1	2	2	-
	III. ALLERGIC, ENDOCRINE SYSTEM, METABOLIC, AND NUTRITIONAL DISEASES																
240-245	**Allergic disorders**	**M**	**216**	**16**	**96**	**6**	**11**	**16**	**34**	**17**	**15**	**26**	**43**	**34**	**15**	**5**	**-**
		F	**254**	**12**	**77**	**1**	**5**	**18**	**12**	**22**	**25**	**53**	**62**	**34**	**19**	**1**	**3**
240	Hay fever	M	2	-	1	-	-	-	1	-	-	1	-	-	-	-	-
		F	4	-	3	-	-	-	1	-	2	-	-	1	-	-	-
241	Asthma	M	172	16	64	5	10	7	19	12	12	22	40	33	12	5	-
		F	214	12	60	-	5	14	3	16	19	48	53	29	18	1	2

242	Angioneurotic oedema	M	6	-	4	-	-	2	-	2	-	1	-	1	-	-	-
		F	7	-	2	-	-	-	-	-	1	1	2	2	1	-	-
243	Urticaria	M	20	-	13	1	-	3	7	2	2	2	2	1	1	-	-
		F	18	-	7	1	-	1	1	5	1	2	6	1	-	-	1
244	Allergic eczema	M	7	-	6	-	1	2	3	-	-	-	1	-	-	-	-
		F	4	-	2	-	-	2	-	-	-	2	-	-	-	-	-
245	Other allergic disorders	M	9	-	8	-	-	2	4	1	1	-	-	-	1	-	-
		F	7	-	3	-	-	1	1	1	2	-	1	1	-	-	-
250-254	**Diseases of thyroid gland**	**M**	**49**	**1**	**9**	**2**	**-**	**-**	**-**	**5**	**8**	**14**	**12**	**6**	**3**	**1**	**-**
		F	**261**	**4**	**46**	**2**	**2**	**-**	**2**	**18**	**47**	**81**	**59**	**36**	**10**	**4**	**2**
250	Simple goitre	M	1	1	-	-	-	-	-	-	-	-	-	-	1	-	-
		F	23	-	5	-	-	-	-	1	6	11	1	4	-	-	-
251	Nontoxic nodular goitre	M	7	-	2	1	-	-	-	-	1	2	4	-	-	-	-
		F	75	-	10	-	-	-	-	6	16	23	20	10	-	-	-
252	Thyrotoxicosis with or without goitre	M	35	-	4	1	-	-	-	3	6	11	7	6	1	1	-
		F	125	3	20	2	-	-	-	8	24	41	28	16	6	-	2
	.0 Toxic diffuse goitre	*M*	*34*	-	*4*	*1*	-	-	-	*3*	*6*	*10*	*7*	*6*	*1*	*1*	-
		F	*117*	*3*	*19*	*2*	-	-	-	*8*	*24*	*38*	*25*	*14*	*6*	-	*2*
	.1 Toxic nodular goitre	*M*	*1*	-	-	-	-	-	-	-	-	*1*	-	-	-	-	-
		F	*8*	-	*1*	-	-	-	-	-	-	*3*	*3*	*2*	-	-	-
253	Myxoedema and cretinism	M	4	-	2	-	-	-	-	1	1	-	1	-	1	-	-
		F	27	1	10	-	2	-	2	2	1	3	6	3	4	4	-
254	Other diseases of thyroid gland	M	2	-	1	-	-	-	-	1	-	1	-	-	-	-	-
		F	11	-	1	-	-	-	-	1	-	3	4	3	-	-	-
260	**Diabetes mellitus**	**M**	**278**	**21**	**91**	**9**	**-**	**1**	**24**	**31**	**28**	**40**	**34**	**45**	**58**	**11**	**6**
		F	**323**	**33**	**51**	**9**	**-**	**-**	**9**	**27**	**21**	**23**	**54**	**73**	**90**	**24**	**2**
270-277	**Diseases of other endocrine glands**	**M**	**24**	**1**	**7**	**-**	**1**	**2**	**1**	**-**	**3**	**6**	**6**	**-**	**5**	**-**	**-**
		F	**27**	**7**	**10**	**1**	**1**	**-**	**1**	**1**	**4**	**4**	**4**	**8**	**2**	**1**	**1**
270	Disorders of pancreatic internal secretion other than diabetes mellitus	M	8	-	1	-	-	-	-	-	-	1	3	-	4	-	-
		F	9	-	3	1	-	-	1	-	1	2	-	3	1	1	-

(7306)

TABLE H.1(b) (Contd.)

I.S.C. No.	PRINCIPAL CAUSE OF ADMISSION		HOSPITALS UNDER REGIONAL BOARDS														
			TOTAL	Died	Marital status		Discharges (including deaths) by age										
					Single	N.S.	0-	1-	5-	15-	25-	35-	45-	55-	65-	75 and over	N.S.
271	Diseases of parathyroid gland	M	1	1	-	-	-	-	-	-	1	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	.0 Hyperparathyroidism	M	1	1	-	-	-	-	-	-	1	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	.1 Hypoparathyroidism	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	.2 Other and unspecified	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
272	Diseases of pituitary gland	M	5	-	2	-	-	1	-	-	2	1	-	-	1	-	-
		F	7	3	-	-	-	-	-	-	1	-	2	3	-	-	1
273	Diseases of thymus gland	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
274	Diseases of adrenal glands	M	7	-	2	-	-	-	1	-	-	3	3	-	-	-	-
		F	8	4	4	-	1	-	-	1	-	1	2	2	1	-	-
275	Ovarian dysfunction	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
276	Testicular dysfunction	M	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-
277	Polyglandular dysfunction and other diseases of endocrine glands	M	2	-	2	-	1	1	-	-	-	-	-	-	-	-	-
		F	3	-	3	-	-	-	-	-	2	1	-	-	-	-	-
280-289	Avitaminoses and other metabolic diseases	M	38	2	21	1	3	13	3	1	1	3	6	4	3	1	-
		F	63	3	32	-	3	7	13	4	5	6	9	8	5	3	-
280	Beriberi	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

281	Pellagra	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-
282	Scurvy	M	5	-	1	1	-	-	-	-	-	-	-	2	2	1	-
		F	2	-	2	-	2	-	-	-	-	-	-	-	-	-	-
283	Active rickets	M	2	-	2	-	1	1	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
284	Late effects of rickets	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
285	Osteomalacia	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	1	-	-	-	-	1	-	-	-	-	-	-	-
286	Other avitaminoses and nutritional deficiency states	M	21	-	15	-	1	11	2	1	-	1	2	2	1	-	-
		F	27	1	17	-	1	7	7	-	1	1	1	3	4	2	-
	.0 Steatorrhoea and sprue	M	9	-	6	-	-	4	2	-	-	1	1	1	-	-	-
		F	13	1	11	-	1	4	6	-	-	-	-	-	1	1	-
	.1 Vitamin A deficiency	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	.2 Vitamin B deficiency, except beriberi and pellagra	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	2	-	-	-	-	-	-	-	-	1	-	-	1	-	-
	.3 Vitamin C deficiency, except scurvy	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	2	-	1	-	-	-	-	-	-	-	-	1	1	-	-
	.4 Vitamin D deficiency, except rickets and osteomalacia	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	.5 Malnutrition, unqualified	M	9	-	8	-	1	6	-	-	-	-	1	-	1	-	-
		F	8	-	5	-	-	3	1	-	1	-	1	1	1	-	-
	.6 Other and multiple deficiency states	M	3	-	1	-	-	1	-	1	-	-	-	1	-	-	-
		F	2	-	-	-	-	-	-	-	-	-	-	1	-	1	-
287	Obesity, not specified as of endocrine origin	M	1	-	1	-	-	-	1	-	-	-	-	-	-	-	-
		F	14	-	4	-	-	-	2	1	1	3	4	3	-	-	-

TABLE H.1(b) (Contd.)

I.S.C. No.	PRINCIPAL CAUSE OF ADMISSION		HOSPITALS UNDER REGIONAL BOARDS														
			TOTAL	Died	Marital status		Discharges (including deaths) by age										
					Single	N.S.	0-	1-	5-	15-	25-	35-	45-	55-	65-	75 and over	N.S.
288	Gout	M	2	-	-	-	-	-	-	-	-	-	2	-	-	-	-
		F	2	-	1	-	-	-	-	-	-	1	-	-	1	-	-
289	Other metabolic diseases	M	7	2	2	-	1	1	-	-	1	2	2	-	-	-	-
		F	16	2	7	-	-	-	4	2	3	1	4	1	-	1	-
	.0 Lipidosis (disturbance of lipid metabolism)	M	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-
		F	1	-	1	-	-	-	-	-	-	-	1	-	-	-	-
	.1 Amyloidosis	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	3	2	-	-	-	-	-	-	-	1	1	-	-	1	-
	.2 Other	M	6	2	2	-	1	1	-	-	1	2	1	-	-	-	-
		F	12	-	6	-	-	-	4	2	3	-	2	1	-	-	-
	IV. DISEASES OF THE BLOOD AND BLOOD-FORMING ORGANS																
290-299	**Diseases of blood and blood-forming organs**	M	**112**	**13**	**40**	**5**	**4**	**10**	**14**	**2**	**12**	**6**	**7**	**18**	**22**	**16**	**1**
		F	**205**	**13**	**56**	**3**	**1**	**9**	**12**	**18**	**13**	**31**	**35**	**30**	**40**	**13**	**3**
290	Pernicious and other hyperchromic anaemias	M	31	4	5	1	-	1	-	-	-	2	2	8	10	8	-
		F	60	2	8	-	-	-	-	2	1	8	7	17	17	7	1
	.0 Pernicious anaemia	M	25	4	3	1	-	-	-	-	-	2	2	5	10	6	-
		F	51	1	7	-	-	-	-	1	1	6	6	15	14	7	1
	.1 Subacute combined degeneration of spinal cord	M	5	-	1	-	-	-	-	-	-	-	-	3	-	2	-
		F	6	1	1	-	-	-	-	-	-	1	1	1	3	-	-
	.2 Other hyperchromic anaemias	M	1	-	1	-	-	1	-	-	-	-	-	-	-	-	-
		F	3	-	-	-	-	-	-	1	-	1	-	1	-	-	-

291	Iron deficiency anaemias (hypochromic anaemias)	M	22	1	8	1	2	3	1	-	2	-	2	3	7	2	-
		F	71	-	17	2	-	2	2	10	5	13	19	6	9	3	2
292	Other anaemias of specified type	M	11	2	4	-	-	3	1	1	1	-	1	1	2	1	-
		F	19	5	4	-	-	2	2	-	4	3	2	3	2	1	-
	.0 Familial acholuric jaundice	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	.1 Acute haemalytic anaemia	M	1	-	1	-	-	1	-	-	-	-	-	-	-	-	-
		F	2	1	1	-	-	-	1	-	-	1	-	-	-	-	-
	.2 Other haemalytic anaemias	M	3	-	-	-	-	-	-	-	1	-	1	1	-	-	-
		F	6	2	-	-	-	-	-	-	1	2	-	3	-	-	-
	.3 Leuko-erythroblastic anaemia	M	2	-	-	-	-	-	-	1	-	-	-	-	1	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-
	.4 Aplastic anaemia	M	4	1	3	-	-	2	1	-	-	-	-	-	-	1	-
		F	6	2	1	-	-	-	1	-	2	-	1	-	1	1	-
	.5 Nonregenerative anaemia	M	1	1	-	-	-	-	-	-	-	-	-	-	1	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	.6 Sickle cell anaemia	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	.7 Other specified anaemias	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	4	-	2	-	-	2	-	-	1	-	1	-	-	-	-
293	Anaemia of unspecified type	M	12	2	6	-	2	1	2	-	-	-	-	4	2	1	-
		F	28	1	8	1	1	-	1	3	1	6	2	3	10	1	-
294	Polycythaemia	M	5	1	-	1	-	-	-	-	-	-	1	-	1	3	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-
295	Haemophilia	M	8	-	6	1	-	-	4	-	3	-	-	1	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
296	Purpura and other haemorrhagic conditions	M	13	1	8	-	-	2	4	1	2	1	1	1	-	-	1
		F	14	2	10	-	-	4	4	2	1	-	2	-	1	-	-
297	Agranulocytosis	M	2	1	1	-	-	-	1	-	-	-	-	-	-	1	-
		F	8	3	6	-	-	1	3	1	-	1	-	1	1	-	-

TABLE H.1(b) (Contd.)

I.S.C. No.	PRINCIPAL CAUSE OF ADMISSION		HOSPITALS UNDER REGIONAL BOARDS														
			TOTAL	Died	Marital status		Discharges (including deaths) by age										
					Single	N.S.	0-	1-	5-	15-	25-	35-	45-	55-	65-	75 and over	N.S.
298	Diseases of spleen	M	6	1	1	1	-	-	-	-	4	2	-	-	-	-	-
		F	3	-	2	-	-	-	-	-	-	-	3	-	-	-	-
	.0 Hepatolienal-fibrosis	M	5	1	1	1	-	-	-	-	4	1	-	-	-	-	-
		F	3	-	2	-	-	-	-	-	-	-	3	-	-	-	-
	.1 Other	M	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
299	Other diseases of blood and blood-forming organs	M	2	-	1	-	-	-	1	-	-	1	-	-	-	-	-
		F	1	-	1	-	-	-	-	-	1	-	-	-	-	-	-
	V MENTAL, PSYCHONEUROTIC, AND PERSONALITY DISORDERS																
300-309	**Psychoses**	M	76	2	14	4	-	-	-	8	9	13	17	18	8	2	1
		F	129	3	34	3	-	-	2	7	23	30	26	25	12	3	1
300	Schizophrenic disorders (dementia praecox)	M	13	-	6	1	-	-	-	6	3	3	-	1	-	-	-
		F	12	-	10	-	-	-	-	4	5	1	2	-	-	-	-
	.0 Simple type	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	.1 Hebephrenic type	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	.2 Catatonic type	M	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	.3 Paranoid type	M	2	-	-	-	-	-	-	-	-	2	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

	.4 Acute schizophrenic reaction	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	.5 Latent schizophrenia	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	.6 Schizo-affective psychosis	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	.7 Other and unspecified	M	10	-	6	1	-	-	-	6	3	-	-	1	-	-	-
		F	12	-	10	-	-	-	-	4	5	1	2	-	-	-	-
301	Manic-depressive reaction	M	31	-	3	1	-	-	-	-	6	8	7	8	2	-	-
		F	82	1	14	1	-	-	1	2	17	22	18	14	7	1	-
	.0 Manic and circular	M	4	-	-	1	-	-	-	-	-	2	1	1	-	-	-
		F	3	1	1	-	-	-	-	-	-	-	1	1	1	-	-
	.1 Depressive	M	16	-	3	-	-	-	-	-	4	3	3	5	1	-	-
		F	34	-	5	1	-	-	1	2	6	7	9	7	2	-	-
	.2 Other	M	11	-	-	-	-	-	-	-	2	3	3	2	1	-	-
		F	45	-	8	-	-	-	-	-	11	15	8	6	4	1	-
302	Involutional melancholia	M	7	-	-	-	-	-	-	-	-	-	5	1	1	-	-
		F	11	-	2	-	-	-	-	-	-	2	3	6	-	-	-
303	Paranoia and paranoid states	M	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-
		F	2	-	1	-	-	-	-	-	1	-	1	-	-	-	-
304	Senile psychosis	M	4	1	1	-	-	-	-	-	-	-	-	-	2	2	-
		F	6	2	2	-	-	-	-	-	-	-	-	-	4	2	-
305	Presenile psychosis	M	5	1	1	-	-	-	-	-	-	-	1	4	-	-	-
		F	2	-	1	-	-	-	-	-	-	-	-	2	-	-	-
306	Psychosis with cerebral arteriosclerosis	M	3	-	-	-	-	-	-	-	-	-	-	1	1	-	1
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
307	Alcoholic psychosis	M	2	-	1	-	-	-	-	-	-	1	1	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
308	Psychosis of other demonstrable etiology	M	2	-	1	-	-	-	-	-	-	1	-	-	1	-	-
		F	1	-	1	-	-	-	-	-	-	1	-	-	-	-	-

TABLE H.1(b) (Contd.)

I.S.C. No.	PRINCIPAL CAUSE OF ADMISSION		HOSPITALS UNDER REGIONAL BOARDS														
			TOTAL	Died	Marital status		Discharges (including deaths) by age										
					Single	N.S.	0-	1-	5-	15-	25-	35-	45-	55-	65-	75 and over	N.S.
308	.0 Resulting from brain tumour	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	.1 Resulting from epilepsy and other convulsive disorders	M	2	-	1	-	-	-	-	-	-	1	-	-	1	-	-
		F	1	-	1	-	-	-	-	-	-	1	-	-	-	-	-
	.2 Other	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
309	Other and unspecified psychoses	M	8	-	1	2	-	-	-	2	-	-	3	2	1	-	-
		F	13	-	3	2	-	-	1	1	-	4	2	3	1	-	1
310-318	Psychoneurotic disorders	M	102	-	31	3	1	3	3	13	30	19	24	7	1	-	1
		F	211	1	70	3	3	1	2	38	43	58	38	16	11	1	-
310	Anxiety reaction without mention of somatic symptoms	M	28	-	7	1	-	-	-	1	12	8	4	2	-	-	1
		F	55	-	16	-	-	-	-	6	14	18	11	5	1	-	-
311	Hysterical reaction without mention of anxiety reaction	M	25	-	13	1	-	1	1	8	7	4	4	-	-	-	-
		F	83	-	30	2	-	-	2	27	19	21	9	2	3	-	-
312	Phobic reaction	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
313	Obsessive-compulsive reaction	M	3	-	-	-	-	-	-	-	1	1	1	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-
314	Neurotic-depressive reaction	M	8	-	1	-	-	-	-	-	3	2	3	-	-	-	-
		F	5	-	-	-	-	-	-	-	1	2	1	1	-	-	-

315	Psychoneurosis with somatic symptoms (sematization reaction) affecting circulatory system	M	3	-	-	-	-	-	-	-	2	1	-	-	-	-
		F	4	-	1	-	-	-	-	-	-	2	1	1	-	-
	.0 Neurocirculatory asthenia	M	2	-	-	-	-	-	-	-	1	1	-	-	-	-
		F	3	-	1	-	-	-	-	-	-	1	1	1	-	-
	.1 Other heart manifestations specified as of psychogenic origin	M	1	-	-	-	-	-	-	-	1	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	1	-	-	-	-
	.2 Other circulatory manifestations of psychogenic origin	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-
316	Psychoneurosis with somatic symptoms (somatization reaction) affecting digestive system	M	11	-	5	-	1	2	2	-	3	-	1	2	-	-
		F	22	-	7	-	3	1	-	1	1	7	4	2	3	-
	.0 Mucous colitis specified as of psychogenic origin	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	.1 Irritability of colon specified as of psychogenic origin	M	2	-	-	-	-	-	-	-	2	-	-	-	-	-
		F	6	-	-	-	-	-	-	-	-	4	-	1	1	-
	.2 Gastric neuroses	M	6	-	3	-	-	2	1	-	-	-	1	2	-	-
		F	10	-	5	-	2	-	-	1	-	1	3	1	2	-
	.3 Other digestive manifestations specified as of psychogenic origin	M	3	-	2	-	1	-	1	-	1	-	-	-	-	-
		F	6	-	2	-	1	1	-	-	1	2	1	-	-	-
317	Psychoneurosis with somatic symptoms (somatization reactions) affecting other systems	M	6	-	2	-	-	-	-	2	-	-	3	1	-	-
		F	4	-	2	-	-	-	-	2	1	-	1	-	-	-

(7306)

TABLE H.1(b) (Contd.)

I.S.C. No.	PRINCIPAL CAUSE OF ADMISSION		HOSPITALS UNDER REGIONAL BOARDS														
			TOTAL	Died	Marital status		Discharges (including deaths) by age										
					Single	N.S.	0-	1-	5-	15-	25-	35-	45-	55-	65-	75 and over	N.S.
317	.0 Psychogenic reactions affecting respiratory system	M	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	.1 Psychogenic reactions affecting genito-urinary system	M	5	-	2	-	-	-	-	2	-	-	2	1	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	.2 Pruritus of psychogenic origin	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	.3 Other cutaneous neuroses	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	1	-	-	-	-	1	-	-	-	-	-	-	-
	.4 Psychogenic reactions affecting musculoskeletal system	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	1	-	-	-	-	1	-	-	-	-	-	-	-
	.5 Psychogenic reactions affecting other systems	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	2	-	-	-	-	-	-	-	1	-	1	-	-	-	-
318	Psychoneurotic disorders, other, mixed, and unspecified types	M	18	-	3	1	-	-	-	2	2	3	8	2	1	-	-
		F	37	1	14	1	-	-	-	2	7	8	11	4	4	1	-
	.0 Hypochondriacal reaction	M	2	-	-	-	-	-	-	-	-	1	-	1	-	-	-
		F	4	-	2	-	-	-	-	-	1	1	-	1	1	-	-
	.1 Depersonalization	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	.2 Occupational neurosis	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

	.3 Asthenic reaction	M	3	-	1	-	-	-	-	-	-	-	1	1	1	-	-
		F	13	1	2	-	-	-	-	2	2	1	6	-	2	-	-
	.4 Mixed	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	.5 Of other and unspecified types	M	13	-	2	1	-	-	-	2	2	2	7	-	-	-	-
		F	20	-	10	1	-	-	-	-	4	6	5	3	1	1	-
320–326	Disorders of character, behaviour, and intelligence	M	22	1	12	3	-	3	1	3	5	2	5	1	1	-	1
		F	23	2	17	-	3	2	3	3	3	3	2	3	1	-	-
320	Pathological personality	M	5	-	3	-	-	-	-	2	1	1	1	-	-	-	-
		F	2	-	2	-	-	-	-	1	-	1	-	-	-	-	-
	.0 Schizoid personality	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	1	-	-	-	-	-	-	1	-	-	-	-	-
	.1 Paranoid personality	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	.2 Cyclothymic personality	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	.3 Inadequate personality	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	.4 Antisocial personality	M	5	-	3	-	-	-	-	2	1	1	1	-	-	-	-
		F	1	-	1	-	-	-	-	1	-	-	-	-	-	-	-
	.5 Asocial personality	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	.6 Sexual deviation	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	.7 Other and unspecified	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
321	Immature personality	M	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
		F	3	-	2	-	-	-	-	1	-	-	-	1	1	-	-
	.0 Emotional instability	M	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
		F	2	-	2	-	-	-	-	1	-	-	-	1	-	-	-

TABLE H.1(b) (Contd.)

I.S.C. No.	PRINCIPAL CAUSE OF ADMISSION		HOSPITALS UNDER REGIONAL BOARDS														
			TOTAL	Died	Marital status		Discharges (including deaths) by age										
					Single	N.S.	0-	1-	5-	15-	25-	35-	45-	55-	65-	75 and over	N.S.
321	.1 *Passive dependency*	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	.2 *Aggressiveness*	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-
	.3 *Enuresis characterizing immature personality*	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	.4 *Other symptomatic habits except speech impediments*	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	.5 *Other and unspecified*	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
322	Alcoholism	M	9	1	2	3	-	-	-	1	1	1	3	1	1	-	1
		F	2	-	-	-	-	-	-	-	-	1	-	1	-	-	-
	.0 *Acute*	M	4	-	1	2	-	-	-	1	-	-	2	1	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	.1 *Chronic*	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-
	.2 *Unspecified*	M	5	1	1	1	-	-	-	-	1	1	1	-	1	-	1
		F	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-
323	Other drug addiction	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-
324	Primary childhood behaviour disorders	M	1	-	1	-	-	1	-	-	-	-	-	-	-	-	-
		F	5	-	5	-	-	2	3	-	-	-	-	-	-	-	-

325	Mental deficiency	M	6	-	6	-	-	2	1	-	2	-	1	-	-	-	-
		F	10	2	8	-	3	-	-	1	3	1	1	1	-	-	-
	.0 Idiocy	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	.1 Imbecility	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	.2 Moron	M	2	-	2	-	-	1	1	-	-	-	-	-	-	-	-
		F	1	1	1	-	-	-	-	-	-	-	-	1	-	-	-
	.3 Borderline intelligence	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	.4 Mongolism	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	2	-	2	-	2	-	-	-	-	-	-	-	-	-	-
	.5 Other and unspecified types	M	4	-	4	-	-	1	-	-	2	-	1	-	-	-	-
		F	7	1	5	-	1	-	-	1	3	1	1	-	-	-	-
326	Other and unspecified character, behaviour, and intelligence disorders	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	.0 Specific learning defects	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	.1 Stammering and stuttering of nonorganic origin	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	.2 Other speech impediments of nonorganic origin	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	.3 Acute situational maladjustment	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	.4 Other and unspecified	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

TABLE H.1(b) (Contd.)

I.S.C. No.	PRINCIPAL CAUSE OF ADMISSION		HOSPITALS UNDER REGIONAL BOARDS														
			TOTAL	Died	Marital status		Discharges (including deaths) by age										
					Single	N.S.	0-	1-	5-	15-	25-	35-	45-	55-	65-	75 and over	N.S.
	VI. DISEASES OF THE NERVOUS SYSTEM AND SENSE ORGANS																
330-334	Vascular lesions affecting central nervous system	M	403	231	40	25	3	2	3	5	8	14	46	99	134	81	8
		F	510	293	86	27	2	1	2	2	10	21	76	131	160	99	6
330	Subarachnoid haemorrhage	M	33	9	8	-	-	1	2	4	6	2	8	7	3	-	-
		F	47	13	13	-	1	1	2	2	5	9	14	10	3	-	-
331	Cerebral haemorrhage	M	108	86	12	11	2	1	1	1	-	7	14	31	28	19	4
		F	155	127	19	17	1	-	-	-	2	6	32	35	51	25	3
332	Cerebral embolism and thrombosis	M	195	107	11	7	-	-	-	-	1	5	21	48	80	38	2
		F	245	129	44	8	-	-	-	-	1	5	27	70	84	57	1
333	Spasm of cerebral arteries	M	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-
		F	1	-	1	-	-	-	-	-	-	-	-	-	1	-	-
334	Other and ill-defined vascular lesions affecting central nervous system	M	66	29	9	7	1	-	-	-	1	-	3	12	23	24	2
		F	62	24	9	2	-	-	-	-	2	1	3	16	21	17	2
340-345	Inflammatory diseases of central nervous system	M	92	16	44	5	7	8	7	13	14	21	14	6	1	-	1
		F	93	13	47	-	5	7	16	9	13	12	15	9	5	-	2
340	Meningitis, except meningococcal and tuberculous	M	36	9	20	3	5	6	5	3	5	6	4	2	-	-	-
		F	24	2	16	-	4	5	6	1	3	-	1	3	1	-	-
	.0 *H. influenzae*	M	6	2	6	-	3	3	-	-	-	-	-	-	-	-	-
		F	5	-	5	-	2	2	1	-	-	-	-	-	-	-	-

	.1 Pneumococcus	M	8	3	3	-	1	1	1	-	-	3	1	1	-	-	-
		F	3	1	-	-	-	-	-	-	-	-	-	2	1	-	-
	.2 Due to other specified organism	M	7	1	2	2	-	1	-	1	1	2	1	1	-	-	-
		F	2	-	1	-	-	-	1	-	1	-	-	-	-	-	-
	.3 Unspecified cause	M	15	3	9	1	1	1	4	2	4	1	2	-	-	-	-
		F	14	1	10	-	2	3	4	1	2	-	1	1	-	-	-
341	Phlebitis and thrombophlebitis of intracranial venous sinuses	M	2	1	2	-	-	-	1	-	1	-	-	-	-	-	-
		F	2	1	1	-	1	-	-	1	-	-	-	-	-	-	-
342	Intracranial and intraspinal abscess	M	13	3	5	1	-	1	-	5	3	3	1	-	-	-	-
		F	13	3	8	-	-	1	5	2	-	1	1	-	2	-	1
343	Encephalitis, myelitis and encephalomyelitis (except acute infectious)	M	8	1	5	-	1	1	1	1	-	-	3	1	-	-	-
		F	10	-	10	-	-	1	5	2	1	-	-	-	-	-	1
344	Late effects of intracranial abscess or pyogenic infection	M	2	1	2	-	1	-	-	-	-	-	-	-	-	-	1
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
345	Multiple sclerosis	M	31	1	10	1	-	-	-	4	5	12	6	3	1	-	-
		F	44	7	12	-	-	-	-	3	9	11	13	6	2	-	-
350-357	**Other diseases of central nervous system**	**M**	**179**	**31**	**91**	**3**	**4**	**13**	**27**	**20**	**26**	**29**	**18**	**15**	**16**	**11**	**-**
		F	**164**	**22**	**77**	**3**	**1**	**9**	**22**	**24**	**16**	**19**	**20**	**23**	**18**	**9**	**3**
350	Paralysis agitans	M	10	6	3	-	-	-	-	-	-	2	-	2	5	1	-
		F	14	5	1	-	-	-	-	-	-	-	1	3	7	3	-
351	Cerebral spastic infantile paralysis	M	22	1	19	-	1	1	15	2	-	-	1	1	1	-	-
		F	23	-	17	1	-	5	11	1	2	1	-	1	1	-	1
352	Other cerebral paralysis	M	27	11	4	2	-	-	-	-	2	2	6	3	5	9	-
		F	29	10	6	1	-	-	1	-	2	2	2	8	10	4	-
353	Epilepsy	M	87	7	53	1	-	12	9	14	21	16	6	6	2	1	-
		F	61	3	37	1	1	4	7	18	6	9	9	6	-	-	1
	.0 Petit mal	M	5	-	2	-	-	-	-	2	1	1	1	-	-	-	-
		F	5	-	3	-	-	-	1	2	-	1	1	-	-	-	-

TABLE H.1(b) (Contd.)

I.S.C. No.	PRINCIPAL CAUSE OF ADMISSION		HOSPITALS UNDER REGIONAL BOARDS														
			TOTAL	Died	Marital status		Discharges (including deaths) by age										
					Single	N.S.	0-	1-	5-	15-	25-	35-	45-	55-	65-	75 and over	N.S.
353	.1 Grand mal	M	4	-	1	-	-	-	-	-	4	-	-	-	-	-	-
		F	5	-	5	-	-	-	-	3	-	1	1	-	-	-	-
	.2 Status epilepticus	M	6	4	5	-	-	1	2	1	1	-	-	1	-	-	-
		F	6	3	3	-	-	-	-	1	-	1	2	2	-	-	-
	.3 Other and unspecified	M	72	3	45	1	-	11	7	11	15	15	5	5	2	1	-
		F	45	-	26	1	1	4	6	12	6	6	5	4	-	-	1
354	Migraine	M	6	-	3	-	-	-	1	2	1	1	1	-	-	-	-
		F	23	-	10	-	-	-	2	4	6	5	5	-	-	-	1
355	Other diseases of brain	M	8	1	2	-	-	-	-	2	1	3	-	1	1	-	-
		F	4	1	2	-	-	-	-	-	-	1	-	1	-	2	-
356	Motor neurone disease and muscular atrophy	M	11	4	3	-	2	-	-	-	-	3	2	2	2	-	-
		F	5	3	2	-	-	-	-	-	-	1	1	3	-	-	-
	.0 Progressive muscular atrophy	M	6	2	-	-	-	-	-	-	-	3	-	2	1	-	-
		F	5	3	2	-	-	-	-	-	-	1	1	3	-	-	-
	.1 Amyotrophic lateral sclerosis	M	1	1	-	-	-	-	-	-	-	-	-	-	1	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	.2 Spinal type of muscular atrophy	M	2	1	2	-	2	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	.3 Other and unspecified manifestations	M	2	-	1	-	-	-	-	-	-	-	2	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
357	Other diseases of spinal cord	M	8	1	4	-	1	-	2	-	1	2	2	-	-	-	-
		F	5	-	2	-	-	-	1	1	-	-	2	1	-	-	-
360-369	Diseases of nerves and peripheral ganglia	M	111	7	28	3	11	7	-	4	9	23	27	19	9	2	-
		F	75	2	24	2	9	1	1	3	10	10	13	17	10	1	-

360	Facial paralysis	M	5	-	3	1	1	1	-	-	-	-	-	-	1	2	-
		F	2	-	1	-	-	-	1	-	-	-	-	1	-	-	-
361	Trigeminal neuralgia	M	4	-	-	-	-	-	-	-	-	1	1	1	1	-	-
		F	7	-	3	-	-	-	-	-	-	-	1	3	3	-	-
362	Brachial neuritis	M	7	-	1	-	-	-	-	1	1	1	1	2	1	-	-
		F	9	-	1	1	-	-	-	-	2	2	1	4	-	-	-
363	Sciatica	M	46	1	6	2	-	-	-	2	5	14	12	10	3	-	-
		F	27	-	3	-	-	-	-	1	5	7	7	3	4	-	-
364	Polyneuritis and polyradiculitis	M	7	4	-	-	-	-	-	-	-	-	4	2	1	-	-
		F	4	1	2	-	-	-	-	-	-	1	1	1	1	-	-
365	Erythroedema polyneuritica	M	15	2	15	-	9	6	-	-	-	-	-	-	-	-	-
		F	10	1	10	-	9	1	-	-	-	-	-	-	-	-	-
366	Other and unspecified forms of neuralgia and neuritis	M	12	-	2	-	-	-	-	-	1	2	5	2	2	-	-
		F	11	-	2	1	-	-	-	1	1	-	2	4	2	1	-
367	Other diseases of cranial nerves	M	14	-	-	-	-	-	-	1	2	5	4	2	-	-	-
		F	4	-	2	-	-	-	-	1	2	-	1	-	-	-	-
368	Other diseases of peripheral nerves except autonomic	M	1	-	1	-	1	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-
369	Diseases of peripheral autonomic nervous system	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
370-379	Inflammatory diseases of eye	M	38	-	18	1	2	4	5	7	4	4	3	4	5	-	-
		F	48	-	20	1	2	2	6	5	5	6	10	4	5	3	-
370	Conjunctivitis and ophthalmia	M	5	-	4	1	-	3	1	-	-	-	-	-	1	-	-
		F	8	-	7	-	2	1	1	3	-	-	1	-	-	-	-
371	Blepharitis	M	2	-	2	-	1	-	-	1	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-
372	Hordeolum (stye)	M	4	-	3	-	-	1	2	-	-	-	1	-	-	-	-
		F	3	-	2	-	-	1	1	1	-	-	-	-	-	-	-

TABLE H.1(b) (Contd.)

I.S.C. No.	PRINCIPAL CAUSE OF ADMISSION		HOSPITALS UNDER REGIONAL BOARDS														
			TOTAL	Died	Marital status		Discharges (including deaths) by age										
					Single	N.S.	0-	1-	5-	15-	25-	35-	45-	55-	65-	75 and over	N.S.
373	Iritis	M	6	-	1	-	-	-	-	1	1	-	-	2	2	-	-
		F	5	-	2	-	-	-	-	-	1	-	2	-	2	-	-
374	Keratitis	M	6	-	1	-	-	-	-	-	2	1	1	1	1	-	-
		F	7	-	3	-	-	-	2	1	1	1	1	-	-	1	-
375	Choroiditis	M	3	-	1	-	-	-	-	2	1	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
376	Other inflammation of uveal tract	M	4	-	2	-	-	-	-	2	-	1	-	1	-	-	-
		F	12	-	1	-	-	-	-	-	2	2	2	2	2	2	-
377	Inflammation of optic nerve and retina	M	2	-	-	-	-	-	-	-	-	2	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
378	Inflammation of lachrymal glands and ducts	M	4	-	8	-	1	-	2	-	-	-	-	-	1	-	-
		F	8	-	3	1	-	-	-	-	1	2	2	2	1	-	-
379	Other inflammatory diseases of eye	M	2	-	1	-	-	-	-	1	-	-	1	-	-	-	-
		F	4	-	2	-	-	-	2	-	-	-	2	-	-	-	-
380-389	Other diseases and conditions of eye	M	315	-	141	8	-	9	99	25	12	9	22	38	53	45	3
		F	293	1	114	6	-	4	64	15	3	6	24	43	83	49	2
380	Refractive errors	M	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
381	Corneal ulcer	M	13	-	2	1	-	1	-	1	-	3	3	2	1	2	-
		F	11	-	2	-	-	-	1	-	-	3	1	2	2	2	-
382	Corneal opacity	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-
383	Pterygium	M	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

384	Strabismus	M	126	-	120	1	-	6	94	20	2	1	-	1	1	-	1
		F	80	-	74	-	-	1	60	10	3	-	1	3	2	-	-
385	Cataract	M	104	-	7	3	-	1	1	-	1	5	5	23	34	33	1
		F	141	1	28	4	-	2	1	2	-	2	10	25	65	33	1
386	Detachment of retina	M	11	-	3	1	-	-	-	2	3	-	3	-	2	-	1
		F	8	-	1	-	-	-	-	1	-	1	2	3	1	-	-
387	Glaucoma	M	34	-	2	1	-	-	1	1	-	-	7	9	12	4	-
		F	28	-	5	1	-	-	-	-	-	-	6	8	10	4	-
388	Other diseases of eye	M	22	-	6	1	-	1	2	1	5	-	3	2	2	6	-
		F	22	-	4	1	-	1	2	2	-	-	3	2	3	8	1
389	Blindness	M	3	-	1	-	-	-	1	-	1	-	1	-	-	-	-
		F	2	-	-	-	-	-	-	-	-	-	1	-	-	1	-
	.0 Blindness, both eyes, specifically defined	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	.1 Blindness, both eyes, not specifically defined	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	.2 Blindness, one eye, specifically defined	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	.3 Blindness, one eye, not specifically defined	M	3	-	1	-	-	-	1	-	1	-	1	-	-	-	-
		F	2	-	-	-	-	-	-	-	-	-	1	-	-	1	-
390-398	Diseases of ear and mastoid process	M	591	1	512	1	37	173	238	59	30	24	14	9	2	2	3
		F	565	1	453	2	37	135	227	45	37	34	19	17	13	-	1
390	Otitis externa	M	8	-	7	-	-	3	3	1	-	-	1	-	-	-	-
		F	7	-	6	-	-	-	4	-	3	-	-	-	-	-	-
391	Otitis media without mention of mastoiditis	M	402	1	360	1	28	134	167	27	17	14	6	4	2	-	3
		F	348	1	294	2	24	97	151	19	16	18	6	8	8	-	1
	.0 Acute	M	272	-	255	-	17	97	125	16	7	4	1	3	1	-	1
		F	220	-	197	2	15	54	113	11	9	8	5	2	2	-	1

TABLE H.1(b) (Contd.)

I.S.C. No.	PRINCIPAL CAUSE OF ADMISSION		HOSPITALS UNDER REGIONAL BOARDS														
			TOTAL	Died	Marital status		Discharges (including deaths) by age										
					Single	N.S.	0-	1-	5-	15-	25-	35-	45-	55-	65-	75 and over	N.S.
391	.1 Chronic	M	37	-	25	1	2	8	6	7	7	3	2	1	1	-	-
		F	43	1	21	-	-	11	5	5	5	6	1	5	5	-	-
	.2 Unspecified	M	93	1	80	-	9	29	36	4	3	7	3	-	-	-	2
		F	85	-	76	-	9	32	33	3	2	4	-	1	1	-	-
392	Otitis media with mastoiditis	M	18	-	17	-	1	7	7	2	-	1	-	-	-	-	-
		F	21	-	19	-	3	7	6	2	1	2	-	-	-	-	-
	.0 Acute	M	12	-	12	-	1	5	6	-	-	-	-	-	-	-	-
		F	14	-	14	-	2	7	4	1	-	-	-	-	-	-	-
	.1 Chronic	M	3	-	2	-	-	-	-	2	-	1	-	-	-	-	-
		F	4	-	3	-	-	-	1	1	1	1	-	-	-	-	-
	.2 Unspecified	M	3	-	3	-	-	2	1	-	-	-	-	-	-	-	-
		F	3	-	2	-	1	-	1	-	-	1	-	-	-	-	-
393	Mastoiditis without mention of otitis media	M	143	-	118	-	7	29	55	27	8	8	6	2	-	1	-
		F	152	-	118	-	10	30	58	20	14	11	6	2	1	-	-
	.0 Acute	M	79	-	70	-	5	24	37	2	6	2	3	-	-	-	-
		F	82	-	72	-	6	21	38	7	4	5	1	-	-	-	-
	.1 Chronic	M	25	-	19	-	-	-	8	11	1	3	2	-	-	-	-
		F	34	-	24	-	-	2	14	7	3	3	3	2	-	-	-
	.2 Unspecified	M	39	-	29	-	2	5	10	14	1	3	1	2	-	1	-
		F	36	-	22	-	4	7	6	6	7	3	2	-	1	-	-
394	Other inflammatory diseases of ear	M	2	-	1	-	-	-	1	-	-	-	-	1	-	-	-
		F	9	-	6	-	-	-	2	3	1	1	1	-	1	-	-
395	Ménière's disease	M	4	-	-	-	-	-	-	-	-	-	1	2	-	1	-
		F	12	-	-	-	-	-	-	-	-	-	6	4	2	-	-

396	Other diseases of ear and mastoid process	M	11	-	8	-	1	-	5	2	2	1	-	-	-	-	-
		F	16	-	10	-	-	1	6	1	2	2	-	3	1	-	-
397	Deaf mutism	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
398	Other deafness	M	3	-	1	-	-	-	-	-	3	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	.0 Deafness, both ears	M	*1*	-	-	-	-	-	-	-	*1*	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	.1 Deafness, one ear, and partial deafness in other	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	.2 Deafness, one ear	M	*1*	-	-	-	-	-	-	-	*1*	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	.3 Impairment of hearing, one or both ears	M	*1*	-	*1*	-	-	-	-	-	*1*	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	VII. DISEASES OF THE CIRCULATORY SYSTEM																
400-402	Rheumatic fever	M	90	4	74	-	-	4	59	11	3	6	4	2	1	-	-
		F	94	8	74	-	-	2	54	18	5	7	6	1	1	-	-
400	Rheumatic fever without mention of heart involvement	M	40	1	33	-	-	3	26	4	1	3	1	2	-	-	-
		F	22	1	17	-	-	-	10	6	2	2	2	-	-	-	-
401	Rheumatic fever with heart involvement	M	30	3	21	-	-	1	14	6	2	3	3	-	1	-	-
		F	33	7	19	-	-	2	11	6	3	5	4	1	1	-	-
	.0 Active rheumatic pericarditis	M	*5*	-	*3*	-	-	-	*2*	*1*	*1*	*1*	-	-	-	-	-
		F	*3*	*2*	*2*	-	-	-	*1*	*1*	-	*1*	-	-	-	-	-
	.1 Active rheumatic endocarditis	M	*8*	*1*	*6*	-	-	*1*	*2*	*3*	*1*	-	*1*	-	-	-	-
		F	*13*	*2*	*10*	-	-	*1*	*7*	*2*	*1*	*1*	-	*1*	-	-	-
	.2 Active rheumatic myocarditis	M	*1*	-	*1*	-	-	-	*1*	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

TABLE H.1(b) (Contd.)

I.S.C. No.	PRINCIPAL CAUSE OF ADMISSION		HOSPITALS UNDER REGIONAL BOARDS														
			TOTAL	Died	Marital status		Discharges (including deaths) by age										
					Single	N.S.	0-	1-	5-	15-	25-	35-	45-	55-	65-	75 and over	N.S.
401	.3 Active rheumatic fever with other and multiple types of heart involvement	M	16	2	11	-	-	-	9	2	-	2	2	-	1	-	-
		F	17	3	7	-	-	1	3	3	2	3	4	-	1	-	-
402	Chorea	M	20	-	20	-	-	-	19	1	-	-	-	-	-	-	-
		F	39	-	38	-	-	-	33	6	-	-	-	-	-	-	-
	.0 Without mention of heart involvement	M	15	-	15	-	-	-	15	-	-	-	-	-	-	-	-
		F	38	-	37	-	-	-	32	6	-	-	-	-	-	-	-
	.1 With heart involvement	M	5	-	5	-	-	-	4	1	-	-	-	-	-	-	-
		F	1	-	1	-	-	-	1	-	-	-	-	-	-	-	-
410-416	Chronic rheumatic heart disease	M	83	26	21	1	-	1	10	5	17	18	16	9	2	3	2
		F	241	50	48	3	-	-	5	16	45	75	57	35	7	1	-
410	Diseases of mitral valve	M	58	17	14	1	-	-	5	4	14	12	13	5	1	2	2
		F	181	40	33	3	-	-	1	14	33	57	41	29	5	1	-
411	Diseases of aortic valve specified as rheumatic	M	4	-	-	-	-	-	-	-	-	2	1	1	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
412	Diseases of tricuspid valve	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
413	Diseases of pulmonary valve specified as rheumatic	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
414	Other endocarditis specified as rheumatic	M	5	3	-	-	-	-	-	-	1	2	-	2	-	-	-
		F	6	1	4	-	-	-	1	2	2	1	-	-	-	-	-
415	Other myocarditis specified as rheumatic	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

416	Other heart disease specified as rheumatic	M	16	6	7	-	-	1	5	1	2	2	2	1	1	1	-
		F	54	9	11	-	-	-	3	-	10	17	16	6	2	-	-
420-422	Arteriosclerotic and degenerative heart disease	M	393	188	23	13	1	-	-	-	1	13	66	140	95	73	4
		F	234	119	32	3	-	1	-	1	1	7	14	69	78	59	4
420	Arteriosclerotic heart disease, including coronary disease	M	247	97	11	8	-	-	-	-	-	9	58	103	54	19	4
		F	123	49	9	2	-	-	-	-	-	4	9	46	45	17	2
	.0 Arteriosclerotic heart disease so described	M	4	-	-	-	-	-	-	-	-	-	-	-	2	2	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	.1 Heart disease specified as involving coronary arteries	M	227	95	10	8	-	-	-	-	-	8	55	95	50	15	4
		F	103	49	9	1	-	-	-	-	-	4	6	35	40	17	1
	.2 Angina pectoris without mention of coronary disease	M	16	2	1	-	-	-	-	-	-	1	3	8	2	2	-
		F	20	-	-	1	-	-	-	-	-	-	3	11	5	-	1
421	Chronic endocarditis not specified as rheumatic	M	20	8	2	-	-	-	-	-	1	4	4	4	3	4	-
		F	9	3	5	1	-	-	-	1	-	3	2	1	1	1	-
	.0 Of mitral valve, specified as nonrheumatic	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	.1 Of aortic valve, not specified as rheumatic	M	18	6	2	-	-	-	-	-	1	3	3	4	3	4	-
		F	6	3	2	1	-	-	-	-	-	1	2	1	1	1	-
	.2 Of tricuspid valve, specified as nonrheumatic	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	.3 Of pulmonary valve, not specified as rheumatic	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	1	-	-	-	-	1	-	-	-	-	-	-	-
	.4 Other and ill-defined, not specified as rheumatic	M	2	2	-	-	-	-	-	-	-	1	1	-	-	-	-
		F	2	-	2	-	-	-	-	-	-	2	-	-	-	-	-

TABLE H.1(b) (Contd.)

I.S.C. No.	PRINCIPAL CAUSE OF ADMISSION		HOSPITALS UNDER REGIONAL BOARDS														
			TOTAL	Died	Marital status		Discharges (including deaths) by age										
					Single	N.S.	0-	1-	5-	15-	25-	35-	45-	55-	65-	75 and over	N.S.
422	Other myocardial degeneration	M	126	83	10	5	1	-	-	-	-	-	4	33	38	50	-
		F	102	67	18	-	-	1	-	-	1	-	3	22	32	41	2
	.0 Fatty degeneration	M	1	1	-	-	-	-	-	-	-	-	-	1	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	.1 With arteriosclerosis	M	31	21	4	1	-	-	-	-	-	-	-	7	7	17	-
		F	10	6	3	-	-	-	-	-	-	-	-	1	3	5	1
	.2 Other	M	94	61	6	4	1	-	-	-	-	-	4	25	31	33	-
		F	92	61	15	-	-	1	-	-	1	-	3	21	29	36	1
430-434	**Other diseases of heart**	**M**	**264**	**107**	**44**	**9**	**-**	**-**	**1**	**8**	**10**	**21**	**35**	**68**	**79**	**39**	**3**
		F	**240**	**89**	**43**	**3**	**-**	**-**	**4**	**11**	**7**	**35**	**34**	**52**	**64**	**29**	**4**
430	Acute and subacute endocarditis	M	13	5	5	-	-	-	-	4	2	1	3	1	2	-	-
		F	14	3	5	-	-	-	1	6	1	2	-	4	-	-	-
	.0 Acute and subacute bacterial endocarditis	M	13	5	5	-	-	-	-	4	2	1	3	1	2	-	-
		F	13	3	5	-	-	-	1	6	1	2	-	3	-	-	-
	.1 Other acute endocarditis	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-
431	Acute myocarditis not specified as rheumatic	M	1	1	-	-	-	-	-	-	-	-	1	-	-	-	-
		F	2	1	-	-	-	-	-	-	1	1	-	-	-	-	-
432	Acute pericarditis specified as nonrheumatic	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	2	2	1	-	-	-	-	-	-	1	-	-	-	1	-
433	Functional disease of heart	M	44	11	3	-	-	-	-	-	1	4	8	9	11	11	-
		F	72	20	12	-	-	-	-	2	3	9	9	12	26	9	2
	.0 Heart block	M	6	2	-	-	-	-	-	-	-	1	2	-	3	-	-
		F	3	1	-	-	-	-	-	-	-	-	-	-	3	-	-

	.1 Other disorders of heart rhythm	M	37	9	3	-	-	-	-	-	1	3	6	8	8	11	-
		F	69	19	12	-	-	-	-	2	3	9	9	12	23	9	2
	.2 Other functional diseases of heart	M	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
434	Other and unspecified diseases of heart	M	206	90	36	9	-	-	1	4	7	16	23	58	66	28	3
		F	150	63	25	3	-	-	3	3	2	22	25	36	38	19	2
	.0 Kyphoscoliotic heart disease	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	.1 Congestive heart failure	M	149	69	26	5	-	-	1	2	3	10	15	44	54	19	1
		F	121	51	24	2	-	-	3	1	1	13	22	31	32	16	2
	.2 Left ventricular failure	M	26	12	3	2	-	-	-	-	1	-	2	7	8	8	-
		F	9	5	-	-	-	-	-	-	-	1	1	2	3	2	-
	.3 Other and unspecified disease of heart	M	31	9	7	2	-	-	-	2	3	6	6	7	4	1	2
		F	20	7	1	1	-	-	-	2	1	8	2	3	3	1	-
440-447	**Hypertensive disease**	**M**	**285**	**93**	**29**	**9**	**-**	**-**	**-**	**1**	**8**	**13**	**52**	**78**	**85**	**45**	**3**
		F	**333**	**94**	**39**	**9**	**-**	**-**	**-**	**3**	**11**	**27**	**58**	**65**	**112**	**54**	**3**
440	Essential benign hypertension with heart disease	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
441	Essential malignant hypertension with heart disease	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
442	Hypertensive heart disease with arteriolar nephrosclerosis	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-
443	Other and unspecified hypertensive heart disease	M	131	47	12	5	-	-	-	-	-	2	19	35	50	24	1
		F	116	40	13	3	-	-	-	-	-	4	9	28	50	23	2
444	Essential benign hypertension without mention of heart	M	135	41	13	4	-	-	-	-	3	8	30	40	33	19	2
		F	187	40	21	5	-	-	-	3	8	20	40	36	57	22	1

TABLE H.1(b) (Contd.)

I.S.C. No.	PRINCIPAL CAUSE OF ADMISSION		HOSPITALS UNDER REGIONAL BOARDS														
			TOTAL	Died	Marital status		Discharges (including deaths) by age										
					Single	N.S.	0-	1-	5-	15-	25-	35-	45-	55-	65-	75 and over	N.S.
445	Essential malignant hypertension without mention of heart	M	11	2	3	-	-	-	-	1	4	3	3	-	-	-	-
		F	14	5	3	-	-	-	-	-	3	2	7	1	-	1	-
446	Hypertension with arteriolar nephrosclerosis without mention of heart	M	1	1	-	-	-	-	-	-	-	-	-	-	-	1	-
		F	4	3	-	-	-	-	-	-	-	-	2	-	1	1	-
447	Other hypertensive disease without mention of heart	M	7	2	1	-	-	-	-	-	1	-	-	3	2	1	-
		F	11	6	2	1	-	-	-	-	-	-	-	-	4	7	-
450-456	**Diseases of arteries**	**M**	**177**	**37**	**21**	**6**	**-**	**-**	**-**	**3**	**2**	**17**	**25**	**39**	**40**	**48**	**3**
		F	**79**	**24**	**19**	**1**	**-**	**-**	**3**	**9**	**2**	**6**	**8**	**6**	**26**	**19**	**-**
450	General arteriosclerosis	M	88	27	11	3	-	-	-	1	-	2	6	14	26	38	1
		F	28	10	3	-	-	-	-	-	1	1	1	2	11	12	-
	.0 Without mention of gangrene	*M*	*67*	*22*	*8*	*3*	-	-	-	*1*	-	*2*	*6*	*11*	*20*	*26*	*1*
		F	*23*	*8*	*1*	-	-	-	-	-	*1*	*1*	*1*	*2*	*9*	*9*	-
	.1 With gangrene	*M*	*21*	*5*	*3*	-	-	-	-	-	-	-	-	*3*	*6*	*12*	-
		F	*5*	*2*	*2*	-	-	-	-	-	-	-	-	-	*2*	*3*	-
451	Aortic aneurysm specified as non-syphilitic, and dissecting aneurysm	M	5	2	-	-	-	-	-	-	-	2	-	2	-	1	-
		F	1	1	-	-	-	-	-	-	-	-	-	1	-	-	-
452	Other aneurysm, except of heart and aorta	M	5	2	1	-	-	-	-	1	-	1	2	-	1	-	-
		F	6	-	3	-	-	-	-	1	-	1	-	-	3	1	-
453	Peripheral vascular disease	M	35	1	5	1	-	-	-	1	1	7	14	9	3	-	-
		F	14	-	6	-	-	-	1	8	1	2	2	-	-	-	-

	.0 Raynaud's disease	M	5	-	-	-	-	-	-	-	1	-	3	1	-	-	-
		F	8	-	1	-	-	-	-	5	-	2	1	-	-	-	-
	.1 Thrombo-angiitis obliterans	M	21	1	3	1	-	-	-	-	-	6	10	4	1	-	-
		F	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-
	.2 Chilblains	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	.3 Other	M	9	-	2	-	-	-	-	1	-	1	1	4	2	-	-
		F	5	-	5	-	-	-	1	3	1	-	-	-	-	-	-
454	Arterial embolism and thrombosis	M	5	-	1	-	-	-	-	-	-	1	-	3	1	-	-
		F	4	2	2	-	-	-	-	-	-	1	1	1	-	1	-
455	Gangrene of unspecified cause	M	32	4	2	1	-	-	-	-	1	-	2	10	9	8	2
		F	18	9	2	-	-	-	-	-	-	-	1	1	11	5	-
456	Other diseases of arteries	M	7	1	1	1	-	-	-	-	-	4	1	1	-	1	-
		F	8	2	3	1	-	-	2	-	-	1	3	1	1	-	-
460-468	Diseases of veins and other diseases of circulatory system	M	745	13	197	21	10	27	55	40	133	185	133	99	47	13	3
		F	740	9	200	16	6	39	57	48	100	142	164	111	55	14	4
460	Varicose veins of lower extremities	M	289	1	58	15	-	-	-	23	66	87	59	38	11	4	1
		F	370	-	48	11	-	-	-	13	61	87	103	66	33	6	1
461	Haemorrhoids	M	278	-	28	4	-	-	4	5	56	84	57	46	23	3	-
		F	127	-	17	1	-	-	-	6	23	38	32	19	6	2	1
462	Varicose veins of other specified sites	M	7	1	4	-	-	-	-	3	-	1	2	1	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	.0 Varicocele	M	6	-	4	-	-	-	-	3	-	1	1	1	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	.1 Varicose veins of oesophagus	M	1	1	-	-	-	-	-	-	-	-	1	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	.2 Other	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

(7306)

TABLE H.1(b) (Contd.)

I.S.C. No.	PRINCIPAL CAUSE OF ADMISSION		HOSPITALS UNDER REGIONAL BOARDS														
			TOTAL	Died	Marital status		Discharges (including deaths) by age										
					Single	N.S.	0-	1-	5-	15-	25-	35-	45-	55-	65-	75 and over	N.S.
463	Phlebitis and thrombophlebitis of lower extremities	M	10	1	3	-	-	-	-	-	2	1	3	-	3	1	-
		F	16	-	1	1	-	-	-	-	1	2	6	4	2	1	-
464	Phlebitis and thrombophlebitis of other sites	M	15	2	4	1	-	-	-	-	1	4	4	1	3	2	-
		F	35	1	2	2	-	-	1	-	3	5	10	10	5	1	-
465	Pulmonary embolism and infarction	M	9	4	1	1	-	-	-	-	3	-	1	1	1	2	1
		F	15	7	1	-	-	-	-	-	2	3	4	2	4	-	-
466	Other venous embolism and thrombosis	M	12	3	1	-	-	-	-	1	-	1	-	5	5	-	-
		F	13	-	2	-	-	-	-	2	-	-	3	3	2	3	-
467	Other diseases of circulatory system	M	8	1	2	-	-	-	1	-	-	1	1	3	1	1	-
		F	9	1	1	-	-	-	-	1	1	-	2	4	1	-	-
	.0 Hypotension	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	.1 Diseases of capillaries	M	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-
		F	6	-	1	-	-	-	-	1	-	-	1	4	-	-	-
	.2 Other and unspecified circulatory diseases	M	7	1	2	-	-	-	1	-	-	1	1	2	1	1	-
		F	3	1	-	-	-	-	-	-	1	-	1	-	1	-	-
468	Certain diseases of lymph nodes and lymph channels	M	117	-	96	-	10	27	50	8	5	6	6	4	-	-	1
		F	155	-	128	1	6	39	56	26	9	7	4	3	2	1	2
	.0 Chronic lymphadenitis	M	2	-	1	-	-	-	1	1	-	-	-	-	-	-	-
		F	3	-	2	-	-	-	1	2	-	-	-	-	-	-	-
	.1 Nonspecific mesenteric	M	44	-	40	-	2	5	29	4	2	-	1	-	-	-	1
		F	60	-	52	-	-	6	31	17	1	3	1	-	-	-	1

	unqualified	F	91	-	74	1	6	33	24	7	7	4	3	3	2	1	1
	.3 Noninfective diseases of lymphatic channels	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	VIII. DISEASES OF THE RESPIRATORY SYSTEM																
470-475	Acute upper respiratory infections	M	441	5	371	7	63	138	129	33	42	23	5	5	2	1	-
		F	556	1	479	2	50	92	142	154	68	27	12	5	3	-	3
470	Acute nasopharyngitis (common cold)	M	62	1	52	-	13	25	7	4	5	3	3	1	1	-	-
		F	106	-	87	-	11	15	6	37	24	8	3	2	-	-	-
471	Acute sinusitis	M	7	-	4	-	-	-	3	1	1	-	2	-	-	-	-
		F	10	-	4	1	-	1	3	-	1	2	1	-	1	-	1
472	Acute pharyngitis	M	23	-	15	3	1	3	4	7	6	2	-	-	-	-	-
		F	15	-	12	-	-	3	2	5	3	-	-	-	2	-	-
	.0 Sore throat, unqualified	M	5	-	2	1	-	-	-	3	2	-	-	-	-	-	-
		F	1	-	1	-	-	-	-	1	-	-	-	-	-	-	-
	.1 Other	M	18	-	13	2	1	3	4	4	4	2	-	-	-	-	-
		F	14	-	11	-	-	3	2	4	3	-	-	-	2	-	-
473	Acute tonsillitis	M	231	-	187	3	2	66	95	21	27	17	-	3	-	-	-
		F	328	-	283	-	2	40	120	107	38	13	6	1	-	-	1
474	Acute laryngitis and tracheitis	M	28	2	26	-	7	15	3	-	1	-	-	1	-	1	-
		F	23	-	21	-	4	9	-	2	2	2	1	2	-	-	1
475	Acute upper respiratory infection of multiple or unspecified sites	M	90	2	87	1	40	29	17	-	2	1	-	-	1	-	-
		F	74	1	72	1	33	24	11	3	-	2	1	-	-	-	-
480-483	Influenza	M	96	11	37	4	1	3	10	7	15	10	19	21	6	3	1
		F	128	6	75	7	2	5	10	29	33	17	14	7	5	4	2
480	Influenza with pneumonia	M	35	7	11	2	-	1	4	2	4	2	9	10	3	-	-
		F	31	3	14	1	2	-	3	5	2	6	5	4	3	1	-

TABLE H.1(b) (Contd.)

I.S.C. No.	PRINCIPAL CAUSE OF ADMISSION		HOSPITALS UNDER REGIONAL BOARDS														
			TOTAL	Died	Marital status		Discharges (including deaths) by age										
					Single	N.S.	0-	1-	5-	15-	25-	35-	45-	55-	65-	75 and over	N.S.
481	Influenza with other respiratory manifestations and influenza unqualified	M	56	4	24	2	1	2	6	5	10	8	7	10	3	3	1
		F	90	3	58	5	-	5	6	23	30	10	6	3	2	3	2
482	Influenza with digestive manifestations, but without respiratory symptoms	M	2	-	-	-	-	-	-	-	-	-	1	1	-	-	-
		F	4	-	2	1	-	-	-	1	-	-	3	-	-	-	-
483	Influenza with nervous manifestations, but without digestive or respiratory symptoms	M	3	-	2	-	-	-	-	-	1	-	2	-	-	-	-
		F	3	-	1	-	-	-	1	-	1	1	-	-	-	-	-
490-493	**Pneumonia**	**M**	**1138**	**194**	**507**	**18**	**117**	**143**	**132**	**49**	**79**	**130**	**141**	**153**	**126**	**66**	**2**
		F	**888**	**125**	**391**	**14**	**101**	**114**	**77**	**41**	**78**	**88**	**95**	**126**	**118**	**48**	**2**
490	Lobar pneumonia	M	558	46	282	9	39	90	90	30	46	73	72	65	42	11	-
		F	388	28	176	4	23	63	47	26	48	44	51	42	32	10	2
491	Bronchopneumonia	M	379	136	151	5	74	41	16	3	8	26	33	64	66	48	-
		F	326	84	151	7	72	37	14	5	7	22	22	53	66	28	-
492	Primary atypical pneumonia	M	68	1	18	-	-	3	6	6	7	15	15	9	5	2	-
		F	66	2	22	1	-	4	6	3	14	9	9	14	5	2	-
493	Pneumonia, other and unspecified	M	133	11	56	4	4	9	20	10	18	16	21	15	13	5	2
		F	108	11	42	2	6	10	10	7	9	13	13	17	15	8	-
500-502	**Bronchitis**	**M**	**640**	**115**	**231**	**19**	**70**	**53**	**31**	**4**	**7**	**35**	**90**	**155**	**135**	**56**	**4**
		F	**429**	**62**	**152**	**4**	**51**	**46**	**22**	**11**	**21**	**26**	**36**	**73**	**85**	**53**	**5**
500	Acute bronchitis	M	191	13	125	4	57	33	23	3	1	7	18	29	15	5	-
		F	212	16	99	2	40	36	14	4	13	14	14	29	26	22	-

501	Bronchitis unqualified	M	102	9	51	2	13	20	6	1	6	9	5	13	15	13	1
		F	77	6	38	1	10	10	6	5	6	5	2	15	13	4	1
502	Chronic bronchitis	M	347	93	55	13	-	-	2	-	-	19	67	113	105	38	3
		F	140	40	15	1	1	-	2	2	2	7	20	29	46	27	4
	.0 Bronchitis with emphysema	M	*134*	*22*	*9*	*6*	-	-	-	-	-	*9*	*29*	*46*	*42*	*5*	*3*
		F	*22*	*5*	*3*	-	-	-	-	-	-	-	*5*	*12*	*2*	*3*	-
	.1 Other	M	*213*	*71*	*46*	*7*	-	-	*2*	-	-	*10*	*38*	*67*	*63*	*33*	-
		F	*118*	*35*	*12*	*1*	*1*	-	*2*	*2*	*2*	*7*	*15*	*17*	*44*	*24*	*4*
510-527	**Other diseases of respiratory system**	**M**	**2195**	**65**	**1649**	**25**	**18**	**255**	**1167**	**157**	**137**	**142**	**141**	**99**	**61**	**12**	**6**
		F	**1935**	**31**	**1605**	**11**	**7**	**227**	**1134**	**190**	**109**	**90**	**72**	**59**	**31**	**13**	**3**
510	Hypertrophy of tonsils and adenoids	M	1345	-	1299	-	4	217	1024	47	28	15	7	-	-	-	3
		F	1310	-	1261	2	-	201	974	82	24	17	7	3	2	-	-
	.0 Without mention of tonsillectomy or adenoidectomy	M	*582*	-	*546*	-	*4*	*126*	*378*	*30*	*23*	*11*	*7*	-	-	-	*3*
		F	*570*	-	*528*	*1*	-	*124*	*343*	*58*	*21*	*13*	*6*	*3*	*2*	-	-
	.1 With tonsillectomy or adenoidectomy	M	*763*	-	*753*	-	-	*91*	*646*	*17*	*5*	*4*	-	-	-	-	-
		F	*740*	-	*733*	*1*	-	*77*	*631*	*24*	*3*	*4*	*1*	-	-	-	-
511	Peritonsillar abscess (quinsy)	M	42	-	10	1	-	-	3	10	9	13	4	3	-	-	-
		F	45	-	13	1	-	-	6	8	14	12	2	3	-	-	-
512	Chronic pharyngitis and nasopharyngitis	M	5	-	5	-	2	-	2	1	-	-	-	-	-	-	-
		F	8	-	4	1	-	3	1	-	-	2	2	-	-	-	-
	.0 Chronic pharyngitis	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	.1 Chronic nasopharyngitis	M	*5*	-	*5*	-	*2*	-	*2*	*1*	-	-	-	-	-	-	-
		F	*8*	-	*4*	*1*	-	*3*	*1*	-	-	*2*	*2*	-	-	-	-
513	Chronic sinusitis	M	157	2	99	5	-	6	69	18	24	21	11	6	2	-	-
		F	157	-	110	3	-	6	64	33	13	9	17	12	1	1	1
514	Deflected nasal septum	M	109	1	35	4	-	-	2	33	32	16	22	2	-	1	1
		F	36	-	17	1	-	-	7	7	11	5	3	2	-	-	1

TABLE H.1(b)

I.S.C. No.	PRINCIPAL CAUSE OF ADMISSION		HOSPITALS UNDER REGIONAL BOARDS														
			TOTAL	Died	Marital status		Discharges (including deaths) by age										
					Single	N.S.	0-	1-	5-	15-	25-	35-	45-	55-	65-	75 and over	N.S.
515	Nasal polyp	M	47	-	11	1	-	-	3	6	6	7	9	6	9	1	-
		F	45	-	20	-	-	-	6	6	8	4	10	6	4	1	-
516	Chronic laryngitis	M	3	-	1	-	-	1	-	-	-	-	-	-	2	-	-
		F	3	-	2	-	-	1	-	1	1	-	-	-	-	-	-
517	Other diseases of upper respiratory tract	M	72	-	51	1	2	14	18	13	4	11	3	5	1	1	-
		F	50	3	36	-	3	1	14	11	6	4	7	3	1	-	-
518	Empyema	M	79	6	25	5	5	5	4	3	8	10	22	14	6	2	-
		F	32	3	17	2	1	-	3	7	4	6	3	5	3	-	-
519	Pleurisy	M	46	1	15	1	-	-	5	5	7	12	5	2	7	3	-
		F	48	-	18	-	-	-	5	10	10	12	3	6	1	1	-
	.0 Without mention of effusion or tuberculosis	*M*	*37*	*1*	*13*	-	-	-	*5*	*4*	*4*	*10*	*5*	*2*	*5*	*2*	-
		F	*44*	-	*16*	-	-	-	*5*	*8*	*10*	*11*	*3*	*6*	*1*	-	-
	.1 With effusion with mention of a bacterial cause other than tuberculosis	*M*	*3*	-	*1*	-	-	-	-	*1*	-	*1*	-	-	-	*1*	-
		F	*1*	-	-	-	-	-	-	-	-	-	-	-	-	*1*	-
	.2 Other specified forms of effusion, except tuberculosis	*M*	*6*	-	*1*	*1*	-	-	-	-	*3*	*1*	-	-	*2*	-	-
		F	*3*	-	*2*	-	-	-	-	*2*	-	*1*	-	-	-	-	-
520	Spontaneous pneumothorax	M	21	3	4	1	-	-	-	3	3	2	5	7	1	-	-
		F	3	-	3	-	-	-	-	3	-	-	-	-	-	-	-
521	Abscess of lung	M	36	7	11	1	-	1	4	-	1	5	15	6	4	-	-
		F	12	2	6	-	1	1	2	-	2	1	2	3	-	-	-

522	Pulmonary congestion and hypostasis	M	9	8	3	-	1	-	-	-	-	-	-	2	5	1	-
		F	8	6	1	-	-	-	-	-	1	1	-	-	2	4	-
523	Pneumoconiosis due to silica and silicates (occupational)	M	5	3	-	-	-	-	-	-	-	-	4	-	1	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	.0 Silicosis	M	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	.1 Anthracosilicosis	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	.2 Asbestosis	M	2	2	-	-	-	-	-	-	-	-	2	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	.3 Other, including pneumoconiosis unspecified	M	2	1	-	-	-	-	-	-	-	-	1	-	1	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
524	Other specified pneumoconiosis and pulmonary fibrosis of occupational origin	M	2	1	1	-	-	-	-	-	-	-	1	-	-	-	1
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
525	Other chronic interstitial pneumonia	M	6	2	-	1	-	-	-	1	-	2	1	2	-	-	-
		F	3	-	-	-	-	-	-	-	-	-	-	1	1	1	-
526	Bronchiectasis	M	160	23	65	3	-	7	30	15	10	24	24	31	16	2	1
		F	139	12	80	-	1	8	48	19	11	13	12	11	11	4	1
527	Other diseases of lung and pleural cavity	M	51	8	14	1	4	4	3	2	5	4	8	13	7	1	-
		F	36	5	17	1	1	6	4	3	4	4	4	4	5	1	-
	.0 Pulmonary collapse (1 year and over)	M	13	-	7	-	-	3	3	1	2	2	-	2	-	-	-
		F	13	2	7	-	-	5	1	-	-	2	1	2	2	-	-
	.1 Emphysema without mention of bronchitis	M	18	4	1	1	-	-	-	-	1	1	4	7	4	1	-
		F	4	1	-	1	-	-	-	-	-	-	2	-	1	1	-
	.2 Other	M	20	4	6	-	4	1	-	1	2	1	4	4	3	-	-
		F	19	2	10	-	1	1	3	3	4	2	1	2	2	-	-

TABLE H.1(b) (Contd.)

I.S.C. No.	PRINCIPAL CAUSE OF ADMISSION		HOSPITALS UNDER REGIONAL BOARDS														
			TOTAL	Died	Marital status		Discharges (including deaths) by age										
					Single	N.S.	0-	1-	5-	15-	25-	35-	45-	55-	65-	75 and over	N.S.
	IX. DISEASES OF THE DIGESTIVE SYSTEM																
530-539	Diseases of Buccal cavity and oesophagus	M	180	1	99	6	5	25	39	16	27	23	17	10	11	6	1
		F	287	2	139	4	6	32	36	49	50	49	28	15	14	5	3
530	Dental caries	M	36	-	27	1	-	3	17	5	2	5	1	1	2	-	-
		F	71	-	28	1	-	3	10	6	13	21	10	6	-	2	-
	.0 Dental caries, unqualified	M	36	-	27	1	-	3	17	5	2	5	1	1	2	-	-
		F	71	-	28	1	-	3	10	6	13	21	10	6	-	2	-
	.1 With pulp exposure	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	.2 With periapical abscess	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	.3 Other	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
531	Abscesses of supporting structures of teeth	M	28	-	13	-	-	1	8	3	7	2	5	1	1	-	-
		F	20	-	15	1	-	1	6	5	3	1	2	1	-	-	1
	.0 Pericoronal	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	.1 Peridontal (parietal)	M	17	-	5	-	-	1	3	1	5	-	5	1	1	-	-
		F	7	-	5	-	-	1	1	2	1	-	1	1	-	-	-
	.2 Other and unspecified	M	11	-	8	-	-	-	5	2	2	2	-	-	-	-	-
		F	13	-	10	1	-	-	5	3	2	1	1	-	-	-	1

532	Other inflammatory diseases of supporting structures of teeth	M	18	-	12	-	-	2	6	3	-	6	-	-	1	-	-
		F	39	-	15	1	-	1	5	6	12	9	2	2	2	-	-
	.0 Gingivitis, except ulcerative	M	3	-	2	-	-	1	1	-	-	1	-	-	-	-	-
		F	2	-	1	-	-	1	-	-	1	-	-	-	-	-	-
	.1 Periodontitis (Pyorrhoea, inflammatory)	M	1	-	1	-	-	-	1	-	-	-	-	-	-	-	-
		F	6	-	2	-	-	-	1	1	2	2	-	-	-	-	-
	.2 Periodontosis (Pyorrhoea, degenerative)	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	.3 Other	M	14	-	9	-	-	1	4	3	-	5	-	-	1	-	-
		F	31	-	12	1	-	-	4	5	9	7	2	2	2	-	-
533	Disorders of occlusion, eruption, and tooth development	M	25	-	9	1	1	-	3	3	8	4	2	3	1	-	-
		F	45	-	20	-	1	2	1	17	9	4	5	2	2	1	1
	.0 Malocclusion	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	.1 Disorders of first dentition	M	1	-	1	-	1	-	-	-	-	-	-	-	-	-	-
		F	3	-	3	-	1	2	-	-	-	-	-	-	-	-	-
	.2 Impacted teeth	M	13	-	6	1	-	-	2	2	4	2	1	1	1	-	-
		F	20	-	11	-	-	-	-	12	4	3	1	-	-	-	-
	.3 Unerupted teeth	M	8	-	2	-	-	-	1	1	2	2	1	1	-	-	-
		F	8	-	1	-	-	-	-	2	1	-	2	1	1	1	-
	.4 Partially erupted teeth	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	1	-	-	-	-	1	-	-	-	-	-	-	-
	.5 Congenital anomalies of teeth	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	.6 Chronic dental fluorosis	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	.7 Other	M	3	-	-	-	-	-	-	-	2	-	-	1	-	-	-
		F	13	-	4	-	-	-	1	2	4	1	2	1	1	-	1

TABLE H.1(b) (Contd.)

I.S.C. No.	PRINCIPAL CAUSE OF ADMISSION		HOSPITALS UNDER REGIONAL BOARDS														
			TOTAL	Died	Marital status		Discharges (including deaths) by age										
					Single	N.S.	0-	1-	5-	15-	25-	35-	45-	55-	65-	75 and over	N.S.
534	Toothache from unspecified cause	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
535	Other diseases of teeth and supporting structures	M	11	-	4	2	-	-	-	1	5	1	1	-	2	-	1
		F	12	-	3	-	-	1	-	2	3	4	2	-	-	-	-
536	Stomatitis	M	22	-	21	-	4	14	3	-	1	-	-	-	-	-	-
		F	30	-	25	-	3	17	3	3	-	2	1	1	-	-	-
537	Diseases of salivary glands	M	27	-	11	1	-	5	1	1	4	5	6	3	-	2	-
		F	44	1	23	-	-	6	7	6	8	4	5	1	4	2	1
538	Other diseases of buccal cavity	M	5	-	2	1	-	-	1	-	-	-	1	-	-	3	-
		F	15	-	9	1	2	1	3	4	1	1	-	1	2	-	-
539	Diseases of oesophagus	M	8	1	-	-	-	-	-	-	-	-	1	2	4	1	-
		F	11	1	1	-	-	-	1	-	1	3	1	1	4	-	-
	.0 Functional disorders of oesophagus	*M*	*1*	-	-	-	-	-	-	-	-	-	-	*1*	-	-	-
		F	*4*	*1*	-	-	-	-	-	-	*1*	*1*	*1*	-	*1*	-	-
	.1 Other	*M*	*7*	*1*	-	-	-	-	-	-	-	-	*1*	*1*	*4*	*1*	-
		F	*7*	-	*1*	-	-	-	*1*	-	-	*2*	-	*1*	*3*	-	-
540–545	**Diseases of stomach and duodenum**	**M**	**1824**	**98**	**229**	**61**	**8**	**3**	**6**	**76**	**232**	**427**	**512**	**335**	**181**	**33**	**11**
		F	**594**	**31**	**107**	**12**	**3**	**6**	**6**	**33**	**52**	**106**	**142**	**131**	**89**	**23**	**3**
540	Ulcer of stomach	M	579	61	59	18	-	-	-	16	45	111	176	142	68	17	4
		F	239	25	31	1	1	-	1	3	15	36	56	67	45	14	1
	.0 Without mention of perforation	*M*	*492*	*40*	*51*	*14*	-	-	-	*13*	*34*	*96*	*155*	*123*	*57*	*10*	*4*
		F	*214*	*15*	*25*	-	*1*	-	*1*	*3*	*10*	*32*	*51*	*63*	*39*	*13*	*1*
	.1 With perforation	*M*	*87*	*21*	*8*	*4*	-	-	-	*3*	*11*	*15*	*21*	*19*	*11*	*7*	-
		F	*25*	*10*	*6*	*1*	-	-	-	-	*5*	*4*	*5*	*4*	*6*	*1*	-

541	Ulcer of duodenum	M	1022	35	131	38	-	-	3	50	162	266	285	154	84	11	7
		F	214	5	32	6	-	-	-	14	22	51	64	43	16	3	1
	.0 Without mention of perforation	M	811	18	94	28	-	-	3	37	120	215	226	127	69	8	6
		F	199	4	28	6	-	-	-	13	21	45	62	40	15	2	1
	.1 With perforation	M	211	17	37	10	-	-	-	13	42	51	59	27	15	3	1
		F	15	1	4	-	-	-	-	1	1	6	2	3	1	1	-
542	Gastrojejunal ulcer	M	22	-	3	-	-	-	-	1	-	6	6	3	4	2	-
		F	6	-	1	-	-	-	-	-	-	-	1	-	4	1	-
	.0 Without mention of perforation	M	20	-	3	-	-	-	-	1	-	6	6	2	4	1	-
		F	4	-	-	-	-	-	-	-	-	-	-	-	3	1	-
	.1 With perforation	M	2	-	-	-	-	-	-	-	-	-	-	1	-	1	-
		F	2	-	1	-	-	-	-	-	-	-	1	-	1	-	-
543	Gastritis and duodenitis	M	45	-	13	-	1	2	-	5	9	7	11	4	5	1	-
		F	34	-	14	2	-	3	2	8	4	4	3	5	4	1	-
544	Disorders of function of stomach	M	64	-	9	3	1	1	1	2	9	12	11	16	10	1	-
		F	71	1	21	2	1	3	1	8	8	11	12	11	13	2	1
	.0 Disorders of gastric secretion	M	5	-	-	-	-	-	-	-	-	1	-	3	1	-	-
		F	4	-	1	-	-	-	-	-	-	1	1	1	1	-	-
	.1 Disorders of gastric motility	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	3	1	2	-	-	-	-	-	-	-	-	1	1	1	-
	.2 Other	M	59	-	9	3	1	1	1	2	9	11	11	13	9	1	-
		F	64	-	18	2	1	3	1	8	8	10	11	9	11	1	1
545	Other diseases of stomach and duodenum	M	92	2	14	2	6	-	2	2	7	25	23	16	10	1	-
		F	30	-	8	1	1	-	2	-	3	4	6	5	7	2	-
550–553	Appendicitis	M	1558	18	889	29	2	52	448	363	238	212	121	71	34	7	10
		F	1685	19	956	15	2	52	314	570	264	199	140	81	43	14	6
550	Acute appendicitis	M	1126	13	650	17	2	46	328	267	153	142	34	53	29	7	5
		F	1045	18	611	9	2	48	223	311	149	120	87	59	33	11	2
	.0 Without mention of peritonitis	M	863	-	507	14	1	30	257	222	129	109	65	31	12	2	5
		F	821	4	491	7	2	23	173	287	133	90	59	27	19	6	2

TABLE H.1(b) (Contd.)

I.S.C. No.	PRINCIPAL CAUSE OF ADMISSION		HOSPITALS UNDER REGIONAL BOARDS														
			TOTAL	Died	Marital status		Discharges (including deaths) by age										
					Single	N.S.	0-	1-	5-	15-	25-	35-	45-	55-	65-	75 and over	N.S.
550	*.1 With peritonitis*	*M*	*263*	*13*	*143*	*3*	*1*	*16*	*71*	*45*	*24*	*33*	*29*	*22*	*17*	*5*	-
		F	*224*	*14*	*120*	*2*	-	*25*	*50*	*24*	*16*	*30*	*28*	*32*	*14*	*5*	-
551	Appendicitis, unqualified	M	292	3	169	10	-	5	83	64	59	45	18	11	4	-	3
		F	330	-	171	5	-	4	47	121	66	41	32	9	4	3	3
552	Other appendicitis	M	101	-	49	1	-	-	28	23	18	18	8	4	-	-	2
		F	214	1	117	1	-	-	33	87	32	32	14	11	4	-	1
553	Other diseases of appendix	M	39	2	21	1	-	1	9	9	8	7	1	3	1	-	-
		F	96	-	57	-	-	-	11	51	17	6	7	2	2	-	-
560-561	**Hernia of abdominal cavity**	**M**	**1493**	**21**	**440**	**44**	**43**	**147**	**81**	**92**	**120**	**237**	**309**	**267**	**130**	**60**	**7**
		F	**582**	**22**	**156**	**8**	**11**	**56**	**35**	**18**	**37**	**119**	**101**	**81**	**77**	**42**	**5**
560	Hernia of abdominal cavity without mention of obstruction	M	1290	6	404	38	32	134	80	92	115	221	289	230	75	17	5
		F	441	4	144	8	10	56	35	16	34	99	82	58	40	10	1
	.0 Inguinal	*M*	*1092*	*3*	*331*	*29*	*20*	*94*	*69*	*86*	*108*	*211*	*241*	*185*	*63*	*12*	*3*
		F	*172*	*2*	*49*	*4*	*2*	*7*	*20*	*12*	*23*	*46*	*36*	*15*	*9*	*2*	-
	.1 Femoral	*M*	*47*	*2*	*5*	*3*	-	*1*	*1*	*1*	*1*	*3*	*21*	*14*	*2*	*1*	*2*
		F	*98*	-	*15*	*3*	-	-	*2*	*1*	*5*	*27*	*22*	*25*	*13*	*3*	-
	.2 Umbilical	*M*	*76*	-	*53*	-	*10*	*33*	*7*	*1*	*1*	*3*	*8*	*11*	*1*	*1*	-
		F	*91*	-	*67*	-	*7*	*48*	*10*	*1*	*4*	*7*	*5*	*5*	*3*	*1*	-
	.3 Ventral (incisional)	*M*	*28*	-	*4*	*1*	-	*2*	*2*	*2*	*1*	*2*	*6*	*10*	*1*	*2*	-
		F	*50*	*1*	*6*	-	-	-	*1*	-	*1*	*16*	*14*	*4*	*10*	*3*	*1*
	.4 Other specified site	*M*	*12*	*1*	*4*	*1*	*2*	*2*	-	-	-	-	*2*	*4*	*2*	-	-
		F	*16*	*1*	*1*	*1*	*1*	-	-	*1*	*1*	*1*	*1*	*7*	*4*	-	-

	.5 Unspecified site	M	35	-	7	4	-	2	1	2	4	2	11	6	6	1	-
		F	14	-	6	-	-	1	2	1	-	2	4	2	1	1	-
561	Hernia of abdominal cavity with obstruction	M	203	15	36	6	11	13	1	-	5	16	20	37	55	43	2
		F	141	18	12	-	1	-	-	2	3	20	19	23	37	32	4
	.0 Inguinal	M	148	10	29	4	11	12	-	-	4	10	8	19	44	38	2
		F	16	1	2	-	1	-	-	-	-	1	3	1	8	2	-
	.1 Femoral	M	32	4	5	-	-	-	1	-	1	5	5	10	8	2	-
		F	84	8	9	-	-	-	-	1	2	13	10	15	19	21	3
	.2 Umbilical	M	5	1	-	-	-	-	-	-	-	-	3	1	1	-	-
		F	16	2	1	-	-	-	-	-	-	4	3	2	5	2	-
	.3 Ventral (incisional)	M	3	-	1	-	-	-	-	-	-	-	2	1	-	-	-
		F	13	3	-	-	-	-	-	-	-	-	-	3	3	6	1
	.4 Other specified site	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	1	-	-	-	-	-	-	-	-	1	-	-	-	-
	.5 Unspecified site	M	15	-	1	2	-	1	-	-	-	1	2	6	2	3	-
		F	11	3	-	-	-	-	-	1	1	2	2	2	2	1	-
570-578	Other diseases of intestines and peritoneum	M	985	79	500	18	219	123	74	49	71	120	112	105	74	36	2
		F	959	84	430	15	163	74	41	90	90	105	124	106	118	42	6
570	Intestinal obstruction without mention of hernia	M	173	33	59	6	18	10	13	9	7	18	24	33	27	13	1
		F	184	35	47	3	9	9	6	7	9	10	31	26	49	25	3
	.0 Intussusception	M	31	2	31	-	18	9	4	-	-	-	-	-	-	-	-
		F	18	1	18	-	8	9	-	-	-	-	-	-	-	-	1
	.1 Paralytic ileus	M	6	5	2	-	-	-	-	-	-	1	1	2	1	1	-
		F	1	1	1	-	-	-	1	-	-	-	-	-	-	-	-
	.2 Mesenteric infarction	M	5	5	-	-	-	-	-	-	-	-	-	1	2	2	-
		F	8	6	1	1	-	-	-	-	-	1	-	-	4	2	1
	.3 Volvulus	M	19	6	4	1	-	1	-	-	1	5	3	3	4	2	-
		F	14	3	1	-	-	-	-	-	-	1	7	1	1	4	-
	.4 Impaction of intestine	M	7	-	2	-	-	-	1	-	-	1	-	-	2	3	-
		F	23	2	2	-	-	-	-	1	1	1	-	4	10	6	-

TABLE H.1(b) (Contd.)

I.S.C. No.	PRINCIPAL CAUSE OF ADMISSION		HOSPITALS UNDER REGIONAL BOARDS														
			TOTAL	Died	Marital status		Discharges (including deaths) by age										
					Single	N.S.	0-	1-	5-	15-	25-	35-	45-	55-	65-	75 and over	N.S.
570	.5 Other	M	105	15	20	5	-	-	8	9	6	11	20	27	18	5	1
		F	120	22	24	2	1	-	5	6	8	7	24	21	34	13	1
571	Gastro-enteritis and colitis, except ulcerative, age 4 weeks and over	M	383	22	321	1	196	82	21	17	16	19	13	13	4	2	-
		F	273	21	230	2	146	36	7	26	15	13	14	8	5	2	1
	.0 Ages between 4 weeks and 2 years	M	249	20	249	-	196	53	-	-	-	-	-	-	-	-	-
		F	175	19	175	-	146	28	-	-	-	-	-	-	-	-	1
	.1 Ages 2 years and over	M	134	2	72	1	-	29	21	17	16	19	13	13	4	2	-
		F	98	2	55	2	-	8	7	26	15	13	14	8	5	2	-
572	Chronic enteritis and ulcerative colitis	M	85	10	10	1	-	1	2	6	5	20	13	15	14	9	-
		F	113	12	22	3	-	1	-	6	17	24	18	22	22	2	1
	.0 Regional enteritis	M	4	-	2	-	-	1	1	-	-	1	-	-	-	1	-
		F	8	-	2	-	-	-	-	2	3	2	-	1	-	-	-
	.1 Diverticulitis	M	49	6	-	1	-	-	-	-	-	4	11	13	14	7	-
		F	64	5	8	3	-	-	-	-	1	9	13	19	19	2	1
	.2 Ulcerative colitis	M	29	4	8	-	-	-	1	6	4	14	2	1	-	1	-
		F	40	7	11	-	-	-	-	4	13	13	5	2	3	-	-
	.3 Other	M	3	-	-	-	-	-	-	-	1	1	-	1	-	-	-
		F	1	-	1	-	-	1	-	-	-	-	-	-	-	-	-
573	Functional disorders of intestines	M	68	-	33	2	1	8	15	7	3	10	10	4	6	4	-
		F	141	-	59	3	3	9	15	31	17	12	18	16	14	5	1
	.0 Constipation	M	60	-	31	2	1	8	14	7	3	9	8	2	5	3	-
		F	119	-	56	2	3	9	15	26	14	8	11	15	12	5	1

	.1 Mucous colitis	M	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-
		F	4	-	-	-	-	-	-	-	-	-	4	-	-	-	-
	.2 Irritability of colon	M	5	-	1	-	-	-	1	-	-	-	2	1	-	1	-
		F	14	-	1	-	-	-	-	2	3	4	2	1	2	-	-
	.3 Other	M	2	-	1	-	-	-	-	-	-	1	-	-	1	-	-
		F	4	-	2	1	-	-	-	3	-	-	1	-	-	-	-
574	Anal fissure and fistula	M	61	-	14	2	2	2	3	3	10	19	13	5	3	1	-
		F	61	-	14	1	1	1	1	6	12	16	11	7	5	1	-
575	Abscess of anal and rectal regions	M	88	-	21	4	1	3	6	5	22	18	18	10	5	-	-
		F	46	2	20	1	1	4	3	8	10	5	6	6	2	1	-
576	Peritonitis	M	29	12	10	-	-	-	3	1	1	4	3	9	3	4	1
		F	26	9	8	-	-	1	4	2	2	4	3	5	4	1	-
577	Peritioneal adhesion	M	10	-	-	-	-	-	-	-	1	4	-	1	3	1	-
		F	25	2	6	-	-	-	-	2	2	9	4	3	4	1	-
578	Other diseases of intestines and peritoneum	M	88	2	32	2	1	17	11	1	6	8	18	15	9	2	-
		F	90	3	24	2	3	13	5	2	6	12	19	13	13	4	-
580-587	**Diseases of liver, gallbladder, and pancreas**	M	**200**	**22**	**29**	**4**	**-**	**3**	**2**	**6**	**7**	**28**	**48**	**59**	**37**	**9**	**1**
		F	**549**	**45**	**44**	**12**	**1**	**2**	**2**	**8**	**27**	**81**	**123**	**150**	**121**	**29**	**5**
580	Acute and subacute yellow atrophy of liver	M	5	-	3	-	-	2	1	1	1	-	-	-	-	-	-
		F	5	5	1	-	-	-	-	-	1	1	2	1	-	-	-
581	Cirrhosis of liver	M	35	8	4	1	-	-	-	-	-	6	7	12	8	1	1
		F	29	10	1	1	-	-	-	-	3	4	9	4	7	2	-
	.0 Without mention of alcoholism	M	35	8	4	1	-	-	-	-	-	6	7	12	8	1	1
		F	29	10	1	1	-	-	-	-	3	4	9	4	7	2	-
	.1 With alcoholism	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
582	Suppurative hepatitis and liver abscess	M	4	-	1	-	-	-	1	-	-	1	2	-	-	-	-
		F	2	-	-	-	-	-	-	-	-	-	-	-	2	-	-
583	Other diseases of liver	M	6	1	1	-	-	1	-	-	-	4	-	1	-	-	-
		F	7	3	1	-	-	-	-	-	2	-	1	2	1	1	-

TABLE H.1(b) (Contd.)

I.S.C. No.	PRINCIPAL CAUSE OF ADMISSION		HOSPITALS UNDER REGIONAL BOARDS														
			TOTAL	Died	Marital status		Discharges (including deaths) by age										
					Single	N.S.	0-	1-	5-	15-	25-	35-	45-	55-	65-	75 and over	N.S.
584	Cholelithiasis	M	49	1	10	1	-	-	-	2	1	2	15	17	9	3	-
		F	174	9	12	5	-	-	-	3	9	33	40	50	33	5	1
585	Cholecystitis without mention of calculi	M	74	6	7	1	-	-	-	-	5	11	17	21	16	4	-
		F	278	11	20	6	-	-	1	4	10	38	59	77	67	19	3
586	Other diseases of gallbladder and biliary ducts	M	9	1	-	1	-	-	-	-	-	-	1	5	3	-	-
		F	33	3	4	-	-	-	-	1	1	4	9	10	5	2	1
587	Diseases of pancreas	M	18	5	3	-	-	-	-	3	-	4	6	3	1	1	-
		F	21	4	5	-	1	2	1	-	1	1	3	6	6	-	-
	.0 Acute pancreatitis	M	*11*	*5*	-	-	-	-	-	-	-	*2*	*4*	*3*	*1*	*1*	-
		F	*16*	*4*	*2*	-	*1*	-	-	-	-	*1*	*3*	*6*	*5*	-	-
	.1 Chronic pancreatitis	M	*4*	-	*3*	-	-	-	-	*1*	-	*2*	*1*	-	-	-	-
		F	*1*	-	-	-	-	-	-	-	-	-	-	-	*1*	-	-
	.2 Other diseases of pancreas	M	*3*	-	-	-	-	-	-	*2*	-	-	*1*	-	-	-	-
		F	*4*	-	*3*	-	-	*2*	*1*	-	*1*	-	-	-	-	-	-
	X. DISEASES OF THE GENITO-URINARY SYSTEM																
590-594	**Nephritis and nephrosis**	M	**157**	**33**	**80**	**2**	**1**	**26**	**37**	**13**	**22**	**22**	**14**	**8**	**13**	**-**	**1**
		F	**120**	**23**	**61**	**1**	**1**	**6**	**38**	**9**	**19**	**11**	**16**	**10**	**6**	**3**	**1**
590	Acute nephritis	M	88	4	56	-	-	19	30	7	16	11	4	-	-	-	1
		F	61	3	46	-	1	6	35	1	8	3	1	4	1	-	1
591	Nephritis with oedema, including nephrosis	M	11	1	6	-	-	4	1	-	2	2	1	1	-	-	-
		F	9	-	3	-	-	-	2	1	3	1	1	-	1	-	-

592	Chronic nephritis	M	45	25	15	2	1	3	4	5	4	5	8	5	10	-	-
		F	42	19	8	1	-	-	1	5	7	6	13	4	3	3	-
593	Nephritis not specified as acute or chronic	M	13	3	3	-	-	-	2	1	-	4	1	2	3	-	-
		F	7	1	4	-	-	-	-	2	1	1	-	2	1	-	-
594	Other renal sclerosis	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-
600-609	**Other diseases of urinary system**	**M**	**463**	**24**	**88**	**11**	**5**	**9**	**16**	**29**	**66**	**64**	**82**	**82**	**65**	**41**	**4**
		F	**551**	**15**	**140**	**7**	**6**	**25**	**24**	**82**	**93**	**101**	**86**	**60**	**58**	**14**	**2**
600	Infections of kidney	M	69	11	24	-	4	4	4	10	10	8	8	8	11	2	-
		F	226	11	79	3	5	21	19	41	46	38	24	14	13	5	-
	.0 Pyelitis, pyelocystitis and pyelonephritis	*M*	*53*	*11*	*17*	-	*4*	*4*	*2*	*5*	*8*	*6*	*6*	*7*	*9*	*2*	-
		F	*213*	*11*	*72*	*2*	*5*	*20*	*16*	*39*	*44*	*35*	*24*	*14*	*12*	*4*	-
	.1 Abscess of kidney and perirenal tissue	*M*	*13*	-	*6*	-	-	-	*2*	*3*	*1*	*2*	*2*	*1*	*2*	-	-
		F	*11*	-	*6*	*1*	-	*1*	*3*	*2*	*1*	*2*	-	-	*1*	*1*	-
	.2 Other	*M*	*3*	-	*1*	-	-	-	-	*2*	*1*	-	-	-	-	-	-
		F	*2*	-	*1*	-	-	-	-	-	*1*	*1*	-	-	-	-	-
601	Hydronephrosis	M	32	-	6	2	-	1	2	2	12	2	7	3	3	-	-
		F	31	1	6	-	-	-	1	6	8	4	7	1	4	-	-
602	Calculi of kidney and ureter	M	83	1	14	3	-	-	1	3	24	23	12	9	9	1	1
		F	60	2	7	-	-	-	-	4	11	21	12	7	5	-	-
603	Other diseases of kidney and ureter	M	31	1	7	1	-	-	1	5	6	6	7	4	1	1	-
		F	41	-	6	-	-	-	-	9	12	10	7	2	1	-	-
604	Calculi of other parts of urinary system	M	20	1	3	-	-	-	1	-	1	2	2	5	4	5	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-
605	Cystitis	M	71	1	9	-	-	1	1	4	6	9	7	18	15	10	-
		F	105	-	24	2	-	3	3	18	13	15	18	15	12	6	2
606	Other diseases of bladder	M	38	3	6	2	-	-	1	1	-	2	10	9	4	11	-
		F	13	-	2	-	-	-	-	3	-	2	4	3	1	-	-

TABLE H.1(b) (Contd.)

I.S.C. No.	PRINCIPAL CAUSE OF ADMISSION		HOSPITALS UNDER REGIONAL BOARDS														
			TOTAL	Died	Marital status		Discharges (including deaths) by age										
					Single	N.S.	0-	1-	5-	15-	25-	35-	45-	55-	65-	75 and over	N.S.
607	Urethritis (nonvenereal)	M	3	-	1	-	-	-	1	1	-	-	-	1	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-
608	Stricture of urethra	M	85	5	11	3	-	2	4	1	-	8	23	20	18	7	2
		F	4	1	1	-	-	-	-	-	-	1	-	3	-	-	-
609	Other diseases of urethra	M	31	1	7	-	1	1	-	2	7	4	6	5	-	4	1
		F	69	-	15	2	1	1	1	1	3	10	14	15	20	3	-
610-617	**Diseases of male genital organs**	**M**	**1038**	**82**	**268**	**37**	**21**	**90**	**73**	**30**	**38**	**44**	**80**	**195**	**283**	**178**	**6**
610	Hyperplasia of prostate	M	623	81	37	25	-	-	-	1	3	6	33	150	255	173	2
611	Prostatitis	M	14	-	2	1	-	-	-	2	2	3	2	3	2	-	-
612	Other diseases of prostate	M	11	-	2	1	-	-	-	-	-	-	1	4	5	1	-
613	Hydrocele	M	104	1	34	1	-	11	11	6	8	13	19	24	10	1	1
614	Orchitis and epididymitis	M	43	-	12	2	1	-	3	6	7	8	5	8	4	1	-
615	Redundant prepuce and phimosis	M	187	-	157	2	19	74	52	8	12	8	9	1	1	2	1
616	Sterility, male	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
617	Other diseases of male genital organs	M	56	-	24	5	1	5	7	7	6	6	11	5	6	-	2
620-626	**Diseases of breast, ovary, Fallopian tube and parametrium**	**M**	**7**	**-**	**2**	**-**	**-**	**-**	**-**	**3**	**-**	**1**	**1**	**1**	**-**	**1**	**-**
		F	**504**	**3**	**93**	**7**	**2**	**1**	**7**	**131**	**172**	**114**	**54**	**12**	**7**	**2**	**2**

620	Chronic cystic disease of breast	M	4	-	1	-	-	-	-	2	-	-	1	1	-	-	-
		F	76	-	14	-	-	-	-	2	10	30	28	5	1	-	-
621	Other diseases of breast	M	3	-	1	-	-	-	-	1	-	1	-	-	-	1	-
		F	122	-	16	4	1	-	1	33	50	19	10	3	3	1	1
	.0 Acute mastitis not associated with lactation	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	107	-	13	4	1	-	1	33	47	18	4	2	-	1	-
	.1 Hypertrophy of breast	M	2	-	1	-	-	-	-	1	-	-	-	-	-	1	-
		F	2	-	-	-	-	-	-	-	2	-	-	-	-	-	-
	.2 Other	M	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-
		F	13	-	3	-	-	-	-	-	1	1	6	1	3	-	1
622	Acute salpingitis and oophoritis	F	29	1	4	-	-	-	1	13	10	4	1	-	-	-	-
623	Chronic salpingitis and oophoritis	F	23	1	1	1	-	-	-	4	15	3	1	-	-	-	-
624	Salpingitis and oophoritis oophoritis, unqualified	F	136	-	36	2	-	-	3	45	55	23	8	-	-	1	1
625	Other diseases of ovary and Fallopian tube	F	50	-	13	-	-	-	1	19	12	12	3	3	-	-	-
626	Diseases of parametrium and pelvic peritoneum (female)	F	68	1	9	-	1	1	1	15	20	23	3	1	3	-	-
630-637	Diseases of uterus and other female genital organs	F	2804	10	253	34	-	4	14	304	693	758	612	249	127	24	19
630	Infective disease of uterus, vagina and vulva	F	417	-	39	5	-	3	6	41	130	122	69	26	12	2	6
	.0 Cervicitis	F	329	-	20	5	-	-	2	24	113	110	56	15	3	-	6
	.1 Other infective diseases of uterus	F	10	-	1	-	-	-	-	-	3	1	2	2	2	-	-
	.2 Vaginitis and vulvitis	F	78	-	18	-	-	3	4	17	14	11	11	9	7	2	-

TABLE H.1(b) (Contd.)

I.S.C. No.	PRINCIPAL CAUSE OF ADMISSION		HOSPITALS UNDER REGIONAL BOARDS														
			TOTAL	Died	Marital status		Discharges (including deaths) by age										
					Single	N.S.	0-	1-	5-	15-	25-	35-	45-	55-	65-	75 and over	N.S.
631	Uterovaginal prolapse	F	740	3	22	6	-	-	1	6	78	171	222	157	89	12	4
632	Malposition of uterus	F	149	-	11	1	-	-	-	26	74	40	6	1	1	-	1
633	Other diseases of uterus	F	153	2	16	5	-	-	-	21	31	43	39	12	6	-	1
634	Disorders of menstruation	F	886	3	149	13	-	-	4	149	204	288	204	24	8	1	4
635	Menopausal symptoms (including premature and artificial menopause)	F	41	-	2	1	-	-	-	2	3	13	20	2	1	-	-
636	Sterility, female	F	189	-	2	-	-	-	-	32	119	34	3	-	-	-	1
637	Other diseases of female genital organs	F	229	2	12	3	-	1	3	27	54	47	49	27	10	9	2
	.0 Leukorrhoea	*F*	*37*	-	*4*	-	-	-	*2*	*6*	*12*	*10*	*4*	*2*	*1*	-	-
	.1 Other	*F*	*192*	*2*	*8*	*3*	-	*1*	*1*	*21*	*42*	*37*	*45*	*25*	*9*	*9*	*2*
	XI. DELIVERIES AND COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM																
64X	Normal Pregnancy	F	483	-	29	2	-	-	-	159	234	86	2	-	-	-	2
640-649	**Complications of Pregnancy**	F	2209	11	82	31	-	-	-	677	1073	430	19	-	-	-	10
640	Pyelitis and Pyelonephritis of pregnancy	F	111	1	8	1	-	-	-	45	54	11	1	-	-	-	-

641	Other infections of genito-urinary tract during pregnancy	F	28	-	2	1	-	-	-	14	8	5	1	-	-	-	-
642	Toxaemias of pregnancy	F	858	4	27	10	-	-	-	263	397	186	8	-	-	-	4
	.0 Hypertensive disease arising during pregnancy	F	132	-	4	2	-	-	-	28	57	45	1	-	-	-	1
	.1 Renal disease arising during pregnancy	F	27	-	1	1	-	-	-	7	15	5	-	-	-	-	-
	.2 Pre-eclampsia of pregnancy	F	279	-	8	-	-	-	-	100	123	51	3	-	-	-	2
	.3 Eclampsia of pregnancy	F	9	1	1	1	-	-	-	3	4	2	-	-	-	-	-
	.4 Hyperemesis gravidarum	F	60	-	1	-	-	-	-	11	36	12	1	-	-	-	-
	.5 Other	F	351	3	12	6	-	-	-	114	162	71	3	-	-	-	1
643	Placenta praevia	F	25	-	1	-	-	-	-	6	15	4	-	-	-	-	-
644	Other haemorrhage of pregnancy	F	198	2	8	-	-	-	-	45	107	42	3	-	-	-	1
645	Ectopic pregnancy	F	92	2	5	1	-	-	-	12	56	24	-	-	-	-	-
	.0 Without mention of sepsis	F	91	2	5	1	-	-	-	12	56	23	-	-	-	-	-
	.1 With sepsis	F	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-
646	Anaemia of pregnancy	F	80	-	3	1	-	-	-	16	43	20	1	-	-	-	-
647	Pregnancy with malposition of foetus in uterus	F	240	-	13	4	-	-	-	89	115	35	1	-	-	-	-
648	Other complications arising from pregnancy	F	571	1	15	12	-	-	-	185	276	101	4	-	-	-	5

TABLE H.1(b) (Contd.)

I.S.C. No.	PRINCIPAL CAUSE OF ADMISSION		HOSPITALS UNDER REGIONAL BOARDS														
			TOTAL	Died	Marital status		Discharges (including deaths) by age										
					Single	N.S.	0-	1-	5-	15-	25-	35-	45-	55-	65-	75 and over	N.S.
648	.0 Threatened abortion	F	236	-	7	6	-	-	-	77	118	39	1	-	-	-	1
	.1 Hydatidiform mole	F	11	-	1	-	-	-	-	2	7	2	-	-	-	-	-
	.2 Placental abnormalities not classified elsewhere	F	3	-	-	-	-	-	-	2	-	1	-	-	-	-	-
	.3 Other	F	321	1	7	6	-	-	-	104	151	59	3	-	-	-	4
649	Pregnancy associated with other conditions	F	6	1	-	1	-	-	-	2	2	2	-	-	-	-	-
650-652	**Abortion**	**F**	**1726**	**6**	**122**	**20**	**-**	**-**	**-**	**394**	**879**	**428**	**17**	**-**	**-**	**-**	**8**
650	Abortion without mention of sepsis or toxaemia	F	1562	2	102	19	-	-	-	368	778	391	17	-	-	-	8
	.0 Spontaneous or unspecified	F	1503	2	101	19	-	-	-	356	743	380	16	-	-	-	8
	.1 Induced for medical or legal indications	F	18	-	-	-	-	-	-	5	10	3	-	-	-	-	-
	.2 Induced for other reasons	F	2	-	-	-	-	-	-	-	1	1	-	-	-	-	-
	.3 Other	F	39	-	1	-	-	-	-	7	24	7	1	-	-	-	-
651	Abortion with sepsis	F	162	4	20	1	-	-	-	25	101	36	-	-	-	-	-
	.0 Spontaneous or unspecified	F	160	4	20	1	-	-	-	25	99	36	-	-	-	-	-

	.1 Induced for medical or legal indications	F	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	.2 Induced for other reasons	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	.3 Other	F	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
652	Abortion with toxaemia without mention of sepsis	F	2	-	-	-	-	-	-	1	-	1	-	-	-	-	-
	.0 Spontaneous or unspecified	F	2	-	-	-	-	-	-	1	-	1	-	-	-	-	-
	.1 Induced for medical or legal indications	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	.2 Induced for other reasons	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	.3 Other	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
660	Delivery without complication	F	7951	2	415	43	-	-	-	3196	3664	1018	26	-	-	-	47
	.0 Spontaneous	F	5052	1	269	21	-	-	-	2086	2312	622	16	-	-	-	16
	.1 Manipulation without instruments	F	25	-	2	-	-	-	-	4	15	6	-	-	-	-	-
	.2 Forceps (only) low and unspecified	F	71	-	4	-	-	-	-	22	37	11	-	-	-	-	1
	.3 Forceps (only) mid and high	F	23	-	3	-	-	-	-	5	11	7	-	-	-	-	-
	.4 Other surgical or instrumental, except Caesarean section	F	11	-	2	-	-	-	-	3	8	-	-	-	-	-	-
	.5 Caesarean section	F	50	-	-	1	-	-	-	5	25	19	1	-	-	-	-
	.6 Unspecified type of delivery	F	2672	1	132	21	-	-	-	1053	1233	348	8	-	-	-	30

(7306)

TABLE H.1(b) (Contd.)

I.S.C. No.	PRINCIPAL CAUSE OF ADMISSION		HOSPITALS UNDER REGIONAL BOARDS															
			TOTAL	Died	Marital status		Discharges (including deaths) by age											
					Single	N.S.	0-	1-	5-	15-	25-	35-	45-	55-	65-	75 and over	N.S.
660	*.7 Delivered before admission*	*F*	*47*	-	*3*	-	-	-	-	*18*	*23*	*5*	*1*	-	-	-	-
670-678	**Delivery with specified complication**	**F**	**1520**	**6**	**65**	**8**	-	-	-	**538**	**732**	**237**	**8**	-	-	-	**5**
670	Delivery complicated by placenta praevia or antepartum haemorrhage	F	115	-	2	2	-	-	-	30	58	27	-	-	-	-	-
671	Delivery complicated by retained placenta	F	113	-	5	-	-	-	-	30	58	24	1	-	-	-	-
672	Delivery complicated by other postpartum haemorrhage	F	262	3	9	-	-	-	-	106	121	29	4	-	-	-	2
673	Delivery complicated by abnormality of bony pelvis	F	69	-	1	1	-	-	-	23	31	15	-	-	-	-	-
674	Delivery complicated by disproportion or malposition of foetus	F	155	1	8	2	-	-	-	53	67	31	2	-	-	-	2
675	Delivery complicated by prolonged labour of other origin	F	212	1	8	1	-	-	-	69	97	45	-	-	-	-	1
676	Delivery with laceration of perineum, without mention of other laceration	F	295	-	21	-	-	-	-	116	154	25	-	-	-	-	-
677	Delivery with other trauma	F	188	-	4	1	-	-	-	82	89	16	1	-	-	-	-

678	Delivery with other complications of childbirth	F	111	1	7	1	-	-	-	29	57	25	-	-	-	-	-
680-689	**Complications of the puerperium**	**F**	**162**	**5**	**19**	**1**	**-**	**-**	**-**	**56**	**80**	**24**	**1**	**-**	**-**	**-**	**1**
680	Puerperal urinary infection without other sepsis	F	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-
681	Sepsis of childbirth and the puerperium	F	69	1	9	-	-	-	-	23	40	6	-	-	-	-	-
682	Puerperal phlebitis and thrombosis	F	8	-	-	-	-	-	-	-	4	4	-	-	-	-	-
683	Pyrexia of unknown origin during the puerperium	F	41	-	3	-	-	-	-	15	20	6	-	-	-	-	-
684	Puerperal pulmonary embolism	F	1	1	-	-	-	-	-	-	1	-	-	-	-	-	-
685	Puerperal eclampsia	F	6	3	1	1	-	-	-	1	3	1	1	-	-	-	-
686	Other forms of puerperal toxaemia	F	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-
687	Cerebral haemorrhage in the puerperium	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
688	Other and unspecified complications of the puerperium	F	22	-	3	-	-	-	-	9	7	5	-	-	-	-	1
	.0 Anaemia of puerperium	*F*	*1*	-	-	-	-	-	-	-	*1*	-	-	-	-	-	-
	.1 Puerperal psychosis	*F*	*6*	-	-	-	-	-	-	*3*	*1*	*2*	-	-	-	-	-
	.2 Sudden death from unknown cause in the puerperium	*F*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	.3 Other	*F*	*15*	-	*3*	-	-	-	-	*6*	*5*	*3*	-	-	-	-	*1*

TABLE H.1(b) (Contd.)

I.S.C. No.	PRINCIPAL CAUSE OF ADMISSION		HOSPITALS UNDER REGIONAL BOARDS														
			TOTAL	Died	Marital status		Discharges (including deaths) by age										
					Single	N.S.	0-	1-	5-	15-	25-	35-	45-	55-	65-	75 and over	N.S.
689	Mastitis and other disorders of lactation	F	13	-	3	-	-	-	-	6	5	2	-	-	-	-	-
	XII. DISEASES OF THE SKIN AND CELLULAR TISSUE																
690-698	Infections of Skin and subcutaneous tissue	M	486	7	278	8	16	85	93	58	53	55	50	37	28	9	2
		F	422	2	265	4	11	85	79	60	36	47	36	26	29	12	1
690	Boil and carbuncle	M	67	-	29	2	2	3	10	11	10	6	12	6	7	-	-
		F	64	1	43	-	3	5	9	16	4	5	7	5	5	5	-
	.0 Of face	M	29	-	14	1	1	2	4	7	6	2	4	-	3	-	-
		F	32	1	25	-	2	3	5	10	3	4	1	1	3	-	-
	.1 Of neck	M	10	-	4	-	-	-	-	1	2	1	1	3	2	-	-
		F	11	-	3	-	-	-	-	1	-	-	3	1	2	4	-
	.2 Of trunk	M	4	-	2	-	1	-	1	-	-	-	1	-	1	-	-
		F	3	-	1	-	-	-	1	-	-	-	-	2	-	-	-
	.3 Of upper arm and forearm	M	6	-	2	-	-	-	-	1	1	1	3	-	-	-	-
		F	5	-	5	-	-	-	-	3	-	-	1	-	-	1	-
	.4 Of hand	M	2	-	-	-	-	-	-	-	-	1	1	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	.5 Of buttock	M	2	-	-	-	-	-	-	-	1	-	-	1	-	-	-
		F	1	-	1	-	-	-	-	1	-	-	-	-	-	-	-
	.6 Of other parts of lower extremity	M	3	-	2	-	-	-	2	-	-	-	1	-	-	-	-
		F	6	-	4	-	-	1	2	-	1	-	1	1	-	-	-
	.7 Of other and multiple sites	M	6	-	2	1	-	1	1	1	-	1	1	1	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-

	8 Of unspecified site	M	5	-	3	-	-	-	2	1	-	-	-	1	1	-	-
		F	5	-	4	-	1	1	1	1	-	1	-	-	-	-	-
691	Cellulitis of finger and toe	M	28	-	9	1	-	1	5	2	4	6	3	1	3	3	-
		F	30	-	13	-	-	2	3	8	3	5	5	1	1	2	-
692	Other cellulitis and abscess without mention of lymphangitis	M	313	6	187	5	11	62	57	38	30	38	32	24	14	5	2
		F	249	1	153	3	8	59	42	26	24	29	17	18	21	5	-
	.0 Of head and neck	M	112	-	90	-	5	37	29	12	7	9	5	3	4	-	1
		F	96	-	74	-	4	35	19	11	8	9	2	2	2	3	-
	.1 Of trunk	M	48	2	20	-	2	10	-	4	9	9	6	4	2	2	-
		F	38	1	21	1	2	7	7	5	4	2	1	2	7	1	-
	.2 Of upper arm and forearm	M	32	-	12	-	1	3	2	3	2	8	10	2	1	-	-
		F	16	-	10	-	-	4	3	1	1	2	3	1	1	-	-
	.3 Of hand, except fingers	M	22	-	9	-	-	-	2	8	7	-	-	2	3	-	-
		F	12	-	4	-	-	1	-	1	2	4	2	-	2	-	-
	.4 Of leg	M	69	1	38	3	2	10	18	6	4	6	8	9	3	3	-
		F	58	-	24	1	-	8	9	3	7	11	4	8	7	1	-
	.5 Of foot, except toes	M	21	2	14	1	-	1	6	4	-	4	3	2	1	-	-
		F	17	-	11	1	-	-	4	3	1	-	2	5	2	-	-
	.6 Of other, multiple, and unspecified sites	M	9	1	4	1	1	1	-	1	1	2	-	2	-	-	1
		F	12	-	9	-	2	4	-	2	1	1	2	-	-	-	-
693	Other cellulitis and abscess with lymphangitis	M	8	-	5	-	-	-	3	1	1	-	-	1	2	-	-
		F	5	-	2	-	-	1	1	-	1	-	1	-	1	-	-
	.0 Of head and neck	M	1	-	1	-	-	-	1	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	.1 Of trunk	M	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	.2 Of upper arm and forearm	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

TABLE H.1(b) (Contd.)

I.S.C. No.	PRINCIPAL CAUSE OF ADMISSION		HOSPITALS UNDER REGIONAL BOARDS														
			TOTAL	Died	Marital status		Discharges (including deaths) by age										
					Single	N.S.	0-	1-	5-	15-	25-	35-	45-	55-	65-	75 and over	N.S.
693	.3 Of hand, except fingers	M	1	-	1	-	-	-	-	-	-	-	-	-	1	-	-
		F	1	-	1	-	-	-	1	-	-	-	-	-	-	-	-
	.4 Of leg	M	4	-	2	-	-	-	1	1	1	-	-	-	1	-	-
		F	2	-	-	-	-	-	-	-	1	-	-	-	1	-	-
	.5 Of foot, except toes	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	2	-	1	-	-	1	-	-	-	-	1	-	-	-	-
	.6 Of other, multiple, and unspecified sites	M	1	-	1	-	-	-	1	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
694	Acute lymphadenitis	M	31	-	28	-	2	14	10	2	-	2	-	1	-	-	-
		F	26	-	23	-	-	11	10	2	1	2	-	-	-	-	-
695	Impetigo	M	13	-	11	-	1	4	4	2	1	-	1	-	-	-	-
		F	14	-	13	-	-	6	6	1	-	1	-	-	-	-	-
696	Infectious warts	M	18	-	5	-	-	-	3	1	6	3	1	4	-	-	-
		F	27	-	14	1	-	-	8	6	3	3	4	1	1	-	1
697	Molluscum contagiosum	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	1	-	-	-	-	-	-	1	-	-	-	-	-
698	Other local infections of skin and subcutaneous tissue	M	8	1	4	-	-	1	1	1	1	-	1	-	2	1	-
		F	6	-	3	-	-	1	-	1	-	1	2	1	-	-	-
700-716	**Other diseases of skin and subcutaneous tissue**	**M**	**349**	**11**	**126**	**6**	**10**	**16**	**19**	**45**	**35**	**57**	**55**	**49**	**42**	**17**	**4**
		F	**341**	**8**	**116**	**3**	**7**	**11**	**19**	**48**	**22**	**55**	**66**	**46**	**50**	**14**	**3**
700	Seborrhoeic dermatitis	M	19	1	3	2	-	-	-	3	2	6	4	2	1	1	-
		F	14	-	4	1	1	1	-	2	1	3	3	1	2	-	-
701	Eczema	M	83	1	29	-	8	8	2	2	8	13	11	15	11	5	-
		F	51	1	22	-	3	6	3	6	2	9	5	5	8	3	1

702	Occupational dermatitis	M	9	-	2	-	-	-	-	-	-	3	1	3	2	-	-
		F	1	-	1	-	-	-	-	-	-	1	-	-	-	-	-
	.0 Due to plants	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	.1 Due to oils and greases	M	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	.2 Due to solvents	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	.3 Due to drugs	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	.4 Due to other chemicals	M	1	-	1	-	-	-	-	-	-	-	-	1	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	.5 Due to radiation	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	.6 Other	M	7	-	1	-	-	-	-	-	-	2	1	2	2	-	-
		F	1	-	1	-	-	-	-	-	-	1	-	-	-	-	-
703	Other dermatitis	M	68	4	17	2	-	4	1	6	6	12	14	14	4	6	1
		F	39	1	11	-	-	-	3	6	2	4	10	6	7	1	-
	.0 Due to plants	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	1	-	-	-	-	1	-	-	-	-	-	-	-
	.1 Due to oils and greases	M	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-
	.2 Due to solvents	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	.3 Due to drugs	M	8	1	2	1	-	1	-	-	2	2	1	2	-	-	-
		F	4	-	2	-	-	-	-	2	1	-	-	1	-	-	-
	.4 Due to other chemicals	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	.5 Due to radiation	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

TABLE H.1(b) (Contd.)

I.S.C. No.	PRINCIPAL CAUSE OF ADMISSION		HOSPITALS UNDER REGIONAL BOARDS														
			TOTAL	Died	Marital status		Discharges (including deaths) by age										
					Single	N.S.	0-	1-	5-	15-	25-	35-	45-	55-	65-	75 and over	N.S.
703	.6 Due to other specified agents	M	7	-	-	1	-	-	-	-	-	2	3	-	-	2	-
		F	5	1	1	-	-	-	-	-	-	-	1	1	3	-	-
	.7 Unqualified	M	45	2	14	-	-	3	1	6	4	8	7	11	3	1	1
		F	26	-	7	-	-	-	3	3	1	4	7	4	4	-	-
	.X Exfoliative dermatitis	M	7	1	1	-	-	-	-	-	-	-	2	1	1	3	-
		F	2	-	-	-	-	-	-	-	-	-	1	-	-	1	-
704	Pemphigus	M	6	2	-	-	-	-	-	-	-	1	-	1	4	-	-
		F	12	4	3	-	-	1	-	-	-	2	2	1	5	1	-
	.0 Dermatitis herpetiformis	M	4	-	-	-	-	-	-	-	-	1	-	1	2	-	-
		F	6	-	2	-	-	1	-	-	-	1	2	-	1	1	-
	.1 Other	M	2	2	-	-	-	-	-	-	-	-	-	-	2	-	-
		F	6	4	1	-	-	-	-	-	-	1	-	1	4	-	-
705	Erythematous conditions	M	16	-	8	-	-	1	6	-	1	1	2	2	2	-	1
		F	36	1	19	-	1	-	4	6	4	6	7	6	-	1	1
	.0 Toxic erythema	M	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-
	.1 Erythema multiforme (erythema iris)	M	2	-	2	-	-	1	1	-	-	-	-	-	-	-	-
		F	7	-	1	-	-	-	-	-	-	-	3	4	-	-	-
	.2 Erythema nodosum	M	6	-	4	-	-	-	4	-	-	1	1	-	-	-	-
		F	22	-	12	-	1	-	4	5	3	5	3	-	-	-	1
	.3 Rosacea	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	1	-	-	-	-	1	-	-	-	-	-	-	-
	.4 Lupus erythematosus	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

	.5 Other and unqualified	M	7	-	2	-	-	-	1	-	-	-	1	2	2	-	1
		F	5	1	5	-	-	-	-	-	1	1	1	1	-	1	-
706	Psoriasis and similar disorders	M	11	-	2	-	-	-	1	1	2	2	3	1	1	-	-
		F	12	-	4	-	-	-	1	4	2	-	4	1	-	-	-
	.0 Psoriasis	M	9	-	1	-	-	-	-	1	2	2	3	1	-	-	-
		F	10	-	3	-	-	-	1	3	1	-	4	1	-	-	-
	.1 Parapsoriasis	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	.2 Pityriasis rosea	M	1	-	1	-	-	-	1	-	-	-	-	-	-	-	-
		F	1	-	1	-	-	-	-	1	-	-	-	-	-	-	-
	.3 Other and unspecified pityriasis	M	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-
		F	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	.4 Other	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
707	Lichen planus	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	3	-	-	1	-	-	-	-	-	-	1	-	2	-	-
708	Pruritus and related conditions	M	7	-	-	-	-	-	-	-	2	2	2	-	1	-	-
		F	25	-	3	1	-	1	-	1	2	7	6	2	4	1	1
	.0 Pruritus ani	M	3	-	-	-	-	-	-	-	2	1	-	-	-	-	-
		F	4	-	-	-	-	-	-	-	1	2	1	-	-	-	-
	.1 Pruritus of genital organs	M	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-
		F	14	-	-	1	-	-	-	-	1	3	2	2	4	1	1
	.2 Prurigo	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	1	-	-	1	-	-	-	-	-	-	-	-	-
	.3 Lichenification and lichen simplex chronicus	M	2	-	-	-	-	-	-	-	-	1	-	-	1	-	-
		F	3	-	1	-	-	-	-	1	-	-	2	-	-	-	-
	.4 Dermatitis factitia (artefacta)	M	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-
		F	1	-	1	-	-	-	-	-	-	1	-	-	-	-	-
	.5 Other pruritic conditions	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	2	-	-	-	-	-	-	-	-	1	1	-	-	-	-

TABLE H.1(b)

I.S.C. No.	PRINCIPAL CAUSE OF ADMISSION		HOSPITALS UNDER REGIONAL BOARDS														
			TOTAL	Died	Marital status		Discharges (including deaths) by age										
					Single	N.S.	0-	1-	5-	15-	25-	35-	45-	55-	65-	75 and over	N.S.
709	Corns and callosities	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	2	-	1	-	-	-	-	2	-	-	-	-	-	-	-
710	Other hypertropic and atrophic conditions of skin	M	6	-	3	-	-	-	1	2	-	-	1	2	-	-	-
		F	10	1	7	-	-	1	6	-	-	-	-	2	1	-	-
	.0 Scleroderma and dermatomyositis	M	2	-	-	-	-	-	-	-	-	-	1	1	-	-	-
		F	2	1	-	-	-	-	-	-	-	-	-	2	-	-	-
	.1 Keratoderma	M	1	-	1	-	-	-	-	1	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	.2 Hereditary oedema of legs (Milroy's disease)	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	.3 Striae atrophicae	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	.4 Keloid scar	M	2	-	2	-	-	-	1	1	-	-	-	-	-	-	-
		F	8	-	7	-	-	1	6	-	-	-	-	-	1	-	-
	.5 Other hypertrophic and atrophic conditions of skin	M	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
711	Other dermatoses	M	1	-	1	-	-	-	1	-	-	-	-	-	-	-	-
		F	2	-	-	-	-	-	-	-	-	-	1	-	1	-	-
712	Diseases of nail	M	33	-	23	-	-	-	3	21	1	5	1	1	1	-	-
		F	32	-	13	-	-	-	1	11	4	6	3	5	1	1	-
713	Diseases of hair and hair follicles	M	2	-	1	-	-	-	-	-	1	-	1	-	-	-	-
		F	2	-	-	-	-	-	-	-	-	-	-	1	1	-	-

714	Diseases of sweat and sebaceous glands	M	31	-	11	1	1	1	2	4	9	3	6	3	1	-	1
		F	22	-	6	-	-	1	1	4	3	7	2	2	2	-	-
	.0 Diseases of sweat glands	M	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	.1 Acne	M	4	-	2	-	-	-	-	1	2	-	1	-	-	-	-
		F	1	-	1	-	-	-	1	-	-	-	-	-	-	-	-
	.2 Other diseases of sebaceous glands	M	26	-	9	1	1	1	2	3	7	3	4	3	1	-	1
		F	21	-	5	-	-	1	-	4	3	7	2	2	2	-	-
715	Chronic ulcer of skin	M	47	3	20	1	1	-	1	5	2	8	5	5	14	5	1
		F	63	-	16	-	1	-	-	-	2	9	18	14	13	6	-
716	Other diseases of skin	M	10	-	6	-	-	2	1	1	1	1	4	-	-	-	-
		F	15	-	6	-	1	-	-	6	-	1	4	-	3	-	-
	XIII. DISEASES OF THE BONES AND ORGANS OF MOVEMENT																
720-727	Arthritis and rheumatism except rheumatic fever	M	333	11	150	4	-	14	88	20	26	44	56	44	28	13	-
		F	415	19	151	4	1	8	51	33	40	54	74	87	54	9	4
720	Acute arthritis due to pyogenic organisms	M	23	-	14	1	-	2	9	-	2	3	4	-	1	2	-
		F	21	2	11	-	1	2	7	1	1	2	1	5	1	-	-
721	Acute nonpyogenic arthritis	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-
722	Rheumatoid arthritis and allied conditions	M	102	4	19	1	-	1	2	5	9	22	27	20	14	2	-
		F	145	13	32	2	-	-	2	5	13	21	32	44	24	2	2
	.0 Rheumatoid arthritis	M	94	4	15	1	-	1	2	5	7	20	25	19	13	2	-
		F	144	13	32	2	-	-	2	5	13	21	31	44	24	2	2
	.1 Spondylitis ankylopoietica	M	8	-	4	-	-	-	-	-	2	2	2	1	1	-	-
		F	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-
	.2 Chronic rheumatoid nodular fibrositis	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
723	Osteo-arthritis (arthrosis) and allied conditions	M	54	5	8	2	-	-	-	-	3	4	13	18	9	7	-
		F	74	1	11	2	-	-	-	1	2	8	17	23	20	3	-

TABLE H.1(b) (Contd.)

I.S.C. No.	PRINCIPAL CAUSE OF ADMISSION		HOSPITALS UNDER REGIONAL BOARDS														
			TOTAL	Died	Marital status		Discharges (including deaths) by age										
					Single	N.S.	0-	1-	5-	15-	25-	35-	45-	55-	65-	75 and over	N.S.
723	.0 Osteo-arthritis (arthrosis)	M	39	5	6	1	-	-	-	-	2	2	9	14	7	5	-
		F	62	1	10	2	-	-	-	-	1	7	16	17	18	3	-
	.1 Spondylitis osteo-arthritica (Spondylasthrosis)	M	15	-	2	1	-	-	-	-	1	2	4	4	2	2	-
		F	12	-	1	-	-	-	-	1	1	1	1	6	2	-	-
	.2 Adult osteochondrosis of spine	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
724	Other specified forms of arthritis	M	8	1	5	-	-	3	1	-	-	1	1	1	1	-	-
		F	10	-	4	-	-	-	1	3	-	2	2	-	2	-	-
725	Arthritis, unspecified	M	18	-	9	-	-	2	5	1	5	1	1	1	1	1	-
		F	26	-	13	-	-	1	2	4	1	3	5	6	2	1	1
726	Muscular rheumatism	M	35	1	18	-	-	2	10	4	2	7	5	2	2	1	-
		F	57	-	27	-	-	2	5	6	11	10	12	5	5	-	1
	.0 Lumbago	M	6	1	-	-	-	-	-	-	-	1	2	2	1	-	-
		F	5	-	3	-	-	-	-	-	1	-	2	1	-	-	1
	.1 Myofibrosis of humeroscapular region	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	3	-	1	-	-	-	-	-	-	1	-	-	2	-	-
	.2 Torticollis not specified as congenital, psychogenic, or traumatic	M	10	-	10	-	-	2	7	-	-	1	-	-	-	-	-
		F	8	-	7	-	-	2	3	1	-	-	2	-	-	-	-
	.3 Other muscular rheumatism, fibrositis, and myalgia	M	19	-	8	-	-	-	3	4	2	5	3	-	1	1	-
		F	41	-	16	-	-	-	2	5	10	9	8	4	3	-	-
727	Rheumatism unspecified	M	93	-	77	-	-	4	61	10	5	6	5	2	-	-	-
		F	81	3	53	-	-	3	34	13	12	8	5	4	-	2	-

	A. Acute	*M*	*73*	-	*63*	-	-	*3*	*51*	*8*	*4*	*6*	*1*	-	-	-	-
		F	*51*	*2*	*39*	-	-	*2*	*27*	*7*	*7*	*3*	*2*	*2*	-	*1*	-
	B. Subacute	*M*	*14*	-	*10*	-	-	-	*8*	*1*	-	-	*3*	*2*	-	-	-
		F	*19*	-	*9*	-	-	-	*5*	*6*	*4*	*3*	*1*	-	-	-	-
	C. Chronic	*M*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	*1*	*1*	-	-	-	-	-	-	-	-	-	-	-	*1*	-
	D. Not otherwise specified	*M*	*6*	-	*4*	-	-	*1*	*2*	*1*	*1*	-	*1*	-	-	-	-
		F	*10*	-	*5*	-	-	*1*	*2*	-	*1*	*2*	*2*	*2*	-	-	-
730-738	**Osteomyelitis and other diseases of bone and joint**	**M**	**474**	**1**	**185**	**14**	**1**	**16**	**60**	**80**	**95**	**102**	**57**	**32**	**25**	**3**	**3**
		F	**206**	**3**	**89**	**2**	**1**	**7**	**44**	**19**	**26**	**42**	**27**	**20**	**14**	**3**	**3**
730	Osteomyelitis and periostitis	M	161	-	92	2	1	13	48	20	20	14	19	10	14	2	-
		F	68	1	45	-	-	5	28	7	9	5	3	6	2	1	2
	.0 Acute osteomyelitis	*M*	*16*	-	*13*	-	-	*5*	*5*	*1*	*2*	*1*	-	*1*	*1*	-	-
		F	*9*	-	*9*	-	-	*1*	*5*	*1*	-	-	*1*	-	-	-	*1*
	.1 Chronic osteomyelitis	*M*	*35*	-	*16*	*1*	-	-	*7*	*7*	*7*	*5*	*3*	*3*	*2*	*1*	-
		F	*18*	-	*12*	-	-	*1*	*7*	*4*	*1*	*3*	-	*1*	*1*	-	-
	.2 Unspecified osteomyelitis	*M*	*108*	-	*62*	*1*	*1*	*8*	*36*	*12*	*10*	*8*	*15*	*6*	*11*	*1*	-
		F	*40*	*1*	*23*	-	-	*3*	*15*	*2*	*8*	*2*	*2*	*5*	*1*	*1*	*1*
	.3 Periostitis without mention of osteomyelitis	*M*	*2*	-	*1*	-	-	-	-	-	*1*	-	*1*	-	-	-	-
		F	*1*	-	*1*	-	-	-	*1*	-	-	-	-	-	-	-	-
731	Osteitis deformans	M	7	-	-	-	-	-	-	-	-	-	-	3	4	-	-
		F	7	2	-	-	-	-	-	-	-	-	-	2	4	1	-
732	Osteochondrosis	M	8	-	4	-	-	-	1	4	1	1	1	-	-	-	-
		F	7	-	5	-	-	1	1	2	2	-	-	1	-	-	-
733	Other diseases of bone	M	9	1	2	-	-	-	-	1	1	3	1	-	2	1	-
		F	19	-	8	-	-	-	5	-	2	3	4	2	3	-	-
734	Internal derangement of knee joint	M	166	-	54	6	-	-	4	43	47	48	13	7	1	-	3
		F	17	-	6	-	-	-	-	6	2	3	3	2	1	-	-

TABLE H.1(b) (Contd.)

I.S.C. No.	PRINCIPAL CAUSE OF ADMISSION		HOSPITALS UNDER REGIONAL BOARDS														
			TOTAL	Died	Marital status		Discharges (including deaths) by age										
					Single	N.S.	0-	1-	5-	15-	25-	35-	45-	55-	65-	75 and over	N.S.
735	Displacement of inter-vertebral disc	M	72	-	12	5	-	-	-	7	14	27	19	5	-	-	-
		F	45	-	10	2	-	-	-	1	7	22	10	1	2	1	1
736	Affection of sacro-iliac joint	M	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
		F	3	-	-	-	-	-	-	-	3	-	-	-	-	-	-
737	Ankylosis of joint	M	4	-	1	-	-	-	-	-	-	3	-	1	-	-	-
		F	5	-	-	-	-	-	-	-	1	1	-	2	1	-	-
	.0 Of spine	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	.1 Of shoulder	M	2	-	-	-	-	-	-	-	-	2	-	-	-	-	-
		F	2	-	-	-	-	-	-	-	-	-	-	1	1	-	-
	.2 Of elbow	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	.3 Of wrist	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	.4 Of finger	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	.5 Of hip	M	1	-	1	-	-	-	-	-	-	1	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	.6 Of knee	M	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-
		F	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	.7 Of ankle	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-
	.8 Of other and multiple sites	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-

	.9 Of unspecified site	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
738	Other diseases of joint	M	46	-	20	1	-	3	7	5	11	6	4	6	4	-	-
		F	35	-	15	-	1	1	10	3	-	8	7	4	1	-	-
740–749	Other diseases of musculoskeletal system	M	240	1	129	8	1	29	44	31	29	32	38	24	9	1	2
		F	321	1	114	1	-	11	33	47	46	43	78	46	16	1	-
740	Bunion	M	2	-	2	-	-	-	-	1	-	1	-	-	-	-	-
		F	9	-	3	-	-	-	-	3	1	-	4	-	1	-	-
741	Synovitis, bursitis and tenosynovitis without mention of occupational origin	M	111	-	48	4	-	11	15	8	20	17	26	6	7	1	-
		F	98	-	34	1	-	3	8	12	20	20	17	14	4	-	-
742	Synovitis, bursitis and tenosynovitis of occupational origin	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
743	Infective myositis and other inflammatory diseases of tendon and fascia	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
744	Other diseases of muscle, tendon, and fascia	M	34	1	11	1	-	1	6	2	2	2	7	12	2	-	-
		F	7	1	4	-	-	1	-	3	1	-	1	1	-	-	-
	.0 Myasthenia gravis	M	1	-	1	-	-	-	-	1	-	-	-	-	-	-	-
		F	1	1	-	-	-	-	-	-	1	-	-	-	-	-	-
	.1 Inborn defect of muscle	M	2	1	2	-	-	-	2	-	-	-	-	-	-	-	-
		F	1	-	1	-	-	1	-	-	-	-	-	-	-	-	-
	.2 Other	M	31	-	8	1	-	1	4	1	2	2	7	12	2	-	-
		F	5	-	3	-	-	-	-	3	-	-	1	1	-	-	-
745	Curvature of spine	M	7	-	4	1	-	1	2	-	1	1	-	1	-	-	1
		F	7	-	6	-	-	-	4	1	1	1	-	-	-	-	-
746	Flat foot	M	8	-	8	-	-	-	4	4	-	-	-	-	-	-	-
		F	2	-	2	-	-	-	-	1	1	-	-	-	-	-	-

TABLE H.1(b) (Contd.)

I.S.C. No.	PRINCIPAL CAUSE OF ADMISSION		HOSPITALS UNDER REGIONAL BOARDS														
			TOTAL	Died	Marital status		Discharges (including deaths) by age										
					Single	N.S.	0-	1-	5-	15-	25-	35-	45-	55-	65-	75 and over	N.S.
747	Hallux valgus and varus	M	12	-	2	-	-	-	-	2	1	5	2	2	-	-	-
		F	126	-	26	-	-	-	3	13	15	21	42	25	6	1	-
748	Clubfoot	M	33	-	30	-	1	9	12	7	-	3	-	1	-	-	-
		F	20	-	16	-	-	4	9	4	2	-	1	-	-	-	-
749	Other deformities	M	33	-	24	2	-	7	5	7	5	3	3	2	-	-	1
		F	52	-	23	-	-	3	9	10	5	1	13	6	5	-	-
	XIV. CONGENITAL MALFORMATIONS																
750-759	Congenital malformations	M	277	28	240	3	86	26	99	23	14	9	6	9	4	-	1
		F	237	27	177	2	39	57	59	19	26	12	16	6	2	-	1
750	Monstrosity	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	2	2	2	-	2	-	-	-	-	-	-	-	-	-	-
751	Spina bifida and meningocele	M	7	5	7	-	4	1	1	-	-	-	-	-	-	-	1
		F	10	4	9	-	7	-	2	-	1	-	-	-	-	-	-
752	Congenital hydrocephalus	M	1	1	1	-	1	-	-	-	-	-	-	-	-	-	-
		F	5	4	5	-	2	1	1	-	1	-	-	-	-	-	-
753	Other congenital malformations of nervous system and sense organs	M	18	1	18	-	5	1	11	1	-	-	-	-	-	-	-
		F	8	-	8	-	1	3	3	1	-	-	-	-	-	-	-
	.0 Congenital cataract	M	*12*	-	*12*	-	*2*	*1*	*9*	-	-	-	-	-	-	-	-
		F	*6*	-	*6*	-	-	*3*	*2*	*1*	-	-	-	-	-	-	-
	.1 Other	M	*6*	*1*	*6*	-	*3*	-	*2*	*1*	-	-	-	-	-	-	-
		F	*2*	-	*2*	-	*1*	-	*1*	-	-	-	-	-	-	-	-
754	Congenital malformations of circulatory system	M	23	5	16	-	5	2	3	5	3	1	2	2	-	-	-
		F	62	6	51	-	3	15	27	6	5	2	4	-	-	-	-

	.0 Tetralogy of Fallot	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	4	-	4	-	-	2	1	1	-	-	-	-	-	-	-
	.1 Patent ductus arteriosus (Botalli)	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	31	1	28	-	-	9	16	4	1	-	1	-	-	-	-
	.2 Interventricular septal defect	M	2	-	1	-	1	-	-	-	1	-	-	-	-	-	-
		F	4	-	3	-	-	-	3	-	1	-	-	-	-	-	-
	.3 Interauricular septal defect	M	2	-	2	-	-	-	1	-	1	-	-	-	-	-	-
		F	3	-	1	-	-	-	-	-	2	1	-	-	-	-	-
	.4 Other and unspecified malformations of heart	M	10	3	10	-	3	2	2	3	-	-	-	-	-	-	-
		F	16	3	14	-	3	4	6	1	1	-	1	-	-	-	-
	.5 Coarctation of aorta	M	4	-	1	-	1	-	-	-	1	-	2	-	-	-	-
		F	1	1	-	-	-	-	-	-	-	-	1	-	-	-	-
	.6 Other circulatory malformations	M	5	2	2	-	-	-	-	2	-	1	-	2	-	-	-
		F	3	1	1	-	-	-	1	-	-	1	1	-	-	-	-
755	Cleft palate and harelip	M	9	-	9	-	2	6	1	-	-	-	-	-	-	-	-
		F	12	1	11	-	3	6	2	1	-	-	-	-	-	-	-
756	Congenital malformations of digestive system	M	78	12	73	1	58	4	9	2	-	-	1	1	3	-	-
		F	24	3	18	-	16	1	1	-	2	-	1	1	1	-	1
	.0 Congenital hypertrophic pyloric stenosis	M	52	7	52	-	52	-	-	-	-	-	-	-	-	-	-
		F	12	-	12	-	12	-	-	-	-	-	-	-	-	-	-
	.1 Imperforate anus	M	5	-	4	-	2	2	-	-	-	-	-	-	1	-	-
		F	2	-	2	-	1	-	1	-	-	-	-	-	-	-	-
	.2 Other	M	21	5	17	1	4	2	9	2	-	-	1	1	2	-	-
		F	10	3	4	-	3	1	-	-	2	-	1	1	1	-	1
757	Congenital malformations of genito-urinary system	M	103	3	87	2	3	9	61	12	6	5	3	4	-	-	-
		F	34	3	9	-	1	1	4	7	10	5	5	1	-	-	-
	.0 Undescended testicle	M	75	-	70	1	-	2	56	12	2	3	-	-	-	-	-
	.1 Polycystic disease of kidney	M	7	2	1	-	-	-	-	-	-	1	3	3	-	-	-
		F	11	3	1	-	1	-	-	1	1	3	4	1	-	-	-

Table H.1(b) (Contd.)

I.S.C. No.	PRINCIPAL CAUSE OF ADMISSION		HOSPITALS UNDER REGIONAL BOARDS														
			TOTAL	Died	Marital status		Discharges (including deaths) by age										
					Single	N.S.	0-	1-	5-	15-	25-	35-	45-	55-	65-	75 and over	N.S.
757	.2 Congenital malformations of external genital organs	M	10	-	9	-	1	4	4	-	1	-	-	-	-	-	-
		F	3	-	1	-	-	-	-	-	2	1	-	-	-	-	-
	.3 Other	M	11	1	7	1	2	3	1	-	3	1	-	1	-	-	-
		F	20	-	7	-	-	1	4	6	7	1	1	-	-	-	-
758	Congenital malformations of bone and joint	M	12	-	9	-	3	1	3	2	2	1	-	-	-	-	-
		F	50	1	43	-	-	22	17	1	3	2	2	2	1	-	-
	.0 Congenital dislocation of hip	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	23	-	22	-	-	20	2	-	1	-	-	-	-	-	-
	.1 Chondrodystrophy	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-
	.2 Congenital malformations of skull	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	.3 Brittle bones	M	2	-	2	-	-	-	2	-	-	-	-	-	-	-	-
		F	8	1	8	-	-	-	7	-	-	-	-	-	1	-	-
	.4 Cervical rib	M	2	-	-	-	-	-	-	-	2	-	-	-	-	-	-
		F	3	-	1	-	-	-	-	-	-	1	1	1	-	-	-
	.5 Congenital abnormalities of lumbosacral region	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	.6 Other congenital malformations of bone and joint	M	8	-	7	-	3	1	1	2	-	1	-	-	-	-	-
		F	15	-	12	-	-	2	8	1	2	1	1	-	-	-	-
759	Other and unspecified congenital malformations not elsewhere classified	M	26	1	20	-	5	2	10	1	3	2	-	2	1	-	-
		F	30	3	21	2	4	8	2	3	4	3	4	2	-	-	-

	.0 Of respiratory system	M	10	1	5	-	3	1	1	-	1	1	-	2	1	-	-
		F	4	1	2	1	1	1	-	-	-	1	1	-	-	-	-
	.1 Of skin	M	3	-	3	-	-	1	2	-	-	-	-	-	-	-	-
		F	1	-	1	-	-	1	-	-	-	-	-	-	-	-	-
	.2 Of muscle	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	1	-	-	1	-	-	-	-	-	-	-	-	-
	.3 Other and unspecified	M	13	-	12	-	2	-	7	1	2	1	-	-	-	-	-
		F	24	2	17	1	3	5	2	3	4	2	3	2	-	-	-
	XV. CERTAIN DISEASES OF EARLY INFANCY																
760-769	Birth injuries, asphyxia and infections of newborn	M	37	14	37	-	36	-	-	-	-	-	-	-	-	-	1
		F	38	11	38	-	35	-	1	-	-	-	-	-	-	-	2
760	Intracranial and spinal injury at birth	M	5	2	5	-	5	-	-	-	-	-	-	-	-	-	-
		F	1	1	1	-	1	-	-	-	-	-	-	-	-	-	-
	.0 Without mention of immaturity	M	4	1	4	-	4	-	-	-	-	-	-	-	-	-	-
		F	1	1	1	-	1	-	-	-	-	-	-	-	-	-	-
	.5 With immaturity	M	1	1	1	-	1	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
761	Other birth injury	M	1	-	1	-	1	-	-	-	-	-	-	-	-	-	-
		F	3	-	3	-	2	-	1	-	-	-	-	-	-	-	-
	.0 Without mention of immaturity	M	1	-	1	-	1	-	-	-	-	-	-	-	-	-	-
		F	2	-	2	-	1	-	1	-	-	-	-	-	-	-	-
	.5 With immaturity	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	1	-	1	-	-	-	-	-	-	-	-	-	-
762	Postnatal asphyxia and atelectasis	M	9	6	9	-	8	-	-	-	-	-	-	-	-	-	1
		F	14	6	14	-	12	-	-	-	-	-	-	-	-	-	2
	.0 Without mention of immaturity	M	6	3	6	-	5	-	-	-	-	-	-	-	-	-	1
		F	11	3	11	-	10	-	-	-	-	-	-	-	-	-	1
	.5 With immaturity	M	3	3	3	-	3	-	-	-	-	-	-	-	-	-	-
		F	3	3	3	-	2	-	-	-	-	-	-	-	-	-	1

TABLE H.1(b) (Contd.)

I.S.C. No.	PRINCIPAL CAUSE OF ADMISSION		HOSPITALS UNDER REGIONAL BOARDS														
			TOTAL	Died	Marital status		Discharges (including deaths) by age										
					Single	N.S.	0-	1-	5-	15-	25-	35-	45-	55-	65-	75 and over	N.S.
763	Pneumonia of newborn	M	4	-	4	-	4	-	-	-	-	-	-	-	-	-	-
		F	4	3	4	-	4	-	-	-	-	-	-	-	-	-	-
	.0 Without mention of immaturity	M	4	-	4	-	4	-	-	-	-	-	-	-	-	-	-
		F	4	3	4	-	4	-	-	-	-	-	-	-	-	-	-
	.5 With immaturity	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
764	Diarrhoea of newborn	M	6	2	6	-	6	-	-	-	-	-	-	-	-	-	-
		F	6	-	6	-	6	-	-	-	-	-	-	-	-	-	-
	.0 Without mention of immaturity	M	5	2	5	-	5	-	-	-	-	-	-	-	-	-	-
		F	6	-	6	-	6	-	-	-	-	-	-	-	-	-	-
	.5 With immaturity	M	1	-	1	-	1	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
765	Ophthalmia neonatorum	M	3	-	3	-	3	-	-	-	-	-	-	-	-	-	-
		F	5	-	5	-	5	-	-	-	-	-	-	-	-	-	-
	.0 Without mention of immaturity	M	3	-	3	-	3	-	-	-	-	-	-	-	-	-	-
		F	5	-	5	-	5	-	-	-	-	-	-	-	-	-	-
	.5 With immaturity	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
766	Pemphigus neonatorum	M	3	1	3	-	3	-	-	-	-	-	-	-	-	-	-
		F	1	1	1	-	1	-	-	-	-	-	-	-	-	-	-
	.0 Without mention of immaturity	M	3	1	3	-	3	-	-	-	-	-	-	-	-	-	-
		F	1	1	1	-	1	-	-	-	-	-	-	-	-	-	-
	.5 With immaturity	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

767	Umbilical sepsis	M	2	2	2	-	2	-	-	-	-	-	-	-	-	-	-
		F	3	-	3	-	3	-	-	-	-	-	-	-	-	-	-
	.0 Without mention of immaturity	M	2	2	2	-	2	-	-	-	-	-	-	-	-	-	-
		F	3	-	3	-	3	-	-	-	-	-	-	-	-	-	-
	.5 With immaturity	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
768	Other sepsis of newborn	M	3	-	3	-	3	-	-	-	-	-	-	-	-	-	-
		F	1	-	1	-	1	-	-	-	-	-	-	-	-	-	-
	.0 Without mention of immaturity	M	3	-	3	-	3	-	-	-	-	-	-	-	-	-	-
		F	1	-	1	-	1	-	-	-	-	-	-	-	-	-	-
	.5 With immaturity	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
769	Neonatal disorders arising from maternal toxaemia	M	1	1	1	-	1	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	.0 Attributed to "toxaemia of pregnancy" without mention of immaturity	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	.1 Attributed to maternal diabetes, without mention of immaturity	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	.2 Attributed to maternal rubella, without mention of immaturity	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	.3 Attributed to toxoplasmosis, without mention of immaturity	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	.4 Attributed to other or unspecified maternal toxaemia, without mention of immaturity	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

TABLE H.1(b) (Contd.)

I.S.C. No.	PRINCIPAL CAUSE OF ADMISSION		HOSPITALS UNDER REGIONAL BOARDS														
			TOTAL	Died	Marital status		Discharges (including deaths) by age										
					Single	N.S.	0-	1-	5-	15-	25-	35-	45-	55-	65-	75 and over	N.S.
769	.5 Attributed to "toxaemia of pregnancy" with immaturity	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	.6 Attributed to maternal diabetes, with immaturity	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	.7 Attributed to maternal rubella, with immaturity	M	1	1	1	-	1	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	.8 Attributed to toxoplasmosis, with immaturity	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	.9 Attributed to other or unspecified maternal toxaemia, with immaturity	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
770-776	Other diseases peculiar to early infancy	M	139	17	139	-	136	-	-	-	-	-	-	-	-	-	3
		F	96	14	96	-	91	-	-	-	-	-	-	-	-	-	5
770	Haemolytic disease of newborn (erythroblastosis)	M	14	3	14	-	14	-	-	-	-	-	-	-	-	-	-
		F	12	4	12	-	10	-	-	-	-	-	-	-	-	-	2
	.0 Erythroblastosis, without mention of nervous affection or immaturity	M	13	3	13	-	13	-	-	-	-	-	-	-	-	-	-
		F	11	4	11	-	9	-	-	-	-	-	-	-	-	-	2
	.1 Kernicterus without mention of immaturity	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

	.2 Erythroblastosis with disorder of liver other than icterus gravis, without mention of immaturity	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	.5 Erythroblastosis, without mention of nervous affection but with immaturity	M	1	-	1	-	1	-	-	-	-	-	-	-	-	-	-
		F	1	-	1	-	1	-	-	-	-	-	-	-	-	-	-
	.6 Kernicterus with immaturity	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	.7 Erythroblastosis with disorder of liver other than icterus gravis, with immaturity	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
771	Haemorrhagic disease of newborn	M	10	2	10	-	10	-	-	-	-	-	-	-	-	-	-
		F	5	2	5	-	5	-	-	-	-	-	-	-	-	-	-
	.0 Without mention of immaturity	M	7	1	7	-	7	-	-	-	-	-	-	-	-	-	-
		F	4	1	4	-	4	-	-	-	-	-	-	-	-	-	-
	.5 With immaturity	M	3	1	3	-	3	-	-	-	-	-	-	-	-	-	-
		F	1	1	1	-	1	-	-	-	-	-	-	-	-	-	-
772	Nutritional maladjustment	M	76	1	76	-	75	-	-	-	-	-	-	-	-	-	1
		F	52	-	52	-	52	-	-	-	-	-	-	-	-	-	-
	.0 Without mention of immaturity	M	75	1	75	-	74	-	-	-	-	-	-	-	-	-	1
		F	51	-	51	-	51	-	-	-	-	-	-	-	-	-	-
	.5 With immaturity	M	1	-	1	-	1	-	-	-	-	-	-	-	-	-	-
		F	1	-	1	-	1	-	-	-	-	-	-	-	-	-	-
773	Ill-defined diseases peculiar to early infancy	M	15	1	15	-	15	-	-	-	-	-	-	-	-	-	-
		F	7	2	7	-	7	-	-	-	-	-	-	-	-	-	-
	.0 Without mention of immaturity	M	13	1	13	-	13	-	-	-	-	-	-	-	-	-	-
		F	7	2	7	-	7	-	-	-	-	-	-	-	-	-	-

TABLE H.1(b) (Contd.)

I.S.C. No.	PRINCIPAL CAUSE OF ADMISSION		HOSPITALS UNDER REGIONAL BOARDS														
			TOTAL	Died	Marital status		Discharges (including deaths) by age										
					Single	N.S.	0-	1-	5-	15-	25-	35-	45-	55-	65-	75 and over	N.S.
773	.5 *With immaturity*	M	2	-	2	-	2	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
774	Immaturity with mention of any other subsidiary condition	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	1	-	1	-	-	-	-	-	-	-	-	-	-
775	Immaturity subsidiary to some other cause	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
776	Immaturity unqualified	M	24	10	24	-	22	-	-	-	-	-	-	-	-	-	2
		F	19	6	19	-	16	-	-	-	-	-	-	-	-	-	3
	XVI. SYMPTOMS, SENILITY, AND ILL-DEFINED CONDITIONS																
780-789	Symptoms referable to systems or organs	M	1256	127	453	41	37	79	175	100	116	157	156	176	164	86	10
		F	1200	72	491	20	18	62	170	194	138	173	167	115	103	52	8
780	Certain symptoms referable to nervous system and special senses	M	53	1	44	1	11	20	8	1	3	3	3	1	1	1	1
		F	40	-	33	-	5	17	2	3	1	5	4	2	1	-	-
	.0 *Coma and stupor*	M	6	1	3	-	-	-	-	-	-	1	2	1	1	1	-
		F	2	-	1	-	-	-	-	-	-	1	1	-	-	-	-
	.1 *Delirium*	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	.2 *Convulsions*	M	27	-	26	-	11	14	1	-	1	-	-	-	-	-	-
		F	27	-	26	-	5	17	1	1	1	1	-	1	-	-	-
	.3 *Jacksonion epilepsy*	M	2	-	2	-	-	-	-	-	2	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

	.4 Abnormal involuntary movement	M	8	-	7	-	-	2	5	-	-	1	-	-	-	-	-
		F	3	-	3	-	-	-	1	2	-	-	-	-	-	-	-
	.5 Disturbance of co-ordination	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	1	-	-	-	-	-	-	-	1	-	-	-	-
	.6 Vertigo	M	3	-	1	-	-	-	1	-	-	1	1	-	-	-	-
		F	7	-	2	-	-	-	-	-	-	3	2	1	1	-	-
	.7 Disturbance of sleep	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	.8 Disturbance of memory	M	2	-	1	1	-	1	-	-	-	-	-	-	-	-	1
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	.9 Meningismus	M	5	-	4	-	-	3	1	1	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
781	Other symptoms referable to nervous system and special senses	M	7	-	3	-	-	-	3	-	-	2	2	-	-	-	-
		F	5	1	3	-	-	1	-	1	1	-	-	1	1	-	-
	.0 Disturbance of vision except defective sight	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	.1 Oculomotor disturbance	M	2	-	-	-	-	-	-	-	-	2	-	-	-	-	-
		F	2	-	1	-	-	-	-	1	-	-	-	1	-	-	-
	.2 Photophobia	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	.3 Disturbance of hearing except deafness	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	.4 Disturbance of cranial nerves except optic, oculomotor and auditory	M	3	-	3	-	-	-	3	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	.5 Stammering and stuttering	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

TABLE H.1(b) (Contd.)

I.S.C. No.	PRINCIPAL CAUSE OF ADMISSION		HOSPITALS UNDER REGIONAL BOARDS														
			TOTAL	Died	Marital status		Discharges (including deaths) by age										
					Single	N.S.	0-	1-	5-	15-	25-	35-	45-	55-	65-	75 and over	N.S.
781	.6 Other disturbance of speech, including alexia and agraphia	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	.7 Other disturbance of sensation	M	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-
	.8 Encephalopathy	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	1	1	-	-	1	-	-	-	-	-	-	-	-	-
	.9 Hallucinations	M	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-
		F	1	-	1	-	-	-	-	-	1	-	-	-	-	-	-
782	Symptoms referable to cardiovascular and lymphatic system	M	191	92	40	5	1	2	3	11	9	14	20	42	53	34	2
		F	139	62	41	5	-	1	12	12	7	10	19	22	35	21	-
	.0 Precordial pain	M	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-
	.1 Palpitation	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	.2 Tachycardia	M	2	-	1	-	-	1	-	-	-	1	-	-	-	-	-
		F	2	-	1	-	-	-	1	-	-	-	1	-	-	-	-
	.3 Pallor and cyanosis (not of newborn)	M	1	-	1	-	-	-	-	1	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-
	.4 Acute heart failure, undefined	M	143	91	22	3	-	-	-	1	3	8	12	35	50	32	2
		F	90	62	16	4	-	-	-	-	3	6	16	18	28	19	-
	.5 Syncope or collapse	M	22	-	4	2	-	-	-	3	4	4	4	3	2	2	-
		F	14	-	8	-	-	-	1	5	1	1	-	1	4	1	-

	.6 Oedema and dropsy (not of newborn)	M	4	-	-	-	-	-	-	-	-	-	1	2	1	-	-
		F	10	-	1	-	-	-	-	3	2	3	-	-	1	1	-
	.7 Enlargement of lymph node	M	15	-	11	-	1	1	3	5	2	1	1	1	-	-	-
		F	18	-	13	1	-	-	9	4	1	-	1	1	2	-	-
	.8 Splenomegaly	M	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-
		F	2	-	2	-	-	1	1	-	-	-	-	-	-	-	-
	.9 Shock without mention of trauma	M	2	1	1	-	-	-	-	1	-	-	1	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-
783	Symptoms referable to respiratory system	M	108	2	38	8	-	4	19	10	13	13	17	19	5	7	1
		F	94	1	49	1	-	5	30	12	7	6	10	12	5	6	1
	.0 Epistaxis	M	57	-	19	4	-	2	10	6	3	6	8	14	3	4	1
		F	40	1	18	1	-	3	10	2	1	2	4	7	4	6	1
	.1 Haemoptysis	M	23	2	2	3	-	-	-	1	5	5	6	3	1	2	-
		F	16	-	5	-	-	-	1	3	2	1	6	2	1	-	-
	.2 Dyspnoea	M	2	-	-	-	-	-	-	-	-	-	-	1	1	-	-
		F	2	-	-	-	-	-	-	-	1	1	-	-	-	-	-
	.3 Cough	M	1	-	1	-	-	1	-	-	-	-	-	-	-	-	-
		F	1	-	1	-	-	1	-	-	-	-	-	-	-	-	-
	.4 Excess of sputum	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	.5 Change in voice	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	3	-	3	-	-	-	2	1	-	-	-	-	-	-	-
	.6 Stridor	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	.7 Pain in chest	M	25	-	16	1	-	1	9	3	5	2	3	1	-	1	-
		F	32	-	22	-	-	1	17	6	3	2	-	3	-	-	-
784	Symptoms referable to upper gastro-intestinal tract	M	119	6	23	6	9	2	4	4	11	20	24	21	20	3	1
		F	86	4	17	2	5	-	-	2	5	17	13	18	14	10	2
	.0 Anorexia	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

TABLE H.1(b) (Contd.)

I.S.C. No.	PRINCIPAL CAUSE OF ADMISSION		HOSPITALS UNDER REGIONAL BOARDS														
			TOTAL	Died	Marital status		Discharges (including deaths) by age										
					Single	N.S.	0-	1-	5-	15-	25-	35-	45-	55-	65-	75 and over	N.S.
784	.1 *Nausea and vomiting*	M	16	-	10	-	6	1	1	1	2	3	1	1	-	-	-
		F	7	-	3	-	1	-	-	-	1	1	1	1	-	1	1
	.2 *Pylorospasm*	M	7	1	4	-	2	1	-	1	1	-	2	-	-	-	-
		F	3	-	2	-	2	-	-	1	-	-	-	-	-	-	-
	.3 *Heartburn*	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	.4 *Dysphagia*	M	12	1	1	-	-	-	-	-	-	1	2	3	6	-	-
		F	12	-	3	-	-	-	-	-	1	5	1	2	2	1	-
	.5 *Haematemesis*	M	83	4	7	6	-	-	3	2	8	16	19	17	14	3	1
		F	62	4	8	2	1	-	-	1	2	11	11	15	12	8	1
	.6 *Excessive salivation*	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	.7 *Hiccough*	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	.8 *Eructation*	M	1	-	1	-	1	-	-	-	-	-	-	-	-	-	-
		F	1	-	1	-	1	-	-	-	-	-	-	-	-	-	-
785	Symptoms referable to abdomen and lower gastro-intestinal system	M	408	6	197	8	10	33	101	43	39	45	50	44	31	10	2
		F	559	3	239	11	4	25	96	119	85	80	63	35	39	11	2
	.0 *Abdominal swelling (not referable to any particular organ*	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	3	-	-	-	-	-	-	-	-	1	2	-	-	-	-
	.1 *Hepatomegaly*	M	2	-	1	-	-	-	1	-	-	1	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-

	.2 Jaundice	M	11	4	2	-	2	-	-	1	-	-	1	4	1	2	-
		F	5	-	2	-	1	-	-	-	1	1	-	1	1	-	-
	.3 Ascites	M	4	1	1	-	-	-	-	-	1	-	1	-	2	-	-
		F	21	1	1	-	-	-	-	-	1	9	3	1	7	-	-
	.4 Flatulence	M	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	.5 Abdominal pain	M	341	-	179	6	8	28	95	40	35	36	41	31	19	7	1
		F	495	1	228	11	3	21	94	117	75	68	52	28	26	9	2
	.6 Diarrhoea, age 2 years and over	M	30	-	10	2	-	5	2	2	3	6	1	6	5	-	-
		F	21	-	6	-	-	4	-	2	5	1	2	4	3	-	-
	.7 Incontinence of faeces	M	3	-	2	-	-	-	2	-	-	-	1	-	-	-	-
		F	3	-	1	-	-	-	1	-	1	-	-	-	1	-	-
	.8 Melaena (age 1 year and over)	M	16	1	2	-	-	-	1	-	-	2	5	3	3	1	1
		F	10	1	1	-	-	-	1	-	2	-	4	1	1	1	-
	.9 Visible peristalsis	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
786	Symptoms referable to genito-urinary system	M	203	19	42	9	-	4	10	16	22	29	21	30	42	27	2
		F	88	-	29	-	-	1	10	12	10	17	26	5	4	2	1
	.0 Pain referable to urinary system	M	79	-	19	2	-	1	1	11	17	22	14	7	4	-	2
		F	47	-	14	-	-	-	3	8	7	8	15	4	2	-	-
	.1 Retention of urine	M	101	19	10	7	-	1	-	3	4	3	7	20	37	26	-
		F	9	-	3	-	-	-	-	1	1	2	1	-	1	2	1
	.2 Incontinence of urine	M	15	-	11	-	-	1	8	2	-	2	-	2	-	-	-
		F	27	-	11	-	-	1	7	2	-	6	9	1	1	-	-
	.3 Frequency of micturition	M	4	-	2	-	-	1	1	-	1	-	-	-	1	-	-
		F	4	-	-	-	-	-	-	-	2	1	1	-	-	-	-
	.4 Polyuria	M	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	.5 Oliguria, anuria (not of newborn)	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

TABLE H.1(b) (Contd.)

I.S.C. No.	PRINCIPAL CAUSE OF ADMISSION		HOSPITALS UNDER REGIONAL BOARDS														
			TOTAL	Died	Marital status		Discharges (including deaths) by age										
					Single	N.S.	0-	1-	5-	15-	25-	35-	45-	55-	65-	75 and over	N.S.
786	.6 Priapism	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	.7 Pain referable to genital organs, including dyspareunia	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	1	-	-	-	-	1	-	-	-	-	-	-	-
	.X Pain on micturition	M	3	-	-	-	-	-	-	-	-	2	-	1	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
787	Symptoms referable to limbs and back	M	34	-	7	-	-	-	-	4	6	10	6	5	2	-	1
		F	73	-	20	1	-	3	3	9	13	22	17	5	-	-	1
	.0 Transient paralysis of limb, cause unknown	M	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	.1 Pain in limb	M	3	-	2	-	-	-	-	1	2	-	-	-	-	-	-
		F	17	-	8	-	-	1	1	2	2	5	5	1	-	-	-
	.2 Swelling of limb	M	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-
		F	3	-	2	-	-	2	-	-	-	-	1	-	-	-	-
	.3 Pain in joint	M	4	-	-	-	-	-	-	1	-	1	1	1	-	-	-
		F	5	-	2	-	-	-	1	1	-	2	1	-	-	-	-
	.4 Swelling of joint	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	.5 Pain in back	M	24	-	5	-	-	-	-	2	4	8	4	4	1	-	1
		F	46	-	8	1	-	-	1	6	11	14	9	4	-	-	1
	.6 Difficulty in walking	M	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-
		F	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-
	.7 Abnormality of gait	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

788	Other general symptoms	M	68	1	42	1	3	14	19	6	7	10	4	2	3	-	-
		F	63	-	45	-	3	8	14	15	3	11	3	4	1	-	1
	.0 Dehydration	M	1	-	1	-	1	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	.1 Excessive sweating	M	3	-	1	-	-	-	-	1	-	-	2	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	.2 Rash	M	3	-	3	-	2	-	-	1	-	-	-	-	-	-	-
		F	3	-	2	-	1	-	-	-	-	2	-	-	-	-	-
	.3 Subcutaneous nodules	M	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	.4 Loss of weight	M	2	-	-	-	-	-	-	-	1	-	-	-	1	-	-
		F	4	-	-	-	-	-	-	-	-	3	-	1	-	-	-
	.5 Tetany	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	2	-	-	-	-	-	-	1	-	-	-	1	-	-	-
	.6 Acidosis	M	6	-	6	-	-	4	2	-	-	-	-	-	-	-	-
		F	8	-	8	-	-	-	8	-	-	-	-	-	-	-	-
	.7 Alkalosis	M	1	1	-	-	-	-	-	-	-	-	-	1	-	-	-
		F	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	.8 Pyrexia of unknown origin	M	51	-	31	1	-	10	17	4	6	10	2	1	1	-	-
		F	44	-	35	-	2	8	6	14	3	4	3	2	1	-	1
	.9 Other specified symptoms not classifiable elsewhere	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-
789	Abnormal urinary constituents of unspecified cause	M	65	-	17	3	3	-	8	5	6	11	9	12	7	4	-
		F	53	1	15	-	1	1	3	9	6	5	12	11	3	2	-
	.0 Albuminuria unqualified	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	1	-	-	-	-	1	-	-	-	-	-	-	-
	.1 Albuminuria orthostatic	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	1	-	-	-	-	1	-	-	-	-	-	-	-

TABLE H.1(b) (Contd.)

I.S.C. No.	PRINCIPAL CAUSE OF ADMISSION		HOSPITALS UNDER REGIONAL BOARDS														
			TOTAL	Died	Marital status		Discharges (including deaths) by age										
					Single	N.S.	0-	1-	5-	15-	25-	35-	45-	55-	65-	75 and over	N.S.
789	.2 *Pyuria and bacteriuria*	M	10	-	7	-	3	-	4	-	1	1	-	1	-	-	-
		F	19	-	7	-	1	-	2	2	3	3	4	3	-	1	-
	.3 *Chyluria*	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	.4 *Haematuria*	M	54	-	10	3	-	-	4	5	5	10	8	11	7	4	-
		F	30	-	6	-	-	1	1	5	2	2	8	7	3	1	-
	.5 *Haemoglobinuria*	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	.6 *Glycosuria*	M	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-
		F	2	1	-	-	-	-	-	-	1	-	-	1	-	-	-
	.7 *Acetonuria*	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
790-795	Senility and ill-defined diseases	M	257	113	82	5	4	10	17	10	15	20	13	10	42	110	6
		F	371	172	95	4	3	9	9	18	31	26	24	17	47	180	7
790	Nervousness and debility	M	28	-	10	-	-	1	3	1	4	9	5	2	3	-	-
		F	43	1	10	-	-	1	1	4	12	8	5	7	2	3	-
	.0 *Nervousness*	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	.1 *Debility and undue fatigue*	M	8	-	6	-	-	1	3	-	-	-	2	1	1	-	-
		F	16	1	6	-	-	1	1	1	4	2	1	2	2	2	-
	.2 *Depression*	M	20	-	4	-	-	-	-	1	4	9	3	1	2	-	-
		F	27	-	4	-	-	-	-	3	8	6	4	5	-	1	-
791	Headache	M	15	1	5	-	-	-	3	2	4	2	2	2	-	-	-
		F	22	-	6	-	-	-	1	3	6	4	6	1	-	-	1

792	Uraemia unqualified	M	25	21	7	-	-	-	-	-	1	3	1	3	9	7	1
		F	9	9	-	-	-	-	-	-	-	2	1	3	3	-	-
793	Observation, without need for further medical care	M	3	-	2	-	-	2	-	-	-	1	-	-	-	-	-
		F	5	-	2	-	1	-	-	-	-	3	1	-	-	-	-
	.0 Mental	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	.1 Other specified	M	2	-	1	-	-	1	-	-	-	1	-	-	-	-	-
		F	3	-	1	-	-	-	-	-	-	2	1	-	-	-	-
	.2 Unspecified	M	1	-	1	-	-	1	-	-	-	-	-	-	-	-	-
		F	1	-	1	-	1	-	-	-	-	-	-	-	-	-	-
794	Senility without mention of psychosis	M	131	90	27	4	-	-	-	-	-	-	-	-	28	101	2
		F	216	160	42	3	-	-	-	-	-	-	-	-	37	175	4
795	Ill-defined and unknown causes of morbidity and mortality	M	55	1	31	1	4	7	11	7	6	5	5	3	2	2	3
		F	76	2	35	1	2	8	7	11	13	9	11	6	5	2	2
	.0 Other ill-defined conditions	M	2	1	2	-	1	1	-	-	-	-	-	-	-	-	-
		F	5	1	1	-	-	1	-	1	1	1	1	-	-	-	-
	.1 Malingering	M	2	-	1	-	-	-	-	1	1	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	.2 Sudden death (cause unknown)	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	.3 Found dead (cause unknown	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	.4 Died without sign of disease	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	.5 Other, unknown and unspecified causes	M	51	-	28	1	3	6	11	6	5	5	5	3	2	2	3
		F	71	1	34	1	2	7	7	10	12	8	10	6	5	2	2

TABLE H.1(b) (Contd.)

I.S.C. No.	PRINCIPAL CAUSE OF ADMISSION		HOSPITALS UNDER REGIONAL BOARDS														
			TOTAL	Died	Marital status		Discharges (including deaths) by age										
					Single	N.S.	0-	1-	5-	15-	25-	35-	45-	55-	65-	75 and over	N.S.
N	XVII. ACCIDENTS, POISONINGS, AND VIOLENCE																
N800-N809	Fracture of skull, spine, and trunk	M	366	43	155	28	3	15	46	66	57	44	57	32	25	15	6
		F	149	17	63	11	1	12	22	19	9	16	16	18	17	17	2
N800	Fracture of vault of skull	M	63	9	36	5	1	6	20	6	8	6	5	4	3	2	2
		F	25	1	18	1	1	5	6	4	2	2	2	1	2	-	-
N801	Fracture of base of skull	M	39	9	24	1	-	4	6	8	5	4	7	4	1	-	-
		F	14	4	7	3	-	2	4	-	1	-	2	2	-	2	1
N802	Fracture of face bones	M	78	-	31	7	-	1	6	22	16	12	12	4	3	1	1
		F	23	1	10	1	-	1	5	4	2	4	2	2	2	1	-
N803	Other and unqualified skull fractures	M	41	10	22	4	2	1	6	7	9	1	3	5	3	1	3
		F	21	6	12	-	-	2	4	6	1	1	1	2	-	3	1
N804	Multiple fractures involving skull or face with other bones	M	32	8	12	2	-	1	3	9	4	2	7	1	2	3	-
		F	11	3	3	2	-	1	1	1	-	-	3	3	2	-	-
N805	Fracture and fracture dislocation of vertebral column without mention of spinal cord lesion	M	38	4	11	2	-	-	3	5	6	8	7	3	2	4	-
		F	17	-	4	-	-	-	1	3	2	3	-	3	4	1	-
N806	Fracture and fracture dislocation of vertebral column with spinal cord lesion	M	3	-	1	-	-	-	-	1	1	-	1	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
N807	Fracture of rib(s) and sternum	M	31	3	7	3	-	-	-	5	2	4	7	3	8	2	-
		F	15	-	2	3	-	-	-	-	-	3	2	5	2	3	-

N808	Fracture of pelvis	M	33	-	9	3	-	1	1	3	6	7	7	6	1	1	-
		F	18	1	7	1	-	1	1	1	1	2	2	-	5	5	-
N809	Multiple, and ill-defined fractures of trunk	M	8	-	2	1	-	1	1	-	-	-	1	2	2	1	-
		F	5	1	-	-	-	-	-	-	-	1	2	-	-	2	-
N810-N819	**Fracture of upper limb**	M	219	1	130	4	1	10	69	41	24	26	18	15	9	4	2
		F	121	3	61	4	2	8	27	12	2	7	14	10	20	17	2
N810	Fracture of clavicle	M	14	-	9	1	-	-	1	8	1	2	1	1	-	-	-
		F	12	1	8	1	-	2	2	4	-	-	1	-	2	1	-
N811	Fracture of scapula	M	3	-	1	-	-	-	-	-	1	-	-	1	-	-	1
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
N812	Fracture of humerus	M	63	1	42	1	1	5	28	6	4	5	1	3	6	3	1
		F	43	-	27	1	1	5	17	-	-	-	3	1	7	8	1
N813	Fracture of radius and ulna	M	74	-	55	1	-	2	37	11	10	5	3	3	2	1	-
		F	48	1	17	2	-	-	7	5	2	5	6	7	8	7	1
N814	Fracture of carpal bone(s)	M	11	-	5	1	-	1	2	1	-	5	2	-	-	-	-
		F	7	1	2	-	-	-	1	1	-	1	-	1	2	1	-
N815	Fracture of metacarpal bone(s)	M	9	-	4	-	-	1	1	1	2	2	2	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
N816	Fracture of one or more phalanges of hand	M	30	-	11	-	-	1	-	11	6	3	4	5	-	-	-
		F	7	-	4	-	-	1	-	2	-	1	3	-	-	-	-
N817	Multiple fractures of hand bones	M	2	-	-	-	-	-	-	-	-	2	-	-	-	-	-
		F	1	-	1	-	-	-	-	-	-	-	1	-	-	-	-
N818	Other, multiple, and ill-defined fractures of upper limb	M	9	-	2	-	-	-	-	2	-	2	4	1	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
N819	Multiple fractures involving both upper limbs, and upper limb with rib(s) and sternum	M	4	-	1	-	-	-	-	1	-	-	1	1	1	-	-
		F	3	-	2	-	1	-	-	-	-	-	-	1	1	-	-
N820-N829	**Fracture of lower limb**	M	395	26	175	20	-	32	59	46	51	47	54	37	31	32	6
		F	393	64	110	13	1	10	27	15	13	18	38	58	91	121	1

TABLE H.1(b) (Contd.)

I.S.C. No.	PRINCIPAL CAUSE OF ADMISSION		HOSPITALS UNDER REGIONAL BOARDS														
			TOTAL	Died	Marital status		Discharges (including deaths) by age										
					Single	N.S.	0-	1-	5-	15-	25-	35-	45-	55-	65-	75 and over	N.S.
N820	Fracture of neck of femur	M	64	8	8	3	-	-	2	1	3	5	8	12	15	16	2
		F	140	39	24	5	-	-	-	-	1	-	5	17	47	70	-
N821	Fracture of other and unspecified parts of femur	M	91	12	67	2	-	24	25	9	5	-	4	2	8	11	3
		F	94	15	28	4	1	5	5	4	-	-	6	11	22	39	1
N822	Fracture of patella	M	19	-	6	1	-	-	2	2	4	6	3	2	-	-	-
		F	16	1	2	-	-	-	-	-	2	3	2	5	3	1	-
N823	Fracture of tibia and fibula	M	138	2	67	8	-	7	23	20	27	16	22	12	6	5	-
		F	86	3	42	4	-	4	18	8	7	7	18	14	8	2	-
N824	Fracture of ankle	M	33	-	11	3	-	1	1	7	4	3	9	7	1	-	-
		F	29	1	6	-	-	-	1	-	2	7	4	6	4	5	-
N825	Fracture of one or more tarsal and metatarsal bones	M	19	-	6	-	-	-	3	2	4	7	1	1	-	-	1
		F	5	-	2	-	-	-	-	2	-	1	1	-	1	-	-
N826	Fracture of one or more phalanges of foot	M	10	-	5	1	-	-	3	2	2	1	2	-	-	-	-
		F	3	-	2	-	-	-	1	1	1	-	-	-	-	-	-
N827	Other, multiple, and ill-defined fractures of lower limb	M	10	1	4	1	-	-	-	1	2	4	2	-	1	-	-
		F	6	-	1	-	-	1	-	-	-	-	-	3	2	-	-
N828	Multiple fractures involving both lower limbs, lower with upper limb, and lower limb(s) with rib(s) and sternum	M	10	3	1	1	-	-	-	2	-	5	2	1	-	-	-
		F	14	5	3	-	-	-	2	-	-	-	2	2	4	4	-
N829	Fracture of unspecified bones	M	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

N830–N839	**Dislocation without Fracture**	**M**	**43**	**1**	**20**	**2**	**–**	**3**	**4**	**8**	**11**	**3**	**4**	**7**	**–**	**2**	**1**
		F	**26**	**–**	**15**	**1**	**–**	**1**	**6**	**4**	**1**	**1**	**4**	**1**	**3**	**5**	**–**
N830	Dislocation of jaw	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
N831	Dislocation of shoulder	M	15	-	2	2	-	-	-	1	4	1	3	3	-	2	1
		F	10	-	3	1	-	-	-	-	-	-	1	1	3	5	-
N832	Dislocation of elbow	M	7	-	6	-	-	-	4	2	1	-	-	-	-	-	-
		F	6	-	4	-	-	1	3	-	-	-	2	-	-	-	-
N833	Dislocation of wrist	M	1	-	1	-	-	-	-	-	1	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
N834	Dislocation of finger	M	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
N835	Dislocation of hip	M	3	-	3	-	-	1	-	2	-	-	-	-	-	-	-
		F	1	-	1	-	-	-	1	-	-	-	-	-	-	-	-
N836	Dislocation of knee	M	11	-	5	-	-	-	-	3	5	1	1	1	-	-	-
		F	6	-	6	-	-	-	2	3	-	-	1	-	-	-	-
N837	Dislocation of ankle	M	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-
		F	2	-	1	-	-	-	-	1	1	-	-	-	-	-	-
N838	Dislocation of foot	M	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-
		F	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-
N839	Other, multiple, and ill-defined dislocations	M	3	1	3	-	-	2	-	-	-	1	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
N840–N848	**Sprains and strains of joints and adjacent muscles**	**M**	**24**	**–**	**9**	**1**	**–**	**–**	**3**	**5**	**3**	**10**	**–**	**1**	**1**	**1**	**–**
		F	**27**	**–**	**12**	**1**	**–**	**–**	**3**	**7**	**3**	**2**	**6**	**2**	**3**	**1**	**–**
N840	Sprains and strains of shoulder and upper arm	M	2	-	1	-	-	-	-	-	-	2	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
N841	Sprains and strains of elbow and forearm	M	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

TABLE H.1(b) (Contd.)

I.S.C. No.	PRINCIPAL CAUSE OF ADMISSION		HOSPITALS UNDER REGIONAL BOARDS														
			TOTAL	Died	Marital status		Discharges (including deaths) by age										
					Single	N.S.	0-	1-	5-	15-	25-	35-	45-	55-	65-	75 and over	N.S.
N842	Sprains and strains of wrist and hand	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	2	-	-	1	-	-	-	1	-	-	1	-	-	-	-
N843	Sprains and strains of hip and thigh	M	1	-	1	-	-	-	1	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-
N844	Sprains and strains of knee and leg	M	7	-	4	1	-	-	1	2	2	2	-	-	-	-	-
		F	4	-	3	-	-	-	1	1	-	-	1	-	1	-	-
N845	Sprains and strains of ankle and foot	M	2	-	-	-	-	-	-	-	-	1	-	-	1	-	-
		F	8	-	5	-	-	-	1	3	2	-	2	-	-	-	-
N846	Sprains and strains of sacro-iliac region	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	3	-	1	-	-	-	-	1	-	-	2	-	-	-	-
N847	Sprains and strains of other and unspecified parts of back	M	6	-	2	-	-	-	-	3	1	1	-	-	-	1	-
		F	4	-	2	-	-	-	1	1	1	1	-	-	-	-	-
N848	Other and ill-defined sprains and strains	M	5	-	1	-	-	-	1	-	-	3	-	1	-	-	-
		F	5	-	1	-	-	-	-	-	-	1	-	2	2	-	-
N850–N856	**Head injury (excluding skull fracture)**	**M**	**467**	**10**	**265**	**36**	**3**	**45**	**97**	**94**	**68**	**44**	**48**	**23**	**22**	**14**	**9**
		F	**205**	**4**	**106**	**12**	**4**	**17**	**41**	**34**	**14**	**18**	**22**	**16**	**27**	**7**	**5**
N850	Open wound of scalp	M	79	2	36	5	-	6	16	8	11	8	11	6	5	5	3
		F	42	3	16	4	-	-	7	5	2	4	5	5	11	3	-
N851	Contusion and haematoma of scalp	M	25	-	18	-	1	5	8	2	1	2	2	1	2	1	-
		F	17	-	12	-	1	1	5	4	1	1	-	1	3	-	-
N852	Concussion	M	295	3	165	27	1	20	58	69	51	32	30	12	11	5	6
		F	124	-	65	6	2	11	26	22	8	11	15	9	11	4	5

N853	Cerebral laceration and contusion	M	10	2	7	1	-	3	1	1	1	-	1	1	2	-	-
		F	3	-	-	2	-	-	-	-	1	-	1	-	1	-	-
N854	Subarachnoid, subdural, and extradural haemorrhage following injury (without mention of cerebral laceration or contusion)	M	3	1	-	-	-	-	-	-	1	-	-	1	1	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-
N855	Other and unspecified intracranial haemorrhage following injury (without mention of cerebral laceration or contusion)	M	1	1	-	1	-	-	-	-	-	-	-	-	-	1	-
		F	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-
N856	Head injury of other and unspecified nature	M	54	1	39	2	1	11	14	14	3	2	4	2	1	2	-
		F	17	1	13	-	1	5	3	3	2	1	1	-	1	-	-
N860–N869	**Internal injury of chest, abdomen and pelvis**	**M**	**39**	**3**	**19**	**4**	**–**	**3**	**9**	**5**	**2**	**4**	**8**	**3**	**1**	**3**	**1**
		F	**15**	**2**	**9**	**1**	**–**	**2**	**3**	**2**	**3**	**2**	**–**	**2**	**1**	**–**	**–**
N860	Traumatic pneumothorax and haemothorax	M	9	1	1	2	-	-	1	-	1	2	1	1	-	2	1
		F	1	-	1	-	-	-	-	-	-	1	-	-	-	-	-
N861	Injury to heart and lung	M	2	-	1	-	-	-	-	-	-	-	2	-	-	-	-
		F	3	2	-	1	-	-	-	-	2	-	-	1	-	-	-
N862	Injury to other and unspecified intra-thoracic organs	M	2	-	-	-	-	-	-	-	-	-	1	-	1	-	-
		F	1	-	1	-	-	1	-	-	-	-	-	-	-	-	-
N863	Injury to gastro-intestinal tract	M	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-
		F	1	-	1	-	-	1	-	-	-	-	-	-	-	-	-
N864	Injury to liver	M	1	1	1	-	-	-	1	-	-	-	-	-	-	-	-
		F	2	-	2	-	-	-	1	1	-	-	-	-	-	-	-
N865	Injury to spleen	M	5	1	5	-	-	1	4	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
N866	Injury to kidney	M	7	-	5	-	-	-	-	4	1	1	-	1	-	-	-
		F	2	-	2	-	-	-	2	-	-	-	-	-	-	-	-

(7306)

TABLE H.1(b) (Contd.)

I.S.C. No.	PRINCIPAL CAUSE OF ADMISSION		HOSPITALS UNDER REGIONAL BOARDS														
			TOTAL	Died	Marital status		Discharges (including deaths) by age										
					Single	N.S.	0-	1-	5-	15-	25-	35-	45-	55-	65-	75 and over	N.S.
N867	Injury to pelvic organs	M	11	-	5	2	-	1	3	1	-	1	3	1	-	1	-
		F	5	-	2	-	-	-	-	1	1	1	-	1	1	-	-
N868	Injury to other and unspecified intra-abdominal organs	M	1	-	1	-	-	1	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
N869	Internal injury unspecified or involving intrathoracic with intra-abdominal organs	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
N870-N879	**Laceration and open wound of face, neck and trunk**	**M**	**125**	**2**	**73**	**9**	**-**	**11**	**35**	**17**	**22**	**8**	**11**	**9**	**7**	**3**	**2**
		F	**65**	**1**	**42**	**1**	**-**	**15**	**14**	**10**	**4**	**5**	**7**	**5**	**1**	**2**	**2**
N870	Open wound of eye and orbit	M	24	-	12	3	-	2	6	4	4	2	1	3	2	-	-
		F	6	-	6	-	-	1	3	2	-	-	-	-	-	-	-
N871	Enucleation of eye	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
N872	Open wound of ear	M	6	-	2	1	-	-	1	1	1	2	-	-	1	-	-
		F	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-
N873	Other and unspecified laceration of face	M	61	-	41	4	-	6	18	9	12	3	7	3	-	2	1
		F	43	-	27	1	-	13	8	4	2	3	5	3	1	2	2
N874	Open wound of neck	M	9	2	2	-	-	-	-	-	1	-	2	3	2	1	-
		F	4	-	3	-	-	-	1	-	1	-	1	1	-	-	-
N875	Open wound of chest	M	6	-	4	-	-	1	1	1	1	1	1	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
N876	Open wound of back	M	1	-	1	-	-	-	1	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-

N877	Open wound of buttock	M	8	-	6	-	-	1	4	1	1	-	-	-	1	-	-
		F	1	-	1	-	-	-	1	-	-	-	-	-	-	-	-
N878	Open wound of genital organs, including traumatic amputation	M	2	-	2	-	-	-	2	-	-	-	-	-	-	-	-
		F	9	1	5	-	-	1	1	4	1	2	-	-	-	-	-
N879	Multiple and unspecified open wounds of face, neck and trunk	M	8	-	3	1	-	1	2	1	2	-	-	-	1	-	1
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
N880-N888	**Laceration and open wound of upper limb**	**M**	**153**	**-**	**69**	**10**	**-**	**5**	**18**	**33**	**30**	**22**	**26**	**11**	**4**	**3**	**1**
		F	**59**	**-**	**26**	**1**	**-**	**4**	**11**	**9**	**8**	**12**	**9**	**1**	**3**	**2**	**-**
N880	Open wound of shoulder and upper arm	M	2	-	1	-	-	-	1	-	-	1	-	-	-	-	-
		F	2	-	2	-	-	1	1	-	-	-	-	-	-	-	-
N881	Open wound of elbow and forearm, and wrist not involving tendons	M	18	-	7	1	-	-	2	3	4	3	2	2	1	1	-
		F	8	-	6	-	-	1	2	2	1	-	-	-	2	-	-
N882	Open wound of wrist involving tendon(s)	M	7	-	4	-	-	1	1	2	-	-	2	-	1	-	-
		F	8	-	5	-	-	-	4	2	-	1	1	-	-	-	-
N883	Open wound of hand, except finger(s)	M	29	-	15	3	-	1	4	10	2	3	5	2	-	2	-
		F	12	-	1	-	-	-	-	-	5	1	3	1	1	1	-
N884	Open wound of finger(s)	M	55	-	27	3	-	3	5	12	16	9	8	2	-	-	-
		F	20	-	7	1	-	2	2	3	2	8	2	-	-	1	-
N885	Multiple and unspecified open wounds of one upper limb	M	7	-	7	-	-	-	3	2	2	-	-	-	-	-	-
		F	2	-	2	-	-	-	-	1	-	1	-	-	-	-	-
N886	Traumatic amputation of thumb(s)	M	3	-	1	1	-	-	-	2	-	1	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
N887	Traumatic amputation of other finger(s)	M	31	-	6	2	-	-	1	2	6	5	9	5	2	-	1
		F	7	-	3	-	-	-	2	1	-	1	3	-	-	-	-
N888	Traumatic amputation of arm and hand	M	1	-	1	-	-	-	1	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

TABLE H.1(b) (Contd.)

I.S.C. No.	PRINCIPAL CAUSE OF ADMISSION		HOSPITALS UNDER REGIONAL BOARDS														
			TOTAL	Died	Marital status		Discharges (including deaths) by age										
					Single	N.S.	0-	1-	5-	15-	25-	35-	45-	55-	65-	75 and over	N.S.
N890-N898	Laceration and open wound of lower limb	M	78	-	56	5	-	9	30	10	12	11	4	-	-	-	2
		F	39	-	25	-	-	7	11	4	6	2	2	4	1	1	1
N890	Open wound of hip and thigh	M	15	-	13	1	-	4	5	2	3	1	-	-	-	-	-
		F	5	-	3	-	-	-	1	2	1	1	-	-	-	-	-
N891	Open wound of knee, leg (except thigh), and ankle not involving tendons	M	44	-	31	3	-	3	20	4	5	6	4	-	-	-	2
		F	22	-	13	-	-	3	6	2	4	1	1	4	-	1	-
N892	Open wound of ankle involving tendons	M	2	-	-	-	-	-	-	-	2	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
N893	Open wound of foot, except toe(s)	M	10	-	9	-	-	2	4	2	-	2	-	-	-	-	-
		F	10	-	8	-	-	4	3	-	-	-	1	-	1	-	1
N894	Open wound of toe(s)	M	1	-	1	-	-	-	-	1	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
N895	Multiple and unspecified open wounds of one lower limb	M	3	-	1	-	-	-	-	1	1	1	-	-	-	-	-
		F	1	-	1	-	-	-	1	-	-	-	-	-	-	-	-
N896	Traumatic amputation of toe(s)	M	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
N897	Traumatic amputation of foot	M	1	-	1	-	-	-	1	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
N898	Traumatic amputation of leg	M	1	-	-	1	-	-	-	-	1	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
N900-N908	Laceration and open wounds of multiple location	M	19	-	9	1	-	1	2	3	4	1	3	2	2	1	-
		F	10	-	4	-	-	1	2	2	3	-	-	1	-	1	-

N900	Multiple open wounds of both upper limbs	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-
N901	Multiple open wounds of both lower limbs	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-
N902	Multiple open wounds of both upper and lower limb(s)	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	1	-	-	-	-	1	-	-	-	-	-	-
N903	Multiple open wounds of both hands	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-
N904	Multiple open wounds of both head and limb	M	2	-	-	-	-	-	-	-	1	-	-	1	-	-
		F	2	-	1	-	-	1	-	-	-	-	-	-	1	-
N905	Multiple open wounds of both head and trunk	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-
N906	Multiple open wounds of both trunk and limb	M	2	-	1	-	-	-	-	1	-	-	-	-	1	-
		F	1	-	-	-	-	-	-	-	1	-	-	-	-	-
N907	Multiple open wounds of face with other sites	M	8	-	4	-	-	-	2	1	1	-	2	1	-	1
		F	2	-	2	-	-	-	2	-	-	-	-	-	-	-
N908	Multiple open wounds of unspecified location	M	7	-	4	1	-	1	-	1	2	1	1	-	1	-
		F	4	-	-	-	-	-	-	1	2	-	-	1	-	-
N910-N918	**Superficial injury**	**M**	**41**	**-**	**24**	**2**	**-**	**-**	**12**	**9**	**6**	**7**	**3**	**1**	**1**	**2**
		F	**25**	**-**	**20**	**-**	**-**	**3**	**11**	**5**	**-**	**1**	**2**	**2**	**-**	**1**
N910	Superficial injury of face and neck	M	19	-	12	1	-	-	7	3	3	4	2	-	-	-
		F	5	-	3	-	-	1	2	-	-	1	-	1	-	-
N911	Superficial injury of trunk	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-
N912	Superficial injury of shoulder and upper arm	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-
N913	Superficial injury of elbow, forearm and wrist	M	2	-	1	-	-	-	1	-	-	-	-	-	1	-
		F	1	-	1	-	-	-	1	-	-	-	-	-	-	-
N914	Superficial injury of hand(s), except fingers	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-

TABLE H.1(b) (Contd.)

I.S.C. No.	PRINCIPAL CAUSE OF ADMISSION		HOSPITALS UNDER REGIONAL BOARDS														
			TOTAL	Died	Marital status		Discharges (including deaths) by age										
					Single	N.S.	0-	1-	5-	15-	25-	35-	45-	55-	65-	75 and over	N.S.
N915	Superficial injury of finger(s)	M	2	-	-	-	-	-	-	-	1	1	-	-	-	-	-
		F	1	-	1	-	-	-	1	-	-	-	-	-	-	-	-
N916	Superficial injury of hip, thigh, leg, and ankle	M	4	-	3	1	-	-	1	1	-	1	1	-	-	-	-
		F	8	-	6	-	-	1	3	1	-	-	1	1	-	1	-
N917	Superficial injury of foot and toe(s)	M	1	-	1	-	-	-	1	-	-	-	-	-	-	-	-
		F	1	-	1	-	-	-	-	1	-	-	-	-	-	-	-
N918	Superficial injury of other, multiple, and unspecified sites	M	13	-	7	-	-	-	2	5	2	1	-	1	-	2	-
		F	9	-	8	-	-	1	4	3	-	-	1	-	-	-	-
N920-N929	**Contusion and crushing with intact skin surface**	**M**	**96**	**1**	**52**	**4**	**-**	**5**	**22**	**15**	**16**	**9**	**10**	**8**	**4**	**7**	**-**
		F	**57**	**2**	**24**	**-**	**-**	**2**	**5**	**5**	**7**	**6**	**4**	**9**	**11**	**8**	**-**
N920	Contusion of face and neck, except eye(s)	M	14	1	11	-	-	2	6	3	1	-	-	-	-	2	-
		F	6	-	3	-	-	-	1	1	-	1	-	-	1	2	-
N921	Contusion of eye and orbit	M	3	-	-	-	-	-	-	-	2	-	-	1	-	-	-
		F	1	-	1	-	-	-	-	-	-	-	-	-	1	-	-
N922	Contusion of trunk	M	32	-	18	1	-	1	9	4	7	3	3	3	1	1	-
		F	17	1	8	-	-	-	1	2	3	2	1	2	3	3	-
N923	Contusion of shoulder and upper arm	M	2	-	-	-	-	-	-	-	-	2	-	-	-	-	-
		F	4	-	1	-	-	-	1	-	-	2	-	-	1	-	-
N924	Contusion of elbow, forearm and wrist	M	2	-	1	-	-	-	-	-	1	1	-	-	-	-	-
		F	2	-	1	-	-	-	1	-	1	-	-	-	-	-	-
N925	Contusion of hand(s), except fingers	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-

N926	Contusion of finger(s)	M	4	-	2	-	-	-	-	2	-	-	1	1	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
N927	Contusion of hip, thigh, leg, and ankle	M	27	-	14	2	-	1	4	5	4	2	5	1	2	3	-
		F	18	1	7	-	-	1	-	-	2	1	1	5	5	3	-
N928	Contusion of foot and toe(s)	M	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-
		F	2	-	2	-	-	-	1	1	-	-	-	-	-	-	-
N929	Contusion of other, multiple, and unspecified sites	M	11	-	6	1	-	1	3	1	1	1	-	2	1	1	-
		F	6	-	1	-	-	1	-	1	1	-	2	1	-	-	-
N930–N936	**Effects of foreign body entering through orifice**	**M**	**93**	**–**	**62**	**1**	**2**	**29**	**18**	**7**	**8**	**12**	**5**	**3**	**8**	**–**	**1**
		F	**72**	**–**	**41**	**2**	**3**	**16**	**11**	**8**	**5**	**11**	**10**	**6**	**2**	**–**	**–**
N930	Foreign body in eye and adnexa	M	14	-	5	-	-	1	2	1	2	4	2	1	1	-	-
		F	2	-	1	-	-	1	-	-	-	1	-	-	-	-	-
N931	Foreign body in ear	M	2	-	2	-	-	1	1	-	-	-	-	-	-	-	-
		F	4	-	4	-	-	2	2	-	-	-	-	-	-	-	-
N932	Foreign body in nose	M	4	-	4	-	-	4	-	-	-	-	-	-	-	-	-
		F	4	-	4	-	-	4	-	-	-	-	-	-	-	-	-
N933	Foreign body in pharynx and larynx	M	8	-	3	1	-	1	-	2	1	4	-	-	-	-	-
		F	5	-	1	-	-	-	-	1	1	1	1	1	-	-	-
N934	Foreign body in bronchus and lung	M	3	-	3	-	-	1	1	-	1	-	-	-	-	-	-
		F	2	-	2	-	1	1	-	-	-	-	-	-	-	-	-
N935	Foreign body in digestive tract	M	61	-	44	-	2	21	14	3	4	4	3	2	7	-	1
		F	53	-	28	2	2	8	9	6	4	8	9	5	2	-	-
N936	Foreign body in genito-urinary tract	M	1	-	1	-	-	-	-	1	-	-	-	-	-	-	-
		F	2	-	1	-	-	-	-	1	-	1	-	-	-	-	-
N940–N949	**Burns**	**M**	**177**	**12**	**136**	**3**	**4**	**82**	**25**	**15**	**13**	**17**	**8**	**6**	**2**	**3**	**2**
		F	**137**	**11**	**110**	**3**	**14**	**55**	**24**	**9**	**6**	**7**	**11**	**2**	**3**	**5**	**1**
N940	Burn confined to eye	M	7	-	6	-	-	-	4	1	-	2	-	-	-	-	-
		F	3	-	2	-	-	1	1	-	-	-	1	-	-	-	-
N941	Burn confined to face, head and neck	M	22	-	17	-	2	10	1	3	2	-	3	-	-	-	1
		F	12	-	11	-	2	5	2	-	-	-	2	-	-	1	-

TABLE H.1(b) (Contd.)

I.S.C. No.	PRINCIPAL CAUSE OF ADMISSION		HOSPITALS UNDER REGIONAL BOARDS														
			TOTAL	Died	Marital status		Discharges (including deaths) by age										
					Single	N.S.	0-	1-	5-	15-	25-	35-	45-	55-	65-	75 and over	N.S.
N942	Burn confined to trunk	M	9	-	9	-	-	8	-	1	-	-	-	-	-	-	-
		F	12	1	9	1	1	7	1	-	-	-	2	-	1	-	-
N943	Burn confined to upper limb(s) except wrist and hand	M	15	1	10	1	-	7	2	1	-	2	-	1	-	1	1
		F	7	-	6	-	-	5	-	2	-	-	-	-	-	-	-
N944	Burn confined to wrist(s) and hand(s)	M	14	-	7	1	-	3	1	3	1	3	1	2	-	-	-
		F	12	-	7	1	-	5	-	2	2	1	-	1	-	1	-
N945	Burn confined to lower limb(s)	M	32	1	27	-	1	9	10	3	4	1	1	1	1	1	-
		F	23	-	17	-	2	8	5	2	-	3	3	-	-	-	-
N946	Burn involving face, head, and neck, with limb(s)	M	22	-	17	-	-	12	1	2	4	2	-	1	-	-	-
		F	14	1	13	1	4	3	2	2	1	-	1	-	1	-	-
N947	Burn involving trunk with limb(s)	M	22	3	19	1	-	15	3	-	1	1	-	-	1	1	-
		F	26	4	23	-	3	10	7	1	-	1	-	1	1	2	-
N948	Burn involving face, head, and neck, with trunk and limb(s)	M	13	2	10	-	-	9	1	-	-	1	2	-	-	-	-
		F	13	3	12	-	-	6	3	-	1	2	-	-	-	1	-
N949	Burn involving other and unspecified parts	M	21	5	14	-	1	9	2	1	1	5	1	1	-	-	-
		F	15	2	10	-	2	5	3	-	2	-	2	-	-	-	1
N950-N959	**Injury to nerves and spinal cord without bone injury**	**M**	**11**	**-**	**8**	**-**	**-**	**3**	**1**	**2**	**4**	**-**	**1**	**-**	**-**	**-**	**-**
		F	**3**	**-**	**1**	**-**	**-**	**-**	**-**	**1**	**1**	**-**	**-**	**-**	**-**	**-**	**1**
N950	Injury to optic nerve(s)	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
N951	Injury to other cranial nerve(s)	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

N952	Injury to nerve(s) in upper arm	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
N953	Injury to nerve(s) in forearm	M	4	-	2	-	-	-	-	-	3	-	1	-	-	-	-
		F	1	-	1	-	-	-	-	1	-	-	-	-	-	-	-
N954	Injury to nerve(s) in wrist and hand	M	4	-	3	-	-	1	1	1	1	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
N955	Injury to nerve(s) in thigh	M	1	-	1	-	-	-	-	1	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
N956	Injury to nerve(s) in lower leg	M	1	-	1	-	-	1	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
N957	Injury to nerve(s) in ankle and foot	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
N958	Spinal cord lesion without evidence of spinal bone injury	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1
N959	Other nerve injury including nerve injury in several parts	M	1	-	1	-	-	1	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
N960-N979	**Effects of poisons**	**M**	**95**	**12**	**31**	**9**	**-**	**16**	**3**	**6**	**13**	**12**	**12**	**8**	**13**	**6**	**6**
		F	**120**	**11**	**33**	**2**	**-**	**9**	**3**	**13**	**11**	**20**	**24**	**21**	**14**	**4**	**1**
N960	Poisoning by noxious foodstuffs	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	2	-	-	-	-	-	-	-	-	-	-	2	-	-	-
N961	Poisoning by alcohol	M	5	2	1	-	-	-	-	-	1	-	-	3	1	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
N962	Poisoning by petroleum products	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
N963	Poisoning by industrial solvents	M	3	-	3	-	-	3	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
N964	Poisoning by corrosive aromatics, acids and caustic alkalis	M	10	3	3	1	-	1	-	-	-	2	1	1	2	2	1
		F	9	2	6	-	-	1	-	2	1	1	2	-	2	-	-

TABLE H.1(b) (Contd.)

I.S.C. No.	PRINCIPAL CAUSE OF ADMISSION		HOSPITALS UNDER REGIONAL BOARDS														
			TOTAL	Died	Marital status		Discharges (including deaths) by age										
					Single	N.S.	0-	1-	5-	15-	25-	35-	45-	55-	65-	75 and over	N.S.
N965	Poisoning by mercury and its compounds	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
N966	Poisoning by lead and its compounds	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
N967	Poisoning by arsenic and antimony and their compounds	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	1	-	-	1	-	-	-	-	-	-	-	-	-
N968	Poisoning by carbon monoxide	M	22	1	2	4	-	-	-	-	4	5	4	-	4	2	3
		F	21	1	1	1	-	-	-	-	4	2	4	5	4	2	-
N969	Poisoning by other gases and vapours	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
N970	Poisoning by morphine and other opium derivatives	M	1	-	1	-	-	1	-	-	-	-	-	-	-	-	-
		F	3	-	1	-	-	-	1	-	-	1	-	1	-	-	-
N971	Poisoning by barbituric acid and derivatives	M	25	1	8	2	-	3	-	5	5	1	5	4	1	-	1
		F	52	6	7	1	-	3	-	6	4	10	11	10	7	1	-
N972	Poisoning by aspirin and salicylates	M	16	5	8	2	-	5	1	1	3	1	1	-	4	-	-
		F	21	2	11	-	-	2	1	4	1	3	6	1	1	1	1
N973	Poisoning by bromides	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
N974	Poisoning by other analgesic and soporific drugs	M	3	-	-	-	-	-	-	-	-	1	1	-	-	-	1
		F	2	-	-	-	-	-	-	-	-	1	-	1	-	-	-
N975	Poisoning by sulphonamides	M	2	-	1	-	-	-	1	-	-	1	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

N976	Poisoning by strychnine	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
N977	Poisoning by belladonna, hyoscine and atropine	M	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-
		F	1	-	1	-	-	1	-	-	-	-	-	-	-	-	-
N978	Poisoning by venom	M	3	-	2	-	-	1	1	-	-	1	-	-	-	-	-
		F	1	-	1	-	-	-	1	-	-	-	-	-	-	-	-
N979	Poisoning by other and unspecified substances	M	4	-	2	-	-	2	-	-	-	-	-	-	1	1	-
		F	7	-	4	-	-	1	-	1	1	2	1	1	-	-	-
N980-N989	**Effects of weather, exposure, and related conditions**	**M**	**4**	**-**	**2**	**-**	**-**	**1**	**-**	**-**	**-**	**1**	**1**	**1**	**-**	**-**	**-**
		F	**5**	**-**	**3**	**-**	**-**	**-**	**1**	**2**	**1**	**-**	**-**	**-**	**-**	**1**	**-**
N980	Effects of reduced temperature	M	2	-	1	-	-	-	-	-	-	-	1	1	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
N981	Effects of heat and insolation	M	2	-	1	-	-	1	-	-	-	1	-	-	-	-	-
		F	4	-	3	-	-	-	1	2	1	-	-	-	-	-	-
N982	Effects of high altitude	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
N983	Caisson disease	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
N984	Effects of lightning	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
N985	Effects of hunger	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
N986	Effects of thirst	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
N987	Effects of exposure not elsewhere classified	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-
N988	Effects of excessive exertion	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
N989	Motion (travel) sickness	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

TABLE H.1(b) (Contd.)

I.S.C. No.	PRINCIPAL CAUSE OF ADMISSION		HOSPITALS UNDER REGIONAL BOARDS														
			TOTAL	Died	Marital status		Discharges (including deaths) by age										
					Single	N.S.	0-	1-	5-	15-	25-	35-	45-	55-	65-	75 and over	N.S.
N990-N999	Other and unspecified injuries and reactions	M	123	8	57	6	2	9	20	16	17	11	11	19	8	5	5
		F	83	-	36	-	4	3	11	15	13	12	6	7	10	1	1
N990	Drowning and nonfatal submersion	M	7	1	4	2	-	-	2	-	-	1	-	1	1	1	1
		F	5	-	-	-	-	-	-	-	-	-	2	2	1	-	-
N991	Asphyxia and strangulation	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
N992	Electrocution and nonfatal effects of electric currents	M	2	-	1	-	-	-	-	1	1	-	-	-	-	-	-
		F	1	-	1	-	-	-	-	-	1	-	-	-	-	-	-
N993	Injury due to radiation, except sunburn	M	3	-	1	-	-	-	-	-	1	-	-	1	-	1	-
		F	5	-	1	-	-	-	-	-	-	1	1	-	2	-	1
N994	Other general effects of external causes	M	1	-	1	-	1	-	-	-	-	-	-	-	-	-	-
		F	2	-	2	-	2	-	-	-	-	-	-	-	-	-	-
N995	Certain early complications of trauma	M	4	-	2	1	-	1	-	-	-	-	-	3	-	-	-
		F	2	-	-	-	-	-	-	-	1	-	1	-	-	-	-
N996	Injury of other and unspecified nature	M	57	4	28	3	-	7	10	13	11	4	5	3	1	1	2
		F	13	-	6	-	-	-	2	4	1	2	1	-	2	1	-
N997	Reactions and complications due to non-therapeutic medical and surgical procedures	M	4	-	3	-	-	1	1	1	-	1	-	-	-	-	-
		F	4	-	4	-	1	-	-	3	-	-	-	-	-	-	-
N998	Adverse reaction to injections, infusions, and transfusions for therapeutic purposes	M	6	-	2	-	-	-	1	-	3	-	-	1	1	-	-
		F	2	-	1	-	-	-	-	1	1	-	-	-	-	-	-
N999	Adverse reaction to other therapeutic procedure	M	39	3	15	-	1	-	6	1	1	5	6	10	5	2	2
		F	49	-	21	-	1	3	9	7	9	9	1	5	5	-	-

*	SUPPLEMENTARY CLASSIFICATIONS FOR SPECIAL ADMISSIONS, AND LIVEBIRTHS																
Y00-Y09	Special conditions and examinations without sickness	M	370	2	194	7	123	22	14	10	22	29	51	55	32	4	8
		F	364	-	178	5	97	15	15	49	75	35	27	21	18	3	9
Y00	Medical or special examination	M	177	2	50	5	16	9	7	6	17	23	35	39	20	2	3
		F	142	-	42	4	5	6	8	20	20	18	27	18	16	3	1
Y01	Skin immunity and sensitization tests	M	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Y02	Persons receiving prophylactic inoculation and vaccination	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Y03	Follow-up examination for tuberculosis not needing further medical care	M	1	-	1	-	-	1	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Y04	Follow-up examination after operation, injury or disease other than tuberculosis	M	53	-	7	2	1	1	-	1	-	6	15	15	12	2	-
		F	9	-	1	-	-	-	-	-	-	4	-	3	2	-	-
Y05	Carrier or suspected carrier of infective organisms	M	8	-	8	-	1	4	3	-	-	-	-	-	-	-	-
		F	6	-	5	-	-	1	4	-	1	-	-	-	-	-	-
Y06	Prenatal care	F	4	-	1	-	-	-	-	2	2	-	-	-	-	-	-
Y07	Postpartum observation	F	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-
Y08	Healthy person accompanying sick relative	M	119	-	118	-	98	5	4	3	4	-	-	-	-	-	5
		F	196	-	127	-	91	8	3	25	49	12	-	-	-	-	8
Y09	Other person without complaint or sickness	M	11	-	10	-	7	2	-	-	-	-	1	1	-	-	-
		F	6	-	2	1	1	-	-	1	3	1	-	-	-	-	-

*Special admissions are those causes enumerated in the Supplementary List of the International Classification except stillbirths. Stillbirths are not included in this enquiry.

TABLE H.1(b) (Contd.)

I.S.C. No.	PRINCIPAL CAUSE OF ADMISSION		HOSPITALS UNDER REGIONAL BOARDS														
			TOTAL	Died	Marital status		Discharges (including deaths) by age										
					Single	N.S.	0-	1-	5-	15-	25-	35-	45-	55-	65-	75 and over	N.S.
Y10-Y18	Admissions for convalescent care, plastic treatments, and fitting of prosthetic devices	M	18	-	10	-	-	2	1	4	3	2	2	2	2	-	-
		F	25	-	6	-	-	-	1	4	5	4	5	-	3	3	-
Y10	Medical and surgical aftercare	M	10	-	3	-	-	1	-	1	1	1	2	2	2	-	-
		F	17	-	4	-	-	-	1	2	4	2	3	-	2	3	-
Y11	Plastic surgical treatment	M	8	-	7	-	-	1	1	3	2	1	-	-	-	-	-
		F	8	-	2	-	-	-	-	2	1	2	2	-	1	-	-
Y12	Fitting of artificial arm(s)	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Y13	Fitting of artificial leg(s)	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Y14	Fitting of both artificial arm(s) and leg(s)	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Y15	Fitting of artificial eye(s)	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Y16	Fitting of dental prosthetic device	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Y17	Fitting of colostomy belt and other abdominal appliance	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Y18	Fitting of other prosthetic device	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Y20-Y29	Classification of liveborn infants according to type of birth	M	5245	114	5245	-	5245	-	-	-	-	-	-	-	-	-	-
		F	4845	90	4845	-	4845	-	-	-	-	-	-	-	-	-	-
Y20	Single, born without mention of immaturity	M	4785	36	4785	-	4785	-	-	-	-	-	-	-	-	-	-
		F	4382	33	4382	-	4382	-	-	-	-	-	-	-	-	-	-
Y21	Single, born immature	M	333	65	333	-	333	-	-	-	-	-	-	-	-	-	-
		F	321	51	321	-	321	-	-	-	-	-	-	-	-	-	-
Y22	Twin, without mention of immaturity, mate liveborn	M	60	1	60	-	60	-	-	-	-	-	-	-	-	-	-
		F	63	-	63	-	63	-	-	-	-	-	-	-	-	-	-
Y23	Twin, without mention of immaturity, mate stillborn	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	1	-	1	-	-	-	-	-	-	-	-	-	-
Y22X	Twin, without mention of immaturity, mate not specified	M	1	1	1	-	1	-	-	-	-	-	-	-	-	-	-
		F	1	-	1	-	1	-	-	-	-	-	-	-	-	-	-
Y24	Twin, immature, with mate liveborn	M	56	8	56	-	56	-	-	-	-	-	-	-	-	-	-
		F	67	5	67	-	67	-	-	-	-	-	-	-	-	-	-
Y25	Twin, immature, with mate stillborn	M	2	1	2	-	2	-	-	-	-	-	-	-	-	-	-
		F	3	-	3	-	3	-	-	-	-	-	-	-	-	-	-
Y24X	Twin, immature with mate not specified	M	8	2	8	-	8	-	-	-	-	-	-	-	-	-	-
		F	5	1	5	-	5	-	-	-	-	-	-	-	-	-	-
Y26	Multiple born, without mention of immaturity, mates all liveborn	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Y27	Multiple born without mention of immaturity, one or more mates stillborn	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	1	-	1	-	-	-	-	-	-	-	-	-	-
Y26X	Multiple born without mention of immaturity mates not specified	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

TABLE H.1(b) (Contd.)

I.S.C. No.	PRINCIPAL CAUSE OF ADMISSION		HOSPITALS UNDER REGIONAL BOARDS														
			TOTAL	Died	Marital status		Discharges (including deaths) by age										
					Single	N.S.	0-	1-	5-	15-	25-	35-	45-	55-	65-	75 and over	N.S.
Y28	Multiple born, immature, mates all liveborn	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Y29	Multiple born, immature, one or more mates stillborn	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	1	-	1	-	-	-	-	-	-	-	-	-	-
Y28X	Multiple born, immature, mates not specified	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	SUPPLEMENTARY CLASSIFICATIONS FOR PROPHYLACTIC INOCULATIONS, IMPAIRMENTS, BLINDNESS, AND DEAFNESS																
Y40-Y49	Prophylactic inoculation and vaccination	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Y40	Vaccination against smallpox	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Y41	Inoculation against diphtheria	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Y42	Inoculation against whooping cough	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Y43	Inoculation against tuberculosis	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Y44	Inoculation against influenza	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Y45	Inoculation against tetanus	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Y46	Inoculation against typhoid and paratyphoid fever	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Y47	Inoculation against typhus fever	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Y48	Inoculation against yellow fever	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Y49	Inoculation against other infectious disease	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Y50-Y59	**Impairment due to birth injury, congenital malformation, and musculoskeletal diseases**	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Y50	Impairment due to cerebral palsy	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Y51	Impairment due to other and ill-defined birth injury	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Y52	Impairment due to congenital malformation	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Y53	Impairment due to tuberculosis of bones and joints	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Y54	Impairment due to arthritis and rheumatism	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Y55	Impairment due to rickets and osteomalacia	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Y56	Impairment due to osteomyelitis	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Y57	Impairment due to osteochondritis	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-

TABLE H.1(b) (Contd.)

I.S.C. No.	PRINCIPAL CAUSE OF ADMISSION		HOSPITALS UNDER REGIONAL BOARDS														
			TOTAL	Died	Marital status		Discharges (including deaths) by age										
					Single	N.S.	0-	1-	5-	15-	25-	35-	45-	55-	65-	75 and over	N.S.
Y58	Impairment due to other diseases of bones and joints	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Y59	Impairment due to diseases of muscles, tendons and fascia	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Y60-Y69	**Impairment due to other diseases and accidents**	**M**	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Y60	Impairment due to intra-cranial haemorrhage, embolism and thrombosis	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Y61	Impairment due to poliomyelitis	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Y62	Impairment due to other nervous and mental diseases	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Y63	Impairment due to other local infections and infectious diseases	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Y64	Impairment due to other and ill-defined diseases	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Y65	Impairment due to motor vehicle accident	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Y66	Impairment due to accidental fall	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Y67	Impairment due to machinery accident	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Y68	Impairment due to other and unspecified accidents and poisonings, except war	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Y69	Impairment due to war injuries	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Y70–Y79	**Absence or amputation of major and minor members due to diseases, congenital malformations and injuries**	M	5	-	1	-	-	-	-	-	1	-	1	3	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-
Y70*	Loss due to diseases of bones and joints including tuberculosis	M	1	-	1	-	-	-	-	-	1	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Y71	Loss due to diabetes, gangrene, and peripheral vascular disease	M	2	-	-	-	-	-	-	-	-	-	-	2	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-
Y72	Loss due to local infection, unspecified	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Y73	Loss due to congenital malformation	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Y74	Loss due to other and ill-defined diseases	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Y75	Loss due to motor vehicle accident	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Y76	Loss due to machinery accident	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Y77	Loss due to accident by cutting and piercing instrument	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

TABLE H.1(b) (Contd.)

I.S.C. No.	PRINCIPAL CAUSE OF ADMISSION		HOSPITALS UNDER REGIONAL BOARDS														
			TOTAL	Died	Marital status		Discharges (including deaths) by age										
					Single	N.S.	0-	1-	5-	15-	25-	35-	45-	55-	65-	75 and over	N.S.
Y78	Loss due to other and unspecified accidents and poisonings except war	M	2	-	-	-	-	-	-	-	-	-	1	1	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Y79	Loss due to war injuries	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Y80-Y88	Blindness and deafness following disease or injury	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Y80	Blindness, both eyes, specifically defined	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Y81	Blindness, both eyes not specifically defined	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Y82	Blindness, one eye specifically defined	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Y83	Blindness, one eye not specifically defined	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Y84	Deaf mutism	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Y85	Deafness, both ears	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Y86	Deafness in one ear with partial deafness in the other	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Y87	Deafness, one ear	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Y88	Impairment of hearing, one or both ears	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table H.2 - Final diagnoses of the Principal Cause of Admission to participating hospitals classified according to the International Classification of Disease:- Discharges (including deaths) reported for 1949 and the corresponding Bed-days, together with the Mean Bed-days and the Deaths in hospital, shown by Sex and Age for diagnostic groups* in respect of (a) London Teaching Hospitals (b) Provincial Teaching Hospitals (c) Hospitals under Regional Boards.

Note:- The mean bed-days is not shown where the number of cases is less than 10: where there are 10 or more but less than 20 cases the rates are shown in italics as a warning that the smallness of the experience will affect the significance.

* *These groupings are arranged so that they can be further reduced by simple addition to the Special 'C' List of 50 Causes for the purpose of comparison with other morbidity data.*

TABLE H.2

ALL DIAGNOSES

LONDON TEACHING HOSPITALS

	Total Discharges		Total Bed-days		Mean Bed-days		Deaths in the Hospital	
	M	F	M	F	M	F	M	F
All Ages	27,593	38,080	577,781	749,581	21	20	816	692
0-	6,742	5,579	98,004	88,405	15	16	140	111
5-	3,983	3,390	70,792	62,057	18	18	19	20
15-	7,751	18,275	173,829	328,404	22	18	119	114
45-	6,512	7,836	164,436	191,637	25	24	313	256
65 & over	2,469	2,764	64,417	74,957	26	27	218	181
N.S.	136	236	6,303	4,121	46	17	7	10

PROVINCIAL TEACHING HOSPITALS

	Total Discharges		Total Bed-days		Mean Bed-days		Deaths in the Hospital	
	M	F	M	F	M	F	M	F
All Ages	77,521	102,188	1,207,648	1,480,868	16	14	3,342	2,467
0-	15,448	13,107	190,375	166,841	12	13	522	401
5-	9,601	7,580	139,744	108,140	15	14	71	58
15-	24,318	51,884	358,401	664,256	15	13	542	444
45-	20,075	21,502	356,541	376,877	18	18	1,220	803
65 & over	7,815	7,870	158,829	161,580	20	21	965	741
N.S.	264	245	3,758	3,174	14	13	22	20

HOSPITALS UNDER REGIONAL BOARDS

	Total Discharges		Total Bed-days		Mean Bed-days		Deaths in the Hospital	
	M	F	M	F	M	F	M	F
All Ages	33,731	47,743	772,111	929,346	23	19	2,897	2,433
0-	9,041	7,683	120,864	104,094	13	14	298	234
5-	4,524	3,739	68,284	59,853	15	16	41	36
15-	8,273	24,702	228,107	396,040	28	16	298	332
45-	7,248	7,186	181,439	172,848	25	24	915	660
65 & over	4,438	4,167	168,056	191,119	38	46	1,316	1,142
N.S.	207	266	5,361	5,392	26	20	29	29

(7306)

TABLE H.2 (Contd.)

ALL DIAGNOSES EXCEPT LIVEBIRTHS AND SPECIAL ADMISSIONS

LONDON TEACHING HOSPITALS

	Total Discharges		Total Bed-days		Mean Bed-days		Deaths in the Hospital	
	M	F	M	F	M	F	M	F
All Ages	24,586	35,090	543,026	714,881	22	20	775	668
0-	3,904	2,774	64,171	54,870	16	20	99	87
5-	3,970	3,374	70,681	61,942	18	18	19	20
15-	7,678	18,174	173,355	327,671	23	18	119	114
45-	6,454	7,786	164,215	191,401	25	25	313	256
65 & over	2,447	2,749	64,325	74,882	26	27	218	181
N.S.	133	233	6,279	4,115	47	18	7	10

PROVINCIAL TEACHING HOSPITALS

	Total Discharges		Total Bed-days		Mean Bed-days		Deaths in the Hospital	
	M	F	M	F	M	F	M	F
All Ages	68,750	93,631	1,116,631	1,391,985	16	15	3,099	2,291
0-	7,053	5,055	102,755	81,465	15	16	279	225
5-	9,546	7,540	139,096	107,368	15	14	71	58
15-	24,154	51,538	356,624	662,192	15	13	542	444
45-	19,941	21,410	355,667	376,459	18	18	1,220	803
65 & over	7,797	7,851	158,762	161,383	20	21	965	741
N.S.	259	237	3,727	3,118	14	13	22	20

HOSPITALS UNDER REGIONAL BOARDS

	Total Discharges		Total Bed-days		Mean Bed-days		Deaths in the Hospital	
	M	F	M	F	M	F	M	F
All Ages	28,093	42,508	712,954	875,192	25	21	2,781	2,343
0-	3,649	2,726	62,841	51,808	17	19	182	144
5-	4,509	3,723	68,069	59,658	15	16	41	36
15-	8,202	24,530	227,758	394,998	28	16	298	332
45-	7,134	7,133	181,038	172,659	25	24	915	660
65 & over	4,400	4,139	167,983	190,777	38	46	1,316	1,142
N.S.	199	257	5,265	5,292	26	21	29	29

(7306)

TABLE H.2 (Contd.)

Age Group	LONDON TEACHING HOSPITALS								PROVINCIAL TEACHING HOSPITALS								HOSPITALS UNDER REGIONAL BOARDS							
	Total Discharges		Total Bed-days		Mean Bed-days		Deaths in the Hospital		Total Discharges		Total Bed-days		Mean Bed-days		Deaths in the Hospital		Total Discharges		Total Bed-days		Mean Bed-days		Deaths in the Hospital	
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
1. PULMONARY TUBERCULOSIS																								002
All Ages	141	146	8039	9685	57	66	11	10	314	264	9340	9572	30	36	27	18	598	585	108113	95904	181	164	108	85
0-	13	12	904	691	70	58	1	-	15	8	1244	273	83	-	1	2	7	9	767	297	-	-	3	3
5-	8	8	431	295	-	-	-	-	16	17	822	1047	51	62	-	3	6	12	810	617	-	51	-	1
15-	80	109	4767	7472	60	69	2	4	163	197	5337	7624	33	39	13	8	408	513	87115	87338	214	170	53	70
45-	34	8	1735	601	51	-	5	3	102	30	1795	383	18	13	12	3	139	42	17834	7249	128	173	35	9
65 & over	6	6	202	161	-	-	3	3	18	9	142	213	8	-	1	2	35	8	1521	379	43	-	16	2
N.S.	-	3	-	465	-	-	-	-	-	3	-	32	-	-	-	-	3	1	66	24	-	-	1	-
2. PLEURISY SPECIFIED AS TUBERCULOUS																								003.0
All Ages	8	16	495	1108	-	69	-	-	51	38	3973	1522	78	40	-	-	43	35	2481	2353	58	67	-	1
0-	1	-	57	-	-	-	-	-	4	4	672	55	-	-	-	-	3	1	155	74	-	-	-	-
5-	2	3	168	138	-	-	-	-	21	7	1969	486	94	-	-	-	17	12	799	734	47	61	-	-
15-	4	12	263	948	-	79	-	-	20	22	1138	849	57	39	-	-	21	22	1455	1545	69	70	-	1
45-	1	-	7	-	-	-	-	-	6	5	194	132	-	-	-	-	2	-	72	-	-	-	-	-
65 & over	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
N.S.	-	1	-	22	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3. PLEURISY WITH EFFUSION WITHOUT MENTION OF CAUSE																								003.1
All Ages	23	21	1236	1384	54	66	-	-	76	78	2704	2252	36	29	1	2	52	68	2186	3440	42	51	1	3
0-	1	-	17	-	-	-	-	-	1	2	68	171	-	-	-	-	4	-	222	-	-	-	-	-
5-	1	1	31	151	-	-	-	-	12	3	850	100	71	-	-	-	8	7	364	280	-	-	-	-
15-	12	15	698	1069	58	71	-	-	40	48	1353	1456	34	30	1	-	23	42	748	2428	33	58	1	-
45-	7	4	274	146	-	-	-	-	16	19	324	377	20	20	-	1	13	12	768	458	59	38	-	2
65 & over	1	1	18	18	-	-	-	-	7	4	109	51	-	-	-	1	2	7	27	274	-	-	-	1
N.S.	1	-	198	-	-	-	-	-	-	2	-	97	-	-	-	-	2	-	57	-	-	-	-	-

4. PRIMARY TUBERCULOSIS COMPLEX WITH SYMPTOMS

004

All Ages	36	43	2189	2949	61	69	-	1	55	27	4659	2291	85	85	-	1	33	28	2011	3606	61	129	-	-
0-	17	24	1138	1820	67	76	-	1	30	15	2054	1666	68	111	-	1	19	15	715	1753	38	117	-	-
5-	17	16	991	947	58	59	-	-	25	9	2605	536	104	-	-	-	12	9	1200	1408	100	-	-	-
15-	1	1	24	11	-	-	-	-	-	3	-	89	-	-	-	-	2	3	96	319	-	-	-	-
45-	1	-	36	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
65 & over	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
N.S.	-	2	-	171	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	126	-	-	-	-

5. OTHER RESPIRATORY TUBERCULOSIS

001, 005-008

All Ages	13	15	587	569	45	38	1	-	31	34	724	612	23	18	3	-	10	10	635	675	64	68	1	1
0-	2	5	37	293	-	-	-	-	1	2	9	53	-	-	-	-	3	2	166	37	-	-	-	-
5-	4	3	116	46	-	-	1	-	2	-	90	-	-	-	-	-	2	2	130	351	-	-	-	-
15-	1	5	15	78	-	-	-	-	12	29	353	442	29	15	-	-	-	6	-	287	-	-	-	1
45-	6	1	419	9	-	-	-	-	14	2	223	58	16	-	3	-	5	-	339	-	-	-	1	-
65 & over	-	1	-	143	-	-	-	-	2	-	49	-	-	-	-	-	-	-	-	-	-	-	-	-
N.S.	-	-	-	-	-	-	-	-	-	1	-	59	-	-	-	-	-	-	-	-	-	-	-	-

6. TUBERCULOSIS OF MENINGES AND CENTRAL NERVOUS SYSTEM

010

All Ages	31	39	2275	2668	73	68	4	12	113	101	5061	6702	45	66	22	26	49	34	3237	2316	66	68	20	12
0-	15	20	1427	1298	95	65	3	8	25	27	1355	2127	54	79	8	8	19	13	1227	544	65	42	13	7
5-	9	12	141	703	-	59	-	3	44	21	2103	1634	48	78	2	4	11	10	904	1474	82	147	4	3
15-	6	7	594	667	-	-	-	1	41	52	1557	2913	38	56	10	13	13	11	911	298	70	27	2	2
45-	1	-	113	-	-	-	1	-	2	1	39	28	-	-	1	1	4	-	137	-	-	-	1	-
65 & over	-	-	-	-	-	-	-	-	1	-	7	-	-	-	1	-	-	-	-	-	-	-	-	-
N.S.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	58	-	-	-	-	-

7. TUBERCULOSIS OF INTESTINES, PERITONEUM AND MESENTERIC GLANDS

011

All Ages	15	17	604	522	40	31	-	1	48	65	1856	2555	39	38	5	5	21	24	1301	961	62	40	3	1
0-	-	2	-	54	-	-	-	-	6	8	442	595	-	-	1	1	-	-	-	-	-	-	-	-
5-	5	2	146	83	-	-	-	-	16	8	553	180	35	-	-	-	3	1	449	10	-	-	1	-
15-	8	13	369	385	-	30	-	1	21	48	747	1695	36	35	4	3	11	20	602	905	55	45	1	-
45-	1	-	64	-	-	-	-	-	4	4	99	85	-	-	-	1	4	2	93	39	-	-	1	1
65 & over	1	-	25	-	-	-	-	-	1	-	15	-	-	-	-	-	3	1	157	7	-	-	-	-
N.S.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	- -	-	-	-	-	-

TABLE H.2 (Contd.)

Age Group	LONDON TEACHING HOSPITALS								PROVINCIAL TEACHING HOSPITALS								HOSPITALS UNDER REGIONAL BOARDS							
	Total Discharges		Total Bed-days		Mean Bed-days		Deaths in the Hospital		Total Discharges		Total Bed-days		Mean Bed-days		Deaths in the Hospital		Total Discharges		Total Bed-days		Mean Bed-days		Deaths in the Hospital	
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
8. TUBERCULOSIS OF BONES AND JOINTS																								012, 013
All Ages	181	120	19631	12309	108	103	1	-	207	192	17066	11898	82	62	2	3	92	55	10042	6432	109	117	1	3
0-	8	8	260	1353	-	-	-	-	32	22	6192	3050	194	139	-	1	7	4	219	1077	-	-	-	-
5-	72	38	9316	4304	129	113	-	-	57	32	7158	4223	126	132	-	-	22	14	2273	2634	103	188	-	-
15-	90	57	7387	5986	82	105	-	-	83	114	2438	3364	29	30	-	1	42	25	5116	2089	122	84	1	1
45-	7	12	158	391	-	33	1	-	26	21	886	1153	34	55	2	1	14	5	1796	421	128	-	-	1
65 & over	1	4	16	107	-	-	-	-	7	2	222	84	-	-	-	-	6	7	517	211	-	-	-	1
N.S.	3	1	2494	168	-	-	-	-	2	1	170	24	-	-	-	-	1	-	121	-	-	-	-	-
9. TUBERCULOSIS OF LYMPHATIC SYSTEM																								015
All Ages	37	97	1050	1739	28	18	-	1	205	310	3446	4134	17	13	1	2	57	74	1059	1016	19	14	-	2
0-	1	8	56	227	-	-	-	-	42	24	1031	584	25	24	-	1	9	2	266	69	-	-	-	-
5-	14	26	366	349	26	13	-	-	84	68	1181	1238	14	18	-	-	30	25	374	449	12	18	-	-
15-	21	54	606	893	29	17	-	-	60	178	788	1688	13	9	-	1	18	40	419	461	23	12	-	1
45-	1	5	22	88	-	-	-	-	18	33	378	521	21	16	1	-	-	5	-	29	-	-	-	-
65 & over	-	3	-	179	-	-	-	1	1	6	68	95	-	-	-	-	-	2	-	8	-	-	-	1
N.S.	-	1	-	3	-	-	-	-	-	1	-	8	-	-	-	-	-	-	-	-	-	-	-	-
10. TUBERCULOSIS OF GENITO-URINARY SYSTEM																								016
All Ages	49	41	1767	1368	36	33	-	1	124	147	3853	6052	31	41	9	-	42	24	1356	547	32	23	5	-
0-	2	1	14	16	-	-	-	-	1	-	9	-	-	-	-	-	-	-	-	-	-	-	-	-
5-	-	1	-	65	-	-	-	-	6	3	228	555	-	-	-	-	-	-	-	-	-	-	-	-
15-	37	30	1522	1017	41	34	-	-	95	120	2879	4956	30	41	7	-	27	21	999	486	37	23	2	-
45-	8	7	168	238	-	-	-	1	17	20	550	444	32	22	2	-	15	3	357	61	24	-	3	-
65 & over	1	2	29	32	-	-	-	-	4	4	155	97	-	-	-	-	-	-	-	-	-	-	-	-
N.S.	1	-	34	-	-	-	-	-	1	-	32	-	-	-	-	-	-	-	-	-	-	-	-	-

11. ALL OTHER TUBERCULOSIS — 014, 017-019

All Ages	36	50	2009	2166	56	43	2	2	108	140	3520	5540	33	40	10	14	25	30	1134	1474	45	49	7	7
0-	8	5	584	509	-	-	2	1	17	18	1153	1025	68	57	-	5	7	2	433	145	-	-	-	-
5-	8	9	602	278	-	-	-	-	25	35	408	1601	16	46	3	-	2	3	21	62	-	-	-	1
15-	13	26	614	688	47	26	-	1	46	54	1472	2065	32	38	5	4	9	18	559	1145	-	64	4	5
45-	7	9	209	684	-	-	-	-	14	27	382	790	27	29	1	3	5	5	92	81	-	-	2	-
65 & over	-	1	-	7	-	-	-	-	5	6	85	59	-	-	1	2	2	1	29	25	-	-	1	-
N.S.	-	-	-	-	-	-	-	-	1	-	20	-	-	-	-	-	-	1	-	16	-	-	-	1

12. SYPHILIS OF CARDIOVASCULAR AND CENTRAL NERVOUS SYSTEMS: CONGENITAL SYPHILIS — 020, 022-027

All Ages	124	75	3034	1911	24	25	2	3	296	178	5802	3755	20	21	18	9	62	44	1601	1301	26	30	18	6
0-	8	1	136	289	-	-	-	-	14	10	204	255	15	26	2	1	4	5	103	284	-	-	2	2
5-	1	4	22	74	-	-	-	-	4	4	40	221	-	-	-	-	2	2	72	81	-	-	-	-
15-	31	27	753	577	24	21	1	-	73	57	1558	925	21	16	2	1	10	8	432	164	43	-	1	-
45-	58	38	1484	837	26	22	1	2	174	94	3443	1954	20	21	12	5	27	20	500	629	19	31	10	2
65 & over	25	5	619	134	25	-	-	1	31	13	557	400	18	31	2	2	18	7	474	120	26	-	5	2
N.S.	1	-	20	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	20	23	-	-	-	-

13. EARLY SYPHILIS; LATENT SYPHILIS; SYPHILIS UNQUALIFIED — 021, 028,029

All Ages	19	23	435	344	23	15	-	-	23	69	410	530	18	8	1	-	5	20	101	408	-	20	-	1
0-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	25	-	-	-	-
5-	1	-	16	-	-	-	-	-	1	-	25	-	-	-	-	-	-	2	-	90	-	-	-	-
15-	13	15	236	60	18	4	-	-	13	59	224	406	17	7	-	-	4	14	99	201	-	14	-	-
45-	4	7	166	283	-	-	-	-	8	9	153	79	-	-	1	-	1	2	2	66	-	-	-	1
65 & over	1	1	17	1	-	-	-	-	1	1	8	45	-	-	-	-	-	1	-	26	-	-	-	-
N.S.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

14. GONOCOCCAL INFECTIONS — 030-035

All Ages	9	20	106	268	-	13	-	-	7	9	80	109	-	-	1	-	4	3	79	41	-	-	-	-
0-	-	1	-	5	-	-	-	-	-	1	-	24	-	-	-	-	-	-	-	-	-	-	-	-
5-	-	1	-	9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
15-	6	18	52	254	-	14	-	-	4	7	36	68	-	-	-	-	4	3	79	41	-	-	-	-
45-	3	-	54	-	-	-	-	-	2	1	13	17	-	-	-	-	-	-	-	-	-	-	-	-
65 & over	-	-	-	-	-	-	-	-	1	-	31	-	-	-	1	-	-	-	-	-	-	-	-	-
N.S.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

TABLE H.2 (Contd.)

Age Group	LONDON TEACHING HOSPITALS								PROVINCIAL TEACHING HOSPITALS								HOSPITALS UNDER REGIONAL BOARDS							
	Total Discharges		Total Bed-days		Mean Bed-days		Deaths in the Hospital		Total Discharges		Total Bed-days		Mean Bed-days		Deaths in the Hospital		Total Discharges		Total Bed-days		Mean Bed-days		Deaths in the Hospital	
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
15. DYSENTERY, ALL FORMS																								045-048
All Ages	34	13	653	230	19	18	-	-	112	21	2534	290	23	14	1	-	41	21	1031	563	25	27	1	-
0-	8	3	89	57	-	-	-	-	13	3	235	40	18	-	-	-	24	15	599	484	25	32	-	-
5-	2	1	17	24	-	-	-	-	10	3	248	29	25	-	-	-	3	3	30	35	-	-	-	-
15-	22	5	530	67	24	-	-	-	77	14	1822	217	24	16	1	-	13	3	363	44	28	-	-	-
45-	2	2	17	30	-	-	-	-	10	-	205	-	20	-	-	-	1	-	39	-	-	-	1	-
65 & over	-	2	-	52	-	-	-	-	1	1	3	4	-	-	-	-	-	-	-	-	-	-	-	-
N.S.	-	-	-	-	-	-	-	-	1	-	21	-	-	-	-	-	-	-	-	-	-	-	-	-
16. OTHER INFECTIOUS DISEASES OF INTESTINAL TRACT																								040-044; 049
All Ages	15	45	352	672	23	15	1	1	37	33	525	465	14	14	3	1	56	47	1536	1442	27	31	2	2
0-	2	1	107	13	-	-	-	-	5	7	77	160	-	-	-	-	13	18	650	643	50	36	-	2
5-	1	-	20	-	-	-	-	-	4	5	77	34	-	-	-	-	11	6	206	180	19	-	-	-
15-	8	34	106	326	-	10	-	-	22	12	319	161	14	13	2	-	18	12	447	268	25	22	1	-
45-	3	5	117	230	-	-	1	1	5	6	51	82	-	-	-	1	13	9	216	312	17	-	1	-
65 & over	1	3	2	90	-	-	-	-	1	2	1	4	-	-	1	-	1	2	17	39	-	-	-	-
N.S.	-	2	-	13	-	-	-	-	-	1	-	24	-	-	-	-	-	-	-	-	-	-	-	-
17. SCARLET FEVER																								050
All Ages	-	1	-	3	-	-	-	-	73	83	954	1050	13	13	-	-	455	439	9107	8655	20	20	1	-
0-	-	1	-	3	-	-	-	-	19	17	198	187	10	11	-	-	156	117	3015	2347	19	20	-	-
5-	-	-	-	-	-	-	-	-	43	55	625	725	15	13	-	-	263	278	5404	5469	21	20	-	-
15-	-	-	-	-	-	-	-	-	8	10	98	130	-	13	-	-	31	42	608	797	20	19	1	-
45-	-	-	-	-	-	-	-	-	2	1	19	8	-	-	-	-	4	1	55	23	-	-	-	-
65 & over	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	25	-	-	-	-	-
N.S.	-	-	-	-	-	-	-	-	1	-	14	-	-	-	-	-	-	1	-	19	-	-	-	-

18. DIPHTHERIA

055

All Ages	-	1	-	42	-	-	-	-	1	1	8	3	-	-	-	-	10	31	422	1209	42	39	-	1
0-	-	-	-	-	-	-	-	-	-	1	-	3	-	-	-	-	3	6	84	163	-	-	-	-
5-	-	1	-	42	-	-	-	-	-	-	-	-	-	-	-	-	3	21	123	930	-	44	-	1
15-	-	-	-	-	-	-	-	-	1	-	8	-	-	-	-	-	3	4	98	116	-	-	-	-
45-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	117	-	-	-	-	-
65 & over	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
N.S.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

19. WHOOPING COUGH

056

All Ages	12	10	107	116	9	12	-	-	14	16	112	239	8	15	-	1	140	153	3607	4322	26	28	19	17
0-	9	9	82	106	-	-	-	-	11	14	65	199	6	14	-	1	126	132	3284	3828	25	29	17	17
5-	2	1	3	10	-	-	-	-	2	2	22	40	-	-	-	-	14	20	323	488	23	24	2	-
15-	1	-	22	-	-	-	-	-	1	-	25	-	-	-	-	-	-	1	-	6	-	-	-	-
45-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
65 & over	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
N.S.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

20. ACUTE POLIOMYELITIS

080

All Ages	136	126	5716	7104	42	56	-	2	96	68	2489	1242	26	18	2	10	146	132	4211	4521	29	34	11	8
0-	51	37	2190	1280	43	35	-	-	22	20	777	237	35	12	-	4	55	55	1670	1930	30	35	3	1
5-	53	36	1867	2682	35	74	-	-	40	12	1045	302	26	25	1	-	49	30	1034	688	21	23	3	1
15-	29	51	1459	3110	50	61	-	2	31	35	626	702	20	20	1	5	41	44	1477	1773	36	40	5	5
45-	3	2	200	32	-	-	-	-	3	-	41	-	-	-	-	-	-	1	-	2	-	-	-	1
65 & over	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
N.S.	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	1	1	2	30	128	-	-	-	-

21. LATE EFFECTS OF ACUTE POLIOMYELITIS

081

All Ages	40	46	2177	1552	54	34	-	-	39	51	1092	795	28	16	-	-	18	26	928	1657	52	64	-	1
0-	6	5	101	108	-	-	-	-	1	7	5	92	-	-	-	-	4	10	434	791	-	79	-	1
5-	18	15	823	586	46	39	-	-	26	13	862	267	33	21	-	-	11	6	299	224	27	-	-	-
15-	12	22	1158	828	96	38	-	-	8	28	175	354	-	13	-	-	1	7	24	577	-	-	-	-
45-	4	1	95	9	-	-	-	-	1	3	18	82	-	-	-	-	1	3	14	65	-	-	-	-
65 & over	-	1	-	21	-	-	-	-	3	-	32	-	-	-	-	-	-	-	-	-	-	-	-	-
N.S.	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	157	-	-	-	-	-

TABLE H.2 (Contd.)

Age Group	LONDON TEACHING HOSPITALS								PROVINCIAL TEACHING HOSPITALS								HOSPITALS UNDER REGIONAL BOARDS							
	Total Discharges		Total Bed-days		Mean Bed-days		Deaths in the Hospital		Total Discharges		Total Bed-days		Mean Bed-days		Deaths in the Hospital		Total Discharges		Total Bed-days		Mean Bed-days		Deaths in the Hospital	
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
22. INFECTIOUS ENCEPHALITIS, ACUTE AND LATE EFFECTS																								082, 083
All Ages	11	8	239	135	22	-	-	-	49	36	809	802	17	22	1	1	21	26	1152	1244	55	48	2	1
0-	4	2	62	24	-	-	-	-	7	2	81	11	-	-	-	1	1	6	47	114	-	-	-	-
5-	2	1	28	1	-	-	-	-	7	6	99	112	-	-	-	-	4	3	77	67	-	-	-	-
15-	4	3	132	71	-	-	-	-	24	20	413	534	17	27	1	-	10	11	471	563	47	51	-	-
45-	1	2	17	39	-	-	-	-	11	7	216	135	20	-	-	-	5	6	322	500	-	-	1	1
65 & over	-	-	-	-	-	-	-	-	-	1	-	10	-	-	-	-	1	-	235	-	-	-	1	-
N.S.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
23. MEASLES																								085
All Ages	7	11	36	51	-	5	-	-	64	29	563	337	9	12	1	-	166	134	2851	2436	17	18	2	2
0-	4	6	28	33	-	-	-	-	35	17	304	247	9	15	1	-	129	105	2230	2003	17	19	1	1
5-	3	2	8	13	-	-	-	-	22	7	200	37	9	-	-	-	33	16	578	266	18	17	-	-
15-	-	3	-	5	-	-	-	-	5	3	52	33	-	-	-	-	3	12	42	150	-	12	-	1
45-	-	-	-	-	-	-	-	-	1	2	2	20	-	-	-	-	1	-	1	-	-	-	1	-
65 & over	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	17	-	-	-	-
N.S.	-	-	-	-	-	-	-	-	1	-	5	-	-	-	-	-	-	-	-	-	-	-	-	-
24. MUMPS																								089
All Ages	2	3	14	54	-	-	-	-	14	12	124	87	9	7	-	-	5	3	58	57	-	-	-	-
0-	1	1	10	24	-	-	-	-	2	2	14	20	-	-	-	-	-	-	-	-	-	-	-	-
5-	-	1	-	22	-	-	-	-	-	3	-	8	-	-	-	-	1	-	9	-	-	-	-	-
15-	1	-	4	-	-	-	-	-	12	7	110	59	9	-	-	-	3	3	47	57	-	-	-	-
45-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	-	-	-	-	-
65 & over	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
N.S.	-	1	-	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

092

25. INFECTIOUS HEPATITIS

All Ages	53	43	974	1079	18	25	1	-	113	88	2029	1673	18	19	1	3	53	51	996	1277	19	25	2	-
0-	6	7	101	153	-	-	1	-	14	3	191	69	14	-	1	-	7	2	174	24	-	-	1	-
5-	12	12	177	380	15	32	-	-	19	23	326	397	17	17	-	-	12	15	205	312	17	21	-	-
15-	24	22	493	519	21	24	-	-	55	49	1026	963	19	20	-	3	28	26	507	595	18	23	1	-
45-	9	1	175	16	-	-	-	-	20	12	365	222	18	18	-	-	5	5	95	286	-	-	-	-
65 & over	-	-	-	-	-	-	-	-	4	1	109	22	-	-	-	-	1	3	15	60	-	-	-	-
N.S.	2	1	28	11	-	-	-	-	1	-	12	-	-	-	-	-	-	-	-	-	-	-	-	-

100-108

26. RICKETTSIAL DISEASES

All Ages	1	-	10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
0-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
15-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
45-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
65 & over	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
N.S.	1	-	10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

110-117

27. MALARIA

All Ages	7	1	131	46	-	-	-	-	28	4	212	36	8	-	1	-	5	1	53	1	-	-	1	-
0-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5-	1	-	31	-	-	-	-	-	2	1	21	4	-	-	-	-	-	-	-	-	-	-	-	-
15-	6	1	100	46	-	-	-	-	22	3	169	32	8	-	1	-	3	1	32	1	-	-	-	-
45-	-	-	-	-	-	-	-	-	3	-	18	-	-	-	-	-	2	-	21	-	-	-	1	-
65 & over	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
N.S.	-	-	-	-	-	-	-	-	1	-	4	-	-	-	-	-	-	-	-	-	-	-	-	-

123-130

28. DISEASES DUE TO HELMINTHS

All Ages	28	18	383	226	14	13	-	-	50	48	1082	756	22	16	1	2	12	26	141	328	12	13	1	-
0-	11	6	176	55	16	-	-	-	12	9	236	139	20	-	-	-	-	3	-	28	-	-	-	-
5-	3	5	32	40	-	-	-	-	11	8	166	70	15	-	-	-	5	6	64	75	-	-	-	-
15-	11	4	129	114	12	-	-	-	24	18	647	208	27	12	1	1	5	12	37	201	-	17	-	-
45-	2	2	11	16	-	-	-	-	2	12	16	243	-	20	-	1	1	4	1	19	-	-	-	-
65 & over	1	-	35	-	-	-	-	-	-	1	-	96	-	-	-	-	1	1	39	5	-	-	1	-
N.S.	-	1	-	1	-	-	-	-	1	-	17	-	-	-	-	-	-	-	-	-	-	-	-	-

TABLE H.2 (Contd.)

Age Group	LONDON TEACHING HOSPITALS								PROVINCIAL TEACHING HOSPITALS								HOSPITALS UNDER REGIONAL BOARDS							
	Total Discharges		Total Bed-days		Mean Bed-days		Deaths in the Hospital		Total Discharges		Total Bed-days		Mean Bed-days		Deaths in the Hospital		Total Discharges		Total Bed-days		Mean Bed-days		Deaths in the Hospital	
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
29. ALL OTHERS CLASSIFIED AS INFECTIVE AND PARASITIC																	036-039, 051-054, 057-074, 084, 086-088, 090, 091, 093-096, 120-122, 131-138							
All Ages	126	102	3193	1944	25	19	7	3	301	266	5165	4653	17	17	19	12	237	238	4888	4440	21	19	14	10
0-	18	14	455	323	25	23	3	2	56	53	845	709	15	13	7	5	66	51	1439	830	22	16	5	4
5-	12	7	160	130	13	-	2	-	39	27	520	358	13	13	1	-	32	47	482	1006	15	21	3	1
15-	64	44	1937	739	30	17	2	-	129	107	2393	1991	19	19	4	1	91	76	2013	1018	22	13	1	3
45-	22	24	470	504	21	21	-	-	51	44	1010	762	20	17	7	4	34	39	720	844	21	22	3	2
65 & over	5	10	127	217	-	22	-	-	23	33	370	788	16	24	-	1	12	23	219	617	18	27	2	-
N.S.	5	3	44	31	-	-	-	1	3	2	27	45	-	-	-	1	2	2	15	125	-	-	-	-
30. MALIGNANT NEOPLASM OF BUCCAL CAVITY AND PHARYNX																	140-148							
All Ages	318	155	10158	4840	32	31	32	3	340	211	6657	3968	20	19	12	8	108	45	2150	724	20	16	17	9
0-	-	-	-	-	-	-	-	-	2	-	38	-	-	-	1	-	-	-	-	-	-	-	-	-
5-	3	3	133	71	-	-	-	-	1	-	59	-	-	-	-	-	1	1	55	19	-	-	-	1
15-	14	35	325	652	23	19	1	-	22	43	413	535	19	12	-	2	10	12	177	193	18	16	2	-
45-	143	59	4427	2089	31	35	9	2	143	95	2968	2110	21	22	3	3	40	19	799	361	20	19	5	4
65 & over	155	58	5188	2028	33	35	22	1	170	73	3115	1323	18	18	7	3	56	12	1117	143	20	12	10	4
N.S.	3	-	85	-	-	-	-	-	2	-	64	-	-	-	1	-	1	1	2	8	-	-	-	-
31. MALIGNANT NEOPLASM OF STOMACH																	151							
All Ages	162	104	5171	3826	32	37	36	19	590	295	12188	6373	21	22	154	67	154	91	4101	2577	27	28	64	45
0-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
15-	16	14	505	654	32	47	5	3	64	34	1524	1028	24	30	21	12	12	5	308	139	26	-	3	2
45-	91	50	3045	1543	33	31	16	5	345	151	6838	3261	20	22	76	28	83	29	1972	1011	26	36	32	13
65 & over	55	40	1621	1629	29	41	15	11	180	110	3820	2084	21	19	49	26	65	56	1815	1376	28	25	29	29
N.S.	-	-	-	-	-	-	-	-	1	-	6	-	-	-	1	-	1	2	6	51	-	-	-	1

32. MALIGNANT NEOPLASM OF INTESTINE — 152, 153

All Ages	87	117	2910	4762	33	41	15	24	338	404	8643	11372	26	28	84	76	124	135	5688	5070	46	38	37	54
0-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5-	-	-	-	-	-	-	-	-	-	1	-	6	-	-	-	-	-	-	-	-	-	-	-	-
15-	15	21	563	833	38	40	2	4	32	43	1043	1278	33	30	3	4	9	9	192	367	-	-	2	4
45-	37	55	1194	2358	32	43	6	8	150	210	4123	6488	27	31	34	41	47	60	1537	2443	33	41	14	15
65 & over	35	41	1153	1591	33	39	7	12	156	149	3477	3537	22	24	47	31	67	66	3896	2260	58	34	21	35
N.S.	-	-	-	-	-	-	-	-	-	1	-	63	-	-	-	-	1	-	63	-	-	-	-	-

33. MALIGNANT NEOPLASM OF RECTUM — 154

All Ages	148	113	5675	4782	38	42	21	18	428	239	12308	8186	29	34	88	28	112	83	3942	4498	35	54	35	29
0-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
15-	14	11	422	465	30	42	1	1	28	29	887	958	32	33	-	-	5	9	773	591	-	-	2	3
45-	75	59	2533	2687	34	46	8	8	199	114	6185	3902	31	34	31	8	43	32	1233	1644	29	51	12	10
65 & over	57	42	2691	1601	47	38	12	9	200	96	5212	3326	26	35	56	20	64	42	1936	2263	30	54	21	16
N.S.	2	1	29	29	-	-	-	-	1	-	24	-	-	-	1	-	-	-	-	-	-	-	-	-

34. MALIGNANT NEOPLASM OF OTHER PARTS OF DIGESTIVE TRACT — 150, 155-159

All Ages	111	116	3295	3271	30	28	33	36	311	236	6643	4971	21	21	108	59	101	105	2243	2384	22	23	53	44
0-	3	1	91	29	-	-	2	-	2	1	58	8	-	-	-	1	1	-	81	-	-	-	1	-
5-	-	-	-	-	-	-	-	-	1	-	25	-	-	-	-	-	-	-	-	-	-	-	-	-
15-	7	6	337	272	-	-	1	2	24	15	512	568	21	38	7	1	15	5	244	37	16	-	5	1
45-	46	57	1408	1598	31	28	14	17	148	130	3577	2903	24	22	52	27	36	34	830	1159	23	34	19	16
65 & over	53	51	1448	1343	27	26	14	17	133	90	2407	1492	18	17	48	30	48	66	1082	1188	23	18	28	27
N.S.	2	1	11	29	-	-	2	-	3	-	64	-	-	-	1	-	1	-	6	-	-	-	-	-

35. MALIGNANT NEOPLASM OF LARYNX — 161

All Ages	124	23	4404	944	36	41	8	-	160	12	3677	241	23	20	15	2	45	5	948	145	21	-	13	1
0-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
15-	11	5	633	98	58	-	-	-	9	-	274	-	-	-	1	-	1	2	29	3	-	-	-	1
45-	58	16	1931	745	33	47	3	-	90	4	2119	41	24	-	8	1	30	1	578	93	19	-	7	-
65 & over	55	2	1840	101	33	-	5	-	60	8	1272	200	21	-	6	1	14	2	341	49	24	-	6	-
N.S.	-	-	-	-	-	-	-	-	1	-	12	-	-	-	-	-	-	-	-	-	-	-	-	-

TABLE H.2 (Contd.)

Age Group	LONDON TEACHING HOSPITALS								PROVINCIAL TEACHING HOSPITALS								HOSPITALS UNDER REGIONAL BOARDS							
	Total Discharges		Total Bed-days		Mean Bed-days		Deaths in the Hospital		Total Discharges		Total Bed-days		Mean Bed-days		Deaths in the Hospital		Total Discharges		Total Bed-days		Mean Bed-days		Deaths in the Hospital	
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
36. MALIGNANT NEOPLASM OF LUNG, BRONCHUS AND TRACHEA, NOT SPECIFIED AS SECONDARY																								162, 163
All Ages	397	57	12005	1758	30	31	75	17	738	137	15817	2988	21	22	155	40	329	70	8818	2197	27	31	135	38
0-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	22	-	-	-	1
5-	-	-	-	-	-	-	-	-	1	1	15	17	-	-	-	-	-	1	-	23	-	-	-	-
15-	46	10	1720	426	37	43	5	4	99	23	2531	494	26	21	19	8	37	10	1244	289	34	29	12	6
45-	277	35	8545	1070	31	31	51	8	502	84	10446	1762	21	21	110	22	221	43	5812	1428	26	33	75	22
65 & over	70	11	1713	259	24	24	17	4	132	29	2753	715	21	25	26	10	70	14	1710	435	24	31	47	9
N.S.	4	1	27	3	-	-	2	1	4	-	72	-	-	-	-	-	1	-	52	-	-	-	1	-
37. MALIGNANT NEOPLASM OF OTHER PARTS OF RESPIRATORY SYSTEM																								160, 164, 165
All Ages	51	26	2107	974	41	37	4	-	49	54	1109	1153	23	21	1	8	13	8	265	133	20	-	4	1
0-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
15-	8	5	402	198	-	-	2	-	5	16	98	473	-	30	-	3	3	6	70	69	-	-	3	1
45-	35	12	1292	527	37	44	1	-	30	23	799	401	27	17	1	3	7	2	57	64	-	-	-	-
65 & over	8	9	413	249	-	-	1	-	14	14	212	235	15	17	-	2	3	-	138	-	-	-	1	-
N.S.	-	-	-	-	-	-	-	-	-	1	-	44	-	-	-	-	-	-	-	-	-	-	-	-
38. MALIGNANT NEOPLASM OF BREAST																								170
All Ages	15	698	407	22683	27	32	-	46	26	1133	609	25960	23	23	1	26	4	322	77	10038	-	31	-	59
0-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5-	-	1	-	41	-	-	-		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
15-	6	137	94	3548	-	26	-	7	4	248	40	5239	-	21	-	2	1	70	10	1677	-	24	-	12
45-	6	369	171	12912	-	35	-	26	13	605	256	14468	20	24	1	10	1	159	24	4257	-	27	-	25
65 & over	3	186	142	6017	-	32	-	11	9	279	313	6167	-	22	-	14	2	91	43	4025	-	44	-	21
N.S.	-	5	-	165	-	-	-	2	-	1	-	86	-	-	-	-	-	2	-	79	-	-	-	1

39. MALIGNANT NEOPLASM OF CERVIX UTERI 171

All Ages	- 351	- 10814	- 31	- 42	- 977	- 16777	- 17	- 38	- 184	- 4099	- 22	- 22
0-	- -	- -	- -	- -	- -	- -	- -	- -	- 1	- 41	- -	- 1
5-	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
15-	- 64	- 1998	- 31	- 7	- 197	- 3665	- 19	- 10	- 39	- 947	- 24	- 4
45-	- 216	- 7029	- 33	- 27	- 601	- 9957	- 17	- 23	- 105	- 2402	- 23	- 11
65 & over	- 71	- 1787	- 25	- 8	- 175	- 3044	- 17	- 4	- 38	- 700	- 18	- 6
N.S.	- -	- -	- -	- -	- 4	- 111	- -	- 1	- 1	- 9	- -	- -

40. MALIGNANT NEOPLASM OF CORPUS UTERI 172

All Ages	- 75	- 1953	- 26	- 5	- 220	- 3919	- 18	- 11	- 62	- 1278	- 21	- 2
0-	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
5-	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
15-	- 11	- 280	- 25	- 1	- 10	- 136	- 14	- -	- 8	- 110	- -	- -
45-	- 46	- 1231	- 27	- 2	- 160	- 2982	- 19	- 9	- 38	- 895	- 24	- 1
65 & over	- 18	- 442	- 25	- 2	- 50	- 801	- 16	- 2	- 16	- 273	- 17	- 1
N.S.	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -

41. MALIGNANT NEOPLASMS OF OTHER PARTS OF UTERUS 173, 174

All Ages	- 42	- 1164	- 28	- 4	- 100	- 1931	- 19	- 10	- 49	- 1289	- 26	- 14
0-	- 1	- 54	- -	- -	- 1	- 15	- -	- -	- -	- -	- -	- -
5-	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
15-	- 9	- 260	- -	- -	- 21	- 416	- 20	- 2	- 8	- 199	- -	- 2
45-	- 27	- 660	- 24	- 3	- 57	- 1087	- 19	- 4	- 25	- 624	- 25	- 9
65 & over	- 5	- 190	- -	- 1	- 20	- 401	- 20	- 3	- 16	- 466	- 29	- 3
N.S.	- -	- -	- -	- -	- 1	- 12	- -	- 1	- -	- -	- -	- -

42. MALIGNANT NEOPLASM OF OVARY, FALLOPIAN TUBE AND BROAD LIGAMENT 175

All Ages	- 113	- 4549	- 40	- 16	- 231	- 4740	- 21	- 27	- 134	- 3506	- 26	- 30
0-	- 1	- 42	- -	- 1	- -	- -	- -	- -	- -	- -	- -	- -
5-	- -	- -	- -	- -	- 2	- 57	- -	- 1	- -	- -	- -	- -
15-	- 27	- 893	- 33	- 3	- 56	- 1102	- 20	- 4	- 15	- 439	- 29	- 4
45-	- 72	- 2576	- 36	- 10	- 133	- 2814	- 21	- 15	- 93	- 2216	- 24	- 21
65 & over	- 12	- 995	- 83	- 2	- 38	- 727	- 19	- 7	- 26	- 851	- 33	- 5
N.S.	- 1	- 43	- -	- -	- 2	- 40	- -	- -	- -	- -	- -	- -

TABLE H.2 (Contd.)

Age Group	LONDON TEACHING HOSPITALS								PROVINCIAL TEACHING HOSPITALS								HOSPITALS UNDER REGIONAL BOARDS							
	Total Discharges		Total Bed-days		Mean Bed-days		Deaths in the Hospital		Total Discharges		Total Bed-days		Mean Bed-days		Deaths in the Hospital		Total Discharges		Total Bed-days		Mean Bed-days		Deaths in the Hospital	
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
43. MALIGNANT NEOPLASM OF OTHER AND UNSPECIFIED FEMALE GENITAL ORGANS																								**176**
All Ages	-	63	-	2543	-	40	-	10	-	161	-	5044	-	31	-	5	-	26	-	1100	-	42	-	2
0-	-	3	-	39	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
15-	-	8	-	222	-	-	-	2	-	15	-	421	-	28	-	1	-	2	-	36	-	-	-	-
45-	-	24	-	968	-	40	-	2	-	77	-	2214	-	29	-	2	-	11	-	467	-	42	-	1
65 & over	-	28	-	1314	-	47	-	6	-	69	-	2409	-	35	-	2	-	13	-	597	-	46	-	1
N.S.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
44. MALIGNANT NEOPLASM OF PROSTATE																								**177**
All Ages	65	-	1816	-	28	-	11	-	241	-	5707	-	24	-	47	-	132	-	3908	-	30	-	29	-
0-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
15-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	65	-	-	-	-	-
45-	32	-	707	-	22	-	6	-	69	-	1721	-	25	-	10	-	33	-	998	-	30	-	8	-
65 & over	33	-	1109	-	34	-	5	-	172	-	3986	-	23	-	37	-	97	-	2845	-	29	-	21	-
N.S.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
45. MALIGNANT NEOPLASM OF OTHER MALE GENITAL ORGANS																								**178, 179**
All Ages	41	-	1499	-	37	-	4	-	113	-	2566	-	23	-	4	-	29	-	671	-	23	-	5	-
0-	1	-	3	-	-	-	-	-	1	-	12	-	-	-	-	-	-	-	-	-	-	-	-	-
5-	-	-	-	-	-	-	-	-	3	-	61	-	-	-	-	-	-	-	-	-	-	-	-	-
15-	27	-	1040	-	39	-	4	-	41	-	803	-	20	-	2	-	12	-	268	-	22	-	1	-
45-	9	-	293	-	-	-	-	-	30	-	639	-	21	-	2	-	7	-	145	-	-	-	-	-
65 & over	4	-	163	-	-	-	-	-	37	-	1016	-	27	-	-	-	10	-	258	-	26	-	4	-
N.S.	-	-	-	-	-	-	-	-	1	-	35	-	-	-	-	-	-	-	-	-	-	-	-	-

46. MALIGNANT NEOPLASM OF BLADDER AND OTHER URINARY ORGANS, EXCLUDING KIDNEY

181

All Ages	153	51	4904	2096	32	41	24	14	234	77	5929	2326	25	30	42	9	127	35	3216	1527	25	44	38	4
0-	2	1	157	123	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
15-	6	1	182	71	-	-	1	-	8	4	197	117	-	-	-	-	6	2	204	127	-	-	2	-
45-	69	22	2122	903	31	41	10	6	136	35	3441	990	25	28	23	4	62	15	1580	704	25	47	14	1
65 & over	76	27	2443	999	32	37	13	8	89	38	2289	1219	26	32	19	5	57	18	1430	696	25	39	21	3
N.S.	-	-	-	-	-	-	-	-	1	-	2	-	-	-	-	-	2	-	2	-	-	-	1	-

47. MALIGNANT NEOPLASM OF SKIN

190, 191

All Ages	219	133	6164	3166	28	24	6	5	352	237	5994	3886	17	16	6	4	39	43	782	819	20	19	5	1
0-	1	-	71	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	5	-	-	-	-
5-	1	3	3	64	-	-	-	-	3	5	55	93	-	-	-	-	2	2	18	18	-	-	-	-
15-	27	23	695	475	26	21	1	2	32	40	550	593	17	15	2	2	8	7	48	60	-	-	1	-
45-	113	55	3413	1197	30	22	1	-	155	84	2466	1542	16	18	1	-	10	13	109	151	11	12	2	-
65 & over	76	52	1941	1430	26	28	4	3	160	107	2858	1656	18	15	3	2	19	20	607	585	32	29	2	1
N.S.	1	-	41	-	-	-	-	-	2	1	65	2	-	-	-	-	-	-	-	-	-	-	-	-

48. MALIGNANT NEOPLASM OF BRAIN AND OTHER PARTS OF NERVOUS SYSTEM

193

All Ages	30	32	1429	1411	48	44	6	10	187	123	4575	3152	24	26	46	38	19	7	1178	202	62	-	11	2
0-	3	6	179	166	-	-	2	2	5	8	58	205	-	-	-	3	4	1	89	12	-	-	2	-
5-	8	7	565	215	-	-	2	1	16	18	320	506	20	28	1	-	3	1	71	12	-	-	2	-
15-	14	8	476	575	34	-	1	2	82	39	1791	914	22	23	20	10	5	3	120	121	-	-	2	1
45-	4	10	170	452	-	45	-	4	79	55	2292	1516	29	28	24	23	6	1	882	45	-	-	4	-
65 & over	1	-	39	-	-	-	1	-	5	2	114	6	-	-	1	2	1	-	16	-	-	-	1	-
N.S.	-	1	-	3	-	-	-	1	-	1	-	5	-	-	-	-	-	1	-	12	-	-	-	1

49. HODGKIN'S DISEASE

201

All Ages	76	54	2551	1600	34	30	10	3	149	54	3118	1350	21	25	18	8	50	26	753	632	15	24	9	5
0-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5-	3	1	95	57	-	-	-	-	13	1	249	28	19	-	1	-	4	-	85	-	-	-	1	-
15-	40	33	1298	900	32	27	4	3	87	41	1727	1124	20	27	9	6	26	16	367	407	14	25	5	2
45-	26	15	973	542	37	36	4	-	45	6	987	71	22	-	6	1	17	8	233	172	14	-	1	3
65 & over	7	4	185	101	-	-	2	-	4	6	155	127	-	-	2	1	3	2	68	53	-	-	2	-
N.S.	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

TABLE H.2 (Contd.)

Age Group	LONDON TEACHING HOSPITALS								PROVINCIAL TEACHING HOSPITALS								HOSPITALS UNDER REGIONAL BOARDS							
	Total Discharges		Total Bed-days		Mean Bed-days		Deaths in the Hospital		Total Discharges		Total Bed-days		Mean Bed-days		Deaths in the Hospital		Total Discharges		Total Bed-days		Mean Bed-days		Deaths in the Hospital	
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
50. LEUKAEMIA AND ALEUKAEMIA																								**204**
All Ages	82	69	2711	2311	33	33	25	21	185	153	3827	3028	21	20	63	38	49	21	860	593	18	28	21	9
0-	19	9	530	206	28	-	3	4	13	21	131	299	10	14	8	6	3	3	8	9	-	-	2	1
5-	8	10	403	244	-	24	2	5	12	6	350	102	29	-	5	5	-	-	-	-	-	-	-	-
15-	14	11	562	427	40	39	6	5	66	44	1464	986	22	22	24	10	16	4	249	104	16	-	7	2
45-	29	29	924	1102	32	38	8	5	67	51	1329	973	20	19	15	8	23	6	453	244	20	-	8	1
65 & over	12	10	292	332	24	33	6	2	26	30	541	641	21	21	11	9	7	8	150	236	-	-	4	5
N.S.	-	-	-	-	-	-	-	-	1	1	12	27	-	-	-	-	-	-	-	-	-	-	-	-
51. OTHER NEOPLASMS OF LYMPHATIC AND HAEMATOPOIETIC SYSTEM																								**200, 202, 203, 205**
All Ages	93	60	2970	2847	32	47	22	14	131	83	3099	2048	24	25	28	15	25	16	505	535	20	33	7	5
0-	4	2	162	27	-	-	1	-	2	2	72	46	-	-	1	1	1	1	14	87	-	-	1	-
5-	2	1	39	3	-	-	2	-	9	-	135	-	-	-	2	-	2	1	40	18	-	-	1	1
15-	31	11	842	772	27	70	4	2	36	18	797	496	22	28	11	4	8	1	170	5	-	-	2	1
45-	42	35	1544	1654	37	47	11	9	64	44	1628	1109	25	25	11	8	9	11	199	369	-	34	3	1
65 & over	13	11	359	391	28	36	3	3	20	18	467	377	23	21	3	1	5	2	82	56	-	-	-	2
N.S.	1	-	24	-	-	-	1	-	-	1	-	20	-	-	-	1	-	-	-	-	-	-	-	-
52. MALIGNANT NEOPLASMS OF OTHER SITES, AND THOSE SPECIFIED AS SECONDARY																								**180, 192, 194-199**
All Ages	179	180	7345	6027	41	33	24	28	345	418	7815	9666	23	23	35	46	104	124	2400	3564	23	29	32	24
0-	16	11	534	320	33	29	2	-	8	17	161	384	-	23	-	3	3	-	112	-	-	-	-	-
5-	7	9	280	149	-	-	-	1	5	11	139	197	-	18	-	-	-	6	-	313	-	-	-	1
15-	36	42	1428	1430	40	34	7	4	74	78	1701	1957	23	25	5	6	14	31	345	593	25	19	4	3
45-	72	76	3661	2558	51	34	10	13	161	196	4021	4519	25	23	17	20	38	49	936	1307	25	27	11	7
65 & over	47	41	1433	1570	30	38	5	10	96	115	1733	2586	18	22	13	16	49	38	1007	1351	21	36	17	13
N.S.	1	1	9	-	-	-	-	-	1	1	60	23	-	-	-	1	-	-	-	-	-	-	-	-

53. BENIGN NEOPLASM OF BREAST 213

All Ages	1	102	10	930	-	9	-	-	2	166	23	1392	-	8	-	-	-	64	-	407	-	6	-	-
0-	-	-	-	-	-	-	-	-	-	1	-	4	-	-	-	-	-	-	-	-	-	-	-	-
5-	-	1	-	9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
15-	1	76	10	543	-	7	-	-	1	113	6	811	-	7	-	-	-	46	-	225	-	5	-	-
45-	-	19	-	272	-	14	-	-	1	45	17	509	-	11	-	-	-	14	-	145	-	10	-	-
65 & over	-	6	-	106	-	-	-	-	-	6	-	54	-	-	-	-	-	3	-	23	-	-	-	-
N.S.	-	-	-	-	-	-	-	-	-	1	-	14	-	-	-	-	-	1	-	14	-	-	-	-

54. UTERINE FIBROMYOMA 214

All Ages	-	606	-	12103	-	20	-	3	-	1755	-	32706	-	19	-	11	-	442	-	8489	-	19	-	3
0-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	24	-	-	-	-
5-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
15-	-	324	-	6356	-	20	-	1	-	927	-	16867	-	18	-	3	-	250	-	4725	-	19	-	1
45-	-	273	-	5566	-	20	-	2	-	809	-	15421	-	19	-	6	-	186	-	3662	-	20	-	2
65 & over	-	6	-	119	-	-	-	-	-	19	.	418	-	22	-	2	-	4	-	50	-	-	-	-
N.S.	-	3	-	62	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	28	-	-	-	-

55. OTHER BENIGN NEOPLASM OF UTERUS 215

All Ages	-	262	-	3131	-	12	-	-	-	888	-	9786	-	11	-	2	-	203	-	1955	-	10	-	-
0-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
15-	-	137	-	1822	-	13	-	-	-	482	-	5512	-	11	-	1	-	110	-	1086	-	10	-	-
45-	-	112	-	1154	-	10	-	-	-	373	-	3851	-	10	-	1	-	83	-	815	-	10	-	-
65 & over	-	12	-	134	-	11	-	-	-	32	-	408	-	13	-	-	-	10	-	54	-	5	-	-
N.S.	-	1	-	21	-	-	-	-	-	1	-	15	-	-	-	-	-	-	-	-	-	-	-	-

56. BENIGN NEOPLASM OF OVARY 216

All Ages	-	187	-	3920	-	21	-	-	-	686	-	11648	-	17	-	6	-	226	-	4068	-	18	-	3
0-	-	-	-	-	-	-	-	-	-	2	-	43	-	-	-	-	-	1	-	9	-	-	-	-
5-	-	3	-	74	-	-	-	-	-	2	-	63	-	-	-	-	-	5	-	53	-	-	-	-
15-	-	127	-	2401	-	19	-	-	-	434	-	6790	-	16	-	-	-	137	-	2282	-	17	-	-
45-	-	49	-	1166	-	24	-	-	-	195	-	3730	-	19	-	4	-	52	-	1073	-	21	-	1
65 & over	-	8	-	279	-	-	-	-	-	51	-	974	-	19	-	1	-	30	-	632	-	21	-	2
N.S.	-	-	-	-	-	-	-	-	-	2	-	48	-	-	-	1	-	1	-	19	-	-	-	-

TABLE H.2 (Contd.)

Age Group	LONDON TEACHING HOSPITALS								PROVINCIAL TEACHING HOSPITALS								HOSPITALS UNDER REGIONAL BOARDS							
	Total Discharges		Total Bed-days		Mean Bed-days		Deaths in the Hospital		Total Discharges		Total Bed-days		Mean Bed-days		Deaths in the Hospital		Total Discharges		Total Bed-days		Mean Bed-days		Deaths in the Hospital	
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
57. BENIGN NEOPLASM OF OTHER FEMALE GENITAL ORGANS																								**217**
All Ages	-	64	-	889	-	14	-	-	-	218	-	2636	-	12	-	-	-	64	-	698	-	11	-	1
0-	-	2	-	34	-	-	-	-	-	1	-	1	-	-	-	-	-	1	-	41	-	-	-	-
5-	-	-	-	-	-	-	-	-	-	2	-	20	-	-	-	-	-	1	-	1	-	-	-	-
15-	-	45	-	590	-	13	-	-	-	152	-	1791	-	12	-	-	-	46	-	469	-	10	-	-
45-	-	15	-	234	-	16	-	-	-	57	-	715	-	13	-	-	-	14	-	144	-	10	-	-
65 & over	-	1	-	26	-	-	-	-	-	6	-	109	-	-	-	-	-	2	-	43	-	-	-	1
N.S.	-	1	-	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
58. BENIGN NEOPLASM OF MALE GENITAL ORGANS																								**218**
All Ages	9	-	118	-	-	-	-	-	42	-	581	-	14	-	-	-	16	-	207	-	13	-	-	-
0-	2	-	32	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5-	-	-	-	-	-	-	-	-	1	-	7	-	-	-	-	-	-	-	-	-	-	-	-	-
15-	3	-	44	-	-	-	-	-	16	-	193	-	12	-	-	-	6	-	55	-	-	-	-	-
45-	4	-	42	-	-	-	-	-	22	-	279	-	13	-	-	-	7	-	93	-	-	-	-	-
65 & over	-	-	-	-	-	-	-	-	3	-	102	-	-	-	-	-	3	-	59	-	-	-	-	-
N.S.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
59. BENIGN NEOPLASM OF KIDNEY, BLADDER AND OTHER URINARY ORGANS																								**219**
All Ages	164	82	1342	778	8	9	1	-	418	146	3565	1189	9	8	4	-	211	53	1954	714	9	13	6	1
0-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5-	-	-	-	-	-	-	-	-	1	-	11	-	-	-	-	-	-	-	-	-	-	-	-	-
15-	23	2	95	10	4	-	-	-	43	21	431	174	10	8	-	-	29	7	122	81	4	-	1	-
45-	87	36	744	353	9	10	-	-	241	63	1964	412	8	7	2	-	105	24	744	172	7	7	3	1
65 & over	54	44	503	415	9	9	1	-	133	62	1159	603	9	10	2	-	77	22	1088	461	14	21	2	-
N.S.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

60. BENIGN NEOPLASM OF SKIN

220-222

All Ages	99	150	1627	1649	16	11	-	-	164	194	2221	2917	14	15	-	-	58	74	818	931	14	13	-	-
0-	21	41	247	402	12	10	-	-	23	25	129	341	6	14	-	-	12	7	92	15	8	-	-	-
5-	13	27	127	250	10	9	-	-	19	15	167	173	9	12	-	-	7	9	30	50	-	-	-	-
15-	49	67	1031	872	21	13	-	-	95	129	1600	2106	17	16	-	-	32	40	537	727	17	18	-	-
45-	13	11	179	95	14	9	-	-	19	19	227	273	12	14	-	-	5	10	147	56	-	6	-	-
65 & over	3	4	43	30	-	-	-	-	6	6	76	24	-	-	-	-	2	7	12	80	-	-	-	-
N.S.	-	-	-	-	-	-	-	-	2	-	22	-	-	-	-	-	-	1	-	3	-	-	-	-

61. BENIGN NEOPLASM OF BRAIN AND OTHER PARTS OF NERVOUS SYSTEM

223

All Ages	40	53	1743	1289	44	24	1	1	133	169	3645	4598	27	27	9	16	9	21	232	561	-	27	-	4
0-	6	4	102	43	-	-	-	-	8	9	163	113	-	-	-	1	1	1	6	2	-	-	-	-
5-	1	3	6	86	-	-	-	-	16	10	359	163	22	16	1	-	-	1	-	13	-	-	-	-
15-	18	26	1249	424	69	16	1	-	55	72	1155	2042	21	28	2	4	7	6	225	94	-	-	-	-
45-	13	19	366	708	28	37	-	1	52	68	1949	1854	37	27	6	11	-	12	-	338	-	28	-	4
65 & over	2	1	20	28	-	-	-	-	1	9	11	387	-	-	-	-	1	-	1	-	-	-	-	-
N.S.	-	-	-	-	-	-	-	-	1	1	8	39	-	-	-	-	-	1	-	114	-	-	-	-

62. ALL OTHER BENIGN NEOPLASMS

210-212, 224-229

All Ages	356	506	4503	5794	13	11	3	1	658	679	7433	7939	11	12	8	7	197	252	1870	2160	9	9	1	2
0-	78	133	618	1158	8	9	1	-	72	102	634	1394	9	14	-	-	27	15	219	150	8	10	-	-
5-	41	58	593	766	14	13	1	-	77	72	1111	846	14	12	1	-	36	24	353	200	10	8	-	-
15-	134	175	1703	2101	13	12	-	-	274	260	3039	2523	11	10	5	2	67	112	580	825	9	7	-	-
45-	76	108	1237	1375	16	13	-	1	178	201	1947	2789	11	14	1	3	49	82	515	786	11	10	-	2
65 & over	25	30	309	375	12	12	1	-	54	43	694	376	13	9	1	2	14	16	192	195	14	12	1	-
N.S.	2	2	43	19	-	-	-	-	3	1	8	11	-	-	-	-	4	3	11	4	-	-	-	-

63. NEOPLASMS OF UNSPECIFIED NATURE OF BRAIN AND OTHER PARTS OF NERVOUS SYSTEM

237

All Ages	43	36	1352	1079	31	30	2	4	248	167	5564	3176	22	19	46	26	25	27	798	469	32	17	9	7
0-	2	4	17	47	-	-	-	-	7	10	195	269	-	27	2	2	1	1	9	1	-	-	-	-
5-	6	3	86	35	-	-	-	-	16	19	400	512	25	27	2	2	1	3	1	63	-	-	1	-
15-	15	8	503	98	34	-	-	2	98	63	2186	1088	22	17	17	7	4	8	80	131	-	-	-	3
45-	18	15	653	659	36	44	2	2	111	69	2510	1240	23	18	22	15	17	14	695	261	41	19	7	4
65 & over	2	6	93	240	-	-	-	-	15	6	272	67	18	-	2	-	2	1	13	13	-	-	1	-
N.S.	-	-	-	-	-	-	-	-	1	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-

TABLE H.2 (Contd.)

Age Group	LONDON TEACHING HOSPITALS								PROVINCIAL TEACHING HOSPITALS								HOSPITALS UNDER REGIONAL BOARDS							
	Total Discharges		Total Bed-days		Mean Bed-days		Deaths in the Hospital		Total Discharges		Total Bed-days		Mean Bed-days		Deaths in the Hospital		Total Discharges		Total Bed-days		Mean Bed-days		Deaths in the Hospital	
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
64. ALL OTHER UNSPECIFIED NEOPLASMS																								230-236, 238, 239
All Ages	68	65	1689	1329	25	20	5	3	220	242	4474	4209	20	17	13	8	41	44	641	961	16	22	2	2
0-	3	-	136	-	-	-	-	-	9	5	159	29	-	-	1	-	-	-	-	-	-	-	-	-
5-	-	3	-	46	-	-	-	1	8	8	98	75	-	-	1	-	-	1	-	15	-	-	-	-
15-	11	25	217	437	20	17	1	-	40	74	744	1111	19	15	-	1	10	10	138	153	14	15	-	1
45-	38	22	988	560	26	25	3	2	110	98	2414	1922	22	20	7	5	20	18	370	442	18	25	1	-
65 & over	16	13	348	244	22	19	1	-	53	57	1059	1072	20	19	4	2	11	15	133	351	12	23	1	1
N.S.	-	2	-	42	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
65. ASTHMA																								241
All Ages	120	88	2046	1339	17	15	1	1	328	363	6671	6207	20	17	14	7	172	214	4089	3996	24	19	16	12
0-	32	8	454	72	14	-	-	-	40	22	896	362	22	16	1	-	17	19	295	252	17	13	-	-
5-	45	21	678	272	15	13	-	-	79	41	2190	1371	28	33	-	-	19	9	363	91	19	-	-	-
15-	19	37	445	609	23	16	-	1	102	158	1523	1992	15	13	1	2	46	83	717	1669	16	20	-	3
45-	20	21	411	365	21	17	1	-	88	123	1481	2164	17	18	9	3	73	82	1627	1525	22	19	13	7
65 & over	4	1	58	21	-	-	-	-	19	18	581	316	31	18	3	1	17	19	1087	431	64	23	3	2
N.S.	-	-	-	-	-	-	-	-	-	1	-	2	-	-	-	1	-	2	-	28	-	-	-	-
66. ALL OTHER ALLERGIC DISORDERS																								240, 242-245
All Ages	43	30	615	382	14	13	-	-	73	80	952	910	13	11	2	-	44	40	846	554	19	14	-	-
0-	11	1	168	7	15	-	-	-	9	4	117	10	-	-	-	-	10	4	239	140	24	-	-	-
5-	9	5	116	49	-	-	-	-	15	7	197	55	13	-	1	-	15	3	309	35	21	-	-	-
15-	13	19	210	302	16	16	-	-	30	49	296	564	10	12	-	-	12	17	176	160	15	9	-	-
45-	8	4	81	12	-	-	-	-	18	15	336	216	19	14	1	-	4	14	97	204	-	15	-	-
65 & over	1	1	32	12	-	-	-	-	1	5	6	65	-	-	-	-	3	1	25	11	-	-	-	-
N.S.	1	-	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	4	-	-	-	-

67. SIMPLE GOITRE; NON-TOXIC NODULAR GOITRE — 250, 251

All Ages	42	291	738	4108	18	14	-	1	93	665	1216	9413	13	14	1	1	8	98	79	1365	-	14	1	-
0-	1	2	19	22	-	-	-	1	1	-	26	-	-	-	-	-	-	-	-	-	-	-	-	-
5-	-	3	-	37	-	-	-	-	2	1	27	8	-	-	-	-	-	-	-	-	-	-	-	-
15-	17	174	277	2246	16	13	-	-	49	410	576	5295	12	13	-	-	3	63	21	899	-	14	-	-
45-	19	99	362	1597	19	16	-	-	29	229	397	3701	14	16	1	-	4	35	46	466	-	13	-	-
65 & over	5	12	80	196	-	16	-	-	10	23	146	386	15	17	-	1	1	-	12	-	-	-	1	-
N.S.	-	1	-	10	-	-	-	-	2	2	44	23	-	-	-	-	-	-	-	-	-	-	-	-

68. THYROTOXICOSIS, WITH OR WITHOUT GOITRE — 252

All Ages	55	367	1719	11003	31	30	-	2	210	1266	3836	20143	18	16	4	10	35	125	828	2994	24	24	-	3
0-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5-	-	1	-	17	-	-	-	-	-	7	-	150	-	-	-	-	-	-	-	-	-	-	-	-
15-	30	228	793	6605	26	29	-	1	126	746	2099	11056	17	15	1	2	20	73	452	1612	23	22	-	2
45-	23	118	845	3450	37	29	-	1	83	456	1728	7824	21	17	3	4	13	44	336	1110	26	25	-	1
65 & over	1	19	56	843	-	44	-	-	1	56	9	1065	-	19	-	4	2	6	40	207	-	-	-	-
N.S.	1	1	25	86	-	-	-	-	-	1	-	48	-	-	-	-	-	2	-	65	-	-	-	-

69. ALL OTHER DISEASES OF THYROID GLAND — 253, 254

All Ages	20	81	812	2027	41	25	-	-	31	147	578	2613	19	18	2	-	6	38	122	887	-	23	-	1
0-	2	9	28	197	-	-	-	-	1	4	11	143	-	-	-	-	-	2	-	38	-	-	-	-
5-	1	1	13	38	-	-	-	-	4	6	61	125	-	-	-	-	-	2	-	35	-	-	-	-
15-	5	29	68	733	-	25	-	-	4	48	97	650	-	14	-	-	4	10	49	183	-	18	-	-
45-	9	33	604	839	-	25	-	-	15	75	247	1381	16	18	2	-	1	16	38	310	-	19	-	-
65 & over	3	8	99	213	-	-	-	-	7	13	162	313	-	24	-	-	1	8	35	321	-	-	-	1
N.S.	-	1	-	7	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-

70. DIABETES MELLITUS — 260

All Ages	117	196	3083	5401	26	28	3	5	500	795	10864	15392	22	19	25	48	278	323	8190	8795	29	27	21	33
0-	5	3	155	49	-	-	-	-	6	7	78	146	-	-	-	1	1	-	1	-	-	-	1	-
5-	6	13	147	246	-	19	-	-	37	48	860	1059	23	22	1	-	24	9	1014	243	42	-	-	-
15-	38	42	953	965	25	23	1	-	180	239	2907	3624	16	15	5	4	99	71	2555	1212	26	17	4	5
45-	44	77	1220	1880	28	24	-	2	177	302	4021	5692	23	19	7	16	79	127	1622	2857	21	22	4	6
65 & over	24	61	608	2261	25	37	2	3	95	199	2868	4871	30	24	12	27	69	114	2760	4476	40	39	10	21
N.S.	-	-	-	-	-	-	-	-	5	-	130	-	-	-	-	-	6	2	238	7	-	-	2	1

TABLE H.2 (Contd.)

Age Group	LONDON TEACHING HOSPITALS								PROVINCIAL TEACHING HOSPITALS								HOSPITALS UNDER REGIONAL BOARDS							
	Total Discharges		Total Bed-days		Mean Bed-days		Deaths in the Hospital		Total Discharges		Total Bed-days		Mean Bed-days		Deaths in the Hospital		Total Discharges		Total Bed-days		Mean Bed-days		Deaths in the Hospital	
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
71. DISEASES OF OTHER ENDOCRINE GLANDS																								270–277
All Ages	77	200	2175	3115	28	16	4	4	127	395	2534	5739	20	15	8	11	24	27	364	402	15	15	1	7
0-	11	8	414	160	38	-	1	-	6	4	118	139	-	-	-	-	3	1	66	1	-	-	-	-
5-	9	13	476	176	-	14	-	-	18	15	308	278	17	19	-	-	1	1	3	21	-	-	-	-
15-	32	121	670	1679	21	14	2	2	54	255	929	3504	17	14	3	5	9	9	210	100	-	-	1	1
45-	24	55	579	1068	24	19	1	2	45	113	944	1690	21	15	3	5	6	12	39	226	-	19	-	5
65 & over	1	3	36	32	-	-	-	-	4	8	235	128	-	-	2	1	5	3	46	26	-	-	-	1
N.S.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	28	-	-	-	-
72. AVITAMINOSES AND OTHER DEFICIENCY STATES																								280–286
All Ages	48	71	1772	2872	37	40	-	3	101	135	4556	5161	45	38	2	-	28	31	1226	1268	44	41	-	1
0-	30	42	1274	1731	42	41	-	2	38	47	2379	2467	63	52	1	-	14	10	730	579	52	58	-	-
5-	9	15	269	520	-	35	-	-	19	25	690	966	36	39	-	-	2	7	149	375	-	-	-	1
15-	5	6	124	227	-	-	-	-	20	32	549	845	27	26	1	-	2	3	47	49	-	-	-	-
45-	3	4	88	180	-	-	-	-	14	20	666	664	48	33	-	-	6	5	195	96	-	-	-	-
65 & over	1	4	17	214	-	-	-	1	10	11	272	219	27	20	-	-	4	6	105	169	-	-	-	-
N.S.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
73. ALL OTHER METABOLIC DISEASES																								287–289
All Ages	45	88	989	2419	22	27	2	1	68	89	1227	1291	18	15	4	5	10	32	182	745	18	23	2	2
0-	7	9	126	381	-	-	-	-	5	2	137	16	-	-	-	-	2	-	15	-	-	-	1	-
5-	11	17	312	425	28	25	1	-	14	8	267	195	19	-	-	-	1	6	3	216	-	-	-	-
15-	9	39	192	1059	-	27	-	-	21	50	345	563	16	11	3	3	3	12	22	110	-	9	-	-
45-	15	17	251	444	17	26	1	-	23	27	364	455	16	17	1	2	4	12	142	393	-	33	1	1
65 & over	3	6	108	110	-	-	-	1	5	2	114	62	-	-	-	-	-	2	-	26	-	-	-	1
N.S.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

74. PERNICIOUS AND OTHER HYPERCHROMIC ANAEMIAS

290

All Ages	36	57	1027	1697	29	30	-	-	155	252	4607	6269	30	25	3	3	31	60	1070	2502	35	42	4	2
0-	-	1	-	7	-	-	-	-	-	-	-	-	-	-	-	-	1	-	24	-	-	-	-	-
5-	-	-	-	-	-	-	-	-	-	2	-	48	-	-	-	-	-	-	-	-	-	-	-	-
15-	3	8	94	140	-	-	-	-	20	47	435	1099	22	23	-	-	2	11	69	438	-	40	-	-
45-	23	24	570	678	25	28	-	-	90	136	2901	3320	32	24	1	2	10	24	354	829	35	35	1	-
65 & over	10	24	363	872	36	36	-	-	45	67	1271	1802	28	27	2	1	18	24	623	1231	35	51	3	2
N.S.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	4	-	-	-	-

75. OTHER ANAEMIAS OF SPECIFIED TYPE

292

All Ages	44	45	1112	1297	25	29	2	4	122	117	1609	2210	13	19	8	4	11	19	427	683	39	36	2	5
0-	25	12	443	297	18	25	-	-	15	15	180	174	12	12	-	-	3	2	21	25	-	-	-	-
5-	1	2	14	70	-	-	-	-	9	12	121	226	-	19	-	-	1	2	54	29	-	-	1	1
15-	6	12	108	224	-	19	1	1	19	43	361	971	19	23	4	3	2	7	136	231	-	-	-	2
45-	8	10	437	484	-	48	1	1	35	25	540	489	15	20	1	1	2	5	106	354	-	-	-	1
65 & over	4	9	110	222	-	-	-	2	43	22	372	350	9	16	3	-	3	3	110	44	-	-	1	1
N.S.	-	-	-	-	-	-	-	-	1	-	35	-	-	-	-	-	-	-	-	-	-	-	-	-

76. IRON DEFICIENCY ANAEMIAS; ANAEMIA OF UNSPECIFIED TYPE

291, 293

All Ages	40	91	804	2636	20	29	1	1	102	294	2427	5315	24	18	2	3	34	99	1663	2836	49	29	3	1
0-	13	7	193	60	15	-	-	-	5	4	212	77	-	-	-	-	8	3	243	36	-	-	-	-
5-	2	1	12	22	-	-	-	-	7	10	243	203	-	20	-	-	3	3	135	56	-	-	-	-
15-	7	43	113	1293		30	-	1	18	132	484	2063	27	16	1	1	2	38	56	743	-	20	-	1
45-	12	31	337	1010	28	33	1	-	37	114	857	2237	23	20	1	-	9	30	208	1001	-	33	1	-
65 & over	6	9	149	251	-	-	-	-	34	33	630	714	19	22	-	2	12	23	1021	875	85	38	2	-
N.S.	-	-	-	-	-	-	-	-	1	1	1	21	-	-	-	-	-	2	-	125	-	-	-	-

77. ALL OTHER DISEASES OF BLOOD AND BLOOD-FORMING ORGANS

294-299

All Ages	87	50	1944	1388	22	28	2	1	198	141	4883	3276	25	23	8	13	36	27	878	717	24	27	4	5
0-	14	10	268	201	19	20	-	-	22	7	294	319	13	-	-	-	2	5	55	76	-	-	-	2
5-	27	13	687	381	25	29	-	-	49	17	1539	320	31	19	1	-	10	7	237	227	24	-	-	-
15-	25	7	559	312	22	-	2	-	72	57	1849	1302	26	23	3	10	14	6	475	232	34	-	2	1
45-	16	14	378	392	24	28	-	-	45	45	976	1072	22	24	2	-	4	6	66	171	-	-	-	-
65 & over	5	6	52	102	-	-	-	1	9	13	189	206	-	16	2	3	5	3	23	11	-	-	2	2
N.S.	-	-	-	-	-	-	-	-	1	2	36	57	-	-	-	-	1	-	22	-	-	-	-	-

TABLE H.2 (Contd.)

Age Group	LONDON TEACHING HOSPITALS								PROVINCIAL TEACHING HOSPITALS								HOSPITALS UNDER REGIONAL BOARDS							
	Total Discharges		Total Bed-days		Mean Bed-days		Deaths in the Hospital		Total Discharges		Total Bed-days		Mean Bed-days		Deaths in the Hospital		Total Discharges		Total Bed-days		Mean Bed-days		Deaths in the Hospital	
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
78. SCHIZOPHRENIC DISORDERS																								300
All Ages	70	88	8126	11578	116	132	2	-	34	47	473	739	14	16	-	1	13	12	233	262	18	22	-	-
0-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5-	1	2	212	46	-	-	-	-	-	2	-	6	-	-	-	-	-	-	-	-	-	-	-	-
15-	66	78	7735	10986	119	141	2	-	33	40	463	655	14	16	-	1	12	10	219	183	18	18	-	-
45-	3	7	179	524	-	-	-	-	1	5	10	78	-	-	-	-	1	2	14	79	-	-	-	-
65 & over	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
N.S.	-	1	-	22	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
79. MANIC-DEPRESSIVE REACTION																								301
All Ages	75	122	5995	11250	80	92	1	1	17	74	228	1446	13	20	1	1	31	82	620	2443	20	30	-	1
0-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	29	-	-	-	-
15-	32	62	3027	6013	95	97	1	-	7	33	111	716	-	22	-	-	14	41	315	1088	22	27	-	-
45-	36	49	2298	4424	64	90	-	-	9	34	109	620	-	18	1	-	15	32	248	1013	17	32	-	1
65 & over	7	11	670	813	-	74	-	1	1	7	8	110	-	-	-	1	2	8	57	313	-	-	-	-
N.S.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
80. OTHER PSYCHOSES																								302-309
All Ages	58	120	7211	9719	124	81	1	1	45	64	562	1117	12	17	2	1	32	35	1792	1375	56	39	2	2
0-	1	-	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5-	-	-	-	-	-	-	-	-	-	1	-	14	-	-	-	-	-	1	-	14	-	-	-	-
15-	8	17	460	795	-	47	-	-	10	12	130	140	13	12	-	-	4	9	240	94	-	-	-	-
45-	39	87	5332	7392	137	85	1	-	28	34	370	574	13	17	2	-	19	17	1240	450	65	26	1	-
65 & over	10	16	1414	1532	141	96	-	1	7	17	62	389	-	23	-	1	8	7	310	772	-	-	1	2
N.S.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	45	-	-	-	-

81. ANXIETY REACTION WITHOUT MENTION OF SOMATIC SYMPTOMS 310

All Ages	78	120	3740	5035	48	42	-	-	140	280	1832	2995	13	11	-	-	28	55	420	634	15	12	-	-
0-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5-	7	3	754	158	-	-	-	-	2	2	50	12	-	-	-	-	-	-	-	-	-	-	-	-
15-	54	90	2546	4131	47	46	-	-	86	190	1023	1916	12	10	-	-	21	38	287	377	14	10	-	-
45-	17	24	440	693	26	29	-	-	52	84	759	950	15	11	-	-	6	16	127	241	-	15	-	-
65 & over	-	2	-	27	-	-	-	-	-	4	-	117	-	-	-	-	-	1	-	16	-	-	-	-
N.S.	-	1	-	26	-	-	-	-	-	-	-	-	-	-	-	-	1	-	6	-	-	-	-	-

82. HYSTERICAL REACTION WITHOUT MENTION OF ANXIETY REACTION 311

All Ages	42	132	1807	6569	43	50	1	-	91	173	1261	2859	14	17	-	1	25	83	431	1327	17	16	-	-
0-	-	2	-	88	-	-	-	-	-	-	-	-	-	-	-	-	1	-	20	-	-	-	-	-
5-	4	8	100	201	-	-	-	-	3	9	30	117	-	-	-	-	1	2	198	7	-	-	-	-
15-	29	93	1267	5538	44	60	1	-	53	120	772	2049	15	17	-	1	19	67	187	1043	10	16	-	-
45-	9	25	440	693	-	28	-	-	32	37	412	582	13	16	-	-	4	11	26	257	-	23	-	-
65 & over	-	3	-	43	-	-	-	-	3	6	47	110	-	-	-	-	-	3	-	20	-	-	-	-
N.S.	-	1	-	6	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-

83. NEUROTIC-DEPRESSIVE REACTION 314

All Ages	65	91	4140	7193	64	79	-	-	55	97	959	1733	17	18	-	-	8	5	241	144	-	-	-	-
0-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5-	1	-	165	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
15-	49	64	2869	5131	59	80	-	-	21	44	361	758	17	17	-	-	5	3	107	80	-	-	-	-
45-	13	24	793	1878	61	78	-	-	33	46	593	817	18	18	-	-	3	2	134	64	-	-	-	-
65 & over	2	3	313	184	-	-	-	-	1	7	5	158	-	-	-	-	-	-	-	-	-	-	-	-
N.S.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

84. PSYCHONEUROSES WITH SOMATIC SYMPTOMS 315-317

All Ages	26	63	848	1440	33	23	-	-	84	107	1037	1373	12	13	-	1	20	30	271	533	14	18	-	-
0-	2	-	28	-	-	-	-	-	3	5	40	52	-	-	-	-	3	4	12	72	-	-	-	-
5-	4	8	49	57	-	-	-	-	11	4	147	41	13	-	-	1	2	-	24	-	-	-	-	-
15-	13	40	619	989	48	25	-	-	47	48	519	660	11	14	-	-	8	14	95	220	-	16	-	-
45-	7	10	152	283	-	28	-	-	21	44	325	547	15	12	-	-	7	9	140	211	-	-	-	-
65 & over	-	5	-	111	-	-	-	-	2	5	6	59	-	-	-	-	-	3	-	30	-	-	-	-
N.S.	-	-	-	-	-	-	-	-	-	1	-	14	-	-	-	-	-	-	-	-	-	-	-	-

TABLE H.2 (Contd.)

Age Group	LONDON TEACHING HOSPITALS								PROVINCIAL TEACHING HOSPITALS								HOSPITALS UNDER REGIONAL BOARDS							
	Total Discharges		Total Bed-days		Mean Bed-days		Deaths in the Hospital		Total Discharges		Total Bed-days		Mean Bed-days		Deaths in the Hospital		Total Discharges		Total Bed-days		Mean Bed-days		Deaths in the Hospital	
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
85. OTHER PSYCHONEUROSES																								312, 313, 318
All Ages	40	59	2709	3868	68	66	-	1	97	178	1313	2881	14	16	1	1	21	38	603	1447	29	38	-	1
0-	1	-	13	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5-	-	2	-	561	-	-	-	-	5	1	58	51	-	-	-	-	-	-	-	-	-	-	-	-
15-	24	43	2243	2686	93	62	-	-	54	106	845	1692	16	16	1	1	9	17	123	298	-	18	-	-
45-	14	12	434	578	31	48	-	1	36	63	372	996	10	16	-	-	11	16	438	701	40	44	-	-
65 & over	1	2	19	43	-	-	-	-	2	8	38	142	-	-	-	-	1	5	42	448	-	-	-	1
N.S.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
86. DISORDERS OF CHARACTER, BEHAVIOUR AND INTELLIGENCE																								320-326
All Ages	137	113	6546	5223	48	46	1	-	82	54	1239	692	15	13	3	1	22	23	342	727	16	32	1	2
0-	36	29	675	429	19	15	1	-	33	26	664	301	20	12	1	1	3	5	177	54	-	-	-	-
5-	19	14	1239	646	65	46	-	-	9	9	208	183	-	-	-	-	1	3	20	41	-	-	-	-
15-	57	51	3304	2841	58	56	-	-	23	6	121	115	5	-	-	-	10	9	113	194	11	-	-	1
45-	24	17	1304	1300	54	76	-	-	11	11	200	73	18	7	1	-	6	5	23	409	-	-	-	1
65 & over	-	2	-	7	-	-	-	-	5	2	45	20	-	-	1	-	1	1	8	29	-	-	1	-
N.S.	1	-	24	-	-	-	-	-	1	-	1	-	-	-	-	-	1	-	1	-	-	-	-	-
87. VASCULAR LESIONS AFFECTING CENTRAL NERVOUS SYSTEM																								330-334
All Ages	111	96	2722	2678	25	28	31	29	532	456	12487	11582	23	25	147	188	403	510	21352	22063	53	43	231	293
0-	5	2	46	29	-	-	-	-	5	5	334	164	-	-	-	2	5	3	33	25	-	-	1	2
5-	2	2	60	21	-	-	-	1	2	7	47	62	-	-	-	3	3	2	162	53	-	-	-	-
15-	15	18	298	666	20	37	-	1	83	68	1708	1178	21	17	16	19	27	33	744	862	28	26	5	12
45-	62	41	1590	1155	26	28	20	16	280	217	4604	4271	16	20	67	81	145	207	6239	6435	43	31	75	104
65 & over	25	32	677	806	27	25	10	10	154	154	5732	5864	37	38	59	81	215	259	14131	14505	66	56	144	172
N.S.	2	1	51	1	-	-	1	1	8	5	62	43	-	-	5	2	8	6	43	183	-	-	6	3

88. MULTIPLE (DISSEMINATED) SCLEROSIS — 345

All Ages	53	107	914	2475	17	23	-	-	190	255	5149	5780	27	23	4	2	31	44	2279	5159	74	117	1	7
0-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
15-	39	73	659	1659	17	23	-	-	130	161	3659	3191	28	20	3	-	21	23	1034	3095	49	135	1	3
45-	14	32	255	789	18	25	-	-	55	91	1210	2512	22	28	-	2	9	19	1214	2006	-	106	-	4
65 & over	-	2	-	27	-	-	-	-	4	2	277	54	-	-	1	-	1	2	31	58	-	-	-	-
N.S.	-	-	-	-	-	-	-	-	1	1	3	23	-	-	-	-	-	-	-	-	-	-	-	-

89. OTHER INFLAMMATORY DISEASES OF CENTRAL NERVOUS SYSTEM — 340-344

All Ages	31	36	1124	1273	36	35	6	5	229	148	6549	3957	29	27	38	32	61	49	1523	1469	25	30	15	6
0-	15	14	270	605	18	43	3	4	52	36	1605	1032	31	29	7	8	15	12	348	251	23	21	3	1
5-	8	10	138	311	-	31	1	1	29	30	820	709	28	24	2	3	7	16	201	454	-	28	1	1
15-	5	12	674	357	-	30	1	-	89	56	2338	1551	26	28	17	10	27	11	562	217	21	20	6	1
45-	3	-	42	-	-	-	1	-	52	22	1720	425	33	19	9	10	11	5	299	142	27	-	4	1
65 & over	-	-	-	-	-	-	-	-	5	4	37	240	-	-	3	1	-	3	-	393	-	-	-	1
N.S.	-	-	-	-	-	-	-	-	2	-	29	-	-	-	-	-	1	2	113	12	-	-	1	1

90. EPILEPSY — 353

All Ages	90	82	1613	2101	18	26	-	-	344	268	4667	3711	14	14	3	4	97	61	1238	1921	14	31	7	3
0-	22	16	325	230	15	14	-	-	32	18	441	164	14	9	1	1	12	5	139	38	12	-	1	-
5-	17	18	440	554	26	31	-	-	56	48	801	775	14	16	-	1	9	7	104	221	-	-	1	-
15-	41	37	719	1177	18	32	-	-	186	165	2160	2150	12	13	1	1	51	33	561	692	11	21	2	1
45-	8	9	112	136	-	-	-	-	62	33	743	609	12	18	-	-	12	15	127	953	11	64	3	2
65 & over	1	1	5	3	-	-	-	-	4	2	518	4	-	-	1	1	3	-	307	-	-	-	-	-
N.S.	1	1	12	1	-	-	-	-	4	2	4	9	-	-	-	-	-	1	-	17	-	-	-	-

91. ALL OTHER DISEASES OF CENTRAL NERVOUS SYSTEM — 350-352, 354-357

All Ages	156	132	4353	3976	28	30	2	5	438	327	10205	8487	23	26	6	14	92	103	5027	8332	55	81	24	19
0-	31	13	406	214	13	16	-	-	17	18	305	365	18	20	1	-	5	5	253	122	-	-	2	-
5-	35	18	738	577	21	32	-	1	51	38	2434	1193	48	31	-	-	18	15	379	635	21	42	-	-
15-	48	48	1416	1824	30	38	-	-	152	107	2504	2818	16	26	-	1	24	26	1549	394	65	15	3	-
45-	32	41	1603	1157	50	28	1	2	174	141	3116	3021	18	21	2	5	21	28	830	2284	40	82	4	6
65 & over	9	10	179	172	-	17	1	1	41	22	1710	1087	42	49	3	8	24	27	2016	4741	84	176	15	13
N.S.	1	2	11	32	-	-	-	1	3	1	136	3	-	-	-	-	-	2	-	156	-	-	-	-

TABLE H.2 (Contd.)

Age Group	LONDON TEACHING HOSPITALS								PROVINCIAL TEACHING HOSPITALS								HOSPITALS UNDER REGIONAL BOARDS							
	Total Discharges		Total Bed-days		Mean Bed-days		Deaths in the Hospital		Total Discharges		Total Bed-days		Mean Bed-days		Deaths in the Hospital		Total Discharges		Total Bed-days		Mean Bed-days		Deaths in the Hospital	
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
92. SCIATICA																								363
All Ages	17	29	361	565	*21*	19	-	-	90	51	1276	863	14	17	-	-	46	27	856	908	19	34	1	-
0-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5-	-	-	-	-	-	-	-	-	1	1	25	38	-	-	-	-	-	-	-	-	-	-	-	-
15-	9	21	251	404	-	19	-	-	49	34	618	509	13	15	-	-	21	13	326	345	16	*27*	-	-
45-	8	5	110	113	-	-	-	-	35	13	556	291	16	*22*	-	-	22	10	455	252	21	*25*	1	-
65 & over	-	2	-	46	-	-	-	-	5	3	77	25	-	-	-	-	3	4	75	311	-	-	-	-
N.S.	-	1	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
93. NEURITIS, NEURALGIA AND OTHER DISEASES OF NERVES AND PERIPHERAL GANGLIA																								360-362, 364-369
All Ages	86	99	1718	1726	20	17	-	2	259	307	4493	4797	17	16	3	7	65	48	1739	1256	27	26	6	2
0-	13	20	530	358	*41*	*18*	-	2	28	19	547	499	20	*26*	-	1	18	10	293	397	*16*	*40*	2	1
5-	1	4	3	61	-	-	-	-	3	5	125	168	-	-	-	1	-	1	-	24	-	-	-	-
15-	30	20	433	389	14	19	-	-	77	71	1391	1159	18	16	1	1	15	10	537	168	36	*17*	-	-
45-	32	28	533	570	17	20	-	-	113	121	1812	1574	16	13	2	4	24	20	523	572	22	29	3	-
65 & over	9	27	188	348	-	13	-	-	38	89	618	1383	16	16	-	-	8	7	386	95	-	-	1	1
N.S.	1	-	31	-	-	-	-	-	-	2	-	14	-	-	-	-	-	-	-	-	-	-	-	-
94. IRITIS, CHOROIDITIS AND OTHER INFLAMMATION OF UVEAL TRACT																								373, 375, 376
All Ages	61	74	1107	1264	18	17	-	-	337	231	6155	4933	18	21	-	-	13	17	213	402	*16*	*24*	-	-
0-	1	1	12	23	-	-	-	-	4	5	44	55	-	-	-	-	-	-	-	-	-	-	-	-
5-	2	2	45	54	-	-	-	-	12	4	205	47	*17*	-	-	-	-	-	-	-	-	-	-	-
15-	15	31	181	495	*12*	16	-	-	132	80	2374	1626	18	20	-	-	8	5	145	72	-	-	-	-
45-	34	25	675	423	20	17	-	-	141	88	2562	1786	18	20	-	-	3	6	32	184	-	-	-	-
65 & over	9	15	194	269	-	*18*	-	-	46	52	853	1413	19	27	-	-	2	6	36	146	-	-	-	-
N.S.	-	-	-	-	-	-	-	-	2	2	117	6	-	-	-	-	-	-	-	-	-	-	-	-

95. INFLAMMATION OF LACHRYMAL GLANDS AND DUCTS

378

All Ages	25	65	223	546	9	8	–	–	106	402	805	2500	8	6	–	–	4	8	34	79	–	–	–	–
0-	6	8	37	43	-	-	-	-	22	17	207	101	9	6	-	-	1	-	15	-	-	-	-	-
5-	4	1	45	23	-	-	-	-	8	19	76	155	-	8	-	-	2	-	15	-	-	-	-	-
15-	8	19	78	163	-	9	-	-	26	88	269	582	10	7	-	-	-	3	-	49	-	-	-	-
45-	3	27	27	244	-	9	-	-	34	204	190	1229	6	6	-	-	-	4	-	24	-	-	-	-
65 & over	4	10	36	73	-	7	-	-	15	72	60	422	4	6	-	-	1	1	4	6	-	-	-	-
N.S.	-	-	-	-	-	-	-	-	1	2	3	11	-	-	-	-	-	-	-	-	-	-	-	-

96. ALL OTHER INFLAMMATORY DISEASES OF EYE

370–372, 374, 377, 379

All Ages	53	63	823	1146	16	18	–	–	304	330	5575	5989	18	18	–	1	21	23	367	248	17	11	–	–
0-	7	9	148	126	-	-	-	-	63	59	1166	1044	19	18	-	-	5	4	63	28	-	-	-	-
5-	4	6	14	31	-	-	-	-	39	53	670	1174	17	22	-	-	3	6	122	92	-	-	-	-
15-	21	26	323	483	15	19	-	-	109	96	1826	1582	17	16	-	-	7	8	67	69	-	-	-	-
45-	14	14	239	384	17	27	-	-	71	82	1473	1459	21	18	-	-	4	4	44	32	-	-	-	-
65 & over	6	7	87	107	-	-	-	-	21	39	437	729	21	19	-	1	2	1	71	27	-	-	-	-
N.S.	1	1	12	15	-	-	-	-	1	1	3	1	-	-	-	-	-	-	-	-	-	-	-	-

97. CORNEAL ULCER

381

All Ages	17	20	270	353	16	18	–	–	259	164	4382	2862	17	17	–	–	13	11	293	192	23	17	–	–
0-	1	3	29	46	-	-	-	-	16	18	245	334	15	19	-	-	1	-	46	-	-	-	-	-
5-	2	-	23	-	-	-	-	-	21	29	482	611	23	21	-	-	-	1	-	53	-	-	-	-
15-	4	4	71	59	-	-	-	-	76	34	1051	605	14	18	-	-	4	3	42	32	-	-	-	-
45-	4	9	65	148	-	-	-	-	93	57	1569	866	17	15	-	-	5	3	130	29	-	-	-	-
65 & over	6	4	82	100	-	-	-	-	52	26	1032	446	20	17	-	-	3	4	75	78	-	-	-	-
N.S.	-	-	-	-	-	-	-	-	1	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-

98. STRABISMUS

384

All Ages	307	336	3778	4195	12	12	–	–	814	782	8589	8169	11	10	2	1	126	80	1247	838	10	10	–	–
0-	34	47	386	607	11	13		-	50	55	503	566	10	10	1	1	6	1	63	9	-	-	-	-
5-	184	195	2340	2388	13	12	-	-	532	480	5602	5133	11	11	-	-	94	60	959	630	10	10	-	-
15-	84	85	990	1036	12	12	-	-	213	231	2239	2323	11	10	-	-	23	13	194	120	8	9	-	-
45-	3	6	39	88	-	-	-	-	15	11	225	91	15	8	1	-	1	4	15	54	-	-	-	-
65 & over	1	3	3	76	-	-	-	-	2	4	10	44	-	-	-	-	1	2	9	25	-	-	-	-
N.S.	1	-	20	-	-	-	-	-	2	1	10	12	-	-	-	-	1	-	7	-	-	-	-	-

TABLE H.2 (Contd.)

Age Group	LONDON TEACHING HOSPITALS								PROVINCIAL TEACHING HOSPITALS								HOSPITALS UNDER REGIONAL BOARDS							
	Total Discharges		Total Bed-days		Mean Bed-days		Deaths in the Hospital		Total Discharges		Total Bed-days		Mean Bed-days		Deaths in the Hospital		Total Discharges		Total Bed-days		Mean Bed-days		Deaths in the Hospital	
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
99. CATARACT																								385
All Ages	267	370	3659	5388	14	15	1	-	949	1191	14332	18685	15	16	-	2	104	141	1800	2344	17	17	-	1
0-	4	3	36	38	-	-	-	-	18	14	132	200	7	14	-	-	1	2	8	43	-	-	-	-
5-	10	3	100	16	10	-	-	-	30	17	290	160	10	9	-	-	1	1	5	21	-	-	-	-
15-	38	9	412	107	11	-	-	-	89	74	1214	940	14	13	-	-	6	4	87	89	-	-	-	-
45-	93	89	1248	1194	13	13	-	-	306	317	4681	5325	15	17	-	-	28	35	592	517	21	15	-	-
65 & over	122	263	1863	3998	15	15	1	-	503	767	7955	12023	16	16	-	2	67	98	1100	1658	16	17	-	1
N.S.	-	3	-	35	-	-	-	-	3	2	60	37	-	-	-	-	1	1	8	16	-	-	-	-
100. DETACHMENT OF RETINA																								386
All Ages	42	54	1074	1499	26	28	-	-	217	155	6769	4739	31	31	1	-	11	8	451	441	41	-	-	-
0-	1	1	21	19	-	-	-	-	1	-	29	-	-	-	-	-	-	-	-	-	-	-	-	-
5-	4	-	80	-	-	-	-	-	13	2	541	28	42	-	-	-	-	-	-	-	-	-	-	-
15-	14	15	329	458	24	31	-	-	92	62	2763	1750	30	28	1	-	5	2	259	72	-	-	-	-
45-	19	33	539	903	28	27	-	-	95	62	2940	1925	31	31	-	-	3	5	118	270	-	-	-	-
65 & over	4	5	105	119	-	-	-	-	15	27	449	867	30	32	-	-	2	1	38	99	-	-	-	-
N.S.	-	-	-	-	-	-	-	-	1	2	47	169	-	-	-	-	1	-	36	-	-	-	-	-
101. GLAUCOMA																								387
All Ages	105	161	1673	2737	16	17	-	-	459	519	7035	7945	15	15	2	3	34	28	553	519	16	19	-	-
0-	1	1	37	4	-	-	-	-	2	3	12	23	-	-	-	-	-	-	-	-	-	-	-	-
5-	-	-	-	-	-	-	-	-	-	1	-	10	-	-	-	-	1	-	7	-	-	-	-	-
15-	9	5	143	127	-	-	-	-	42	27	569	402	14	15	-	-	1	-	11	-	-	-	-	-
45-	43	70	595	1185	14	17	-	-	205	219	3207	3444	16	16	-	-	16	14	290	257	18	18	-	-
65 & over	52	85	898	1421	17	17	-	-	208	264	3234	4020	16	15	2	3	16	14	245	262	15	19	-	-
N.S.	-	-	-	-	-	-	-	-	2	5	13	46	-	-	-	-	-	-	-	-	-	-	-	-

102. ALL OTHER DISEASES OF EYE — 380, 382, 383, 388, 389

All Ages	96	101	1071	1634	11	16	-	-	361	265	4138	2721	11	10	-	1	27	25	322	356	12	14	-	-
0-	21	16	110	144	5	9	-	-	30	30	249	170	8	6	-	-	1	1	1	46	-	-	-	-
5-	8	5	71	49	-	-	-	-	49	17	612	186	12	11	-	-	3	2	22	13	-	-	-	-
15-	25	24	313	403	13	17	-	-	114	58	1482	666	13	11	-	1	7	2	75	22	-	-	-	-
45-	28	39	409	759	15	19	-	-	85	78	894	882	11	11	-	-	7	6	46	45	-	-	-	-
65 & over	14	17	168	279	12	16	-	-	81	81	894	816	11	10	-	-	9	13	178	200	-	15	-	-
N.S.	-	-	-	-	-	-	-	-	2	1	7	1	-	-	-	-	-	1	-	30	-	-	-	-

103. OTITIS MEDIA WITHOUT MENTION OF MASTOIDITIS — 391

All Ages	247	206	3178	3154	13	15	-	-	1036	924	12241	10657	12	12	8	9	402	348	4823	3855	12	11	1	1
0-	98	82	1263	1170	13	14	-	-	318	219	3720	2445	12	11	1	-	162	121	1901	1483	12	12	-	-
5-	91	71	1211	1070	13	15	-	-	357	362	3743	3790	10	10	-	1	167	151	1736	1506	10	10	-	-
15-	39	39	464	664	12	17	-	-	276	264	3609	3460	13	13	5	6	58	53	1026	499	18	9	1	1
45-	15	11	215	225	14	20	-	-	76	70	990	873	13	12	2	2	10	14	135	228	14	16	-	-
65 & over	2	3	18	25	-	-	-	-	7	7	156	62	-	-	-	-	2	8	11	138	-	-	-	-
N.S.	2	-	7	-	-	-	-	-	2	2	23	27	-	-	-	-	3	1	14	1	-	-	-	-

104. MASTOIDITIS WITH OR WITHOUT OTITIS MEDIA — 392, 393

All Ages	121	115	3159	2848	26	25	-	1	480	415	9293	7677	19	18	6	1	161	173	2727	2910	17	17	-	-
0-	31	20	936	444	30	22	-	-	89	83	1968	1543	22	19	-	-	44	50	821	1008	19	20	-	-
5-	42	38	1450	1434	35	38	-	-	188	153	3458	2824	18	18	2	-	62	64	847	934	14	15	-	-
15-	37	45	579	763	16	17	-	1	158	139	2829	2525	18	18	3	1	46	50	877	804	19	16	-	-
45-	8	8	133	99	-	-	-	-	37	33	833	635	23	19	1	-	8	8	178	122	-	-	-	-
65 & over	3	4	61	108	-	-	-	-	6	4	177	102	-	-	-	-	1	1	4	42	-	-	-	-
N.S.	-	-	-	-	-	-	-	-	2	3	28	48	-	-	-	-	-	-	-	-	-	-	-	-

105. MÉNIÈRE'S DISEASE — 395

All Ages	17	14	239	219	14	16	-	-	62	48	726	652	12	14	-	-	4	12	37	212	-	18	-	-
0-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5-	1	-	24	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
15-	4	5	52	91	-	-	-	-	13	17	176	276	14	16	-	-	-	-	-	-	-	-	-	-
45-	11	7	149	99	14	-	-	-	46	24	517	323	11	13	-	-	3	10	34	146	-	15	-	-
65 & over	1	2	14	29	-	-	-	-	3	7	33	53	-	-	-	-	1	2	3	66	-	-	-	-
N.S.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

TABLE H.2 (Contd.)

Age Group	LONDON TEACHING HOSPITALS								PROVINCIAL TEACHING HOSPITALS								HOSPITALS UNDER REGIONAL BOARDS							
	Total Discharges		Total Bed-days		Mean Bed-days		Deaths in the Hospital		Total Discharges		Total Bed-days		Mean Bed-days		Deaths in the Hospital		Total Discharges		Total Bed-days		Mean Bed-days		Deaths in the Hospital	
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
106. ALL OTHER DISEASES OF EAR AND MASTOID PROCESS																								390, 394, 396-398
All Ages	66	110	873	1649	13	15	-	-	192	228	2017	2640	11	12	1	-	24	32	165	367	7	11	-	-
0-	7	8	108	90	-	-	-	-	21	19	161	235	8	12	-	-	4	1	24	4	-	-	-	-
5-	11	18	66	138	6	8	-	-	63	69	486	448	8	6	-	-	9	12	48	123	-	10	-	-
15-	39	66	576	1126	15	17	-	-	88	117	1047	1719	12	15	1	-	9	13	76	118	-	9	-	-
45-	8	16	116	275	-	17	-	-	17	18	306	205	18	11	-	-	2	4	17	90	-	-	-	-
65 & over	1	2	7	20	-	-	-	-	3	3	17	24	-	-	-	-	-	2	-	32	-	-	-	-
N.S.	-	-	-	-	-	-	-	-	-	2	-	9	-	-	-	-	-	-	-	-	-	-	-	-
107. RHEUMATIC FEVER																								400-402
All Ages	40	43	1386	1713	35	40	1	-	129	155	6442	9012	50	58	8	10	90	94	5823	5658	65	60	4	8
0-	4	-	46	-	-	-	-	-	5	1	265	28	-	-	-	-	4	2	138	24	-	-	1	-
5-	21	26	823	989	39	38	-	-	79	101	4533	7131	57	71	4	5	59	54	4472	3502	76	65	-	3
15-	13	15	441	610	34	41	1	-	34	41	1407	1507	41	37	2	3	20	30	1041	1750	52	58	-	2
45-	2	2	76	114	-	-	-	-	8	11	192	319	-	29	-	2	6	7	137	201	-	-	3	2
65 & over	-	-	-	-	-	-	-	-	3	-	45	-	-	-	2	-	1	1	35	181	-	-	-	1
N.S.	-	-	-	-	-	-	-	-	-	1	-	27	-	-	-	-	-	-	-	-	-	-	-	-
108. CHRONIC RHEUMATIC HEART DISEASE																								410-416
All Ages	102	258	3364	8102	33	31	10	14	222	518	5526	12848	25	25	30	52	83	241	3324	7227	40	30	26	50
0-	1	-	9	-	-	-	-	-	-	1	-	15	-	-	-	-	1	-	167	-	-	-	-	-
5-	7	11	199	261	-	24	-	-	13	18	634	1240	49	69	1	-	10	5	849	327	85	-	1	1
15-	54	153	1428	4919	26	32	8	8	116	360	2964	8112	26	23	15	26	40	136	1400	3538	35	26	12	25
45-	36	86	1687	2606	47	30	1	5	85	129	1742	3026	20	23	12	23	25	92	727	3157	29	34	9	20
65 & over	4	8	41	316	-	-	1	1	8	10	186	455	-	46	2	3	5	8	152	205	-	-	3	4
N.S.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	29	-	-	-	1	-

109. CORONARY HEART DISEASE AND ANGINA PECTORIS (INCLUDING ARTERIOSCLEROTIC HEART DISEASE SO DESCRIBED) 420

All Ages	202	81	6930	2732	34	34	23	9	551	203	13126	4179	24	21	131	60	247	123	7199	3739	29	30	97	49
0-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
15-	21	1	718	11	34	-	3	-	34	6	630	151	24	-	1	-	9	4	215	131	-	-	3	2
45-	136	45	4692	1862	34	41	15	3	369	99	8304	2183	23	22	70	23	161	55	4882	2010	30	37	53	13
65 & over	44	35	1423	859	32	25	5	6	143	97	3798	1844	27	19	59	36	73	62	2023	1571	28	25	40	33
N.S.	1	-	97	-	-	-	-	-	5	1	194	1	-	-	1	1	4	2	79	27	-	-	1	1

110. OTHER DEGENERATIVE HEART DISEASE 421, 422

All Ages	41	20	1270	545	31	27	4	1	96	62	2897	2162	30	35	28	17	146	111	9030	10353	62	93	91	70
0-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	6	-	-	1	-
5-	2	2	38	8	-	-	-	-	1	-	14	-	-	-	-	-	-	-	-	-	-	-	-	-
15-	2	9	80	281	-	-	-	1	9	11	203	143	-	13	1	2	5	5	361	55	-	-	3	1
45-	24	7	743	187	31	-	3	-	54	25	1447	400	27	16	13	2	45	28	1644	1007	37	36	21	20
65 & over	13	2	409	69	31	-	1	-	32	25	1233	1598	39	64	14	13	95	75	7024	9146	74	12	66	48
N.S.	-	-	-	-	-	-	-	-	-	1	-	21	-	-	-	-	-	2	-	139	-	-	-	1

111. CONGESTIVE AND LEFT VENTRICULAR FAILURE SO DESCRIBED 434.1, 434.2

All Ages	16	25	547	1035	34	41	1	3	140	142	3654	4124	26	29	38	39	175	130	6424	4934	37	38	81	56
0-	-	-	-	-	-	-	-	-	2	-	18	-	-	-	2	-	-	-	-	-	-	-	-	-
5-	-	-	-	-	-	-	-	-	-	3	-	43	-	-	-	-	1	3	187	63	-	-	-	2
15-	4	4	174	63	-	-	-	2	8	33	234	915	-	28	-	6	16	16	735	699	46	44	6	5
45-	6	18	248	895	-	50	-	1	73	51	1670	1349	23	26	23	10	68	56	2501	1624	37	29	31	22
65 & over	6	3	125	77	-	-	1	-	56	54	1730	1816	31	34	13	22	89	53	2999	2494	34	47	43	27
N.S.	-	-	-	-	-	-	-	-	1	1	2	1	-	-	-	1	1	2	2	54	-	-	1	-

112. OTHER DISEASES OF HEART 430-433, 434 rdr.

All Ages	111	49	3153	1646	28	34	4	1	208	198	6247	4673	30	24	39	27	89	110	3710	4092	42	37	26	33
0-	9	1	123	9	-	-	-	-	4	-	48	-	-	-	2	-	-	-	-	-	-	-	-	-
5-	3	4	48	84	-	-	-	-	9	8	513	198	-	-	1	1	-	1	-	17	-	-	-	-
15-	26	19	808	1008	31	53	2	1	85	100	3234	2705	38	27	13	11	23	37	799	849	35	23	3	7
45-	48	16	1596	352	33	22	1	-	82	67	1790	1293	22	19	15	11	35	30	1087	1052	31	35	11	8
65 & over	25	8	578	190	23	-	1	-	27	23	660	477	24	21	7	4	29	40	1661	2145	57	54	12	16
N.S.	-	1	-	3	-	-	-	-	1	-	2	-	-	-	1	-	2	2	163	29	-	-	-	2

TABLE H.2 (Contd.)

Age Group	LONDON TEACHING HOSPITALS								PROVINCIAL TEACHING HOSPITALS								HOSPITALS UNDER REGIONAL BOARDS							
	Total Discharges		Total Bed-days		Mean Bed-days		Deaths in the Hospital		Total Discharges		Total Bed-days		Mean Bed-days		Deaths in the Hospital		Total Discharges		Total Bed-days		Mean Bed-days		Deaths in the Hospital	
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
113. HYPERTENSION WITH HEART DISEASE																								440–443
All Ages	89	85	3250	2976	37	35	8	10	189	185	5096	4825	27	26	39	27	131	117	4272	5296	33	45	47	40
0-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
15-	5	6	213	244	-	-	1	-	8	19	112	776	-	41	2	2	2	5	25	115	-	-	2	2
45-	52	48	2122	1737	41	36	6	4	116	103	3190	2531	28	25	24	12	54	37	2136	1341	40	36	14	6
65 & over	32	31	915	995	29	32	1	6	65	63	1794	1518	28	24	13	13	74	73	2101	3825	28	52	31	31
N.S.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	10	15	-	-	-	1
114. HYPERTENSION WITHOUT MENTION OF HEART																								444–447
All Ages	133	216	4127	6165	31	29	10	9	472	584	9624	11107	20	19	43	19	154	216	6409	8502	42	39	46	54
0-	-	-	-	-	-	-	-	-	1	-	5	-	-	-	-	-	-	-	-	-	-	-	-	-
5-	2	1	64	37	-	-	-	-	1	1	10	16	-	-	1	-	-	-	-	-	-	-	-	-
15-	44	94	1540	3089	35	33	4	4	180	203	3864	4160	21	20	19	7	20	36	712	859	36	24	3	5
45-	78	101	2403	2496	31	25	6	4	244	320	5121	6102	21	19	20	9	76	86	2449	2852	32	33	21	13
65 & over	9	20	120	543	-	27	-	1	46	59	624	812	14	14	3	3	56	93	3238	4784	58	51	22	36
N.S.	-	-	-	-	-	-	-	-	-	1	-	17	-	-	-	-	2	1	10	7	-	-	-	-
115. GENERAL ARTERIOSCLEROSIS																								450
All Ages	141	19	4350	857	31	45	2	-	287	53	6821	917	24	17	12	10	88	28	4,669	2,971	53	11	27	10
0-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
15-	6	2	173	174	-	-	-	-	15	3	240	48	16	-	-	-	3	2	53	9	-	-	-	-
45-	88	12	2499	320	28	27	2	-	160	17	3541	357	22	21	3	2	20	3	315	39	16	-	3	-
65 & over	47	5	1678	363	36	-	-	-	112	33	3040	512	27	16	9	8	64	23	4283	2923	67	13	24	10
N.S.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	18	-	-	-	-	-

116. THROMBO-ANGIITIS OBLITERANS — 453.1

All Ages	58	3	1908	221	33	-	-	-	104	7	3080	90	30	-	2	-	21	1	672	35	32	-	1	-
0-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5-	1	-	12	-	-	-	-	-	1	-	14	-	-	-	-	-	-	-	-	-	-	-	-	-
15-	29	-	726	-	25	-	-	-	48	5	1341	52	28	-	1	-	6	-	301	-	-	-	1	-
45-	26	2	1052	203	40	-	-	-	51	1	1633	22	32	-	1	-	14	1	364	35	26	-	-	-
65 & over	2	1	118	18	-	-	-	-	4	1	92	16	-	-	-	-	1	-	7	-	-	-	-	-
N.S.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

117. OTHER PERIPHERAL VASCULAR DISEASE — 453 rdr.

All Ages	49	57	1274	1264	26	22	-	-	86	134	1747	2390	20	18	1	1	14	13	337	224	24	17	-	-
0-	2	-	17	-	-	-	-	-	1	-	25	-	-	-	-	-	-	-	-	-	-	-	-	-
5-	-	1	-	7	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	44	-	-	-	-
15-	8	31	148	607	-	20	-	-	30	86	391	1529	13	18	-	-	3	11	65	178	-	16	-	-
45-	35	21	1033	575	30	27	-	-	47	40	1183	669	25	17	1	1	9	1	237	2	-	-	-	-
65 & over	4	4	76	75	-	-	-	-	8	8	148	192	-	-	-	-	2	-	35	-	-	-	-	-
N.S.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

118. OTHER DISEASES OF ARTERIES — 451, 452, 454-456

All Ages	59	38	1808	1243	31	33	8	-	321	152	6526	3816	20	25	25	25	54	37	1915	1670	35	45	9	14
0-	2	1	16	33	-	-	-	-	3	-	47	-	-	-	-	-	-	-	-	-	-	-	-	-
5-	2	-	113	-	-	-	-	-	2	1	24	21	-	-	1	-	-	2	-	65	-	-	-	-
15-	15	11	459	382	31	35	2	-	64	59	1252	1437	20	24	4	10	10	4	229	241	23	-	3	-
45-	26	15	820	349	32	23	4	-	187	53	3844	1372	21	26	11	6	21	9	899	220	43	-	2	6
65 & over	13	10	340	422	26	42	2	-	64	39	1352	986	21	25	9	9	21	22	764	1144	36	52	4	8
N.S.	1	1	60	57	-	-	-	-	1	-	7	-	-	-	-	-	2	-	23	-	-	-	-	-

119. VARICOSE VEINS OF LOWER EXTREMITIES — 460

All Ages	345	463	3852	5259	11	11	1	2	547	671	5484	7743	10	12	-	2	289	370	3566	7982	12	22	1	-
0-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5-	-	1	-	9	-	-	-	-	2	-	12	-	-	-	-	-	-	-	-	-	-	-	-	-
15-	216	216	2072	1827	10	8	1	1	359	386	3165	3554	9	9	-	-	176	161	1677	1319	10	8	-	-
45-	109	204	1345	2398	12	12	-	1	163	254	1845	3654	11	14	-	-	97	169	1214	3942	13	23	-	-
65 & over	20	39	435	898	22	23	-	-	21	29	446	516	21	18	-	2	15	39	602	2720	40	70	1	-
N.S.	-	3	-	127	-	-	-	-	2	2	16	19	-	-	-	-	1	1	73	1	-	-	-	-

TABLE H.2 (Contd.)

Age Group	LONDON TEACHING HOSPITALS								PROVINCIAL TEACHING HOSPITALS								HOSPITALS UNDER REGIONAL BOARDS							
	Total Discharges		Total Bed-days		Mean Bed-days		Deaths in the Hospital		Total Discharges		Total Bed-days		Mean Bed-days		Deaths in the Hospital		Total Discharges		Total Bed-days		Mean Bed-days		Deaths in the Hospital	
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
120. HAEMORRHOIDS																								461
All Ages	199	122	3207	1912	16	16	2	-	778	387	10530	5127	14	13	1	2	278	127	3893	1703	14	13	-	-
0-	1	1	3	4	-	-	-	-	2	-	28	-	-	-	-	-	-	-	-	-	-	-	-	-
5-	-	1	-	5	-	-	-	-	1	1	11	4	-	-	-	-	4	-	80	-	-	-	-	-
15-	106	62	1555	992	15	16	1	-	364	191	4796	2501	13	13	-	-	145	67	1804	852	12	13	-	-
45-	84	52	1492	815	18	16	1	-	366	176	5030	2414	14	14	-	1	103	51	1378	738	13	14	-	-
65 & over	8	4	157	62	-	-	-	-	44	19	651	208	15	11	1	1	26	8	631	103	24	-	-	-
N.S.	-	2	-	34	-	-	-	-	1	-	14	-	-	-	-	-	-	1	-	10	-	-	-	-
121. VARICOSE VEINS OF OTHER SPECIFIED SITES																								462
All Ages	10	2	91	10	9	-	-	-	27	10	260	78	10	8	1	1	7	-	72	-	-	-	1	-
0-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5-	-	-	-	-	-	-	-	-	1	1	12	4	-	-	-	-	-	-	-	-	-	-	-	-
15-	5	-	40	-	-	-	-	-	21	5	180	48	9	-	-	-	4	-	30	-	-	-	-	-
45-	5	2	51	10	-	-	-	-	4	2	66	17	-	-	1	1	3	-	42	-	-	-	1	-
65 & over	-	-	-	-	-	-	-	-	1	2	2	9	-	-	-	-	-	-	-	-	-	-	-	-
N.S.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
122. PHLEBITIS, THROMBO PHLEBITIS, VENOUS EMBOLISM AND THROMBOSIS																								463-466
All Ages	53	54	1221	1199	23	22	-	3	158	160	3207	3315	20	21	12	10	46	79	2054	1934	45	24	10	8
0-	-	-	-	-	-	-	-	-	3	2	24	65	-	-	1	-	-	-	-	-	-	-	-	-
5-	-	1	-	13	-	-	-	-	1	1	34	18	-	-	-	-	-	1	-	11	-	-	-	-
15-	23	23	599	473	26	21	-	-	54	75	1176	1384	22	18	1	2	13	18	467	324	36	18	1	1
45-	25	26	525	617	21	24	-	3	78	60	1519	1425	19	24	6	5	15	42	418	1144	28	27	3	5
65 & over	5	3	97	84	-	-	-	-	22	22	454	423	21	19	4	3	17	18	1144	455	67	25	6	2
N.S.	-	1	-	12	-	-	-	-	-	-	-	-	-	-	-	-	1	-	25	-	-	-	-	-

123. LYMPHADENITIS, CHRONIC AND UNQUALIFIED — 468.0-468.2

All Ages	104	88	1523	1327	15	15	-	-	206	207	1942	2143	9	10	1	2	117	154	1330	2069	11	13	-	-
0-	37	25	607	378	16	15	-	-	57	40	623	565	11	14	1	-	37	45	379	670	10	15	-	-
5-	38	31	463	452	12	15	-	-	94	89	863	932	9	10	-	-	50	56	609	831	12	15	-	-
15-	13	21	196	193	15	9	-	-	40	61	311	463	8	8	-	-	19	41	188	399	10	10	-	-
45-	15	8	236	284	16	-	-	-	14	13	136	127	10	10	-	2	10	7	145	96	14	-	-	-
65 & over	-	1	-	13	-	-	-	-	-	4	-	56	-	-	-	-	-	3	-	21	-	-	-	-
N.S.	1	2	21	7	-	-	-	-	1	-	9	-	-	-	-	-	1	2	9	52	-	-	-	-

124. ALL OTHER DISEASES OF CIRCULATORY SYSTEM — 467, 468 rdr.

All Ages	22	20	479	752	22	38	2	-	33	36	622	645	19	18	4	-	8	10	89	273	-	27	1	1
0-	-	-	-	-	-	-	-	-	-	3	-	28	-	-	-	-	-	-	-	-	-	-	-	-
5-	2	-	42	-	-	-	-	-	-	2	-	6	-	-	-	-	1	-	1	-	-	-	-	-
15-	9	7	218	394	-	-	1	-	16	15	390	325	24	22	2	-	1	3	9	76	-	-	-	1
45-	10	11	215	280	22	25	1	-	12	13	196	241	16	19	1	-	4	6	51	193	-	-	1	-
65 & over	1	2	4	78	-	-	-	-	5	3	36	45	-	-	1	-	2	1	28	4	-	-	-	-
N.S.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

125. ACUTE NASOPHARYNGITIS — 470

All Ages	24	31	195	185	8	6	-	-	34	57	165	239	5	4	-	-	62	106	562	1023	9	10	1	-
0-	9	6	105	60	-	-	-	-	18	5	85	33	5	-	-	-	38	26	393	516	10	20	1	-
5-	5	3	44	9	-	-	-	-	9	9	46	53	-	-	-	-	7	6	75	70	-	-	-	-
15-	8	9	40	46	-	-	-	-	5	41	27	134	-	3	-	-	12	69	60	409	5	6	-	-
45-	1	2	2	8	-	-	-	-	1	1	3	16	-	-	-	-	4	5	32	28	-	-	-	-
65 & over	-	1	-	18	-	-	-	-	-	1	-	3	-	-	-	-	1	-	2	-	-	-	-	-
N.S.	1	10	4	44	-	4	-	-	1	-	4	-	-	-	-	-	-	-	-	-	-	-	-	-

126. ACUTE PHARYNGITIS; ACUTE TONSILLITIS — 472, 473

All Ages	148	158	1474	1322	10	8	-	-	597	703	2182	2568	4	4	-	-	254	343	2493	2951	10	9	-	-
0-	64	39	869	385	14	10	-	-	118	109	463	364	4	3	-	-	72	45	826	472	11	10	-	-
5-	50	44	356	426	7	10	-	-	356	378	938	1048	3	3	-	-	99	122	915	1065	9	9	-	-
15-	30	60	225	415	8	7	-	-	107	201	698	1085	7	5	-	-	80	166	707	1325	9	8	-	-
45-	4	4	24	44	-	-	-	-	13	12	74	81	6	7	-	-	3	7	45	62	-	-	-	-
65 & over	-	-	-	-	-	-	-	-	1	2	2	9	-	-	-	-	-	2	-	19	-	-	-	-
N.S.	-	11	-	52	-	5	-	-	2	1	7	1	-	-	-	-	-	1	-	8	-	-	-	-

TABLE H.2 (Contd.)

Age Group	LONDON TEACHING HOSPITALS								PROVINCIAL TEACHING HOSPITALS								HOSPITALS UNDER REGIONAL BOARDS							
	Total Discharges		Total Bed-days		Mean Bed-days		Deaths in the Hospital		Total Discharges		Total Bed-days		Mean Bed-days		Deaths in the Hospital		Total Discharges		Total Bed-days		Mean Bed-days		Deaths in the Hospital	
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
127. ALL OTHER ACUTE UPPER RESPIRATORY INFECTIONS																								471, 474, 475
All Ages	115	87	1047	1201	9	14	-	1	215	156	2744	1872	13	12	2	3	125	107	2018	1617	16	15	4	1
0-	63	34	580	514	9	15	-	1	124	83	1707	924	14	11	1	2	91	71	1591	1082	17	15	4	1
5-	32	35	271	504	8	14	-	-	31	33	399	568	13	17	-	-	23	14	330	318	14	23	-	-
15-	16	13	166	116	*10*	9	-	-	45	26	447	210	10	8	-	-	6	14	58	128	-	9	-	-
45-	3	2	22	41	-	-	-	-	13	13	133	149	*10*	*11*	1	1	3	5	20	53	-	-	-	-
65 & over	-	1	-	14	-	-	-	-	2	1	58	21	-	-	-	-	2	1	19	20	-	-	-	-
N.S.	1	2	8	12	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	16	-	-	-	-
128. HYPERTROPHY OF TONSILS AND ADENOIDS																								510
All Ages	1647	1505	8173	7859	5	5	1	-	3005	3079	10880	12446	4	4	1	2	1345	1310	4417	4598	3	4	-	-
0-	456	311	1960	1298	4	4	1	-	762	604	2062	1983	3	3	-	-	221	201	672	794	3	4	-	-
5-	1042	922	4990	4372	5	5	-	-	1801	1761	6223	6493	3	4	1	1	1024	974	3051	2761	3	3	-	-
15-	132	241	1076	1958	8	8	-	-	413	667	2359	3630	6	5	-	1	90	123	631	880	7	7	-	-
45-	12	25	98	199	*8*	8	-	-	23	34	208	225	9	7	-	-	7	10	53	115	-	*12*	-	-
65 & over	1	1	12	3	-	-	-	-	1	7	5	90	-	-	-	-	-	2	-	48	-	-	-	-
N.S.	4	5	37	29	-	-	-	-	5	6	23	25	-	-	-	-	3	-	10	-	-	-	-	-
129. CHRONIC SINUSITIS																								513
All Ages	162	192	1705	2342	11	12	-	-	526	424	5246	4317	10	10	1	2	157	157	1291	1288	8	8	2	-
0-	15	21	146	374	*10*	18	-	-	13	12	194	119	*15*	*10*	-	-	6	6	48	13	-	-	-	-
5-	63	60	619	792	10	13	-	-	154	106	1464	1164	10	11	-	-	69	64	395	424	6	7	-	-
15-	56	68	567	658	10	10	-	-	267	224	2567	2113	10	9	1	-	63	55	658	553	10	10	2	-
45-	21	40	272	468	13	12	-	-	85	72	984	814	12	11	-	2	17	29	155	266	9	9	-	-
65 & over	4	2	41	49	-	-	-	-	5	5	28	48	-	-	-	-	2	2	35	31	-	-	-	-
N.S.	3	1	60	1	-	-	-	-	2	5	9	59	-	-	-	-	-	1	-	1	-	-	-	-

130. DEFLECTED NASAL SEPTUM — 514

All Ages	176	70	1584	542	9	8	-	-	525	175	3066	1028	6	6	1	-	109	36	721	244	7	7	1	-
0-	5	1	35	8	-	-	-	-	1	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
5-	19	9	198	67	10	-	-	-	30	12	242	65	8	5	-	-	2	7	6	44	-	-	-	-
15-	136	51	1179	388	9	8	-	-	408	125	2313	717	6	6	-	-	81	23	546	155	7	7	-	-
45-	15	8	167	69	11	-	-	-	80	35	490	227	6	6	1	-	24	5	156	38	6	-	1	-
65 & over	1	1	5	10	-	-	-	-	3	-	9	-	-	-	-	-	1	-	6	-	-	-	-	-
N.S.	-	-	-	-	-	-	-	-	3	3	10	19	-	-	-	-	1	1	7	7	-	-	-	-

131. NASAL POLYP — 515

All Ages	55	48	363	394	7	8	-	-	354	270	1345	1137	4	4	-	-	47	45	331	257	7	6	-	-
0-	-	-	-	-	-	-	-	-	2	-	9	-	-	-	-	-	-	-	-	-	-	-	-	-
5-	5	4	49	42	-	-	-	-	20	19	99	86	5	5	-	-	3	6	11	23	-	-	-	-
15-	26	24	173	181	7	8	-	-	165	146	624	659	4	5	-	-	19	18	123	123	6	7	-	-
45-	17	17	106	151	6	9	-	-	129	85	502	334	4	4	-	-	15	16	130	89	9	6	-	-
65 & over	6	3	34	20	-	-	-	-	33	16	103	49	3	3	-	-	10	5	67	22	7	-	-	-
N.S.	1	-	1	-	-	-	-	-	5	4	8	9	-	-	-	-	-	-	-	-	-	-	-	-

132. ALL OTHER DISEASES OF UPPER RESPIRATORY TRACT — 511, 512, 516, 517

All Ages	108	89	724	1133	7	13	1	-	253	192	1935	1357	8	7	2	2	122	106	1062	824	9	8	-	3
0-	18	17	103	418	6	25	-	-	35	14	388	119	11	8	1	1	19	8	247	129	13	-	-	2
5-	31	13	171	107	6	8	-	-	49	39	349	265	7	7	-	-	23	21	178	130	8	6	-	-
15-	32	37	211	387	7	10	1	-	92	91	696	661	8	7	-	-	61	59	419	429	7	7	-	-
45-	19	16	203	147	11	9	-	-	61	37	411	230	7	6	-	1	15	17	79	112	5	7	-	-
65 & over	8	6	36	74	-	-	-	-	15	11	89	82	6	7	1	-	4	1	139	24	-	-	-	1
N.S.	-	-	-	-	-	-	-	-	1	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-

133. INFLUENZA — 480-483

All Ages	30	41	227	311	8	8	-	-	49	76	554	956	11	13	-	6	96	128	2264	2017	24	16	11	6
0-	2	1	46	5	-	-	-	-	2	1	39	7	-	-	-	-	4	7	19	65	-	-	1	-
5-	1	-	34	-	-	-	-	-	9	5	73	39	-	-	-	-	10	10	106	151	11	15	1	-
15-	19	33	107	256	6	8	-	-	29	51	243	328	8	6	-	2	32	79	339	1036	11	13	1	2
45-	4	2	15	11	-	-	-	-	6	10	140	83	-	8	-	3	40	21	1508	317	38	15	6	2
65 & over	1	1	8	16	-	-	-	-	2	6	46	464	-	-	-	1	9	9	271	425	-	-	2	2
N.S.	3	4	17	23	-	-	-	-	1	3	13	35	-	-	-	-	1	2	21	23	-	-	-	-

TABLE H.2 (Contd.)

Age Group	LONDON TEACHING HOSPITALS								PROVINCIAL TEACHING HOSPITALS								HOSPITALS UNDER REGIONAL BOARDS							
	Total Discharges		Total Bed-days		Mean Bed-days		Deaths in the Hospital		Total Discharges		Total Bed-days		Mean Bed-days		Deaths in the Hospital		Total Discharges		Total Bed-days		Mean Bed-days		Deaths in the Hospital	
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
134. LOBAR PNEUMONIA																								490
All Ages	95	62	2031	1378	21	22	2	3	346	209	7004	3802	20	18	20	9	558	388	11226	8176	20	21	46	28
0-	24	14	543	320	23	23	1	2	47	22	589	386	13	18	1	1	129	86	2146	1326	17	15	3	6
5-	23	10	400	203	17	20	-	-	45	34	1169	547	26	16	-	-	90	47	1256	823	14	18	-	-
15-	25	16	442	314	18	20	-	-	105	72	2085	1195	20	17	3	1	149	118	3294	2401	22	20	4	5
45-	18	17	422	356	23	21	-	1	116	53	2503	964	22	18	12	5	137	93	3292	2444	24	26	17	7
65 & over	5	5	224	185	-	-	1	-	33	26	658	670	20	26	4	2	53	42	1238	1148	23	27	22	10
N.S.	-	-	-	-	-	-	-	-	-	2	-	40	-	-	-	-	-	2	-	34	-	-	-	-
135. BRONCHO-PNEUMONIA																								491
All Ages	98	82	2164	1707	22	21	17	14	407	355	5791	5645	14	16	95	72	379	326	7901	9083	21	28	136	84
0-	36	30	883	642	25	21	3	7	217	196	2649	2749	12	14	38	31	115	109	1752	1841	15	17	24	17
5-	15	11	522	347	35	32	-	-	27	24	497	425	18	18	1	2	16	14	269	381	17	27	-	-
15-	17	13	293	249	17	19	-	-	26	27	349	506	13	19	5	7	37	34	708	600	19	18	6	2
45-	19	12	321	236	17	20	6	3	77	45	1403	887	18	20	21	10	97	75	2307	1965	24	26	42	22
65 & over	11	15	145	230	13	15	8	3	59	61	881	1067	15	17	30	21	114	94	2865	4296	25	46	64	43
N.S.	-	1	-	3	-	-	-	1	1	2	12	11	-	-	-	1	-	-	-	-	-	-	-	-
136. PRIMARY ATYPICAL PNEUMONIA																								492
All Ages	16	16	270	278	17	17	-	-	67	41	1351	694	20	17	1	-	68	66	1415	1606	21	24	1	2
0-	2	1	40	30	-	-	-	-	9	6	190	43	-	-	-	-	3	4	54	245	-	-	-	-
5-	1	2	9	22	-	-	-	-	8	10	194	228	-	23	-	-	6	6	68	127	-	-	-	-
15-	6	5	80	79	-	-	-	-	27	14	498	227	18	16	-	-	28	26	662	558	24	21	-	-
45-	5	6	120	99	-	-	-	-	19	9	380	158	20	-	1	-	24	23	507	491	21	21	1	1
65 & over	1	2	14	48	-	-	-	-	4	2	89	38	-	-	-	-	7	7	124	185	-	-	-	1
N.S.	1	-	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

137. PNEUMONIA, OTHER AND UNSPECIFIED — 493

All Ages	50	48	1201	1072	24	22	2	1	199	130	4089	2946	21	23	10	6	133	108	2666	3325	20	31	11	11
0-	9	10	204	229	-	23	1	-	30	32	664	692	22	22	-	2	13	16	129	352	10	22	-	1
5-	9	9	270	213	-	-	-	-	24	23	578	728	24	32	-	-	20	10	318	208	16	21	-	-
15-	11	13	277	268	25	21	-	-	51	30	826	583	16	19	-	-	44	29	801	468	18	16	2	3
45-	15	10	288	240	19	24	-	-	74	33	1622	675	22	20	6	3	36	30	902	771	25	26	2	1
65 & over	6	5	162	101	-	-	1	1	19	12	386	268	20	22	4	1	18	23	483	1526	27	66	6	6
N.S.	-	1	-	21	-	-	-	-	1	-	13	-	-	-	-	-	2	-	33	-	-	-	1	-

138. ACUTE BRONCHITIS — 500

All Ages	52	48	830	778	16	16	2	-	80	73	998	787	12	11	1	7	191	212	3773	3779	20	18	13	16
0-	25	21	409	294	16	14	1	-	35	21	406	205	12	10	-	4	90	76	1529	1115	17	15	2	3
5-	5	6	60	179	-	-	-	-	7	9	115	95	-	-	-	-	23	14	348	264	15	19	-	-
15-	6	8	53	99	-	-	-	-	11	14	127	140	12	10	-	1	11	31	199	466	18	15	-	-
45-	9	9	175	162	-	-	-	-	21	16	252	181	12	11	1	-	47	43	1232	948	26	22	6	4
65 & over	7	2	133	34	-	-	1	-	6	13	98	166	-	13	-	2	20	48	465	986	23	21	5	9
N.S.	-	2	-	10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

139. BRONCHITIS, CHRONIC AND UNQUALIFIED — 501, 502

All Ages	136	104	2651	2050	19	20	2	-	435	172	6997	2936	16	17	36	10	449	217	16437	6586	37	30	102	46
0-	29	19	472	315	16	17	-	-	68	47	839	546	12	12	3	3	33	21	500	263	15	13	-	-
5-	16	32	182	668	11	21	-	-	35	20	853	569	24	28	-	-	8	8	146	97	-	-	-	-
15-	20	14	374	319	19	23	-	-	54	33	804	496	15	15	1	-	35	27	650	372	19	14	1	-
45-	53	28	1231	583	23	21	1	-	218	43	3423	681	16	16	22	3	198	66	5727	1445	29	22	42	11
65 & over	18	11	392	165	22	15	1	-	59	26	1061	614	18	24	10	4	171	90	9358	4345	55	48	59	33
N.S.	-	-	-	-	-	-	-	-	1	3	17	30	-	-	-	-	4	5	86	64	-	-	-	2

140. SILICOSIS AND OCCUPATIONAL PULMONARY FIBROSIS — 523, 524

All Ages	-	-	-	-	-	-	-	-	270	-	4077	-	15	-	7	-	7	-	193	-	-	-	4	-
0-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
15-	-	-	-	-	-	-	-	-	102	-	1496	-	15	-	1	-	-	-	-	-	-	-	-	-
45-	-	-	-	-	-	-	-	-	152	-	2307	-	15	-	4	-	5	-	165	-	-	-	3	-
65 & over	-	-	-	-	-	-	-	-	16	-	274	-	17	-	2	-	1	-	25	-	-	-	-	-
N.S.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	3	-	-	-	1	-

TABLE H.2 (Contd.)

Age Group	LONDON TEACHING HOSPITALS								PROVINCIAL TEACHING HOSPITALS								HOSPITALS UNDER REGIONAL BOARDS							
	Total Discharges		Total Bed-days		Mean Bed-days		Deaths in the Hospital		Total Discharges		Total Bed-days		Mean Bed-days		Deaths in the Hospital		Total Discharges		Total Bed-days		Mean Bed-days		Deaths in the Hospital	
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
141. EMPYEMA																								**518**
All Ages	26	13	731	706	28	54	1	-	84	40	3094	1286	37	32	3	2	79	32	2858	852	36	27	6	3
0-	1	2	3	93	-	-	-	-	10	6	389	153	39	-	-	-	10	1	395	4	40	-	-	-
5-	2	2	132	22	-	-	-	-	4	8	250	382	-	-	-	-	4	3	93	101	-	-	-	-
15-	9	6	217	421	-	-	-	-	31	13	1186	378	38	29	-	-	21	17	818	421	39	25	-	1
45-	13	2	370	75	28	-	1	-	25	6	651	237	26	-	2	1	36	8	1420	248	39	-	4	1
65 & over	1	1	9	95	-	-	-	-	14	7	618	136	44	-	1	1	8	3	132	78	-	-	2	1
N.S.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
142. PLEURISY (NON TUBERCULOUS)																								**519**
All Ages	25	21	411	562	16	27	1	-	71	40	1218	799	17	20	1	-	46	48	998	1286	22	27	1	-
0-	-	-	-	-	-	-	-	-	1	1	2	14	-	-	-	-	-	-	-	-	-	-	-	-
5-	1	2	20	15	-	-	-	-	5	2	46	39	-	-	-	-	5	5	78	108	-	-	-	-
15-	19	17	313	527	16	31	1	-	32	19	498	346	16	18	-	-	24	32	599	993	25	31	-	-
45-	3	2	54	20	-	-	-	-	23	11	527	311	23	28	1	-	7	9	105	106	-	-	-	-
65 & over	2	-	24	-	-	-	-	-	10	6	145	85	14	-	-	-	10	2	216	79	22	-	1	-
N.S.	-	-	-	-	-	-	-	-	-	1	-	4	-	-	-	-	-	-	-	-	-	-	-	-
143. BRONCHIECTASIS																								**526**
All Ages	164	170	3705	4597	23	27	1	2	340	361	8633	8514	25	24	15	9	160	139	4185	3476	26	25	23	12
0-	6	12	173	704	-	59	-	-	13	26	672	1060	52	41	-	1	7	9	345	235	-	-	-	1
5-	76	68	1505	1558	20	23	-	-	100	97	3575	2911	36	30	-	-	30	48	554	1251	18	26	-	2
15-	50	65	1311	1861	26	29	1	1	118	181	2250	3549	19	20	4	3	49	43	1066	963	22	22	3	2
45-	26	23	614	428	24	19	-	1	86	44	1588	761	18	17	8	4	55	23	1611	518	29	23	13	5
65 & over	6	1	102	1	-	-	-	-	23	13	548	233	24	18	3	1	18	15	578	497	32	33	6	2
N.S.	-	1	-	45	-	-	-	-	-	-	-	-	-	-	-	-	1	1	31	12	-	-	1	-

144. ABSCESS OF LUNG — 521

All Ages	30	13	857	651	29	50	-	1	53	24	1643	715	31	30	6	4	36	12	818	327	23	27	7	2
0-	1	-	39	-	-	-	-	-	1	2	2	116	-	-	1	-	1	2	15	54	-	-	-	-
5-	2	1	22	104	-	-	-	-	2	-	36	-	-	-	-	-	4	2	72	118	-	-	-	-
15-	18	5	494	285	27	-	-	1	17	8	595	168	35	-	-	-	6	3	254	36	-	-	1	1
45-	8	7	243	262	-	-	-	-	30	10	946	284	32	28	4	2	21	5	455	119	22	-	2	1
65 & over	1	-	59	-	-	-	-	-	3	4	64	147	-	-	1	2	4	-	22	-	-	-	4	-
N.S.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

145. ALL OTHER DISEASES OF LUNG AND PLEURAL CAVITY — 520, 522, 525, 527

All Ages	140	121	3090	3359	22	28	4	3	225	119	3983	2258	18	19	13	13	87	50	2440	1234	28	25	21	11
0-	21	42	313	1528	15	36	1	1	26	17	582	434	22	26	1	2	9	7	114	183	-	-	-	-
5-	39	43	648	990	17	23	-	-	22	32	577	595	26	19	-	-	3	4	105	100	-	-	-	-
15-	40	23	1041	398	26	17	-	1	60	34	963	644	16	19	2	2	22	16	502	395	23	25	2	2
45-	33	11	966	366	29	35	2	1	98	29	1603	494	16	17	7	5	38	9	750	122	20	-	10	2
65 & over	7	2	122	57	-	-	1	-	17	7	238	91	14	-	2	4	15	14	969	434	65	31	9	7
N.S.	-	-	-	-	-	-	-	-	2	-	20	-	-	-	1	-	-	-	-	-	-	-	-	-

146. DISORDERS OF TEETH AND SUPPORTING STRUCTURES — 530-535

All Ages	292	426	1280	1841	4	4	-	-	493	563	2505	2649	5	5	-	2	118	187	684	928	6	5	-	-
0-	15	12	80	38	5	3	-	-	23	10	219	99	10	10	-	-	7	9	52	29	-	-	-	-
5-	40	41	172	162	4	4	-	-	71	63	468	394	7	6	-	-	34	22	149	120	4	5	-	-
15-	174	274	635	1061	4	4	-	-	269	349	1287	1443	5	4	-	-	55	115	357	602	6	5	-	-
45-	50	79	229	478	5	6	-	-	104	119	408	622	4	5	-	-	14	32	96	142	7	4	-	-
65 & over	11	15	160	83	15	6	-	-	24	22	110	91	5	4	-	2	7	7	29	24	-	-	-	-
N.S.	2	5	4	19	-	-	-	-	2	-	13	-	-	-	-	-	1	2	1	11	-	-	-	-

147. ALL OTHER DISEASES OF BUCCAL CAVITY; DISEASES OF OESOPHAGUS — 536-539

All Ages	108	99	1210	1668	11	17	1	2	231	219	2778	2801	12	13	4	3	62	100	995	1101	16	11	1	2
0-	12	11	181	154	15	14	-	1	25	26	592	412	24	16	1	-	23	29	406	374	18	13	-	-
5-	7	3	75	38	-	-	-	-	16	12	163	105	10	9	-	-	5	14	107	135	-	10	-	-
15-	49	33	513	463	10	14	-	-	89	71	836	772	9	11	1	2	11	33	59	230	5	7	-	-
45-	27	33	294	607	11	18	-	1	69	86	689	1244	10	14	-	1	13	11	72	131	6	12	-	-
65 & over	12	15	144	373	12	25	1	-	31	24	467	268	15	11	2	-	10	12	351	219	35	18	1	2
N.S.	1	4	3	33	-	-	-	-	1	-	31	-	-	-	-	-	-	1	-	12	-	-	-	-

TABLE H.2 (Contd.)

Age Group	LONDON TEACHING HOSPITALS								PROVINCIAL TEACHING HOSPITALS								HOSPITALS UNDER REGIONAL BOARDS							
	Total Discharges		Total Bed-days		Mean Bed-days		Deaths in the Hospital		Total Discharges		Total Bed-days		Mean Bed-days		Deaths in the Hospital		Total Discharges		Total Bed-days		Mean Bed-days		Deaths in the Hospital	
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
148. ULCER OF STOMACH																								**540**
All Ages	453	180	12462	5376	28	30	22	6	1295	444	26547	10151	20	23	67	17	579	239	14280	6408	25	27	61	25
0-	1	-	41	-	-	-	-	-	1	1	62	14	-	-	-	-	-	1	-	6	-	-	-	-
5-	-	1	-	20	-	-	-	-	4	3	49	13	-	-	-	-	-	1	-	2	-	-	-	-
15-	119	44	3044	1165	26	26	2	-	461	126	8360	2765	18	22	14	1	172	54	3750	1336	22	25	5	4
45-	273	90	7748	2555	28	28	14	4	711	238	15785	5476	22	23	36	6	318	123	8363	3355	26	27	28	9
65 & over	57	45	1550	1636	27	36	6	2	116	76	2251	1883	19	25	17	10	85	59	2063	1704	24	29	28	12
N.S.	3	-	79	-	-	-	-	-	2	-	40	-	-	-	-	-	4	1	104	5	-	-	-	-
149. ULCER OF DUODENUM																								**541**
All Ages	620	124	16634	3543	27	29	13	2	2974	480	56089	10084	19	21	106	14	1022	214	23611	5701	23	27	35	5
0-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5-	2	-	35	-	-	-	-	-	6	3	64	59	-	-	-	-	3	-	76	-	-	-	-	-
15-	281	58	6759	1558	24	27	3	1	1405	193	26035	3825	19	20	17	2	478	87	10223	1911	21	22	8	-
45-	306	54	8884	1574	29	29	10	1	1383	237	26564	5289	19	22	57	6	439	107	10343	3041	24	28	15	3
65 & over	30	10	938	305	31	30	-	-	174	47	3294	911	19	19	32	6	95	19	2783	682	29	36	12	2
N.S.	1	2	18	106	-	-	-	-	6	-	132	-	-	-	-	-	7	1	186	67	-	-	-	-
150. GASTROJEJUNAL ULCER																								**542**
All Ages	30	5	822	194	27	-	-	-	103	13	2298	276	22	21	6	-	22	6	726	163	33	-	-	-
0-	1	-	27	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
15-	5	-	86	-	-	-	-	-	29	3	647	22	22	-	1	-	7	-	169	-	-	-	-	-
45-	22	4	604	125	27	-	-	-	68	8	1443	217	21	-	4	-	9	1	363	18	-	-	-	-
65 & over	2	1	105	69	-	-	-	-	5	2	194	37	-	-	1	-	6	5	194	145	-	-	-	-
N.S.	-	-	-	-	-	-	-	-	1	-	14	-	-	-	-	-	-	-	-	-	-	-	-	-

151. ALL OTHER DISEASES OF STOMACH AND DUODENUM — 543-545

All Ages	97	81	1904	1624	20	20	-	1	577	363	8327	4505	14	12	14	7	201	135	3595	2452	18	18	2	1
0-	6	10	124	396	-	40	-	-	21	13	421	112	20	9	1	1	11	8	151	83	14	-	-	-
5-	2	4	11	63	-	-	-	-	8	12	175	108	-	9	-	-	3	5	26	27	-	-	-	-
15-	41	32	771	501	19	16	-	-	203	142	2433	1421	12	10	4	-	78	50	1111	581	14	12	2	-
45-	39	28	730	492	19	18	-	-	275	136	3912	1981	14	15	7	3	81	42	1591	743	20	18	-	-
65 & over	8	6	255	157	-	-	-	1	68	56	1367	818	20	15	2	3	28	29	716	983	26	34	-	1
N.S.	1	1	13	15	-	-	-	-	2	4	19	65	-	-	-	-	-	1	-	35	-	-	-	-

152. INGUINAL HERNIA WITHOUT OBSTRUCTION — 560.0

All Ages	942	153	13122	2066	14	14	1	-	2630	378	34883	5068	13	13	3	-	1092	172	15266	2311	14	13	3	2
0-	183	23	1919	252	10	11	-	-	386	36	3706	350	10	10	1	-	114	9	1044	75	9	-	-	-
5-	92	18	1037	165	11	9	-	-	203	65	2070	651	10	10	-	-	69	20	733	179	11	9	-	-
15-	316	60	4611	831	15	14	-	-	955	144	12906	1954	14	14	-	-	405	81	5811	1072	14	13	1	-
45-	294	46	4696	709	16	15	1	-	945	109	14040	1683	15	15	2	-	426	51	6291	765	15	15	2	1
65 & over	55	6	833	109	15	-	-	-	137	23	2075	401	15	17	-	-	75	11	1353	220	18	20	-	1
N.S.	2	-	26	-	-	-	-	-	4	1	86	29	-	-	-	-	3	-	34	-	-	-	-	-

153. OTHER HERNIA WITHOUT OBSTRUCTION — 560 rdr.

All Ages	228	304	3308	4798	15	16	4	2	595	828	7860	11781	13	14	12	8	198	269	2764	3887	14	14	3	2
0-	61	81	574	771	9	10	2	2	133	158	974	1018	7	6	6	2	52	57	400	367	8	6	1	1
5-	12	21	149	232	12	11	-	-	30	60	213	549	7	9	1	-	11	15	93	206	8	14	-	-
15-	57	65	861	1044	15	16	1	-	143	207	2003	2939	14	14	1	-	23	68	367	942	16	14	-	-
45-	83	106	1421	2105	17	20	-	-	248	313	4011	5616	16	18	4	4	93	89	1577	1612	17	18	1	-
65 & over	14	30	301	636	22	21	1	-	40	89	645	1635	16	18	-	2	17	39	298	744	18	19	1	1
N.S.	1	1	2	10	-	-	-	-	1	1	14	24	-	-	-	-	2	1	29	16	-	-	-	-

154. HERNIA OF ABDOMINAL CAVITY WITH OBSTRUCTION — 561

All Ages	61	44	886	765	15	17	-	2	346	247	4380	3655	13	15	20	29	203	141	3239	2153	16	15	15	18
0-	6	2	81	55	-	-	-	-	50	5	406	29	8	-	-	1	24	1	207	9	9	-	-	-
5-	-	-	-	-	-	-	-	-	10	1	97	2	10	-	-	-	1	-	8	-	-	-	-	-
15-	9	7	124	93	-	-	-	-	48	29	716	408	15	14	1	1	21	25	256	323	12	13	-	1
45-	24	23	341	424	14	18	-	1	95	91	1271	1354	13	15	6	7	57	42	763	646	13	15	5	5
65 & over	21	12	324	193	15	16	-	1	143	121	1890	1862	13	15	13	20	98	69	1967	1132	20	16	10	11
N.S.	1	-	16	-	-	-	-	-	-	-	-	-	-	-	-	-	2	4	38	43	-	-	-	1

TABLE H.2 (Contd.)

Age Group	LONDON TEACHING HOSPITALS								PROVINCIAL TEACHING HOSPITALS								HOSPITALS UNDER REGIONAL BOARDS							
	Total Discharges		Total Bed-days		Mean Bed-days		Deaths in the Hospital		Total Discharges		Total Bed-days		Mean Bed-days		Deaths in the Hospital		Total Discharges		Total Bed-days		Mean Bed-days		Deaths in the Hospital	
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
155. ACUTE APPENDICITIS WITHOUT MENTION OF PERITONITIS																								550.0
All Ages	269	301	3105	4033	12	13	-	-	1711	1684	19629	18469	11	11	8	6	863	821	10759	9535	12	12	-	4
0-	21	5	242	52	12	-	-	-	34	20	445	285	13	14	-	-	31	25	455	369	15	15	-	1
5-	73	68	870	738	12	11	-	-	437	311	4994	3461	11	11	2	2	257	173	2987	1884	12	11	-	-
15-	149	187	1641	1987	11	11	-	-	1026	1119	10975	11280	11	10	3	1	460	510	5587	5668	12	11	-	-
45-	26	32	352	1131	14	35	-	-	181	194	2554	2775	14	14	1	1	96	86	1438	1210	15	14	-	1
65 & over	-	6	-	96	-	-	-	-	27	37	617	647	23	17	2	2	14	25	213	389	15	16	-	2
N.S.	-	3	-	29	-	-	-	-	6	3	44	21	-	-	-	-	5	2	79	15	-	-	-	-
156. ACUTE APPENDICITIS WITH PERITONITIS																								550.1
All Ages	43	33	914	701	21	21	1	-	419	323	7484	5997	18	19	28	14	263	224	4846	4322	18	19	13	14
0-	9	3	175	58	-	-	-	-	40	24	740	390	18	16	4	2	17	25	318	453	19	18	-	2
5-	10	1	190	11	19	-	-	-	78	59	1423	1123	18	19	3	1	71	50	1129	915	16	18	1	1
15-	16	22	281	479	18	22	-	-	197	130	3549	2302	18	18	7	4	102	70	1928	1369	19	20	4	1
45-	6	7	226	153	-	-	1	-	71	83	1162	1587	16	19	6	4	51	60	1096	1240	21	21	2	6
65 & over	2	-	42	-	-	-	-	-	33	27	610	595	18	22	8	3	22	19	375	345	17	18	6	4
N.S.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
157. ALL OTHER APPENDICITIS AND DISEASES OF APPENDIX																								551-553
All Ages	207	497	2638	6361	13	13	1	-	633	1134	7623	13230	12	12	-	1	432	640	5563	8176	13	13	5	1
0-	12	6	165	90	14	-	1	-	5	9	71	134	-	-	-	-	6	4	79	76	-	-	-	-
5-	38	60	495	874	13	15	-	-	133	118	1454	1225	11	10	-	-	120	91	1378	1170	11	13	-	-
15-	128	394	1514	4809	12	12	-	-	386	894	4421	10084	11	11	-	-	251	453	3303	5444	13	12	2	1
45-	27	33	369	545	14	17	-	-	97	103	1433	1552	15	15	-	-	45	75	678	1231	15	16	2	-
65 & over	1	1	79	7	-	-	-	-	11	10	241	235	22	24	-	1	5	13	76	206	-	16	1	-
N.S.	1	3	16	36	-	-	-	-	1	-	3	-	-	-	-	-	5	4	49	49	-	-	-	-

158. INTUSSUSCEPTION 570.0

All Ages	31	15	353	171	11	11	1	1	120	77	1013	741	8	10	7	8	31	18	314	165	10	9	2	1
0-	28	14	301	158	11	11	1	1	110	69	924	585	8	8	5	6	27	17	271	157	10	9	-	1
5-	-	1	-	13	-	-	-	-	4	6	56	58	-	-	-	2	4	-	43	-	-	-	2	-
15-	1	-	22	-	-	-	-	-	4	1	31	23	-	-	-	-	-	-	-	-	-	-	-	-
45-	-	-	-	-	-	-	-	-	2	1	2	75	-	-	2	-	-	-	-	-	-	-	-	-
65 & over	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
N.S.	2	-	30	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	8	-	-	-	-

159. OTHER INTESTINAL OBSTRUCTION WITHOUT MENTION OF HERNIA 570 rdr.

All Ages	39	51	858	1247	22	24	5	6	225	213	3461	3132	15	15	39	35	142	166	2191	2675	15	16	31	34
0-	5	7	64	64	-	-	1	2	14	12	121	125	9	10	6	3	1	1	11	6	-	-	-	-
5-	1	3	55	86	-	-	-	1	17	4	304	37	18	-	2	1	9	6	133	59	-	-	-	1
15-	9	19	164	628	-	33	-	1	59	59	998	802	17	14	4	5	34	26	613	416	18	16	5	2
45-	11	15	216	329	20	22	1	2	72	66	1287	1100	18	17	7	11	57	57	926	1158	16	20	12	6
65 & over	11	6	333	119	30	-	3	-	62	72	745	1068	12	15	20	15	40	74	507	990	13	13	13	24
N.S.	2	1	26	21	-	-	-	-	1	-	6	-	-	-	-	-	1	2	1	46	-	-	1	1

160. GASTRO-ENTERITIS AND COLITIS, EXCEPT ULCERATIVE, AGE 4 WEEKS AND OVER 571

All Ages	142	123	2220	1770	16	14	5	3	369	304	5819	4494	16	15	24	13	383	273	7168	5334	19	20	22	21
0-	90	62	1671	1187	20	19	4	2	263	182	5044	3241	19	18	21	13	278	182	6018	4066	22	22	21	19
5-	8	5	161	44	-	-	-	-	10	12	47	80	5	7	-	-	21	7	153	86	7	-	-	1
15-	24	29	142	159	6	5	1	-	62	61	425	477	7	8	-	-	52	54	654	474	13	9	-	-
45-	12	18	171	245	14	14	-	-	24	43	209	525	9	12	3	-	26	22	265	330	10	15	-	1
65 & over	5	5	54	94	-	-	-	1	10	6	94	171	9	-	-	-	6	7	78	356	-	-	1	-
N.S.	3	4	21	41	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	22	-	-	-	-

161. CHRONIC ENTERITIS AND ULCERATIVE COLITIS 572

All Ages	73	108	2214	3469	30	32	-	2	213	316	6153	8064	29	26	10	21	85	113	2970	4161	35	37	10	12
0-	3	-	154	-	-	-	-	-	5	2	132	47	-	-	-	-	1	1	22	16	-	-	-	-
5-	-	2	-	115	-	-	-	-	3	5	138	315	-	-	-	-	2	-	70	-	-	-	-	-
15-	40	43	1507	1676	38	39	-	1	77	117	2992	3816	39	33	2	7	31	47	1634	1737	53	37	3	5
45-	19	39	340	827	18	21	-	-	84	115	2151	2767	26	24	2	8	28	40	657	1285	23	32	1	2
65 & over	11	21	213	731	19	35	-	1	44	76	740	1055	17	14	6	6	23	24	587	1109	26	46	6	5
N.S.	-	3	-	120	-	-	-	-	-	1	-	64	-	-	-	-	-	1	-	14	-	-	-	-

TABLE H.2 (Contd.)

Age Group	LONDON TEACHING HOSPITALS								PROVINCIAL TEACHING HOSPITALS								HOSPITALS UNDER REGIONAL BOARDS							
	Total Discharges		Total Bed-days		Mean Bed-days		Deaths in the Hospital		Total Discharges		Total Bed-days		Mean Bed-days		Deaths in the Hospital		Total Discharges		Total Bed-days		Mean Bed-days		Deaths in the Hospital	
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
162. ANAL FISSURE AND FISTULA																								**574**
All Ages	56	54	1190	1267	21	23	-	-	202	144	3820	2246	19	16	-	1	61	61	1094	862	18	14	-	-
0-	3	1	22	11	-	-	-	-	6	2	87	53	-	-	-	-	4	2	32	38	-	-	-	-
5-	1	1	12	13	-	-	-	-	5	-	83	-	-	-	-	-	3	1	90	1	-	-	-	-
15-	31	33	500	856	16	26	-	-	101	86	1734	1281	17	15	-	-	32	34	555	569	17	17	-	-
45-	20	19	635	387	32	20	-	-	79	52	1574	847	20	16	-	-	18	18	331	212	18	12	-	-
65 & over	1	-	21	-	-	-	-	-	10	4	277	65	28	-	-	1	4	6	86	42	-	-	-	-
N.S.	-	-	-	-	-	-	-	-	1	-	65	-	-	-	-	-	-	-	-	-	-	-	-	-
163. ABSCESS OF ANAL AND RECTAL REGIONS																								**575**
All Ages	57	36	978	693	17	19	1	-	215	72	2865	1249	13	17	3	-	88	46	1386	920	16	20	-	2
0-	3	-	43	-	-	-	-	-	8	6	86	66	-	-	-	-	4	5	64	66	-	-	-	-
5-	1	4	5	49	-	-	-	-	9	-	133	-	-	-	-	-	6	3	80	25	-	-	-	-
15-	38	20	582	373	15	19	-	-	113	38	1213	518	11	14	-	-	45	23	684	522	15	23	-	-
45-	14	10	303	243	22	24	1	-	68	22	1187	551	17	25	1	-	28	12	480	193	17	16	-	1
65 & over	1	1	45	23	-	-	-	-	17	6	246	114	14	-	2	-	5	3	78	114	-	-	-	1
N.S.	-	1	-	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
164. ALL OTHER DISEASES OF INTESTINES AND PERITONEUM																								**573, 576-578**
All Ages	148	200	2958	3759	20	19	3	2	485	556	6957	9077	14	16	20	13	195	282	2848	3978	15	14	14	14
0-	28	41	508	662	18	16	1	-	69	35	944	428	14	12	1	1	27	29	336	237	12	8	-	-
5-	26	16	474	571	18	36	-	-	52	31	796	379	15	12	-	-	29	24	287	188	10	8	-	1
15-	39	61	745	916	19	15	-	1	147	207	1979	3025	13	15	4	1	46	101	643	1186	14	12	-	2
45-	41	43	843	737	21	17	1	1	147	192	2202	3591	15	19	11	8	60	81	1038	1318	17	16	6	6
65 & over	14	39	388	873	28	22	1	-	70	87	1036	1603	15	18	4	3	32	46	543	1046	17	23	7	5
N.S.	-	-	-	-	-	-	-	-	-	4	-	51	-	-	-	-	1	1	1	3	-	-	1	-

165. CIRRHOSIS OF LIVER — 581

All Ages	59	26	910	651	15	25	12	4	123	87	2432	1818	20	21	26	14	35	29	985	745	28	26	8	10
0-	4	2	96	27	-	-	1	-	1	1	28	10	-	-	-	-	-	-	-	-	-	-	-	-
5-	-	1	-	10	-	-	-	-	7	7	255	165	-	-	2	1	-	-	-	-	-	-	-	-
15-	2	5	15	144	-	-	1	1	35	17	982	308	28	18	8	2	6	7	155	218	-	-	2	-
45-	36	11	414	376	12	34	7	3	69	49	965	1083	14	22	12	9	19	13	617	351	32	27	3	5
65 & over	17	7	385	94	23	-	3	-	11	13	202	252	18	19	4	2	9	9	188	176	-	-	3	5
N.S.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	25	-	-	-	-	-

166. OTHER DISEASES OF LIVER, DISEASES OF PANCREAS — 580, 582, 583, 587

All Ages	25	45	618	1318	25	29	5	3	79	105	1871	2454	24	23	18	19	33	35	1029	970	31	28	6	12
0-	13	22	302	581	23	26	3	1	10	10	195	333	20	33	4	5	3	3	39	150	-	-	-	-
5-	2	6	73	196	-	-	-	1	4	3	96	18	-	-	-	1	2	1	90	45	-	-	-	-
15-	1	5	56	118	-	-	-	-	23	26	516	711	22	27	5	2	14	6	425	61	30	-	1	3
45-	5	12	102	423	-	35	2	1	27	49	658	1037	24	21	6	7	12	15	424	436	35	29	4	9
65 & over	3	-	73	-	-	-	-	-	14	17	343	355	24	21	3	4	2	10	51	278	-	28	1	-
N.S.	1	-	12	-	-	-	-	-	1	-	63	-	-	-	-	-	-	-	-	-	-	-	-	-

167. CHOLELITHIASIS — 584

All Ages	45	143	1156	2738	26	19	3	3	130	661	3030	14098	23	21	6	28	49	174	1070	4144	22	24	1	9
0-	-	-	-	-	-	-	-	-	-	1	-	38	-	-	-	-	-	-	-	-	-	-	-	-
5-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
15-	16	46	390	764	24	17	-	-	24	148	368	2910	15	20	-	-	5	45	94	888	-	20	-	-
45-	20	78	505	1594	25	20	1	-	72	370	1749	7928	24	21	4	6	32	90	647	2218	20	25	-	2
65 & over	9	19	261	380	-	20	2	3	34	141	913	3207	27	23	2	22	12	38	329	999	27	26	1	7
N.S.	-	-	-	-	-	-	-	-	-	1	-	15	-	-	-	-	-	1	-	39	-	-	-	-

168. CHOLECYSTITIS WITHOUT MENTION OF CALCULI — 585

All Ages	32	102	760	2204	24	22	-	2	152	548	2566	10186	17	19	13	10	74	278	1548	5859	21	21	6	11
0-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5-	1	-	13	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	13	-	-	-	-
15-	10	29	155	618	16	21	-	1	29	148	467	2475	16	17	-	-	16	52	275	798	17	15	-	-
45-	14	59	308	1199	22	20	-	1	81	281	1457	5502	18	20	2	4	38	136	815	3037	21	22	3	3
65 & over	7	14	284	387	-	28	-	-	40	116	601	2179	15	19	11	6	20	86	458	1958	23	23	3	8
N.S.	-	-	-	-	-	-	-	-	2	3	41	30	-	-	-	-	-	3	-	53	-	-	-	-

TABLE H.2 (Contd.)

Age Group	LONDON TEACHING HOSPITALS								PROVINCIAL TEACHING HOSPITALS								HOSPITALS UNDER REGIONAL BOARDS							
	Total Discharges		Total Bed-days		Mean Bed-days		Deaths in the Hospital		Total Discharges		Total Bed-days		Mean Bed-days		Deaths in the Hospital		Total Discharges		Total Bed-days		Mean Bed-days		Deaths in the Hospital	
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
169. OTHER DISEASES OF GALLBLADDER AND BILIARY DUCTS																								586
All Ages	9	18	371	424	-	24	1	-	22	58	433	1280	20	22	2	2	9	33	215	809	-	25	1	3
0-	1	-	29	-	-	-	-	-	2	1	25	61	-	-	1	-	-	-	-	-	-	-	-	-
5-	-	-	-	-	-	-	-	-	1	-	8	-	-	-	-	-	-	-	-	-	-	-	-	-
15-	2	4	209	79	-	-	-	-	3	12	105	246	-	20	-	-	-	6	-	98	-	-	-	-
45-	5	12	127	315	-	26	1	-	9	39	202	871	-	22	-	-	6	19	134	445	-	23	-	2
65 & over	1	2	6	30	-	-	-	-	7	6	93	102	-	-	1	2	3	7	81	265	-	-	1	1
N.S.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-
170. ACUTE NEPHRITIS																								590
All Ages	38	43	1543	1898	41	44	1	2	121	92	3455	2563	29	28	6	5	88	61	3153	3059	36	50	4	3
0-	13	11	368	440	28	40	-	-	12	18	243	374	20	21	2	1	19	7	714	228	38	-	-	-
5-	14	19	736	980	53	52	1	1	54	33	1604	1230	30	37	1	1	30	35	1153	2065	38	59	1	-
15-	6	12	216	457	-	38	-	1	42	35	1186	847	28	24	2	2	34	12	1094	410	32	34	3	2
45-	5	1	223	21	-	-	-	-	12	5	410	97	34	-	1	1	4	5	108	251	-	-	-	1
65 & over	-	-	-	-	-	-	-	-	1	1	12	15	-	-	-	-	-	1	-	61	-	-	-	-
N.S.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	84	44	-	-	-	-
171. CHRONIC, OTHER AND UNSPECIFIED NEPHRITIS (INCLUDING RENAL SCLEROSIS)																								591-594
All Ages	58	54	2439	2193	42	41	13	9	231	166	5559	3742	24	23	44	33	69	59	3254	1997	47	34	29	20
0-	8	8	701	510	-	-	1	1	20	16	826	633	41	40	2	3	8	-	1138	-	-	-	1	-
5-	10	9	341	144	34	-	1	-	26	23	1004	710	39	31	2	2	7	3	199	136	-	-	3	-
15-	23	26	797	1021	35	39	6	4	120	90	2733	1888	23	21	19	11	23	27	789	713	34	26	5	5
45-	13	9	385	461	30	-	4	4	54	29	871	448	16	15	15	11	18	21	563	640	31	30	12	10
65 & over	4	2	215	57	-	-	1	-	10	8	124	63	12	-	5	6	13	8	565	508	43	-	8	5
N.S.	-	-	-	-	-	-	-	-	1	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-

172. INFECTIONS OF KIDNEY — 600

All Ages	39	133	755	2319	19	17	1	4	163	409	3412	6714	21	16	15	15	69	226	1594	3768	23	17	11	11
0-	6	19	108	441	-	23	-	-	10	28	347	729	35	26	2	1	8	26	133	571	-	22	-	-
5-	3	21	112	324	-	15	-	-	10	38	186	717	19	19	1	1	4	19	35	312	-	16	-	1
15-	19	62	305	932	16	15	-	1	79	230	1428	3044	18	13	3	2	28	125	561	1663	20	13	3	1
45-	7	23	122	491	-	21	1	-	49	79	1172	1536	24	19	3	7	16	38	560	905	35	24	2	5
65 & over	4	8	108	131	-	-	-	3	14	32	271	660	19	21	6	4	13	18	305	317	23	18	6	4
N.S.	-	-	-	-	-	-	-	-	1	2	8	28	-	-	-	-	-	-	-	-	-	-	-	-

173. CALCULI OF URINARY SYSTEM — 602,604

All Ages	117	69	2402	1544	21	22	2	1	356	212	6954	4202	20	20	11	8	103	61	1914	1256	19	21	2	2
0-	10	3	313	116	31	-	-	-	10	3	399	149	40	-	1	-	-	-	-	-	-	-	-	-
5-	3	4	65	89	-	-	-	-	8	6	141	232	-	-	-	-	2	-	32	-	-	-	-	-
15-	43	37	886	813	21	22	-	-	170	105	2828	1976	17	19	-	2	53	36	975	629	18	17	-	-
45-	47	19	805	452	17	24	1	1	121	84	2223	1657	18	20	6	4	28	19	521	436	19	23	-	-
65 & over	13	5	326	71	25	-	1	-	46	12	1358	149	30	12	4	2	19	6	385	191	20	-	2	2
N.S.	1	1	7	3	-	-	-	-	1	2	5	38	-	-	-	-	1	-	1	-	-	-	-	-

174. CYSTITIS — 605

All Ages	33	76	522	1399	16	18	1	1	105	218	1278	2342	12	11	1	3	71	105	1657	1968	23	19	1	-
0-	1	-	7	-	-	-	-	-	-	4	-	162	-	-	-	-	1	3	17	59	-	-	-	-
5-	-	4	-	118	-	-	-	-	1	7	14	87	-	-	-	-	1	3	20	108	-	-	-	-
15-	12	32	266	688	22	22	-	-	32	92	284	943	9	10	-	2	19	46	158	713	8	16	-	-
45-	13	28	175	372	13	13	-	1	45	80	588	835	13	10	-	1	25	33	276	628	11	19	1	-
65 & over	7	10	74	191	-	19	1	-	27	35	392	315	15	9	1	-	25	18	1186	441	47	24	-	-
N.S.	-	2	-	30	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	19	-	-	-	-

175. STRICTURE OF URETHRA — 608

All Ages	42	2	553	3	13	-	-	-	201	16	2454	149	12	9	7	-	85	4	1081	14	13	-	5	1
0-	4	-	68	-	-	-	-	-	9	-	58	-	-	-	-	-	2	-	26	-	-	-	-	-
5-	2	-	5	-	-	-	-	-	5	-	58	-	-	-	-	-	4	-	37	-	-	-	-	-
15-	7	-	80	-	-	-	-	-	43	3	533	21	12	-	1	-	9	1	145	1	-	-	1	-
45-	14	2	203	3	14	-	-	-	84	7	1063	82	13	-	3	-	43	3	635	13	15	-	1	1
65 & over	15	-	197	-	13	-	-	-	60	6	742	46	12	-	3	-	25	-	207	-	8	-	3	-
N.S.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	31	-	-	-	-	-

TABLE H.2 (Contd.)

Age Group	LONDON TEACHING HOSPITALS								PROVINCIAL TEACHING HOSPITALS								HOSPITALS UNDER REGIONAL BOARDS							
	Total Discharges		Total Bed-days		Mean Bed-days		Deaths in the Hospital		Total Discharges		Total Bed-days		Mean Bed-days		Deaths in the Hospital		Total Discharges		Total Bed-days		Mean Bed-days		Deaths in the Hospital	
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
176. OTHER DISEASES OF URETHRA																								607, 609
All Ages	34	65	444	906	13	14	-	1	79	286	1388	2922	18	10	1	1	34	70	689	603	20	9	1	-
0-	11	4	85	44	8	-	-	-	14	9	163	145	12	-	-	-	2	2	34	11	-	-	1	-
5-	4	3	80	145	-	-	-	-	7	3	29	33	-	-	-	-	1	1	4	18	-	-	-	-
15-	8	12	87	125	-	10	-	-	20	56	271	685	14	12	1	-	14	14	271	112	19	8	-	-
45-	7	28	106	361	-	13	-	-	27	153	604	1500	22	10	-	-	12	29	271	250	23	9	-	-
65 & over	4	18	86	233	-	13	-	1	11	65	321	559	29	9	-	1	4	24	95	212	-	9	-	-
N.S.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	14	-	-	-	-	-
177. ALL OTHER DISEASES OF URINARY SYSTEM																								601, 603, 606
All Ages	110	115	2378	2546	22	22	2	1	214	280	4513	5468	21	20	11	5	101	85	1982	1300	20	15	4	1
0-	11	5	292	199	27	-	2	1	6	4	181	101	-	-	3	-	1	-	28	-	-	-	-	-
5-	13	8	270	205	21	-	-	-	18	13	642	443	36	34	2	-	4	1	157	22	-	-	-	-
15-	35	53	666	926	19	17	-	-	98	150	1787	2717	18	18	-	1	36	54	588	595	16	11	-	-
45-	28	39	594	950	21	24	-	-	70	90	1531	1803	22	20	3	4	40	24	757	518	19	22	2	-
65 & over	23	10	556	266	24	27	-	-	22	22	372	402	17	18	3	-	20	6	452	165	23	-	2	1
N.S.	-	-	-	-	-	-	-	-	-	1	-	2	-	-	-	-	-	-	-	-	-	-	-	-
178. HYPERPLASIA OF PROSTATE																								610
All Ages	268	-	7620	-	28	-	11	-	1156	-	27960	-	24	-	111	-	623	-	18524	-	30	-	81	-
0-	-	-	-	-	-	-	-	-	1	-	40	-	-	-	-	-	-	-	-	-	-	-	-	-
5-	-	-	-	-	-	-	-	-	1	-	16	-	-	-	-	-	-	-	-	-	-	-	-	-
15-	5	-	122	-	-	-	-	-	15	-	227	-	15	-	1	-	10	-	324	-	32	-	1	-
45-	100	-	2581	-	26	-	1	-	368	-	8299	-	23	-	13	-	183	-	4495	-	25	-	9	-
65 & over	163	-	4917	-	30	-	10	-	762	-	19177	-	25	-	97	-	428	-	13651	-	32	-	70	-
N.S.	-	-	-	-	-	-	-	-	9	-	201	-	-	-	-	-	2	-	54	-	-	-	1	-

179. HYDROCELE — 613

All Ages	117	-	1513	-	13	-	-	-	307	-	3954	-	13	-	-	-	104	-	1279	-	12	-	1	-
0-	20	-	189	-	9	-	-	-	48	-	409	-	9	-	-	-	11	-	75	-	7	-	1	-
5-	15	-	137	-	9	-	-	-	28	-	480	-	17	-	-	-	11	-	91	-	8	-	-	-
15-	38	-	483	-	13	-	-	-	92	-	1156	-	13	-	-	-	27	-	320	-	12	-	-	-
45-	39	-	594	-	15	-	-	-	106	-	1506	-	14	-	-	-	43	-	554	-	13	-	-	-
65 & over	4	-	98	-	-	-	-	-	32	-	392	-	12	-	-	-	11	-	230	-	21	-	-	-
N.S.	1	-	12	-	-	-	-	-	1	-	11	-	-	-	-	-	1	-	9	-	-	-	-	-

180. REDUNDANT PREPUCE AND PHIMOSIS — 615

All Ages	300	-	1385	-	5	-	-	-	396	-	1930	-	5	-	-	-	187	-	1049	-	6	-	-	-
0-	223	-	804	-	4	-	-	-	155	-	496	-	3	-	-	-	93	-	449	-	5	-	-	-
5-	43	-	304	-	7	-	-	-	87	-	407	-	5	-	-	-	52	-	289	-	6	-	-	-
15-	20	-	151	-	8	-	-	-	106	-	619	-	6	-	-	-	28	-	203	-	7	-	-	-
45-	9	-	64	-	-	-	-	-	29	-	237	-	8	-	-	-	10	-	90	-	9	-	-	-
65 & over	4	-	59	-	-	-	-	-	18	-	170	-	9	-	-	-	3	-	17	-	-	-	-	-
N.S.	1	-	3	-	-	-	-	-	1	-	1	-	-	-	-	-	1	-	1	-	-	-	-	-

181. ALL OTHER DISEASES OF MALE GENITAL ORGANS — 611, 612, 614, 616, 617

All Ages	134	-	1617	-	12	-	2	-	328	-	4346	-	13	-	5	-	124	-	1738	-	14	-	-	-
0-	11	-	78	-	7	-	-	-	21	-	118	-	6	-	-	-	7	-	72	-	-	-	-	-
5-	4	-	23	-	-	-	-	-	12	-	100	-	8	-	-	-	10	-	84	-	8	-	-	-
15-	54	-	686	-	13	-	-	-	125	-	1642	-	13	-	1	-	47	-	598	-	13	-	-	-
45-	50	-	663	-	13	-	1	-	131	-	1844	-	14	-	2	-	39	-	645	-	17	-	-	-
65 & over	13	-	152	-	12	-	1	-	39	-	642	-	16	-	2	-	19	-	334	-	18	-	-	-
N.S.	2	-	15	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	5	-	-	-	-	-

182. ACUTE MASTITIS NOT ASSOCIATED WITH LACTATION — 621.0

All Ages	7	60	37	788	-	10	-	-	7	197	60	1893	-	10	-	-	-	107	-	939	-	9	-	-
0-	2	1	12	19	-	-	-	-	2	2	9	27	-	-	-	-	-	1	-	5	-	-	-	-
5-	-	-	-	-	-	-	-	-	-	4	-	19	-	-	-	-	-	1	-	13	-	-	-	-
15-	2	61	14	553	-	9	-	-	5	171	51	1587	-	9	-	-	-	98	-	835	-	9	-	-
45-	3	14	11	176	-	13	-	-	-	18	-	189	-	10	-	-	-	6	-	76	-	-	-	-
65 & over	-	3	-	33	-	-	-	-	-	2	-	71	-	-	-	-	-	1	-	10	-	-	-	-
N.S.	-	1	-	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

TABLE H.2 (Contd.)

Age Group	LONDON TEACHING HOSPITALS								PROVINCIAL TEACHING HOSPITALS								HOSPITALS UNDER REGIONAL BOARDS							
	Total Discharges		Total Bed-days		Mean Bed-days		Deaths in the Hospital		Total Discharges		Total Bed-days		Mean Bed-days		Deaths in the Hospital		Total Discharges		Total Bed-days		Mean Bed-days		Deaths in the Hospital	
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
183. CHRONIC CYSTIC AND OTHER DISEASES OF BREAST																								620, 621 rdr.
All Ages	13	219	144	2258	11	10	-	-	39	344	416	3204	11	9	-	2	7	91	63	758	-	8	-	-
0-	-	-	-	-	-	-	-	-	-	1	-	10	-	-	-	-	-	-	-	-	-	-	-	-
5-	2	1	20	11	-	-	-	-	2	-	16	-	-	-	-	-	-	-	-	-	-	-	-	-
15-	4	132	58	1316	-	10	-	-	20	197	173	1593	9	8	-	-	4	46	43	272	-	6	-	-
45-	4	79	29	846	-	11	-	-	12	137	157	1527	13	11	-	-	2	40	15	398	-	10	-	-
65 & over	3	5	37	66	-	-	-	-	5	7	70	66	-	-	-	2	1	4	5	84	-	-	-	-
N.S.	-	2	-	19	-	-	-	-	-	2	-	8	-	-	-	-	-	1	-	4	-	-	-	-
184. SALPINGITIS AND OÖPHORITIS																								622-624
All Ages	-	143	-	2268	-	16	-	-	-	428	-	6414	-	15	-	4	-	188	-	2836	-	15	-	2
0-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5-	-	-	-	-	-	-	-	-	-	5	-	42	-	-	-	-	-	4	-	38	-	-	-	1
15-	-	132	-	2076	-	16	-	-	-	387	-	5761	-	15	-	3	-	172	-	2621	-	15	-	1
45-	-	9	-	177	-	-	-	-	-	31	-	518	-	17	-	1	-	10	-	138	-	14	-	-
65 & over	-	-	-	-	-	-	-	-	-	1	-	65	-	-	-	-	-	1	-	23	-	-	-	-
N.S.	-	2	-	15	-	-	-	-	-	4	-	28	-	-	-	-	-	1	-	16	-	-	-	-
185. OTHER DISEASES OF OVARY AND FALLOPIAN TUBE																								625
All Ages	-	49	-	786	-	16	-	-	-	344	-	3921	-	11	-	2	-	50	-	707	-	14	-	-
0-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5-	-	1	-	12	-	-	-	-	-	4	-	40	-	-	-	-	-	1	-	18	-	-	-	-
15-	-	43	-	719	-	17	-	-	-	244	-	2851	-	12	-	2	-	43	-	555	-	13	-	-
45-	-	5	-	55	-	-	-	-	-	94	-	1006	-	11	-	-	-	6	-	134	-	-	-	-
65 & over	-	-	-	-	-	-	-	-	-	2	-	24	-	-	-	-	-	-	-	-	-	-	-	-
N.S.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

186. DISEASES OF PARAMETRIUM AND PELVIC PERITONEUM (FEMALE) — 626

All Ages	-	29	-	708	-	24	-	-	-	178	-	3128	-	18	-	4	-	68	-	1374	-	20	-	1
0-	-	1	-	25	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	55	-	-	-	-
5-	-	1	-	25	-	-	-	-	-	5	-	259	-	-	-	-	-	1	-	23	-	-	-	-
15-	-	21	-	446	-	21	-	-	-	137	-	2126	-	16	-	2	-	58	-	1164	-	20	-	1
45-	-	4	-	72	-	-	-	-	-	34	-	727	-	21	-	2	-	4	-	47	-	-	-	-
65 & over	-	2	-	140	-	-	-	-	-	1	-	11	-	-	-	-	-	3	-	85	-	-	-	-
N.S.	-	-	-	-	-	-	-	-	-	1	-	5	-	-	-	-	-	-	-	-	-	-	-	-

187. INFECTIVE DISEASES OF UTERUS — 630.0, 630.1

All Ages	-	298	-	3110	-	10	-	-	-	1117	-	10737	-	10	-	3	-	339	-	2488	-	7	-	-
0-	-	1	-	3	-	-	-	-	-	3	-	17	-	-	-	-	-	-	-	-	-	-	-	-
5-	-	2	-	20	-	-	-	-	-	2	-	30	-	-	-	-	-	2	-	6	-	-	-	-
15-	-	235	-	2431	-	10	-	-	-	889	-	8335	-	9	-	1	-	251	-	1872	-	7	-	-
45-	-	55	-	602	-	11	-	-	-	202	-	2082	-	10	-	2	-	75	-	534	-	7	-	-
65 & over	-	3	-	38	-	-	-	-	-	21	-	273	-	13	-	-	-	5	-	26	-	-	-	-
N.S.	-	2	-	16	-	-	-	-	-	-	-	-	-	-	-	-	-	6	-	50	-	-	-	-

188. VAGINITIS AND VULVITIS — 630.2

All Ages	-	97	-	964	-	10	-	-	-	390	-	3869	-	10	-	-	-	78	-	696	-	9	-	-
0-	-	10	-	165	-	16	-	-	-	9	-	75	-	-	-	-	-	3	-	30	-	-	-	-
5-	-	6	-	95	-	-	-	-	-	11	-	188	-	17	-	-	-	4	-	81	-	-	-	-
15-	-	48	-	282	-	6	-	-	-	229	-	2351	-	10	-	-	-	42	-	409	-	10	-	-
45-	-	28	-	264	-	9	-	-	-	109	-	985	-	9	-	-	-	20	-	121	-	6	-	-
65 & over	-	5	-	158	-	-	-	-	-	32	-	270	-	8	-	-	-	9	-	55	-	-	-	-
N.S.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

189. UTEROVAGINAL PROLAPSE — 631

All Ages	-	785	-	18499	-	24	-	4	-	2948	-	58338	-	20	-	11	-	740	-	14700	-	20	-	3
0-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	4	-	-	-	-
15-	-	270	-	6162	-	23	-	-	-	986	-	18696	-	19	-	-	-	255	-	4823	-	19	-	-
45-	-	396	-	9444	-	24	-	2	-	1627	-	32489	-	20	-	6	-	379	-	7690	-	20	-	-
65 & over	-	115	-	2796	-	24	-	2	-	334	-	7139	-	21	-	5	-	101	-	2106	-	21	-	3
N.S.	-	4	-	97	-	-	-	-	-	1	-	14	-	-	-	-	-	4	-	77	-	-	-	-

TABLE H.2 (Contd.)

Age Group	LONDON TEACHING HOSPITALS								PROVINCIAL TEACHING HOSPITALS								HOSPITALS UNDER REGIONAL BOARDS							
	Total Discharges		Total Bed-days		Mean Bed-days		Deaths in the Hospital		Total Discharges		Total Bed-days		Mean Bed-days		Deaths in the Hospital		Total Discharges		Total Bed-days		Mean Bed-days		Deaths in the Hospital	
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
190. MALPOSITION OF UTERUS																								632
All Ages	-	142	-	1883	-	13	-	-	-	463	-	5559	-	12	-	1	-	149	-	1651	-	11	-	-
0-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
15-	-	133	-	1797	-	14	-	-	-	443	-	5264	-	12	-	1	-	140	-	1544	-	11	-	-
45-	-	8	-	83	-	-	-	-	-	20	-	295	-	15	-	-	-	7	-	46	-	-	-	-
65 & over	-	1	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	10	-	-	-	-
N.S.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	51	-	-	-	-
191. DISORDERS OF MENSTRUATION																								634
All Ages	-	899	-	8857	-	10	-	-	-	2595	-	21401	-	8	-	1	-	886	-	7499	-	8	-	3
0-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5-	-	-	-	-	-	-	-	-	-	14	-	118	-	8	-	-	-	4	-	10	-	-	-	-
15-	-	654	-	6311	-	10	-	-	-	1899	-	15157	-	8	-	-	-	641	-	5000	-	8	-	1
45-	-	233	-	2408	-	10	-	-	-	652	-	5908	-	9	-	1	-	228	-	2344	-	10	-	1
65 & over	-	8	-	56	-	-	-	-	-	27	-	208	-	8	-	-	-	9	-	96	-	-	-	1
N.S.	-	4	-	82	-	-	-	-	-	3	-	10	-	-	-	-	-	4	-	49	-	-	-	-
192. STERILITY, FEMALE																								636
All Ages	-	308	-	1837	-	6	-	1	-	581	-	3387	-	6	-	-	-	189	-	779	-	4	-	-
0-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
15-	-	306	-	1829	-	6	-	1	-	578	-	3382	-	6	-	-	-	185	-	760	-	4	-	-
45-	-	2	-	8	-	-	-	-	-	1	-	3	-	-	-	-	-	3	-	13	-	-	-	-
65 & over	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
N.S.	-	-	-	-	-	-	-	-	-	2	-	2	-	-	-	-	-	1	-	6	-	-	-	-

193. ALL OTHER DISEASES OF FEMALE GENITAL ORGANS — 633, 635, 637

All Ages	-	410	-	5083	-	12	-	-	-	1456	-	15094	-	10	-	1	-	423	-	4604	-	11	-	4
0-	-	-	-	-	-	-	-	-	-	2	-	9	-	-	-	-	-	1	-	19	-	-	-	-
5-	-	2	-	28	-	-	-	-	-	21	-	135	-	6	-	-	-	3	-	29	-	-	-	
15-	-	220	-	2787	-	13	-	-	-	662	-	6719	-	10	-	1	-	241	-	2321	-	10	-	-
45-	-	183	-	1943	-	12	-	-	-	657	-	6486	-	10	-	-	-	149	-	1907	-	13	-	3
65 & over	-	21	-	292	-	14	-	-	-	111	-	1722	-	16	-	-	-	26	-	297	-	11	-	1
N.S.	-	4	-	33	-	-	-	-	-	3	-	23	-	-	-	-	-	3	-	31	-	-	-	-

194. PREGNANCY, NOT OTHERWISE SPECIFIED — 64X

All Ages	-	152	-	1031	-	7	-	-	-	995	-	5001	-	5	-	-	-	483	-	2662	-	6	-	-
0-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
15-	-	152	-	1031	-	7	-	-	-	989	-	4934	-	5	-	-	-	479	-	2578	-	5	-	-
45-	-	-	-	-	-	-	-	-	-	6	-	67	-	-	-	-	-	2	-	69	-	-	-	-
65 & over	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
N.S.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	15	-	-	-	-

195. PYELITIS AND OTHER INFECTIONS OF GENITO-URINARY TRACT DURING PREGNANCY — 640, 641

All Ages	-	60	-	819	-	14	-	-	-	278	-	3224	-	12	-	2	-	139	-	1621	-	12	-	1
0-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
15-	-	59	-	808	-	14	-	-	-	275	-	3200	-	12	-	1	-	137	-	1584	-	12	-	1
45-	-	-	-	-	-	-	-	-	-	2	-	19	-	-	-	1	-	2	-	37	-	-	-	-
65 & over	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
N.S.	-	1	-	11	-	-	-	-	-	1	-	5	-	-	-	-	-	-	-	-	-	-	-	-

196. TOXAEMIAS OF PREGNANCY — 642

All Ages	-	382	-	7260	-	19	-	1	-	2399	-	35495	-	15	-	12	-	858	-	13989	-	16	-	4
0-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5-	-	-	-	-	-	-	-	-	-	2	-	16	-	-	-	-	-	-	-	-	-	-	-	-
15-	-	378	-	7192	-	19	-	1	-	2371	-	35039	-	15	-	12	-	846	-	13743	-	16	-	3
45-	-	2	-	43	-	-	-	-	-	26	-	440	-	17	-	-	-	8	-	156	-	-	-	1
65 & over	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
N.S.	-	2	-	25	-	-	-	-	-	-	-	-	-	-	-	-	-	4	-	90	-	-	-	-

TABLE H.2 (Contd.)

Age Group	LONDON TEACHING HOSPITALS								PROVINCIAL TEACHING HOSPITALS								HOSPITALS UNDER REGIONAL BOARDS							
	Total Discharges		Total Bed-days		Mean Bed-days		Deaths in the Hospital		Total Discharges		Total Bed-days		Mean Bed-days		Deaths in the Hospital		Total Discharges		Total Bed-days		Mean Bed-days		Deaths in the Hospital	
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
197. HAEMORRHAGE OF PREGNANCY, NOTED BEFORE DELIVERY																								643, 644
All Ages	-	48	-	788	-	16	-	-	-	505	-	5978	-	12	-	2	-	223	-	2974	-	13	-	2
0-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
15-	-	47	-	773	-	16	-	-	-	502	-	5924	-	12	-	2	-	219	-	2941	-	13	-	2
45-	-	-	-	-	-	-	-	-	-	3	-	54	-	-	-	-	-	3	-	16	-	-	-	-
65 & over	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
N.S.	-	1	-	15	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	17	-	-	-	-
198. ECTOPIC PREGNANCY																								645
All Ages	-	59	-	957	-	16	-	1	-	180	-	2661	-	15	-	1	-	92	-	1561	-	17	-	2
0-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
15-	-	59	-	957	-	16	-	1	-	177	-	2597	-	15	-	1	-	92	-	1561	-	17	-	2
45-	-	-	-	-	-	-	-	-	-	3	-	64	-	-	-	-	-	-	-	-	-	-	-	-
65 & over	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
N.S.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
199. PREGNANCY WITH MALPOSITION OF FOETUS IN UTERUS																								647
All Ages	-	63	-	531	-	8	-	-	-	595	-	4022	-	7	-	3	-	240	-	1590	-	7	-	-
0-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
15-	-	60	-	508	-	8	-	-	-	591	-	3974	-	7	-	3	-	239	-	1577	-	7	-	-
45-	-	1	-	9	-	-	-	-	-	4	-	48	-	-	-	-	-	1	-	13	-	-	-	-
65 & over	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
N.S.	-	2	-	14	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

200. THREATENED ABORTION — 648.0

All Ages	-	48	-	459	-	10	-	-	-	272	-	2975	-	11	-	-	-	236	-	2436	-	10	-	-
0-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
15-	-	48	-	459	-	10	-	-	-	272	-	2975	-	11	-	-	-	234	-	2412	-	10	-	-
45-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	15	-	-	-	-
65 & over	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
N.S.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	9	-	-	-	-

201. ALL OTHER COMPLICATIONS ARISING FROM PREGNANCY — 646, 648 rdr.

All Ages	-	98	-	1404	-	14	-	-	-	769	-	7168	-	9	-	3	-	415	-	3722	-	9	-	1
0-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5-	-	-	-	-	-	-	-	-	-	1	-	3	-	-	-	-	-	-	-	-	-	-	-	-
15-	-	96	-	1374	-	14	-	-	-	759	-	7029	-	9	-	3	-	407	-	3639	-	9	-	1
45-	-	1	-	22	-	-	-	-	-	8	-	132	-	-	-	-	-	4	-	48	-	-	-	-
65 & over	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
N.S.	-	1	-	8	-	-	-	-	-	1	-	4	-	-	-	-	-	4	-	35	-	-	-	-

202. PREGNANCY ASSOCIATED WITH OTHER CONDITIONS — 649

All Ages	-	4	-	42	-	-	-	-	-	29	-	440	-	15	-	1	-	6	-	51	-	-	-	1
0-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
15-	-	4	-	42	-	-	-	-	-	28	-	435	-	16	-	-	-	6	-	51	-	-	-	1
45-	-	-	-	-	-	-	-	-	-	1	-	5	-	-	-	1	-	-	-	-	-	-	-	-
65 & over	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
N.S.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

203. ABORTION — 650-652

All Ages	-	435	-	3541	-	8	-	-	-	1589	-	13342	-	8	-	3	-	1726	-	14989	-	9	-	6
0-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
15-	-	428	-	3483	-	8	-	-	-	1568	-	13185	-	8	-	3	-	1701	-	14805	-	9	-	6
45-	-	6	-	49	-	-	-	-	-	16	-	136	-	8	-	-	-	17	-	120	-	7	-	-
65 & over	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
N.S.	-	1	-	9	-	-	-	-	-	4	-	20	-	-	-	-	-	8	-	64	-	-	-	-

TABLE H.2 (Contd.)

Age Group	LONDON TEACHING HOSPITALS								PROVINCIAL TEACHING HOSPITALS								HOSPITALS UNDER REGIONAL BOARDS							
	Total Discharges		Total Bed-days		Mean Bed-days		Deaths in the Hospital		Total Discharges		Total Bed-days		Mean Bed-days		Deaths in the Hospital		Total Discharges		Total Bed-days		Mean Bed-days		Deaths in the Hospital	
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
204. DELIVERY WITHOUT MENTION OF COMPLICATION AND SPECIFIED AS SPONTANEOUS OR NORMAL																								660.0
All Ages	-	1311	-	16406	-	13	-	-	-	5599	-	59308	-	11	-	5	-	5052	-	53567	-	11	-	1
0-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5-	-	-	-	-	-	-	-	-	-	3	-	42	-	-	-	-	-	-	-	-	-	-	-	-
15-	-	1302	-	16303	-	13	-	-	-	5577	-	59043	-	11	-	5	-	5020	-	53259	-	11	-	1
45-	-	2	-	23	-	-	-	-	-	19	-	223	-	12	-	-	-	16	-	149	-	9	-	-
65 & over	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
N.S.	-	7	-	80	-	-	-	-	-	-	-	-	-	-	-	-	-	16	-	159	-	10	-	-
205. DELIVERY WITHOUT MENTION OF COMPLICATION BUT SPECIFIED AS ASSISTED																								660.1-660.5
All Ages	-	207	-	3949	-	19	-	-	-	960	-	14900	-	16	-	7	-	180	-	2857	-	16	-	-
0-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5-	-	-	-	-	-	-	-	-	-	1	-	3	-	-	-	-	-	-	-	-	-	-	-	-
15-	-	204	-	3869	-	19	-	-	-	951	-	14727	-	15	-	7	-	178	-	2832	-	16	-	-
45-	-	2	-	60	-	-	-	-	-	8	-	170	-	-	-	-	-	1	-	14	-		-	-
65 & over	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
N.S.	-	1	-	20	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	11	-	-	-	-
206. DELIVERY WITHOUT MENTION OF COMPLICATION AND NOT SPECIFIED AS TO TYPE																								660.6-660.7
All Ages	-	2511	-	30551	-	12	-	1	-	3566	-	42928	-	12	-	3	-	2719	-	32513	-	12	-	1
0-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5-	-	1	-	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
15-	-	2491	-	30325	-	12	-	1	-	3545	-	42684	-	12	-	3	-	2680	-	32020	-	12	-	1
45-	-	9	-	107	-	-	-	-	-	19	-	225	-	12	-	-	-	9	-	141	-	-	-	-
65 & over	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
N.S.	-	10	-	111	-	11	-	-	-	2	-	19	-	-	-	-	-	30	-	352	-	12	-	-

207. DELIVERY (ALL TYPES) COMPLICATED BY PLACENTA PRAEVIA OR ANTEPARTUM HAEMORRHAGE 670

All Ages	-	50	-	1140	-	23	-	-	-	159	-	2560	-	16	-	1	-	115	-	1681	-	15	-	-
0-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
15-	-	50	-	1140	-	23	-	-	-	156	-	2517	-	16	-	-	-	115	-	1681	-	15	-	-
45-	-	-	-	-	-	-	-	-	-	3	-	43	-	-	-	1	-	-	-	-	-	-	-	-
65 & over	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
N.S.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

208. DELIVERY (ALL TYPES) COMPLICATED BY RETAINED PLACENTA OR BY OTHER POSTPARTUM HAEMORRHAGE 671, 672

All Ages	-	204	-	2747	-	13	-	1	-	509	-	5585	-	11	-	-	-	375	-	3962	-	11	-	3
0-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
15-	-	203	-	2738	-	13	-	1	-	509	-	5585	-	11	-	-	-	368	-	3909	-	11	-	3
45-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	5	-	37	-	-	-	-
65 & over	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
N.S.	-	1	-	9	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	16	-	-	-	-

209. DELIVERY (ALL TYPES) COMPLICATED BY ABNORMALITY OF BONY PELVIS; BY DISPROPORTION OR MALPOSITION OF FOETUS; BY OTHER PROLONGED LABOUR 673-675

All Ages	-	517	-	8011	-	15	-	1	-	1546	-	21319	-	14	-	3	-	436	-	5430	-	12	-	2
0-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
15-	-	514	-	7974	-	16	-	1	-	1543	-	21299	-	14	-	3	-	431	-	5391	-	13	-	2
45-	-	1	-	7	-	-	-	-	-	3	-	20	-	-	-	-	-	2	-	15	-	-	-	-
65 & over	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
N.S.	-	2	-	30	-	-	-	-	-	-	-	-	-	-	-	-	-	3	-	24	-	-	-	-

210. DELIVERY (ALL TYPES) WITH LACERATION OF PERINEUM, WITHOUT MENTION OF OTHER LACERATION 676

All Ages	-	248	-	2957	-	12	-	-	-	1307	-	13312	-	10	-	-	-	295	-	2630	-	9	-	-
0-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5-	-	-	-	-	-	-	-	-	-	1	-	9	-	-	-	-	-	-	-	-	-	-	-	-
15-	-	248	-	2957	-	12	-	-	-	1306	-	13303	-	10	-	-	-	295	-	2630	-	9	-	-
45-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
65 & over	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
N.S.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

TABLE H.2 (Contd.)

Age Group	LONDON TEACHING HOSPITALS								PROVINCIAL TEACHING HOSPITALS								HOSPITALS UNDER REGIONAL BOARDS							
	Total Discharges		Total Bed-days		Mean Bed-days		Deaths in the Hospital		Total Discharges		Total Bed-days		Mean Bed-days		Deaths in the Hospital		Total Discharges		Total Bed-days		Mean Bed-days		Deaths in the Hospital	
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
211. DELIVERY (ALL TYPES) WITH OTHER TRAUMA OR WITH OTHER COMPLICATIONS OF CHILDBIRTH																								677, 678
All Ages	-	196	-	3097	-	16	-	-	-	540	-	6157	-	11	-	2	-	299	-	3440	-	12	-	1
0-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	--	-	-	-	-	-
15-	-	193	-	3064	-	16	-	-	-	539	-	6150	-	11	-	2	-	298	-	3430	-	12	-	1
45-	-	1	-	13	-	-	-	-	-	1	-	7	-	-	-	-	-	1	-	10	-	-	-	-
65 & over	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
N.S.	-	2	-	20	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
212. COMPLICATIONS OF THE PUERPERIUM																								680-689
All Ages	-	28	-	1253	-	45	-	-	-	131	-	1773	-	14	-	-	-	162	-	2698	-	17	-	5
0-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
15-	-	27	-	1241	-	46	-	-	-	130	-	1743	-	13	-	-	-	160	-	2683	-	17	-	4
45-	-	1	-	12	-	-	-	-	-	1	-	30	-	-	-	-	-	1	-	4	-	-	-	1
65 & over	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
N.S.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	11	-	-	-	-
213. INFECTIONS OF SKIN OF FACE, HEAD AND NECK (EXCLUDING EYE)																								690.0, 690.1, 692.0, 693.0
All Ages	63	59	541	552	9	9	-	-	318	297	2856	2492	9	8	-	1	152	139	1664	1291	11	9	-	1
0-	14	14	200	165	14	12	-	-	96	92	937	857	10	9	-	-	45	44	491	488	11	11	-	-
5-	8	7	78	50	-	-	-	-	59	58	583	425	10	7	-	-	34	24	390	178	11	7	-	-
15-	29	24	160	223	6	9	-	-	99	94	719	691	7	7	-	-	47	46	422	332	9	7	-	1
45-	11	7	100	60	9	-	-	-	50	42	445	388	9	9	-	1	16	11	233	116	15	11	-	-
65 & over	-	4	-	28	-	-	-	-	13	8	163	113	13	-	-	-	9	14	120	177		13	-	-
N.S.	1	3	3	26	-	-	-	-	1	3	9	18	-	-	-	-	1	-	8	-	-	-	-	-

214. OTHER INFECTIONS OF SKIN AND SUBCUTANEOUS TISSUE

690 rdr, 691, 692 rdr, 693 rdr, 694-698

All Ages	181	196	1791	1861	10	9	-	-	674	463	7414	5190	11	11	3	4	334	283	4519	3727	14	13	7	1
0-	28	28	330	352	12	13	-	-	94	66	907	538	10	8	-	-	56	52	477	821	9	16	-	-
5-	28	19	306	248	11	13	-	-	121	62	1370	952	11	15	-	-	59	55	745	582	13	11	1	-
15-	73	103	681	805	9	8	-	-	285	177	2629	1606	9	9	1	-	119	97	1566	984	13	10	1	-
45-	39	28	360	223	9	8	-	-	136	112	1933	1477	14	13	-	2	71	51	998	772	14	15	4	1
65 & over	12	11	110	190	9	17	-	-	34	41	522	578	15	14	2	2	28	27	720	567	26	21	1	-
N.S.	1	7	4	43	-	-	-	-	4	5	53	39	-	-	-	-	1	1	13	1	-	-	-	-

215. ECZEMA

701

All Ages	93	63	2780	1725	30	27	1	1	167	95	4226	2516	25	26	-	-	83	51	3630	2058	44	40	1	1
0-	35	15	331	424	27	28	-	1	34	16	759	417	22	26	-	-	16	9	812	570	51	-	-	-
5-	2	2	51	36	-	-	-	-	11	15	275	541	25	36	-	-	2	3	74	88	-	-	-	-
15-	28	20	763	486	27	24	-	-	62	25	1537	447	25	18	-	-	23	17	747	498	32	29	-	-
45-	17	17	608	546	36	32	-	-	43	32	1205	885	28	28	-	-	26	10	898	405	35	40	-	-
65 & over	10	9	275	233	28	-	1	-	17	7	450	226	26	-	-	-	16	11	1.099	479	69	44	1	1
N.S.	1	-	152	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	18	-	-	-	-

216. DERMATITIS

700, 702, 703

All Ages	60	39	2576	1013	43	26	1	-	195	139	3809	2857	20	21	1	2	96	54	3941	1593	41	30	5	1
0-	6	1	134	52	-	-	-	-	7	4	95	72	-	-	-	-	4	2	134	56	-	-	1	-
5-	-	3	-	50	-	-	-	-	1	4	9	65	-	-	-	-	1	3	38	47	-	-	-	-
15-	26	6	726	149	28	-	-	-	97	60	1764	954	18	16	-	1	38	19	1196	530	31	28	-	-
45-	21	25	1546	661	74	26	1	-	66	49	1340	1163	20	24	-	1	38	20	1399	512	37	26	1	-
65 & over	6	4	155	101	-	-	-	-	24	22	601	603	25	27	1	-	14	10	1134	448	81	45	3	1
N.S.	1	-	15	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	40	-	-	-	-	-

217. PSORIASIS AND SIMILAR DISORDERS

706

All Ages	24	40	1133	1616	47	40	-	-	81	108	1647	2149	20	20	-	-	11	12	393	261	36	22	-	-
0-	-	-	-	-	-	-	-	-	4	2	46	39	-	-	-	-	-	-	-	-	-	-	-	-
5-	-	2	-	66	-	-	-	-	14	26	177	456	13	18	-	-	1	1	11	29	-	-	-	-
15-	13	20	696	851	54	43	-	-	39	52	793	887	20	17	-	-	5	6	161	95	-	-	-	-
45-	8	13	340	501	-	39	-	-	19	18	528	472	28	26	-	-	4	5	172	137	-	-	-	-
65 & over	3	4	97	192	-	-	-	-	5	10	103	295	-	30	-	-	1	-	49	-	-	-	-	-
N.S.	-	1	-	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

TABLE H.2 (Contd.)

Age Group	LONDON TEACHING HOSPITALS								PROVINCIAL TEACHING HOSPITALS								HOSPITALS UNDER REGIONAL BOARDS							
	Total Discharges		Total Bed-days		Mean Bed-days		Deaths in the Hospital		Total Discharges		Total Bed-days		Mean Bed-days		Deaths in the Hospital		Total Discharges		Total Bed-days		Mean Bed-days		Deaths in the Hospital	
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
218. ALL OTHER DISEASES OF SKIN AND SUBCUTANEOUS TISSUE																								704, 705, 707-716
All Ages	214	307	5062	7489	24	24	2	2	368	534	6368	10047	17	19	2	4	159	224	4148	6404	26	29	5	6
0-	11	22	219	518	20	24	-	-	16	13	346	123	22	9	-	-	6	7	79	205	-	-	-	-
5-	27	29	448	1061	17	37	-	-	40	45	583	1310	15	29	-	-	15	12	268	588	18	49	-	-
15-	95	129	2398	2726	25	21	-	-	185	240	2658	4019	14	17	1	-	71	83	1239	1280	17	15	-	-
45-	58	103	1215	2507	21	24	1	1	89	185	1693	3571	19	19	1	2	36	77	825	2493	23	32	-	1
65 & over	22	23	675	590	31	26	1	1	38	48	1088	1006	29	21	-	2	28	43	1562	1746	56	41	5	5
N.S.	1	1	107	87	-	-	-	-	-	3	-	18	-	-	-	-	3	2	175	92	-	-	-	-
219. RHEUMATOID ARTHRITIS AND ALLIED CONDITIONS																								722
All Ages	109	116	7118	6293	65	54	2	-	163	276	6119	10934	38	40	3	2	102	145	7769	13853	76	96	4	13
0-	3	2	82	131	-	-	1	-	2	8	32	1011	-	-	-	1	1	-	23	-	-	-	-	-
5-	10	7	732	167	73	-	-	-	10	9	612	417	61	-	-	-	2	2	191	138	-	-	-	-
15-	53	42	4274	2392	81	57	-	-	74	100	2778	3769	38	38	2	1	36	39	2088	2338	58	60	-	1
45-	38	58	1380	3338	36	58	1	-	70	140	2473	4976	35	36	1	-	47	76	3487	7226	74	95	1	6
65 & over	4	7	102	245	-	-	-	-	6	18	187	714	-	40	-	-	16	26	1980	3847	124	148	3	5
N.S.	1	-	548	-	-	-	-	-	1	1	37	47	-	-	-	-	-	2	-	304	-	-	-	1
220. OSTEO-ARTHRITIS AND ALLIED CONDITIONS																								723
All Ages	95	151	3060	5623	32	37	-	2	229	215	5211	5411	23	25	2	2	54	74	2207	2680	41	36	5	1
0-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5-	1	1	7	89	-	-	-	-	1	1	30	13	-	-	-	-	-	-	-	-	-	-	-	-
15-	17	35	552	1354	32	39	-	-	44	26	787	623	18	24	1	-	7	11	245	140	-	13	-	1
45-	59	89	1806	2965	31	33	-	-	141	141	3043	3785	22	27	1	1	31	40	1015	1158	33	29	-	-
65 & over	16	25	509	1208	32	48	-	2	41	45	1296	960	32	21	-	1	16	23	947	1382	59	60	5	-
N.S.	2	1	186	7	-	-	-	-	2	2	55	30	-	-	-	-	-	-	-	-	-	-	-	-

221. ALL OTHER ARTHRITIS; ARTHRITIS NOT OTHERWISE SPECIFIED — 720, 721, 724, 725

All Ages	80	80	4084	4533	51	57	-	-	117	118	3144	2774	27	24	1	-	49	58	2170	2332	44	40	1	2
0-	5	6	219	395	-	-	-	-	9	13	235	239	-	18	1	-	7	4	195	134	-	-	-	1
5-	8	13	1166	1822	-	140	-	-	29	14	765	481	26	34	-	-	15	10	362	349	24	35	-	-
15-	44	31	1579	1207	36	39	-	-	41	41	1096	1027	27	25	-	-	13	17	359	616	28	36	-	-
45-	20	25	990	861	50	34	-	-	33	38	961	735	29	19	-	-	8	19	323	1079	-	57	-	1
65 & over	2	4	40	235	-	-	-	-	5	11	87	278	-	25	-	-	6	7	931	145	-	-	1	-
N.S.	1	1	90	13	-	-	-	-	-	1	-	14	-	-	-	-	-	1	-	9	-	-	-	-

222. ACUTE AND SUBACUTE RHEUMATISM — 727A, 727B

All Ages	14	17	573	896	41	53	-	-	48	71	2209	3972	46	56	-	-	87	70	5954	4550	68	65	-	2
0-	-	3	-	364	-	-	-	-	1	3	12	253	-	-	-	-	3	2	187	169	-	-	-	-
5-	7	5	186	297	-	-	-	-	25	33	1544	2547	62	77	-	-	59	32	4313	2402	73	75	-	2
15-	6	9	371	235	-	-	-	-	17	27	489	912	29	34	-	-	19	30	1132	1803	60	60	-	-
45-	1	-	16	-	-	-	-	-	4	7	138	206	-	-	-	-	6	5	322	139	-	-	-	-
65 & over	-	-	-	-	-	-	-	-	1	1	26	54	-	-	-	-	-	1	-	37	-	-	-	-
N.S.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

223. MUSCULAR AND OTHER ILL-DEFINED RHEUMATISM — 726, 727 rdr.

All Ages	46	49	619	726	13	15	-	-	84	93	1050	1537	12	17	-	-	41	68	903	1306	22	19	1	1
0-	7	10	98	220	-	22	-	-	9	8	75	88	-	-	-	-	3	3	44	58	-	-	-	-
5-	23	21	337	317	15	15	-	-	16	17	317	417	20	25	-	-	12	7	199	144	17	-	-	-
15-	10	15	130	156	13	10	-	-	24	29	246	367	10	13	-	-	15	30	409	425	27	14	-	-
45-	5	3	54	33	-	-	-	-	30	34	340	571	11	17	-	-	8	21	157	529	-	25	1	-
65 & over	-	-	-	-	-	-	-	-	5	4	72	92	-	-	-	-	3	6	94	116	-	-	-	1
N.S.	1	-	-	-	-	-	-	-	-	1	-	2	-	-	-	-	-	1	-	34	-	-	-	-

224. OSTEOMYELITIS AND PERIOSTITIS — 730

All Ages	146	66	5175	2078	35	31	-	1	408	187	9611	4351	24	23	-	1	161	68	4151	2134	26	31	-	1
0-	20	7	699	165	35	-	-	1	36	35	963	1012	27	29	-	-	14	5	252	198	18	-	-	-
5-	16	15	669	685	42	46	-	-	118	60	3368	1500	29	25	-	-	48	28	1392	723	29	26	-	-
15-	82	34	2825	948	34	28	-	-	180	74	3795	1447	21	20	-	1	54	21	1154	612	21	29	-	-
45-	21	8	528	171	25	-	-	-	66	15	1277	330	19	22	-	-	29	9	781	162	27	-	-	1
65 & over	5	2	106	109	-	-	-	-	7	3	192	62	-	-	-	-	16	3	572	99	36	-	-	-
N.S.	2	-	348	-	-	-	-	-	1	-	16	-	-	-	-	-	-	2	-	340	-	-	-	-

TABLE H.2 (Contd.)

Age Group	LONDON TEACHING HOSPITALS								PROVINCIAL TEACHING HOSPITALS								HOSPITALS UNDER REGIONAL BOARDS							
	Total Discharges		Total Bed-days		Mean Bed-days		Deaths in the Hospital		Total Discharges		Total Bed-days		Mean Bed-days		Deaths in the Hospital		Total Discharges		Total Bed-days		Mean Bed-days		Deaths in the Hospital	
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
225. ALL OTHER DISEASES OF BONE																								731-733
All Ages	88	45	4555	2752	52	61	3	1	131	87	7855	3854	60	44	-	2	24	33	834	1241	35	38	1	2
0-	13	3	816	121	63	-	-	-	11	4	1666	1527	151	-	-	-	-	1	-	93	-	-	-	-
5-	32	13	2660	1585	83	122	-	-	30	7	3979	557	133	-	-	-	1	6	10	259	-	-	-	-
15-	18	13	345	175	19	13	1	-	41	23	1052	295	26	13	-	1	11	9	133	313	12	-	1	-
45-	15	11	445	646	30	59	-	1	34	28	778	661	23	24	-	1	5	9	424	207	-	-	-	-
65 & over	10	5	289	225	29	-	2	-	15	23	380	677	25	29	-	-	7	8	267	369	-	-	-	2
N.S.	-	-	-	-	-	-	-	-	-	2	-	137	-	-	-	-	-	-	-	-	-	-	-	-
226. INTERNAL DERANGEMENT OF KNEE JOINT																								734
All Ages	217	40	3732	759	17	19	-	-	266	45	3746	698	14	16	-	-	166	17	1969	257	12	15	-	-
0-	1	-	25	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5-	5	7	103	109	-	-	-	-	3	5	46	63	-	-	-	-	4	-	44	-	-	-	-	-
15-	175	26	3032	529	17	20	-	-	233	34	3315	530	14	16	-	-	138	11	1635	164	12	15	-	-
45-	33	7	515	121	16	-	-	-	30	5	385	92	13	-	-	-	20	5	237	89	12	-	-	-
65 & over	1	-	24	-	-	-	-	-	-	1	-	13	-	-	-	-	1	1	16	4	-	-	-	-
N.S.	2	-	33	-	-	-	-	-	-	-	-	-	-	-	-	-	3	-	37	-	-	-	-	-
227. DISPLACEMENT OF INTERVERTEBRAL DISC																								735
All Ages	149	108	3878	2872	26	27	-	-	574	261	9264	5149	16	20	2	-	72	45	1343	1483	19	33	-	-
0-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5-	-	1	-	1	-	-	-	-	1	-	61	-	-	-	-	-	-	-	-	-	-	-	-	-
15-	98	81	2596	2266	26	28	-	-	373	182	5723	3824	15	21	1	-	48	30	883	964	18	32	-	-
45-	48	21	1222	459	25	22	-	-	191	72	3383	1198	18	17	1	-	24	11	460	408	19	37	-	-
65 & over	2	4	31	135	-	-	-	-	5	1	84	23	-	-	-	-	-	3	-	78	-	-	-	-
N.S.	1	1	29	11	-	-	-	-	4	6	13	104	-	-	-	-	-	1	-	33	-	-	-	-

228. ALL OTHER DISEASES OF JOINT — 736-738

All Ages	97	117	1796	2073	19	18	-	-	209	123	3752	1960	18	16	-	-	51	43	1066	592	21	14	-	-
0-	6	7	155	129	-	-	-	-	13	5	286	62	22	-	-	-	3	2	32	9	-	-	-	-
5-	8	14	206	578	-	41	-	-	19	8	328	173	17	-	-	-	7	10	352	315	-	32	-	-
15-	61	56	1263	838	21	15	-	-	128	56	2193	911	17	16	-	-	26	16	360	146	14	9	-	-
45-	17	35	154	469	9	13	-	-	45	46	762	698	17	15	-	-	11	13	242	112	22	9	-	-
65 & over	4	5	17	59	-	-	-	-	2	5	126	76	-	-	-	-	4	2	80	10	-	-	-	-
N.S.	1	-	1	-	-	-	-	-	2	3	57	40	-	-	-	-	-	-	-	-	-	-	-	-

229. HALLUX VALGUS AND VARUS — 747

All Ages	55	502	996	7798	18	16	-	-	30	189	432	2371	14	13	-	-	12	126	187	1708	16	14	-	-
0-	1	1	12	21	-	-	-	-	1	-	4	-	-	-	-	-	-	-	-	-	-	-	-	-
5-	2	15	38	249	-	17	-	-	2	1	16	2	-	-	-	-	-	3	-	7	-	-	-	-
15-	28	248	543	3808	19	15	-	-	15	79	267	992	18	13	-	-	8	49	115	536	-	11	-	-
45-	20	220	322	3473	16	16	-	-	10	89	124	1162	12	13	-	-	4	67	72	1102	-	16	-	-
65 & over	3	15	63	206	-	14	-	-	2	19	21	214	-	11	-	-	-	7	-	63	-	-	-	-
N.S.	1	3	18	41	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-

230. CLUBFOOT — 748

All Ages	197	107	5656	2620	29	24	-	-	193	120	2688	1675	14	14	-	-	33	20	705	414	21	21	-	-
0-	85	27	2371	593	28	22	-	-	100	36	1151	245	12	7	-	-	10	4	128	20	13	-	-	-
5-	69	37	1988	926	29	25	-	-	72	36	1229	615	17	17	-	-	12	9	337	204	28	-	-	-
15-	32	34	839	860	26	25	-	-	19	34	274	455	14	13	-	-	10	6	171	166	17	-	-	-
45-	10	8	458	225	46	-	-	-	2	10	34	327	-	33	-	-	1	1	69	24	-	-	-	-
65 & over	-	1	-	16	-	-	-	-	-	2	-	26	-	-	-	-	-	-	-	-	-	-	-	-
N.S.	1	-	-	-	-	-	-	-	-	2	-	7	-	-	-	-	-	-	-	-	-	-	-	-

231. ALL OTHER MUSCULO-SKELETAL DEFORMITIES — 745, 746, 749

All Ages	158	208	2789	3682	18	18	-	-	91	137	1494	2487	16	18	-	1	48	61	1315	700	27	11	-	-
0-	24	10	600	89	25	9	-	-	10	15	114	328	11	22	-	1	8	3	137	40	-	-	-	-
5-	34	41	861	921	25	22	-	-	17	36	308	1120	18	31	-	-	11	13	502	179	46	14	-	-
15-	60	93	829	1853	14	20	-	-	41	65	850	677	21	10	-	-	21	21	533	253	25	12	-	-
45-	40	53	499	705	12	13	-	-	19	18	175	322	9	18	-	-	6	19	114	221	-	12	-	-
65 & over	-	10	-	97	-	10	-	-	4	3	47	40	-	-	-	-	-	5	-	7	-	-	-	-
N.S.	-	1	-	17	-	-	-	-	-	-	-	-	-	-	-	-	2	-	29	-	-	-	-	-

TABLE H.2 (Contd.)

Age Group	LONDON TEACHING HOSPITALS								PROVINCIAL TEACHING HOSPITALS								HOSPITALS UNDER REGIONAL BOARDS							
	Total Discharges		Total Bed-days		Mean Bed-days		Deaths in the Hospital		Total Discharges		Total Bed-days		Mean Bed-days		Deaths in the Hospital		Total Discharges		Total Bed-days		Mean Bed-days		Deaths in the Hospital	
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
232. SYNOVITIS, BURSITIS AND TENOSYNOVITIS																								**741, 742**
All Ages	120	156	1347	1221	11	8	-	1	200	180	1794	1329	9	7	-	1	111	98	889	629	8	6	-	-
0-	8	3	228	72	-	-	-	-	11	13	85	116	8	9	-	-	11	3	173	24	16	-	-	-
5-	14	9	185	309	13	-	-	-	36	22	411	216	11	10	-	-	15	8	134	35	9	-	-	-
15-	54	103	513	544	10	5	-	-	95	92	759	630	8	7	-	1	45	52	288	323	6	6	-	-
45-	40	32	405	211	10	7	-	1	48	44	429	259	9	6	-	-	32	31	228	211	7	7	-	-
65 & over	4	8	16	82	-	-	-	-	9	8	108	106	-	-	-	-	8	4	66	36	-	-	-	-
N.S.	-	1	-	3	-	-	-	-	1	1	2	2	-	-	-	-	-	-	-	-	-	-	-	-
233. ALL OTHER DISEASES OF MUSCLE, TENDON AND FASCIA																								**740, 743, 744**
All Ages	113	115	1854	2448	16	21	1	2	152	92	2272	1845	15	20	3	2	36	16	1790	226	50	14	1	1
0-	14	10	198	162	14	16	-	1	6	5	143	418	-	-	1	1	1	1	14	27	-	-	-	-
5-	14	14	320	287	23	20	-	-	16	11	341	161	21	15	-	-	6	-	1430	-	-	-	1	-
15-	40	49	631	1420	16	29	-	1	61	44	986	750	16	17	-	-	8	8	124	74	-	-	-	1
45-	37	36	436	534	12	15	1	-	58	25	662	417	11	17	1	-	19	6	202	110	11	-	-	-
65 & over	7	5	52	41	-	-	-	-	11	6	140	87	13	-	1	1	2	1	20	15	-	-	-	-
N.S.	1	1	217	4	-	-	-	-	-	1	-	12	-	-	-	-	-	-	-	-	-	-	-	-
234. CONGENITAL MALFORMATIONS OF NERVOUS SYSTEM AND SENSE ORGANS																								**750-753**
All Ages	86	85	2157	2043	25	24	3	7	163	165	1977	2833	12	17	10	8	26	25	404	1139	16	46	7	10
0-	51	45	1140	948	22	21	1	5	73	104	955	1761	13	17	9	8	12	16	224	783	19	49	5	9
5-	17	20	399	642	23	32	1	-	50	30	546	568	11	19	-	-	12	6	126	88	10	-	1	1
15-	14	13	512	230	37	18	-	-	34	25	420	399	12	16	-	-	1	3	6	268	-	-	-	-
45-	2	1	12	18	-	-	-	-	3	6	34	105	-	-	-	-	-	-	-	-	-	-	-	-
65 & over	-	3	-	48	-	-	-	1	2	-	4	-	-	-	1	-	-	-	-	-	-	-	-	-
N.S.	2	3	94	157	-	-	1	1	1	-	18	-	-	-	-	-	1	-	48	-	-	-	1	-

235. CONGENITAL MALFORMATIONS OF CIRCULATORY SYSTEM — 754

All Ages	175	217	3835	4383	22	20	13	8	188	197	4192	3861	22	20	26	21	23	62	666	1631	29	26	5	6
0-	44	40	863	694	20	17	11	5	48	31	900	686	19	22	13	9	7	18	82	305	-	17	2	3
5-	79	115	1855	2162	23	19	1	3	67	101	1544	1808	23	18	3	6	3	27	61	945	-	35	-	-
15-	43	51	926	1182	22	23	1	-	58	56	1381	1094	24	20	9	6	9	13	459	301	-	23	2	-
45-	8	10	146	316	-	32	-	-	12	8	293	253	24	-	-	-	4	4	64	80	-	-	1	3
65 & over	1	1	45	29	-	-	-	-	2	-	20	-	-	-	1	-	-	-	-	-	-	-	-	-
N.S.	-	-	-	-	-	-	-	-	1	1	54	20	-	-	-	-	-	-	-	-	-	-	-	-

236. CLEFT PALATE AND HARELIP — 755

All Ages	226	121	2925	1505	13	12	-	-	306	202	5396	3453	18	17	1	2	9	12	83	146	-	12	-	1
0-	182	79	2438	1053	13	13	-	-	216	136	3662	2400	17	18	1	2	8	9	82	107	-	-	-	1
5-	30	28	328	301	11	11	-	-	52	39	1184	639	23	16	-	-	1	2	1	30	-	-	-	-
15-	13	12	144	151	11	13	-	-	34	27	501	414	15	15	-	-	-	1	-	9	-	-	-	-
45-	-	-	-	-	-	-	-	-	3	-	32	-	-	-	-	-	-	-	-	-	-	-	-	-
65 & over	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
N.S.	1	2	15	-	-	-	-	-	1	-	17	-	-	-	-	-	-	-	-	-	-	-	-	-

237. CONGENITAL HYPERTROPHIC PYLORIC STENOSIS — 756.0

All Ages	110	24	1335	254	12	11	4	1	197	53	2398	649	12	12	8	4	52	12	680	178	13	15	7	-
0-	107	24	1269	254	12	11	4	1	196	52	2394	646	12	12	8	4	52	12	680	178	13	15	7	-
5-	1	-	16	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
15-	-	-	-	-	-	-	-	-	1	-	4	-	-	-	-	-	-	-	-	-	-	-	-	-
45-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
65 & over	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
N.S.	2	-	50	-	-	-	-	-	-	1	-	3	-	-	-	-	-	-	-	-	-	-	-	-

238. OTHER CONGENITAL MALFORMATIONS OF DIGESTIVE SYSTEM — 756 rdr.

All Ages	123	68	3150	2062	26	30	14	7	125	118	2123	1692	17	14	18	20	26	12	431	488	17	41	5	3
0-	82	39	2099	1074	26	28	13	7	62	56	905	888	15	16	18	18	10	5	164	215	16	-	4	3
5-	15	10	536	569	36	57	1	-	34	30	604	236	18	8	-	-	9	1	122	86	-	-	1	-
15-	8	6	239	142	-	-	-	-	12	14	353	223	29	16	-	1	2	2	35	25	-	-	-	-
45-	11	9	143	159	13	-	-	-	10	10	137	210	14	21	-	1	2	2	36	19	-	-	-	-
65 & over	5	3	116	47	-	-	-	-	7	7	124	113	-	-	-	-	3	1	74	125	-	-	-	-
N.S.	2	1	17	71	-	-	-	-	-	1	-	22	-	-	-	-	-	1	-	18	-	-	-	-

TABLE H.2 (Contd.)

Age Group	LONDON TEACHING HOSPITALS								PROVINCIAL TEACHING HOSPITALS								HOSPITALS UNDER REGIONAL BOARDS							
	Total Discharges		Total Bed-days		Mean Bed-days		Deaths in the Hospital		Total Discharges		Total Bed-days		Mean Bed-days		Deaths in the Hospital		Total Discharges		Total Bed-days		Mean Bed-days		Deaths in the Hospital	
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
239. UNDESCENDED TESTICLE																								757.0
All Ages	129	-	1486	-	12	-	-	-	192	-	2620	-	14	-	-	-	75	-	1001	-	13	-	-	-
0-	8	-	86	-	-	-	-	-	8	-	70	-	-	-	-	-	2	-	29	-	-	-	-	-
5-	102	-	1149	-	11	-	-	-	106	-	1533	-	14	-	-	-	56	-	749	-	13	-	-	-
15-	17	-	226	-	13	-	-	-	76	-	993	-	13	-	-	-	17	-	223	-	13	-	-	-
45-	2	-	25	-	-	-	-	-	1	-	17	-	-	-	-	-	-	-	-	-	-	-	-	-
65 & over	-	-	-	-	-	-	-	-	1	-	7	-	-	-	-	-	-	-	-	-	-	-	-	-
N.S.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
240. OTHER CONGENITAL MALFORMATIONS OF GENITO-URINARY SYSTEM																								757 rdr.
All Ages	185	71	3176	1391	17	20	2	2	166	143	2558	2229	15	16	4	5	28	34	330	724	12	21	3	3
0-	80	16	1370	377	17	24	2	-	53	16	746	431	14	27	3	1	10	2	54	80	5	-	-	1
5-	72	9	1287	231	18	-	-	-	66	11	1118	323	17	29	-	1	5	4	94	197	-	-	-	-
15-	27	30	436	434	16	14	-	-	37	92	585	1081	16	12	1	-	6	22	27	351	-	16	1	-
45-	6	12	83	231	-	19	-	2	8	19	103	332	-	17	-	2	7	6	155	96	-	-	2	2
65 & over	-	4	-	118	-	-	-	-	2	4	6	60	-	-	-	-	-	-	-	-	-	-	-	-
N.S.	-	-	-	-	-	-	-	-	-	1	-	2	-	-	-	1	-	-	-	-	-	-	-	-
241. CONGENITAL DISLOCATION OF HIP																								758.0
All Ages	39	223	976	9194	25	41	1	-	13	193	798	6238	61	32	-	1	-	23	-	957	-	42	-	-
0-	30	192	814	7375	27	38	-	-	10	167	654	5252	65	31	-	-	-	20	-	876	-	44	-	-
5-	3	14	36	661	-	47	1	-	1	6	112	370	-	-	-	1	-	2	-	64	-	-	-	-
15-	4	11	125	846	-	77	-	-	2	17	32	476	-	28	-	-	-	1	-	17	-	-	-	-
45-	1	5	1	312	-	-	-	-	-	3	-	140	-	-	-	-	-	-	-	-	-	-	-	-
65 & over	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
N.S.	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

242. OTHER CONGENITAL DISLOCATION OF BONE AND JOINT 758-759

All Ages	61	75	1696	2321	28	31	2	-	78	123	1432	2046	18	17	-	1	12	27	168	578	14	21	-	1
0-	25	21	739	658	30	31	1	-	23	29	711	659	31	23	-	1	4	2	18	5	-	-	-	-
5-	21	19	627	620	30	33	-	-	26	17	336	350	13	21	-	-	3	15	43	268	-	18	-	-
15-	12	27	233	951	19	35	1	-	21	56	346	724	16	13	-	-	5	5	107	88	-	-	-	-
45-	2	8	18	92	-	-	-	-	7	20	33	280	-	14	-	-	-	4	-	67	-	-	-	-
65 & over	-	-	-	-	-	-	-	-	1	1	6	33	-	-	-	-	-	1	-	150	-	-	-	1
N.S.	1	-	79	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

243. OTHER AND UNSPECIFIED CONGENITAL MALFORMATIONS, NOT ELSEWHERE CLASSIFIED 759

All Ages	129	95	2388	1548	19	16	1	3	124	129	1839	1854	15	14	5	1	26	30	583	375	22	12	1	3
0-	55	40	1033	540	19	14	1	3	49	33	587	649	12	20	5	1	7	12	135	174	-	14	1	2
5-	43	36	896	737	21	20	-	-	27	29	595	434	22	15	-	-	10	2	206	8	21	-	-	-
15-	19	16	157	213	8	13	-	-	33	56	479	671	15	12	-	-	6	10	72	141	-	14	-	1
45-	8	2	222	58	-	-	-	-	15	10	178	99	12	10	-	-	2	6	166	52	-	-	-	-
65 & over	3	-	80	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	4	-	-	-	-	-
N.S.	1	1	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-

244. BIRTH INJURY AND ASPHYXIA OF THE NEWBORN 760-762

All Ages	27	16	482	283	18	18	4	3	42	32	707	504	17	16	13	7	15	18	64	222	4	12	8	7
0-	21	8	335	140	16	-	4	3	37	26	644	453	17	17	13	7	14	15	63	205	4	14	7	5
5-	4	7	115	106	-	-	-	-	5	4	63	36	-	-	-	-	-	1	-	14	-	-	-	-
15-	2	1	32	37	-	-	-	-	-	1	-	4	-	-	-	-	-	-	-	-	-	-	-	-
45-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
65 & over	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
N.S.	-	-	-	-	-	-	-	-	-	1	-	11	-	-	-	-	1	2	1	3	-	-	1	2

245. PNEUMONIA OF NEWBORN 763

All Ages	5	2	42	40	-	-	3	-	9	4	138	30	-	-	4	1	4	4	70	80	-	-	-	3
0-	5	1	42	25	-	-	3	-	9	4	138	30	-	-	4	1	4	4	70	80	-	-	-	3
5-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
15-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
45-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
65 & over	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
N.S.	-	1	-	15	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

TABLE H.2 (Contd.)

Age Group	LONDON TEACHING HOSPITALS								PROVINCIAL TEACHING HOSPITALS								HOSPITALS UNDER REGIONAL BOARDS							
	Total Discharges		Total Bed-days		Mean Bed-days		Deaths in the Hospital		Total Discharges		Total Bed-days		Mean Bed-days		Deaths in the Hospital		Total Discharges		Total Bed-days		Mean Bed-days		Deaths in the Hospital	
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
246. DIARRHOEA OF NEWBORN																								764
All Ages	2	2	87	121	-	-	-	-	11	6	403	210	37	-	-	2	6	6	84	161	-	-	2	-
0-	2	2	87	121	-	-	-	-	11	6	403	210	37	-	-	2	6	6	84	161	-	-	2	-
5-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
15-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
45-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
65 & over	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
N.S.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
247. OTHER INFECTIONS AND SEPSIS OF NEWBORN																								765-768
All Ages	10	9	270	118	27	-	-	2	43	27	462	212	11	8	9	1	11	10	124	100	11	10	3	1
0-	10	9	270	118	27	-	-	2	43	27	462	212	11	8	9	1	11	10	124	100	11	10	3	1
5-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
15-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
45-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
65 & over	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
N.S.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
248. HAEMOLYTIC DISEASE OF NEWBORN (ERYTHROBLASTOSIS)																								770
All Ages	18	14	272	194	15	14	1	1	49	41	289	262	6	6	3	1	14	12	163	82	12	7	3	4
0-	17	14	252	194	15	14	1	1	49	40	289	257	6	6	3	1	14	10	163	77	12	8	3	3
5-	-	-	-	-	-	-	-	-	-	1	-	5	-	-	-	-	-	-	-	-	-	-	-	-
15-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
45-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
65 & over	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
N.S.	1	-	20	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	5	-	-	-	1

249. OTHER DEFINED DISEASES OF NEWBORN AND OF EARLY INFANCY — 769, 771

All Ages	5	5	75	33	-	-	1	1	20	14	92	142	5	10	2	1	11	5	148	11	13	-	3	2
0-	5	5	75	33	-	-	1	1	20	14	92	142	5	10	2	1	11	5	148	11	13	-	3	2
5-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
15-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
45-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
65 & over	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
N.S.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

250. NUTRITIONAL MALADJUSTMENT — 772

All Ages	84	60	1243	895	15	15	1	-	86	65	1372	1043	16	16	2	1	76	52	2296	1061	30	20	1	-
0-	83	60	1232	895	15	15	1	-	84	65	1367	1043	16	16	2	1	75	52	2274	1061	30	20	1	-
5-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
15-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
45-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
65 & over	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
N.S.	1	-	11	-	-	-	-	-	2	-	5	-	-	-	-	-	1	-	22	-	-	-	-	-

251. IMMATURITY, ILL DEFINED DISEASES OF EARLY INFANCY — 773-776

All Ages	9	9	262	145	-	-	-	-	45	34	738	523	16	15	15	9	39	27	910	986	23	37	11	8
0-	9	9	262	145	-	-	-	-	45	31	738	458	17	15	15	7	37	24	871	922	24	38	11	6
5-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
15-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
45-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
65 & over	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
N.S.	-	-	-	-	-	-	-	-	-	3	-	65	-	-	-	2	2	3	39	64	-	-	-	2

252. ACUTE HEART FAILURE UNQUALIFIED — 782.4

All Ages	20	20	593	558	30	28	2	2	35	36	710	919	20	26	13	11	143	90	5937	2982	42	33	91	62
0-	-	1	-	28	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
15-	3	4	127	160	-	-	2	-	1	8	6	118	-	-	1	2	12	9	423	316	35	-	7	8
45-	9	7	244	167	-	-	-	2	17	12	337	527	20	44	5	2	47	34	1748	774	37	23	30	22
65 & over	8	8	222	203	-	-	-	-	17	16	367	274	22	17	7	7	82	47	3701	1892	45	40	53	32
N.S.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	65	-	-	-	1	-

TABLE H.2 (Contd.)

Age Group	LONDON TEACHING HOSPITALS								PROVINCIAL TEACHING HOSPITALS								HOSPITALS UNDER REGIONAL BOARDS							
	Total Discharges		Total Bed-days		Mean Bed-days		Deaths in the Hospital		Total Discharges		Total Bed-days		Mean Bed-days		Deaths in the Hospital		Total Discharges		Total Bed-days		Mean Bed-days		Deaths in the Hospital	
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
253. HAEMATEMESIS																								784.5
All Ages	37	21	1034	401	28	19	-	-	151	95	3095	2201	20	23	3	1	83	62	1988	1636	24	26	4	4
0-	3	3	47	32	-	-	-	-	3	6	26	135	-	-	-	-	-	1	-	16	-	-	-	-
5-	-	-	-	-	-	-	-	-	1	3	26	65	-	-	-	-	3	-	47	-	-	-	-	-
15-	15	8	255	171	17	-	-	-	63	29	1270	587	20	20	-	-	26	14	619	375	24	27	-	-
45-	13	6	440	112	34	-	-	-	55	45	1221	1142	22	25	-	-	36	26	870	678	24	26	3	3
65 & over	6	4	292	86	-	-	-	-	27	12	541	272	20	23	3	1	17	20	430	539	25	27	1	1
N.S.	-	-	-	-	-	-	-	-	2	-	11	-	-	-	-	-	1	1	22	28	-	-	-	-
254. ABDOMINAL PAIN																								785.5
All Ages	170	335	1527	3399	9	10	-	2	685	934	5723	8759	8	9	1	4	341	495	2556	4154	7	8	-	1
0-	23	20	164	186	7	9	-	-	56	29	308	243	6	8	-	-	36	24	138	130	4	5	-	-
5-	46	52	471	463	10	9	-	-	113	125	993	1020	9	8	-	-	95	94	481	671	5	7	-	-
15-	61	181	354	1566	6	9	-	-	274	436	1950	3419	7	8	-	1	111	260	812	1846	7	7	-	-
45-	30	69	419	796	14	12	-	1	180	254	1708	2914	9	11	1	-	72	80	739	890	10	11	-	1
65 & over	10	12	119	372	12	31	-	1	61	90	763	1163	13	13	-	3	26	35	380	608	15	17	-	-
N.S.	-	1	-	16	-	-	-	-	1	-	1	-	-	-	-	-	1	2	6	9	-	-	-	-
255. PAIN REFERABLE TO URINARY SYSTEM																								786.0
All Ages	44	14	292	106	7	8	-	-	165	112	1453	1032	9	9	-	-	79	47	838	447	11	10	-	-
0-	1	-	9	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	7	-	-	-	-	-
5-	-	1	-	16	-	-	-	-	5	2	34	26	-	-	-	-	1	3	8	30	-	-	-	-
15-	29	5	200	15	7	-	-	-	84	77	746	610	9	8	-	-	50	23	455	201	9	9	-	-
45-	13	7	79	69	6	-	-	-	68	25	622	286	9	11	-	-	21	19	273	204	13	11	-	-
65 & over	1	1	4	6	-	-	-	-	6	8	43	110	-	-	-	-	4	2	63	12	-	-	-	-
N.S.	-	-	-	-	-	-	-	-	2	-	8	-	-	-	-	-	2	-	32	-	-	-	-	-

256. RETENTION OF URINE — 786.1

All Ages	17	1	219	3	13	-	-	-	149	20	2302	339	15	17	11	-	101	9	2777	86	27	-	19	-
0-	2	1	13	3	-	-	-	-	-	1	-	1	-	-	-	-	1	-	4	-	-	-	-	-
5-	1	-	5	-	-	-	-	-	2	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-
15-	6	-	51	-	-	-	-	-	8	7	195	79	-	-	1	-	10	4	62	32	6	-	-	-
45-	1	-	11	-	-	-	-	-	39	7	459	185	12	-	2	-	27	1	579	18	21	-	2	-
65 & over	7	-	139	-	-	-	-	-	98	5	1643	74	17	-	8	-	63	3	2132	18	34	-	17	-
N.S.	-	-	-	-	-	-	-	-	2	-	2	-	-	-	-	-	-	1	-	18	-	-	-	-

257. INCONTINENCE OF URINE — 786.2

All Ages	37	81	623	1586	17	20	-	-	70	174	1200	3113	17	18	1	1	15	27	155	404	10	15	-	-
0-	4	9	48	116	-	-	-	-	6	15	131	291	-	19	-	-	1	1	1	8	-	-	-	-
5-	26	14	419	144	16	10	-	-	41	17	753	219	18	13	-	-	8	7	77	146	-	-	-	-
15-	3	21	16	476	-	23	-	-	17	51	173	848	10	17	-	-	4	8	12	75	-	-	-	-
45-	3	34	134	735	-	22	-	-	2	80	90	1591	-	20	-	1	2	10	65	150	-	15	-	-
65 & over	-	3	-	115	-	-	-	-	4	11	53	164	-	15	1	-	-	1	-	25	-	-	-	-
N.S.	1	-	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

258. ALL OTHER SYMPTOMS — 780, 781, 782 rdr., 783, 784 rdr., 785 rdr., 786 rdr., 787-789

All Ages	509	634	7800	10396	15	16	4	2	1307	1258	17556	17167	13	14	19	15	494	470	6602	6534	13	14	13	5
0-	122	92	2099	1374	17	15	3	1	161	163	2346	2133	15	13	2	1	77	54	961	718	12	13	2	1
5-	71	90	965	1351	14	15	-	-	172	159	2853	3035	17	19	2	1	68	66	1099	1305	16	20	-	-
15-	168	257	2248	4037	13	16	-	-	434	468	5350	6043	12	13	2	3	160	187	1868	2276	12	12	1	-
45-	111	144	1912	2511	17	17	1	1	399	347	5170	4289	13	12	8	8	127	112	1729	1446	14	13	4	2
65 & over	32	43	539	790	17	18	-	-	138	115	1827	1641	13	14	5	1	58	47	872	761	15	16	6	2
N.S.	5	8	37	333	-	-	-	-	3	6	10	26	-	-	-	1	4	4	73	28	-	-	-	-

259. OBSERVATION WITHOUT NEED FOR FURTHER MEDICAL CARE — 793

All Ages	2	6	10	49	-	-	-	-	24	16	232	148	10	9	-	-	3	5	39	60	-	-	-	-
0-	-	-	-	-	-	-	-	-	2	1	22	1	-	-	-	-	2	1	16	2	-	-	-	-
5-	-	-	-	-	-	-	-	-	2	3	20	48	-	-	-	-	-	-	-	-	-	-	-	-
15-	-	3	-	22	-	-	-	-	9	5	77	31	-	-	-	-	1	3	23	56	-	-	-	-
45-	1	1	3	10	-	-	-	-	10	6	100	55	10	-	-	-	-	1	-	2	-	-	-	-
65 & over	1	2	7	17	-	-	-	-	1	1	13	13	-	-	-	-	-	-	-	-	-	-	-	-
N.S.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

TABLE H.2 (Contd.)

Age Group	LONDON TEACHING HOSPITALS								PROVINCIAL TEACHING HOSPITALS								HOSPITALS UNDER REGIONAL BOARDS							
	Total Discharges		Total Bed-days		Mean Bed-days		Deaths in the Hospital		Total Discharges		Total Bed-days		Mean Bed-days		Deaths in the Hospital		Total Discharges		Total Bed-days		Mean Bed-days		Deaths in the Hospital	
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
260. SENILITY WITHOUT MENTION OF PSYCHOSIS																								794
All Ages	4	5	25	167	-	-	-	-	13	20	2081	3154	160	158	5	8	131	216	21213	40327	162	187	90	160
0-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
15-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
45-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
65 & over	4	5	25	167	-	-	-	-	13	20	2081	3154	160	158	5	8	129	212	20187	40226	156	190	88	158
N.S.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	4	1026	101	-	-	2	2
261. ALL OTHER ILL-DEFINED AND UNKNOWN CONDITIONS																								790-792, 795
All Ages	106	177	1923	2800	18	16	1	1	379	527	4762	6972	13	13	22	21	123	150	2106	2355	17	16	23	12
0-	16	10	283	79	18	8	-	-	33	28	519	589	16	21	2	-	12	11	223	154	19	14	1	-
5-	16	15	134	236	8	16	-	-	43	50	693	952	16	19	-	1	17	9	210	68	12	-	1	-
15-	35	92	686	1353	20	15	-	-	123	268	1351	3015	11	11	6	2	44	72	664	1089	15	15	4	3
45-	31	43	552	781	18	18	1	1	138	141	1768	1726	13	12	4	11	23	40	331	819	14	20	3	5
65 & over	8	12	268	302	-	25	-	-	38	38	397	667	10	18	9	7	23	15	629	184	27	12	13	4
N.S.	-	5	-	49	-	-	-	-	4	2	34	23	-	-	1	-	4	3	49	41	-	-	1	-
262. FRACTURE OF FACE BONES																								N.802
All Ages	89	16	675	126	8	8	1	-	345	95	2701	623	8	7	1	-	78	23	477	168	6	7	-	1
0-	2	-	37	-	-	-	-	-	5	2	21	10	-	-	-	-	1	1	2	2	-	-	-	-
5-	8	2	83	24	-	-	-	-	33	14	293	88	9	6	-	-	6	5	19	39	-	-	-	-
15-	57	6	408	51	7	-	1	-	250	52	1914	321	8	6	1	-	50	10	287	80	6	8	-	-
45-	17	7	124	49	7	-	-	-	47	23	346	172	7	7	-	-	16	4	106	29	7	-	-	-
65 & over	4	1	15	2	-	-	-	-	8	4	98	32	-	-	-	-	4	3	57	18	-	-	-	1
N.S.	1	-	8	-	-	-	-	-	2	-	29	-	-	-	-	-	1	-	6	-	-	-	-	-

263. OTHER FRACTURE OF SKULL

N.800, 801, 803, 804

All Ages	61	32	1103	499	18	16	6	4	512	146	6117	1802	12	12	64	27	175	71	2159	873	12	12	36	14
0-	16	13	289	177	18	14	-	1	72	24	620	179	9	7	4	2	15	11	132	130	9	12	1	1
5-	8	5	75	100	-	-	1	-	99	35	1227	478	12	14	6	1	35	15	419	193	12	13	1	2
15-	23	6	412	99	18	-	4	1	227	37	3003	503	13	14	28	4	69	18	1043	175	15	10	13	3
45-	11	4	279	80	25	-	1	1	75	25	853	278	11	11	12	8	36	16	364	196	10	12	12	4
65 & over	2	3	43	37	-	-	-	-	27	23	302	347	11	15	10	11	15	9	148	175	10	-	8	3
N.S.	1	1	5	6	-	-	-	1	12	2	112	17	9	-	4	1	5	2	53	4	-	-	1	1

264. FRACTURE OF SPINE, RIBS AND TRUNK

N.805-809

All Ages	60	28	1085	945	18	34	4	1	392	80	6599	1553	17	19	28	5	113	55	2807	1744	25	32	7	2
0-	1	-	1	-	-	-	1	-	5	5	192	123	-	-	-	-	2	1	12	13	-	-	-	-
5-	4	-	118	-	-	-	-	-	10	8	172	198	17	-	1	-	5	2	136	19	-	-	-	-
15-	29	12	573	228	20	19	1	-	206	17	3374	317	16	19	13	1	48	16	1075	545	22	34	3	-
45-	22	6	353	549	16	-	2	-	139	23	2369	534	17	23	8	2	37	14	774	393	21	28	2	-
65 & over	4	10	40	168	-	17	-	1	29	25	448	375	15	15	6	2	21	22	810	774	39	35	2	2
N.S.	-	-	-	-	-	-	-	-	3	2	44	6	-	-	-	-	-	-	-	-	-	-	-	-

265. FRACTURE OF NECK OF FEMUR

N.820

All Ages	19	70	1411	5449	74	78	-	-	74	264	2920	12407	39	47	6	30	64	140	4274	8824	67	63	8	39
0-	-	-	-	-	-	-	-	-	1	-	41	-	-	-	-	-	-	-	-	-	-	-	-	-
5-	-	3	-	207	-	-	-	-	2	5	20	219	-	-	-	-	2	-	58	-	-	-	-	-
15-	4	2	453	75	-	-	-	-	13	4	385	300	30	-	-	-	9	1	647	2	-	-	-	-
45-	6	17	350	1127	-	66	-	-	25	57	1057	2977	42	52	1	4	20	22	1797	1173	90	53	1	1
65 & over	9	47	608	4004	-	85	-	-	33	196	1417	8880	43	45	5	26	31	117	1559	7649	50	65	7	38
N.S.	-	1	-	36	-	-	-	-	-	2	-	31	-	-	-	-	2	-	213	-	-	-	-	-

266. FRACTURE OF OTHER AND UNSPECIFIED PARTS OF FEMUR

N.821

All Ages	44	41	2774	3308	63	81	2	1	264	171	12917	9136	49	53	5	16	91	94	6093	7985	67	85	12	15
0-	7	2	127	27	-	-	-	-	63	13	1810	357	29	27	-	-	24	6	989	247	41	-	-	-
5-	6	2	151	124	-	-	-	-	54	24	2285	945	42	39	-	-	25	5	1339	244	54	-	-	-
15-	14	3	1064	370	76	-	-	-	80	12	4468	489	56	41	-	-	14	4	799	170	57	-	-	-
45-	6	15	359	1411	-	94	1	-	35	30	2392	2012	68	67	2	2	6	17	427	1952	-	115	-	1
65 & over	10	19	835	1376	84	72	1	1	31	92	1961	5333	63	58	3	14	19	61	2383	5365	126	88	12	13
N.S.	1	-	238	-	-	-	-	-	1	-	1	-	-	-	-	-	3	1	156	7	-	-	-	1

TABLE H.2 (Contd.)

Age Group	LONDON TEACHING HOSPITALS								PROVINCIAL TEACHING HOSPITALS								HOSPITALS UNDER REGIONAL BOARDS							
	Total Discharges		Total Bed-days		Mean Bed-days		Deaths in the Hospital		Total Discharges		Total Bed-days		Mean Bed-days		Deaths in the Hospital		Total Discharges		Total Bed-days		Mean Bed-days		Deaths in the Hospital	
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
267. FRACTURE OF TIBIA, FIBULA AND ANKLE																								N.823, 824
All Ages	164	84	3511	1596	21	19	1	-	581	278	9899	3661	17	13	-	2	171	115	3135	2912	18	25	2	4
0-	2	2	24	19	-	-	-	-	5	6	99	22	-	-	-	-	8	4	93	354	-	-	-	-
5-	24	6	437	77	18	-	-	-	46	19	582	190	13	10	-	-	24	19	270	304	11	16	-	-
15-	72	23	1457	340	20	15	-	-	329	77	5524	730	17	9	-	-	77	31	1295	685	17	22	-	1
45-	51	40	1337	846	26	21	-	-	167	126	2966	1814	18	14	-	-	50	42	1217	1029	24	24	1	-
65 & over	15	13	256	314	17	24	1	-	33	49	727	900	22	18	-	2	12	19	260	540	22	28	1	3
N.S.	-	-	-	-	-	-	-	-	1	1	1	5	-	-	-	-	-	-	-	-	-	-	-	-
268. FRACTURE OF PHALANGES AND METACARPAL BONE(S)																								N.815-817
All Ages	34	5	190	12	6	-	-	-	301	41	1550	308	5	8	-	-	41	8	252	44	6	-	-	-
0-	-	1	-	2	-	-	-	-	8	8	72	56	-	-	-	-	2	1	15	2	-	-	-	-
5-	3	-	22	-	-	-	-	-	17	3	99	94	6	-	-	-	1	-	12	-	-	-	-	-
15-	20	4	131	10	7	-	-	-	175	24	814	147	5	6	-	-	27	3	182	13	7	-	-	-
45-	10	-	36	-	4	-	-	-	96	6	551	11	6	-	-	-	11	4	43	29	4	-	-	-
65 & over	1	-	1	-	-	-	-	-	5	-	14	-	-	-	-	-	-	-	-	-	-	-	-	-
N.S.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
269. FRACTURE OF HUMERUS, RADIUS AND ULNA																								N.812, 813
All Ages	124	88	1291	953	10	11	-	-	547	274	5055	2230	9	8	1	1	137	91	1583	1076	12	12	1	1
0-	3	3	29	38	-	-	-	-	33	13	237	95	7	7	-	-	8	6	56	22	-	-	-	-
5-	51	17	525	198	10	12	-	-	253	94	1901	790	8	8	-	-	65	24	484	169	7	7	-	-
15-	42	23	452	239	11	10	-	-	193	55	2043	547	11	10	-	-	41	12	413	85	10	7	-	-
45-	22	24	249	249	11	10	-	-	51	69	693	508	14	7	1	-	10	17	145	116	14	7	-	-
65 & over	6	21	36	229	-	11	-	-	16	43	167	290	10	7	-	1	12	30	465	673	39	22	1	1
N.S.	-	-	-	-	-	-	-	-	1	-	14	-	-	-	-	-	1	2	20	11	-	-	-	-

270. ALL OTHER FRACTURES OF LIMBS — N.810, 811, 814, 818, 819, 822, 825-829

All Ages	108	32	2586	876	24	27	2	1	391	113	7324	2615	19	23	9	4	110	66	2357	2926	21	44	4	8
0-	1	1	2	2	-	-	-	-	6	2	42	115	-	-	-	-	1	4	1	54	-	-	-	-
5-	11	-	361	-	33	-	-	-	29	8	633	126	22	-	-	-	11	6	208	88	19	-	-	-
15-	51	11	992	153	19	14	1	-	212	28	4014	519	19	19	1	-	67	16	1565	156	23	10	1	-
45-	34	10	969	299	28	30	-	-	113	42	1927	802	17	19	6	1	27	18	483	1611	18	90	3	2
65 & over	11	10	262	422	24	42	1	1	31	33	708	1053	23	32	2	3	2	22	63	1017	-	46	-	6
N.S.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	37	-	-	-	-	-

271. DISLOCATIONS, SPRAINS AND STRAINS — N.830-848

All Ages	118	78	1725	1038	15	13	-	-	396	115	4641	1319	12	11	-	1	67	53	738	832	11	16	1	-
0-	5	1	115	21	-	-	-	-	3	8	15	132	-	-	-	-	3	1	78	15	-	-	-	-
5-	10	6	179	131	18	-	-	-	36	14	330	117	9	8	-	-	7	9	39	290	-	-	-	-
15-	75	41	1123	616	15	15	-	-	285	63	3535	752	12	12	-	-	40	18	390	288	10	16	1	-
45-	20	25	189	250	9	10	-	-	66	20	731	243	11	12	-	-	12	13	180	100	15	8	-	-
65 & over	7	5	118	20	-	-	-	-	4	8	28	68	-	-	-	1	4	12	44	139	-	12	-	-
N.S.	1	-	1	-	-	-	-	-	2	2	2	7	-	-	-	-	1	-	7	-	-	-	-	-

272. HEAD INJURY (EXCLUDING SKULL FRACTURE) — N.850-856

All Ages	153	85	1372	659	9	8	6	4	1137	426	6396	2868	6	7	22	13	467	205	3341	1511	7	7	10	4
0-	8	6	43	24	-	-	-	1	69	46	341	257	5	6	-	-	48	21	232	105	5	5	-	-
5-	21	8	64	45	3	-	-	-	211	61	1033	269	5	4	1	1	97	41	622	201	6	5	-	1
15-	77	25	836	267	11	11	3	-	561	140	3178	922	6	7	7	5	206	66	1455	488	7	7	1	1
45-	26	20	201	122	8	6	-	-	207	92	1283	596	6	6	5	2	71	38	578	302	8	8	5	1
65 & over	20	23	227	166	11	7	3	3	75	80	519	773	7	10	7	4	36	34	416	390	12	11	4	1
N.S.	1	3	1	35	-	-	-	-	14	7	42	51	3	-	2	1	9	5	38	25	-	-	-	-

273. INJURIES, FOREIGN BODIES, BURNS AND SCALDS AFFECTING EYE — N.870, 871, 921, 930, 940

All Ages	107	17	1044	187	10	11	-	-	815	128	10291	1567	13	12	-	1	48	12	619	140	13	12	-	-
0-	5	4	45	32	-	-	-	-	37	20	567	376	15	19	-	-	3	3	81	21	-	-	-	-
5-	26	3	241	27	9	-	-	-	151	42	1911	567	13	14	-	-	12	4	145	57	12	-	-	-
15-	57	7	548	102	10	-	-	-	458	41	5726	403	13	10	-	-	22	3	246	50	11	-	-	-
45-	18	1	203	5	11	-	-	-	136	15	1703	136	13	9	-	1	8	1	139	9	-	-	-	-
65 & over	1	2	7	21	-	-	-	-	31	8	363	62	12	-	-	-	3	1	8	3	-	-	-	-
N.S.	-	-	-	-	-	-	-	-	2	2	21	23	-	-	-	-	-	-	-	-	-	-	-	-

TABLE H.2 (Contd.)

Age Group	LONDON TEACHING HOSPITALS								PROVINCIAL TEACHING HOSPITALS								HOSPITALS UNDER REGIONAL BOARDS							
	Total Discharges		Total Bed-days		Mean Bed-days		Deaths in the Hospital		Total Discharges		Total Bed-days		Mean Bed-days		Deaths in the Hospital		Total Discharges		Total Bed-days		Mean Bed-days		Deaths in the Hospital	
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
274. LACERATIONS, WOUNDS, SUPERFICIAL INJURIES AND CONTUSIONS AFFECTING HAND AND FINGERS																								N.883, 884, 886, 887, 903, 914, 915, 925, 926
All Ages	160	48	890	255	6	5	-	-	737	136	3237	790	4	6	-	2	124	41	753	185	6	5	-	-
0-	7	3	45	43	-	-	-	-	31	12	143	60	4	5	-	-	4	2	42	2	-	-	-	-
5-	11	4	115	29	10	-	-	-	41	14	258	102	6	7	-	-	10	5	65	6	6	-	-	-
15-	107	30	590	138	6	5	-	-	478	80	2075	360	4	4	-	-	72	21	388	98	5	5	-	-
45-	32	10	123	41	4	4	-	-	171	24	631	132	4	6	-	-	33	10	237	48	7	5	-	-
65 & over	2	1	6	4	-	-	-	-	15	4	129	119	9	-	-	2	4	3	18	31	-	-	-	-
N.S.	1	-	11	-	-	-	-	-	1	2	1	17	-	-	-	-	1	-	3	-	-	-	-	-
275. LACERATIONS, WOUNDS, SUPERFICIAL INJURIES AND CONTUSIONS AFFECTING ALL OTHER SITES (EXCEPT EYE)																								N.872-882, 885, 888, 890-898, 900-902, 904-908, 910-913, 916-918, 920, 922-924, 927-929
All Ages	178	88	1674	844	9	10	-	-	954	367	8227	3165	9	9	7	2	361	207	3265	2059	9	10	3	3
0-	15	9	165	35	11	-	-	-	69	44	596	348	9	8	-	-	25	29	371	168	15	6	-	-
5-	24	13	249	131	10	10	-	-	161	72	1249	697	8	10	1	-	103	46	954	440	9	10	-	-
15-	95	35	810	249	9	7	-	-	554	144	4621	1096	8	8	1	-	151	66	1210	507	8	8	-	1
45-	37	17	410	323	11	19	-	-	134	69	1320	682	10	10	4	1	50	36	423	457	8	13	1	-
65 & over	6	14	37	106	-	8	-	-	32	38	417	342	13	9	1	1	28	27	216	469	8	17	2	2
N.S.	1	-	3	-	-	-	-	-	4	-	24	-	-	-	-	-	4	3	91	18	-	-	-	-
276. BURNS AND SCALDS OTHER THAN TO EYE																								N. 941-949
All Ages	70	58	2383	1011	34	17	-	3	335	213	7024	5238	21	25	7	13	170	134	3727	3743	22	28	12	11
0-	25	16	1263	198	51	12	-	2	132	116	2718	2803	21	24	1	4	86	68	2009	1588	23	23	3	-
5-	6	7	68	191	-	-	-	-	47	24	1329	746	28	31	2	-	21	23	478	879	23	38	1	2
15-	25	25	513	226	21	9	-	1	116	45	2255	1081	19	24	3	1	42	22	882	340	21	15	3	2
45-	10	8	409	136	41	-	-	-	34	12	694	389	20	32	-	3	14	12	276	408	20	34	1	2
65 & over	3	2	130	260	-	-	-	-	6	16	28	219	-	14	1	5	5	8	58	521	-	-	4	4
N.S.	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	24	7	-	-	-	1

277. EFFECTS OF POISONS

N.960-979

All Ages	45	46	396	376	9	8	4	1	170	174	720	1041	4	6	6	14	95	120	674	947	7	8	12	11
0-	3	3	12	8	-	-	-	1	48	27	129	60	3	2	-	1	16	9	41	32	3	-	1	-
5-	-	3	-	16	-	-	-	-	9	2	76	9	-	-	-	-	3	3	13	4	-	-	-	-
15-	22	25	254	147	12	6	-	-	66	85	289	590	4	7	1	4	31	44	179	258	6	6	-	2
45-	15	11	106	142	7	13	4	-	30	36	138	218	5	6	4	3	20	45	223	343	11	8	5	8
65 & over	2	3	5	52	-	-	-	-	11	17	48	147	4	9	1	5	19	18	156	302	8	17	6	1
N.S.	3	1	19	11	-	-	-	-	6	7	40	17	-	-	-	1	6	1	62	8	-	-	-	-

278. REACTIONS AND COMPLICATIONS DUE TO MEDICAL AND SURGICAL PROCEDURES

N.997-999

All Ages	83	77	1365	1391	16	18	-	1	166	151	1956	1851	12	12	2	-	49	55	825	762	17	14	3	-
0-	8	2	69	14	-	-	-	-	25	6	172	43	7	-	1	-	2	5	3	89	-	-	-	-
5-	8	6	71	26	-	-	-	-	18	24	106	86	6	4	-	-	8	9	77	85	-	-	1	-
15-	26	29	605	462	23	16	-	-	60	60	779	618	13	10	-	-	12	30	105	293	9	10	-	-
45-	32	29	434	467	14	16	-	-	45	52	598	970	13	19	1	-	17	6	304	199	18	-	1	-
65 & over	9	11	186	422	-	38	-	1	16	9	288	124	18	-	-	-	8	5	126	96	-	-	1	-
N.S.	-	-	-	-	-	-	-	-	2	-	13	-	-	-	-	-	2	-	210	-	-	-	-	-

279. ALL OTHER AND UNSPECIFIED EFFECTS OF EXTERNAL CAUSES

N.860-869, 931-936, 950-959, 980-996

All Ages	176	130	1900	1410	11	11	1	1	504	311	5394	2085	11	7	23	2	207	121	2597	1323	13	11	8	2
0-	15	20	78	321	5	16	-	-	71	46	397	317	6	7	1	-	46	22	405	105	9	5	-	-
5-	24	19	186	264	8	14	-	-	88	53	833	458	9	9	1	-	38	17	311	185	8	11	3	-
15-	97	54	1067	377	11	7	-	1	244	104	2978	716	12	7	11	1	70	45	584	301	8	7	1	1
45-	33	24	478	231	14	10	1	-	81	82	648	445	8	5	8	1	32	25	1019	155	32	6	-	1
65 & over	7	13	91	217	-	17	-	-	15	26	309	149	21	6	1	-	16	10	152	122	10	12	3	-
N.S.	-	-	-	-	-	-	-	-	5	-	229	-	-	-	1	-	5	2	126	455	-	-	1	-

280. LIVE BIRTHS IN HOSPITAL

Y.20-29

All Ages	2813	2790	33650	33425	12	12	41	24	8296	7958	86542	84150	10	11	243	176	5245	4845	54679	50168	10	10	114	90
0-	2813	2790	33650	33425	12	12	41	24	8296	7958	86542	84150	10	11	243	176	5245	4845	54679	50168	10	10	114	90
5-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
15-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
45-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
65 & over	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
N.S.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

TABLE H.2 (Contd.)

Age Group	LONDON TEACHING HOSPITALS								PROVINCIAL TEACHING HOSPITALS								HOSPITALS UNDER REGIONAL BOARDS							
	Total Discharges		Total Bed-days		Mean Bed-days		Deaths in the Hospital		Total Discharges		Total Bed-days		Mean Bed-days		Deaths in the Hospital		Total Discharges		Total Bed-days		Mean Bed-days		Deaths in the Hospital	
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
281. PLASTIC SURGICAL TREATMENT																								Y.11
All Ages	21	29	385	554	18	19	-	-	79	67	2154	1747	27	26	-	-	8	8	210	152	-	-	-	-
0-	1	2	28	13	-	-	-	-	4	6	170	279	-	-	-	-	1	-	27	-	-	-	-	-
5-	4	4	90	38	-	-	-	-	19	17	433	616	23	36	-	-	1	-	2	-	-	-	-	-
15-	12	15	201	296	17	20	-	-	40	36	1320	715	33	20	-	-	6	5	181	60	-	-	-	-
45-	2	7	21	166	-	-	-	-	15	7	219	93	15	-	-	-	-	2	-	53	-	-	-	-
65 & over	2	1	45	41	-	-	-	-	1	1	12	44	-	-	-	-	-	1	-	39	-	-	-	-
N.S.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
282. OTHER SPECIAL ADMISSIONS																								Y.list rdr.
All Ages	173	171	720	721	4	4	-	-	396	532	2321	2986	6	6	-	-	385	382	4268	3834	11	10	2	-
0-	24	13	155	97	6	7	-	-	95	88	908	947	10	11	-	-	146	112	3317	2118	23	19	2	-
5-	9	12	21	77	-	6	-	-	36	23	215	156	6	7	-	-	14	16	213	195	15	12	-	-
15-	61	86	273	437	4	5	-	-	124	310	457	1349	4	4	-	-	65	167	168	982	3	6	-	-
45-	56	43	200	70	4	2	-	-	119	85	655	325	6	4	-	-	114	51	401	136	4	3	-	-
65 & over	20	14	47	34	2	2	-	-	17	18	55	153	3	8	-	-	38	27	73	303	2	11	-	-
N.S.	3	3	24	6	-	-	-	-	5	8	31	56	-	-	-	-	8	9	96	100	-	-	-	-

Table H.3 - Final diagnoses of the Principal Cause of Admission to participating hospitals classified according to the International Classification of Disease:- Discharges (including deaths) reported for 1949 distributed by Social Class, Sex and Age for diagnostic groups in respect of (a) London Teaching Hospitals (b) Provincial Teaching Hospitals (c) Hospitals under Regional Boards.

The diagnostic groups are the same as those in Table H.2. In each group the line for "All Ages" includes cases where the age was not stated, and the total discharges obtained by adding those with social class specified to those with social class unspecified corresponds to the total for all ages in Table H.2.

TABLE H.3

Diagnostic Group		London Teaching				Provincial Teaching				Regional Boards			
		Social Class				Social Class				Social Class			
		I.II	III	IV,V	N.S.	I,II	III	IV,V	N.S.	I,II	III	IV,V	N.S.
							MALES						
ALL CONDITIONS, excluding live-births in hospital and other special admissions (Sections I-XVII of I.S.C.)	All Ages	3,497	10,555	4,333	6,201	8,644	34,228	17,931	7,947	3,199	14,619	7,059	3,216
	Under 15	664	2,559	987	3,664	1,781	8,360	4,008	2,450	741	4,330	1,980	1,107
	15-	199	916	365	517	483	3,640	1,657	986	195	1,391	551	201
	25-	498	1,343	463	286	884	4,380	2,065	578	297	1,616	626	78
	35-	634	1,713	546	198	1,350	5,190	2,491	450	435	1,931	780	101
	45-	628	1,786	731	230	1,578	5,466	3,090	502	520	1,968	999	121
	55-	513	1,485	785	296	1,452	4,257	2,919	677	481	1,748	1,065	232
	65 & over	330	725	450	942	1,084	2,866	1,661	2,186	506	1,573	1,012	1,309
							FEMALES						
	All Ages	4,008	10,151	4,443	16,488	12,431	42,334	20,663	18,203	3,931	19,608	9,764	9,205
	Under 15	541	1,913	796	2,898	1,420	6,371	3,070	1,734	605	3,256	1,669	919
	15-	624	2,042	703	1,609	1,595	7,920	3,516	1,517	561	4,752	2,289	713
	25-	997	2,538	836	3,242	3,249	10,987	4,195	2,071	1,112	5,352	2,322	1,203
	35-	728	1,654	800	2,401	2,644	7,979	3,960	1,905	731	3,058	1,475	962
	45-	592	1,202	670	2,076	1,899	5,245	3,240	2,185	456	1,700	1,011	801
	55-	309	577	459	1,901	1,101	2,653	1,922	3,165	272	939	634	1,320
	65 & over	134	189	163	2,263	476	1,151	740	5,484	161	469	304	3,205

						MALES						
	All Ages	213	752	367	461	637	4,116	2,513	1,355	256	1,338	617	357
	Under 15	30	104	30	204	142	802	491	553	78	371	153	165
	15-	26	124	52	93	96	866	376	235	26	239	100	33
	25-	36	162	64	43	118	865	483	149	22	239	85	15
	35-	46	149	66	32	89	706	427	97	36	172	63	18
	45-	27	112	68	28	76	498	360	72	35	149	86	14
	55-	28	76	49	14	70	240	270	66	21	85	63	17
ACCIDENTS, POISONINGS AND VIOLENCE (Section XVII of I.S.C.)	65 & over	19	23	37	40	41	122	101	154	30	74	61	74
						FEMALES							
	All Ages	127	251	140	505	329	1,091	753	1,310	153	561	287	610
	Under 15	20	53	24	93	82	391	216	225	41	198	79	109
	15-	22	62	23	36	30	194	114	80	19	104	37	16
	25-	20	34	21	39	48	112	65	65	11	48	28	23
	35-	18	28	21	37	49	130	101	80	16	59	36	29
	45-	17	37	22	59	46	124	111	143	23	74	37	41
	55-	19	25	14	75	43	75	93	168	23	37	38	67
	65 & over	10	12	15	161	27	64	52	528	18	36	29	318
						FEMALES							
DELIVERIES AND COMPLICATIONS OF PREGNANCY CHILD-BIRTH AND THE PUERPERIUM (Section XI of I.S.C.)	All Ages	578	2,030	687	3,326	3,013	12,322	4,674	1,919	1,222	7,624	3,690	1,515
	Under 15	-	-	-	1	1	1	2	5	-	-	-	-
	15-	121	681	262	913	605	3,935	1,642	581	266	2,831	1,479	444
	25-	353	1,085	302	1,817	1,721	6,174	2,073	939	701	3,622	1,603	736
	35-	103	243	115	568	667	2,148	922	381	243	1,111	563	306
	45-	-	7	3	16	17	62	34	10	6	29	20	18
	55-	-	-	-	-	-	-	-	-	-	-	-	-
	65 & over	-	-	-	-	-	-	-	-	-	-	-	-

TABLE H.3 (Contd.)

Diagnostic Group		London Teaching				Provincial Teaching				Regional Boards			
		Social Class				Social Class				Social Class			
		I,II	III	IV,V	N.S.	I,II	III	IV,V	N.S.	I,II	III	IV,V	N.S.
							MALES						
ALL CONDITIONS excluding Injuries, Conditions associated with Pregnancy, childbirth and Puerperium, Live-births in hospital and other Special Admissions. (Sections I-X and XII-XVI of I.S.C.)	All Ages	3,284	9,803	3,966	5,740	8,007	30,112	15,418	6,592	2,943	13,281	6,442	2,859
	Under 15	634	2,455	957	3,460	1,639	7,558	3,517	1,897	663	3,959	1,827	942
	15-	173	792	313	424	387	2,774	1,281	751	169	1,152	451	168
	25-	462	1,181	399	243	766	3,515	1,582	429	275	1,377	541	63
	35-	588	1,564	480	166	1,261	4,484	2,064	353	399	1,759	717	83
	45-	601	1,674	663	202	1,502	4,968	2,730	430	485	1,819	913	107
	55-	485	1,409	736	282	1,382	4,017	2,649	611	460	1,663	1,002	215
	65 & over	311	702	413	902	1,043	2,744	1,560	2,032	476	1,499	951	1,235
							FEMALES						
	All Ages	3,303	7,870	3,616	12,657	9,089	28,921	15,236	14,974	2,556	11,423	5,787	7,080
	Under 15	521	1,860	772	2,804	1,337	5,979	2,852	1,504	564	3,058	1,590	810
	15-	481	1,299	418	660	960	3,791	1,760	856	276	1,817	773	253
	25-	624	1,419	513	1,386	1,480	4,701	2,057	1,067	400	1,682	691	444
	35-	607	1,383	664	1,796	1,928	5,701	2,937	1,444	472	1,888	876	627
	45-	575	1,158	645	2,001	1,836	5,059	3,095	2,032	427	1,597	954	742
	55-	290	552	445	1,826	1,058	2,578	1,829	2,997	249	902	596	1,253
	65 & over	124	177	148	2,102	449	1,087	688	4,956	143	433	275	2,887

TABLE H.3 (Contd.)

Diagnostic Group		MALES												FEMALES											
		London Teaching				Provincial Teaching				Regional Boards				London Teaching				Provincial Teaching				Regional Boards			
		Social Class				Social Class				Social Class				Social Class				Social Class				Social Class			
		I.II	III	IV.V	N.S.	I.II	III	IV.V	N.S.	I.II	III	IV.V	N.S.	I.II	III	IV.V	N.S.	I.II	III	IV.V	N.S.	I.II	III	IV.V	N.S.
1. Pulmonary tuberculosis (002)	All Ages	20	57	23	41	55	147	68	44	65	350	141	42	20	45	22	59	41	121	48	54	41	318	152	74
	Under 15	-	6	5	10	3	15	10	3	1	8	1	3	3	4	5	8	-	12	8	5	-	12	5	4
	15-	3	15	5	10	5	25	6	11	9	79	28	11	5	23	6	9	16	44	12	18	14	133	54	14
	25-	6	12	1	6	12	23	14	9	18	122	35	4	6	9	8	22	12	32	14	13	14	116	55	25
	35-	6	10	3	3	11	28	14	5	19	63	19	1	4	6	2	9	8	18	7	3	9	44	23	12
	45-	5	7	5	4	11	26	11	7	6	41	25	6	-	-	1	4	-	12	6	3	2	11	7	6
	55-	-	7	3	3	10	22	11	4	8	26	24	3	-	1	-	2	3	3	1	2	2	1	6	7
	65 & over	-	-	1	5	3	8	2	5	4	9	9	13	1	-	-	5	1	-	-	8	-	1	2	5
2. Pleurisy specified as tuberculous (003.0)	All Ages	3	3	-	2	5	22	15	9	2	23	14	4	3	5	3	5	6	16	9	7	2	21	6	6
	Under 15	-	2	-	1	-	10	9	6	1	10	7	2	1	1	-	1	1	3	5	2	-	8	3	2
	15-	1	-	-	-	-	4	2	1	-	9	4	1	1	1	1	3	2	9	1	2	2	10	2	-
	25-	1	1	-	-	2	6	1	-	-	1	3	1	-	3	2	1	1	3	3	1	-	2	-	3
	35-	-	-	-	1	2	-	1	1	-	2	-	-	-	-	-	-	-	-	-	-	-	1	1	1
	45-	1	-	-	-	1	1	2	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-
	55-	-	-	-	-	-	1	-	1	1	1	-	-	-	-	-	-	1	-	-	2	-	-	-	-
	65 & over	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3. Pleurisy with effusion without mention of cause (003.1)	All Ages	1	13	5	4	11	41	20	4	8	26	15	3	3	8	2	8	14	35	13	16	6	39	14	9
	Under 15	-	-	-	2	-	9	4	-	3	4	3	2	-	-	-	1	1	2	-	2	-	5	2	-
	15-	-	4	-	2	2	8	3	1	-	5	4	-	2	2	1	2	1	11	8	2	2	19	5	1
	25-	-	2	2	-	2	5	6	1	1	5	2	-	-	3	1	1	3	7	4	1	-	5	4	-
	35-	-	1	1	-	2	6	3	1	2	4	-	-	-	1	-	2	3	7	-	1	1	3	-	2
	45-	-	3	-	-	2	8	1	-	1	5	2	-	-	2	-	1	3	3	1	3	1	3	-	-
	55-	1	1	2	-	1	3	1	-	1	3	1	-	1	-	-	-	2	4	-	3	1	4	2	1
	65 & over	-	1	-	-	2	2	2	1	-	-	1	1	-	-	-	1	-	1	-	3	1	-	1	5
4. Primary tuberculosis complex with symptoms (004)	All Ages	4	7	6	19	5	24	15	11	2	18	6	7	4	10	9	20	5	7	8	7	2	16	7	3
	Under 15	4	7	5	18	5	24	15	11	2	16	6	7	3	10	9	18	3	6	8	7	1	13	7	3
	15-	-	-	-	1	-	-	-	-	-	2	-	-	-	-	-	-	2	1	-	-	1	2	-	-
	25-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	35-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	45-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	55-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	65 & over	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5. Other respiratory tuberculosis (001,005-008)	All Ages	1	4	2	6	5	14	9	3	2	3	4	1	3	4	1	7	9	16	8	1	1	3	3	3
	Under 15	-	1	1	4	-	1	1	1	1	2	1	1	1	1	1	5	-	-	1	1	1	-	2	1
	15-	-	-	-	-	-	1	-	2	-	-	-	-	-	-	-	-	1	4	3	-	-	1	-	-
	25-	1	-	-	-	1	2	1	-	-	-	-	-	-	3	-	1	4	7	3	-	-	2	1	2
	35-	-	-	-	-	-	2	3	-	-	-	-	-	-	-	-	1	2	4	1	-	-	-	-	-
	45-	-	2	-	1	4	4	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-
	55-	-	1	1	1	-	3	3	-	1	1	2	-	1	-	-	-	1	-	-	-	-	-	-	-
	65 & over	-	-	-	-	-	1	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-

TABLE H.3 (Contd.)

Diagnostic Group		MALES												FEMALES											
		London Teaching				Provincial Teaching				Regional Boards				London Teaching				Provincial Teaching				Regional Boards			
		Social Class				Social Class				Social Class				Social Class				Social Class				Social Class			
		I, II	III	IV, V	N.S.	I, II	III	IV, V	N.S.	I, II	III	IV, V	N.S.	I, II	III	IV, V	N.S.	I, II	III	IV, V	N.S.	I, II	III	IV, V	N.S.
6. Tuberculosis of meninges and central nervous system (010)	All Ages	5	9	2	15	8	55	21	29	9	23	7	10	2	7	2	28	5	38	26	32	3	14	8	9.
	Under 15	3	4	2	15	7	32	10	20	6	11	6	7	1	6	1	24	2	25	13	8	2	8	5	8
	15-	2	2	-	-	1	11	7	5	1	4	1	2	1	-	-	1	1	9	7	16	1	4	2	-
	25-	-	-	-	-	-	7	3	3	1	-	-	-	-	-	1	2	1	2	3	5	-	2	1	-
	35-	-	2	-	-	-	2	1	1	1	2	-	1	-	1	-	1	1	2	2	3	-	-	-	1
	45-	-	1	-	-	-	1	-	-	-	4	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	55-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	65 & over	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
7. Tuberculosis of intestines, peritoneum and mesenteric glands (011)	All Ages	5	4	3	3	4	25	12	7	1	12	3	5	2	4	4	7	11	35	15	7	1	15	5	3
	Under 15	1	1	1	2	2	11	5	4	-	3	-	-	1	-	-	3	1	11	3	1	-	1	-	-
	15-	1	1	-	-	-	5	2	-	-	3	2	1	-	4	2	2	1	12	6	2	-	8	4	-
	25-	2	1	1	1	1	3	3	2	-	1	-	2	1	-	2	1	5	7	4	3	1	3	1	-
	35-	-	1	-	-	-	4	1	-	-	1	1	-	-	-	-	1	2	3	2	1	-	3	-	-
	45-	-	-	-	-	-	2	-	1	-	2	-	-	-	-	-	-	2	1	-	-	-	-	-	-
	55-	-	-	1	-	-	-	1	-	-	2	-	-	-	-	-	-	-	1	-	-	-	-	-	2
	65 & over	1	-	-	-	1	-	-	-	1	-	-	2	-	-	-	-	-	-	-	-	-	-	-	1
8. Tuberculosis of bones and joints (012,013)	All Ages	24	107	27	23	25	104	49	29	5	54	19	14	22	47	24	27	15	111	33	33	5	16	20	14
	Under 15	7	50	10	13	9	43	21	16	1	14	7	7	10	14	15	7	4	22	14	14	1	8	7	2
	15-	4	28	6	5	2	24	9	3	1	17	3	5	3	9	1	6	4	43	9	5	2	3	4	3
	25-	6	16	6	2	-	14	6	3	-	8	-	-	7	14	3	5	2	24	6	4	-	1	6	3
	35-	6	9	1	1	7	11	3	1	2	3	3	-	1	4	2	2	3	13	-	1	-	-	2	1
	45-	1	1	2	-	4	7	6	2	-	5	2	-	-	4	3	4	2	5	3	2	1	2	1	-
	55-	-	2	1	-	2	3	2	-	1	3	3	-	-	1	-	-	-	4	1	4	1	-	-	-
	65 & over	-	-	1	-	1	2	2	2	-	3	1	2	1	1	-	2	-	-	-	2	-	2	-	5
9. Tuberculosis of lymphatic system (015)	All Ages	4	14	7	12	31	103	56	15	4	31	18	4	13	31	8	45	51	147	79	33	9	32	23	10
	Under 15	2	5	2	6	16	65	37	8	2	23	12	2	2	7	3	22	20	42	21	9	4	10	9	4
	15-	-	4	2	3	3	9	10	7	1	6	5	1	5	14	2	1	6	51	27	6	3	8	8	2
	25-	1	4	3	2	4	10	4	-	-	2	1	1	4	7	2	9	9	28	9	4	1	3	4	-
	35-	1	-	-	1	5	7	1	-	1	-	-	-	1	2	-	7	6	14	12	6	1	6	1	3
	45-	-	1	-	-	-	6	3	-	-	-	-	-	-	-	-	3	6	7	9	-	-	3	-	1
	55-	-	-	-	-	2	6	1	-	-	-	-	-	1	-	1	-	3	4	1	3	-	1	-	-
	65 & over	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	2	-	1	-	5	-	1	1	

10. Tuberculosis of genito-urinary system (016)	All Ages	4	26	13	6	20	69	29	6	7	21	10	4	9	10	5	17	19	75	33	20	4	13	1	6
	Under 15	-	-	1	1	-	5	1	1	-	-	-	-	-	2	-	-	-	2	-	1	-	-	-	-
	15-	-	6	1	2	4	10	6	4	1	4	-	-	3	1	1	2	1	20	8	3	-	4	-	3
	25-	1	9	3	1	2	30	10	-	1	9	1	1	1	2	3	5	10	30	12	5	2	4	-	1
	35-	3	5	5	1	10	14	5	-	4	3	1	2	4	4	1	3	5	14	8	4	1	4	-	2
	45-	-	2	3	-	4	4	6	1	1	4	6	1	1	-	-	2	2	8	3	1	1	1	1	-
	55-	-	3	-	-	-	2	-	-	-	1	2	-	-	1	-	3	1	-	1	4	-	-	-	-
	65 & over	-	-	-	1	-	3	1	-	-	-	-	-	-	-	-	2	-	1	1	2	-	-	-	-
11. All other tuberculosis (014,017-019)	All Ages	3	15	5	13	11	55	33	9	3	9	8	5	2	17	10	21	20	60	41	19	2	17	8	3
	Under 15	-	3	4	9	4	18	13	7	1	3	2	3	-	3	4	7	6	25	13	9	-	3	2	-
	15-	1	4	-	2	2	10	5	1	-	-	2	1	1	4	1	-	2	12	14	1	1	10	-	1
	25-	-	3	1	1	-	7	4	-	1	2	1	-	-	4	1	2	4	11	2	-	1	1	2	-
	35-	-	1	-	-	3	11	3	-	-	2	-	-	1	5	2	5	1	4	2	1	-	1	1	-
	45-	1	3	-	-	-	4	4	-	-	2	2	-	-	-	2	4	4	6	8	2	-	2	1	1
	55-	1	1	-	1	1	2	3	-	1	-	-	-	-	1	-	2	2	2	1	2	-	-	1	-
	65 & over	-	-	-	-	1	3	1	-	-	-	1	1	-	-	-	1	1	-	1	4	-	-	-	1
12. Syphilis of cardiovascular and central nervous systems: congenital syphilis (020,022-027)	All Ages	16	62	25	21	33	130	102	31	4	34	16	8	4	16	7	48	12	73	43	50	2	13	4	25
	Under 15	-	3	-	6	-	8	4	6	-	4	1	1	-	1	-	4	-	7	5	2	-	5	1	1
	15-	-	1	-	2	-	9	2	-	-	-	-	-	1	2	1	4	-	3	1	3	-	1	-	1
	25-	1	4	1	-	1	9	-	2	-	3	-	-	-	3	-	2	1	12	5	4	-	-	-	-
	35-	2	11	4	5	11	19	17	3	-	4	3	-	-	5	1	8	1	11	8	8	1	2	2	1
	45-	3	18	8	1	5	41	31	5	2	10	3	-	2	4	3	15	5	25	12	8	1	3	1	6
	55-	7	9	9	3	12	33	37	10	2	6	3	1	1	1	1	11	5	13	9	17	-	2	-	7
	65 & over	3	16	3	3	4	11	11	5	-	7	5	6	-	-	1	4	-	2	3	8	-	-	-	7
13. Early syphilis: latent syphilis; syphilis unqualified (021,028,029)	All Ages	1	9	5	4	2	11	8	2	-	4	1	-	1	9	7	6	3	19	17	30	1	5	11	3
	Under 15	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	-	-
	15-	-	3	1	-	-	-	-	1	-	-	-	-	1	4	1	3	-	7	6	8	-	1	6	1
	25-	1	2	3	-	-	4	2	-	-	2	-	-	-	2	1	1	2	10	9	9	-	2	2	-
	35-	-	2	-	1	1	4	1	-	-	1	1	-	-	2	-	-	1	2	1	4	-	-	2	-
	45-	-	2	-	1	-	1	2	1	-	1	-	-	-	1	3	-	-	-	-	3	-	-	-	1
	55-	-	-	1	-	-	2	2	-	-	-	-	-	-	-	2	1	-	-	1	5	-	-	-	1
	65 & over	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	1	-
14. Gonococcal infections (030-035)	All Ages	-	4	1	4	1	4	2	-	-	2	2	-	1	6	5	8	1	4	1	3	-	2	1	-
	Under 15	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	1	-	-	-	-
	15-	-	-	1	-	-	1	1	-	-	-	-	-	-	3	4	7	-	3	-	1	-	-	1	-
	25-	-	-	-	3	-	1	-	-	-	-	1	-	1	-	1	1	1	1	1	-	-	2	-	-
	35-	-	2	-	-	-	-	1	-	-	2	1	-	-	1	-	-	-	-	-	-	-	-	-	-
	45-	-	1	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	55-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
	65 & over	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

TABLE H.3 (Contd.)

Diagnostic Group		MALES												FEMALES											
		London Teaching				Provincial Teaching				Regional Boards				London Teaching				Provincial Teaching				Regional Boards			
		Social Class				Social Class				Social Class				Social Class				Social Class				Social Class			
		I, II	III	IV, V	N.S.	I, II	III	IV, V	N.S.	I, II	III	IV, V	N.S.	I, II	III	IV, V	N.S.	I, II	III	IV, V	N.S.	I, II	III	IV, V	N.S.
15. Dysentery, all forms (045-048)	All Ages	10	12	4	8	18	56	21	17	4	17	10	10	4	4	2	3	8	7	2	4	3	9	5	4
	Under 15	1	1	1	7	2	11	7	3	1	9	7	10	-	1	2	1	1	3	1	1	2	7	5	4
	15-	1	1	-	-	1	8	5	3	-	1	2	-	1	-	-	-	4	2	1	1	-	1	-	-
	25-	5	4	1	1	7	24	4	5	3	2	-	-	1	1	-	-	1	2	-	1	1	1	-	-
	35-	2	5	2	-	5	7	5	3	-	4	1	-	1	1	-	-	2	-	-	-	-	-	-	-
	45-	1	1	-	-	3	6	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	55-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	1	-	-	-	-	-	-	-	-
	65 & over	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	1	-	-	-	1	-	-	-	-
16. Other infectious diseases of intestinal tract (040-044, 049)	All Ages	2	4	2	7	9	16	8	4	11	25	17	3	20	11	8	6	6	16	3	8	8	19	15	5
	Under 15	1	-	-	2	2	4	2	1	2	12	9	1	-	-	-	1	4	5	2	1	3	9	10	2
	15-	-	1	1	2	-	4	1	-	-	5	3	-	15	8	2	-	-	3	-	3	-	3	1	-
	25-	-	1	-	1	3	1	3	1	-	2	2	-	2	2	3	-	1	1	-	1	1	3	-	-
	35-	1	1	-	-	2	6	1	-	3	3	-	-	-	-	1	1	-	3	-	-	-	4	-	-
	45-	-	-	1	1	-	1	-	1	5	2	2	1	-	1	2	-	1	3	1	-	2	-	2	1
	55-	-	-	-	1	2	-	1	-	1	1	1	-	-	-	-	2	-	1	-	-	2	-	1	1
	65 & over	-	1	-	-	-	-	-	1	-	-	-	1	1	-	-	2	-	-	-	2	-	-	1	1
17. Scarlet fever (050)	All Ages	-	-	-	-	17	44	5	7	65	265	104	21	-	-	-	1	11	42	21	9	53	258	109	19
	Under 15	-	-	-	-	15	37	5	5	57	246	96	20	-	-	-	1	11	36	20	5	48	229	102	16
	15-	-	-	-	-	-	3	-	2	3	12	4	1	-	-	-	-	-	2	1	1	3	20	5	2
	25-	-	-	-	-	1	2	-	-	4	1	2	-	-	-	-	-	-	1	-	1	-	5	1	-
	35-	-	-	-	-	-	-	-	-	-	3	1	-	-	-	-	-	-	3	-	1	1	4	-	1
	45-	-	-	-	-	1	1	-	-	1	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-
	55-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-
	65 & over	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
18. Diphtheria (055)	All Ages	-	-	-	-	-	1	-	-	1	6	3	-	-	1	-	-	-	1	-	-	5	18	8	-
	Under 15	-	-	-	-	-	-	-	-	1	4	1	-	-	1	-	-	-	1	-	-	3	17	7	-
	15-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	1	1	-
	25-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	35-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-
	45-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	55-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	65 & over	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

19. Whooping cough (056)	All Ages	-	4	3	5	2	6	2	4	5	76	49	10	-	1	3	6	-	7	6	3	9	74	62	8
	Under 15	-	4	2	5	2	6	2	3	5	76	49	10	-	1	3	6	-	7	6	3	9	73	62	8
	15-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	25-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
	35-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	45-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	55-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	65 & over	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
20. Acute poliomyelitis (080)	All Ages	24	58	25	29	14	48	16	18	25	78	27	16	32	53	18	23	14	32	11	11	31	65	22	14
	Under 15	16	46	21	21	12	22	13	15	15	60	17	12	12	35	12	14	5	19	5	3	17	42	13	13
	15-	5	6	4	5	-	15	2	2	1	10	3	3	12	8	4	3	4	5	4	3	7	15	4	-
	25-	1	4	-	2	1	6	-	-	1	7	7	1	7	7	-	4	-	5	1	2	5	5	3	-
	35-	1	1	-	-	1	3	-	1	7	1	-	-	1	1	2	2	4	3	1	3	2	2	1	-
	45-	1	1	-	1	-	1	1	-	-	-	-	-	-	2	-	-	-	-	-	-	-	1	-	-
	55-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	65 & over	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
21. Late effects of acute poliomyelitis (081)	All Ages	2	20	7	11	6	19	12	2	-	9	4	5	7	22	7	10	8	25	8	10	-	9	3	14
	Under 15	-	13	4	7	4	12	9	2	-	7	4	4	3	9	4	4	1	13	3	3	-	3	1	12
	15-	-	2	2	1	-	2	-	-	-	-	-	-	1	7	1	1	4	5	1	-	-	2	-	-
	25-	-	1	1	1	1	-	-	-	-	1	-	-	3	2	1	1	-	2	2	5	-	1	1	-
	35-	2	1	-	1	1	2	2	-	-	-	-	-	-	2	1	2	1	4	2	2	-	1	-	2
	45-	-	3	-	1	-	-	-	-	-	1	-	-	-	1	-	-	2	1	-	-	-	2	1	-
	55-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	65 & over	-	-	-	-	-	2	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
22. Infectious encephalitis, acute and late effects (082,083)	All Ages	2	2	3	4	4	18	18	9	4	8	4	5	1	1	-	6	2	13	11	10	1	14	4	7
	Under 15	1	1	1	3	2	8	4	-	1	2	1	1	-	1	-	2	2	2	2	2	-	6	2	1
	15-	-	-	-	1	-	-	-	1	-	2	-	1	-	-	-	1	-	1	4	-	-	1	1	-
	25-	1	-	-	-	1	3	-	3	1	1	2	-	-	-	-	-	-	3	1	-	-	5	1	1
	35-	-	-	2	-	-	4	10	2	-	1	-	2	-	-	-	2	-	3	4	4	-	1	-	1
	45-	-	-	-	-	1	3	4	3	2	1	-	-	-	-	-	1	-	3	-	3	-	-	-	1
	55-	-	1	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-	-	1	1	1	-	3
	65 & over	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
23. Measles (085)	All Ages	2	-	1	4	8	19	13	24	13	72	54	27	-	2	1	8	4	6	8	11	19	59	33	23
	Under 15	2	-	1	4	8	18	12	19	12	70	53	27	-	1	-	7	4	3	7	10	12	56	31	22
	15-	-	-	-	-	-	-	-	4	-	1	1	-	-	-	1	1	-	1	-	-	3	1	1	1
	25-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	2	-	-	3	1	1	-
	35-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	1	-	-
	45-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-
	55-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	65 & over	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-

TABLE H.3 (Contd.)

Diagnostic Group		MALES												FEMALES											
		London Teaching				Provincial Teaching				Regional Boards				London Teaching				Provincial Teaching				Regional Boards			
		Social Class				Social Class				Social Class				Social Class				Social Class				Social Class			
		I, II	III	IV, V	N.S.	I, II	III	IV, V	N.S.	I, II	III	IV, V	N.S.	I, II	III	IV, V	N.S.	I, II	III	IV, V	N.S.	I, II	III	IV, V	N.S.
24. Mumps (089)	All Ages	-	2	-	-	1	1	2	10	1	1	-	3	1	2	-	-	2	4	4	2	-	3	-	-
	Under 15	-	1	-	-	-	1	-	1	1	-	-	-	-	2	-	-	-	2	3	-	-	-	-	-
	15-	-	-	-	-	-	-	-	5	-	-	-	3	-	-	-	-	1	-	1	1	-	1	-	-
	25-	-	-	-	-	1	-	2	4	-	-	-	-	-	-	-	-	1	1	-	1	-	2	-	-
	35-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	45-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	55-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	65 & over	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
25. Infectious hepatitis (092)	All Ages	13	17	13	10	25	59	19	10	9	25	16	3	10	15	11	7	8	46	21	13	6	29	9	7
	Under 15	1	12	3	2	3	18	9	3	2	9	5	3	-	7	9	3	1	13	8	4	1	12	2	2
	15-	3	1	2	3	1	10	4	3	-	5	3	-	4	6	1	2	1	9	3	1	1	10	2	1
	25-	4	3	3	1	5	11	1	3	5	6	3	-	3	2	-	-	2	13	5	2	1	4	1	2
	35-	1	-	1	2	7	8	1	1	1	3	2	-	1	-	1	2	2	7	3	1	-	2	2	-
	45-	2	1	2	-	3	6	3	-	-	2	1	-	-	-	-	-	1	4	1	2	2	-	-	-
	55-	-	-	2	2	4	3	1	-	-	-	2	-	1	-	-	-	-	-	1	3	1	-	1	1
	65 & over	-	-	-	-	1	3	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	1	1	1
26. Rickettsial diseases (100-108)	All Ages	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Under 15	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	15-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	25-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	35-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	45-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	55-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	65 & over	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
27. Malaria (110-117)	All Ages	-	4	2	1	5	16	6	1	1	2	1	1	-	1	-	-	-	1	1	2	1	-	-	-
	Under 15	-	1	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
	15-	-	-	2	1	-	7	4	-	-	2	1	-	-	-	-	-	-	-	-	1	-	-	-	-
	25-	-	3	-	-	1	3	2	1	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-
	35-	-	-	-	-	1	3	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-
	45-	-	-	-	-	2	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	55-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	65 & over	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

28. Diseases due to helminths (123-130)	All Ages	2	10	2	14	7	28	12	3	3	5	2	2	1	4	4	9	12	17	10	9	2	15	6	3
	Under 15	-	4	1	9	1	11	9	2	-	2	2	1	-	3	1	7	4	5	6	2	-	5	3	1
	15-	-	-	-	2	3	2	1	1	1	1	-	1	-	-	2	-	2	4	1	1	-	6	-	-
	25-	2	3	-	3	1	11	2	-	1	-	-	-	-	-	-	-	2	-	-	2	-	2	1	-
	35-	-	1	-	-	1	2	-	-	-	1	-	-	-	1	-	1	2	2	1	1	-	2	1	-
	45-	-	-	1	-	1	1	-	-	-	-	-	-	1	-	-	1	1	4	2	-	2	-	1	-
	55-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	1	-	3	-	-	-	1
	65 & over	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	1
29. All others classified as infective and parasitic (036-039, 051-054, 057-074, 084, 086-088, 090-091, 093-096, 120-122, 131-138)	All Ages	20	53	22	31	43	123	73	62	26	125	65	21	14	25	13	50	51	98	51	66	20	109	52	57
	Under 15	1	9	3	17	9	38	26	22	7	53	27	11	1	4	3	13	13	36	18	13	7	47	22	22
	15-	1	8	4	7	7	12	5	26	-	24	6	4	7	8	3	5	15	12	6	5	5	23	7	3
	25-	6	14	4	5	11	24	8	2	3	8	9	1	1	5	1	5	6	15	7	3	2	17	2	2
	35-	5	7	3	-	4	20	8	2	4	17	15	-	2	1	2	4	9	13	9	7	2	3	7	3
	45-	2	9	5	-	7	9	6	1	5	10	4	1	2	5	2	6	2	12	4	6	1	8	7	3
	55-	-	4	2	-	3	9	14	2	4	8	2	-	-	2	2	5	4	5	2	9	2	8	5	5
	65 & over	1	2	1	1	1	10	6	6	2	4	2	4	-	-	-	10	1	5	5	22	1	1	2	19
30. Malignant neoplasm of buccal cavity and pharynx (140-148)	All Ages	34	118	59	107	45	132	105	58	15	52	29	12	12	16	22	105	21	58	54	78	5	10	13	17
	Under 15	-	-	-	3	-	3	-	-	-	-	1	-	-	1	-	2	-	-	-	-	-	-	1	-
	15-	-	2	-	-	-	1	-	-	-	-	-	-	-	-	2	2	-	5	1	3	-	1	1	-
	25-	1	2	-	-	-	3	1	1	-	2	1	-	1	2	4	6	-	6	5	4	-	2	3	-
	35-	3	6	-	-	3	8	4	1	3	4	-	-	2	4	2	10	2	6	9	2	1	3	-	1
	45-	12	31	7	7	6	23	14	3	2	8	6	1	1	4	4	15	5	19	9	11	1	2	3	2
	55-	10	45	20	11	18	40	33	6	1	12	8	2	4	5	5	21	8	13	22	8	1	2	4	4
	65 & over	8	32	32	83	18	54	52	46	9	26	13	8	4	-	5	49	6	9	8	50	2	-	1	9
31. Malignant neoplasm of stomach (151)	All Ages	22	80	39	21	62	286	193	49	10	72	42	30	7	18	10	69	23	101	49	122	2	15	15	59
	Under 15	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	15-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
	25-	1	2	-	-	1	6	1	1	-	-	1	-	4	1	-	-	-	5	1	3	-	-	-	1
	35-	3	6	4	-	1	33	20	-	1	9	1	-	-	2	1	6	3	10	5	6	-	1	2	1
	45-	5	20	5	3	12	73	54	3	2	20	4	-	1	7	4	8	5	27	16	10	-	3	4	2
	55-	6	29	20	3	25	90	81	7	4	23	19	4	2	7	4	17	11	36	17	29	-	5	5	9
	65 & over	7	23	10	15	23	83	37	37	3	19	17	26	-	1	1	38	4	23	10	73	2	5	4	45
32. Malignant neoplasm of intestine (152, 153)	All Ages	20	33	12	22	54	139	86	59	19	47	33	25	4	21	9	83	52	116	61	175	5	33	19	78
	Under 15	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
	15-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	-	-	-	-	-	-	-
	25-	1	2	-	-	2	3	2	1	-	3	-	-	1	1	-	2	1	6	-	-	-	-	1	-
	35-	2	7	2	1	3	11	9	1	3	1	2	-	-	6	1	9	6	16	6	6	1	1	4	2
	45-	4	7	2	-	15	31	14	1	1	10	7	1	3	5	1	15	20	28	23	15	-	14	4	7
	55-	7	10	4	3	15	37	28	9	8	7	12	1	-	6	5	20	12	42	21	49	3	9	6	17
	65 & over	6	7	4	18	19	57	33	47	7	26	11	23	-	3	2	36	10	24	11	104	1	9	4	52

TABLE H.3 (Contd.)

Diagnostic Group		MALES												FEMALES											
		London Teaching				Provincial Teaching				Regional Boards				London Teaching				Provincial Teaching				Regional Boards			
		Social Class				Social Class				Social Class				Social Class				Social Class				Social Class			
		I, II	III	IV, V	N.S.	I, II	III	IV, V	N.S.	I, II	III	IV, V	N.S.	I, II	III	IV, V	N.S.	I, II	III	IV, V	N.S.	I, II	III	IV, V	N.S.
33. Malignant neoplasm of rectum (154)	All Ages	21	71	25	31	47	211	117	53	15	46	35	16	11	17	10	75	25	72	49	93	3	26	10	44
	Under 15	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	15-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	25-	1	2	-	-	-	1	1	-	-	-	1	-	1	-	-	3	1	2	1	-	-	-	-	1
	35-	1	6	3	-	1	19	3	2	-	2	2	-	-	2	-	5	4	10	6	5	-	2	5	1
	45-	3	17	6	4	6	26	23	3	4	9	6	-	4	7	5	6	9	19	11	6	-	9	2	2
	55-	6	29	8	2	13	76	43	9	5	10	5	4	3	7	4	23	7	24	17	21	2	9	1	7
	65 & over	10	16	7	24	27	87	47	39	6	25	21	12	3	1	1	37	4	17	14	61	1	6	2	33
34. Malignant neoplasm of other parts of digestive tract (150, 155-159)	All Ages	13	47	16	35	53	139	82	37	15	39	27	20	17	11	9	79	31	67	40	98	3	39	12	51
	Under 15	-	-	-	3	-	3	-	-	-	1	-	-	-	-	-	1	-	-	1	-	-	-	-	-
	15-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-
	25-	-	1	-	-	-	8	2	-	-	-	-	-	-	-	-	-	3	-	-	2	-	-	-	-
	35-	2	2	1	-	1	9	4	-	-	10	3	1	-	1	-	5	3	2	1	3	-	3	1	1
	45-	2	12	1	3	8	27	16	3	2	6	6	-	10	2	1	9	7	22	11	6	1	5	2	4
	55-	4	17	6	1	15	46	30	3	3	10	7	2	4	6	3	22	11	26	17	30	-	9	5	8
	65 & over	5	15	8	25	29	45	30	29	9	12	11	16	3	2	5	41	7	17	9	57	2	22	4	38
35. Malignant neoplasm of larynx (161)	All Ages	24	46	29	25	30	69	43	18	8	21	14	2	5	3	4	11	-	2	3	7	-	3	-	2
	Under 15	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	15-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	25-	-	-	-	-	-	1	-	-	-	-	-	-	1	1	-	2	-	-	-	-	-	-	-	-
	35-	1	8	2	-	2	3	3	-	-	-	-	-	-	-	-	1	-	-	-	-	-	2	-	-
	45-	6	14	4	2	7	14	11	-	3	6	1	-	-	-	2	4	-	1	1	1	-	1	-	-
	55-	11	11	10	-	11	23	21	3	1	9	9	1	3	2	2	3	-	1	-	-	-	-	-	-
	65 & over	6	13	13	23	10	27	8	15	4	6	3	1	1	-	-	1	-	-	2	6	-	-	-	2
36. Malignant neoplasm of lung, bronchus and trachea, not specified as secondary (162, 163)	All Ages	78	194	87	38	131	337	202	68	45	159	86	39	7	13	8	29	14	47	17	59	3	20	19	28
	Under 15	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	2	-
	15-	-	2	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	25-	-	4	2	1	4	5	4	-	-	2	1	-	1	3	-	-	4	3	1	2	-	1	2	-
	35-	7	17	12	1	16	37	27	4	3	21	9	1	3	1	1	1	-	8	2	3	2	3	1	1
	45-	27	79	23	5	29	124	68	10	12	50	29	3	2	4	4	7	4	17	3	9	-	8	6	1
	55-	32	71	32	8	55	119	78	19	22	63	33	9	1	5	3	9	6	10	9	26	-	7	7	14
	65 & over	11	21	17	21	26	52	22	32	8	23	13	26	-	-	-	11	-	8	2	19	1	-	1	12

37. Malignant neoplasm of other parts of respiratory system (160,164,165)	All Ages	7	24	12	8	3	24	15	7	-	6	6	1	2	4	-	20	6	18	8	22	3	4	-	1
	Under 15	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	15-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-
	25-	-	-	1	-	-	1	-	-	-	-	-	-	-	1	-	1	1	3	1	-	1	-	-	-
	35-	-	4	3	-	-	2	1	-	-	3	-	-	-	1	-	2	3	5	2	-	1	3	-	-
	45-	1	10	2	2	1	10	3	1	-	1	-	-	2	-	-	2	-	5	1	1	-	-	-	-
	55-	4	8	4	4	-	9	5	1	-	2	4	-	-	1	-	7	1	5	4	6	1	-	-	1
	65 & over	2	2	2	2	2	2	6	4	-	-	2	1	-	1	-	8	1	-	-	13	-	-	-	-
38. Malignant neoplasm of breast (170)	All Ages	1	6	1	7	6	9	7	4	-	2	-	2	54	126	71	447	174	404	228	327	27	105	54	136
	Under 15	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	15-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	2	1	2	-	-	-	-
	25-	-	1	-	-	-	-	-	-	-	-	-	-	1	5	2	9	4	22	9	7	-	3	5	1
	35-	1	1	-	2	2	2	-	-	-	1	-	-	13	30	9	67	39	93	51	18	4	36	10	11
	45-	-	2	-	2	2	3	1	-	-	-	-	-	25	49	20	93	64	129	82	49	9	30	21	23
	55-	-	1	1	-	1	1	4	1	-	-	-	1	7	27	21	127	41	110	55	75	9	20	12	35
	65 & over	-	1	-	2	1	3	2	3	-	1	-	1	8	14	19	145	25	48	30	176	5	16	4	66
39. Malignant neoplasm of cervix uteri (171)	All Ages													18	45	36	252	93	338	235	311	13	52	58	61
	Under 15													-	-	-	-	-	-	-	-	-	1	-	-
	15-													-	1	-	-	-	-	1	1	-	-	-	-
	25-													1	3	1	14	2	17	22	6	-	5	2	1
	35-													1	8	11	24	14	82	30	22	4	10	13	4
	45-													6	12	15	72	44	126	83	44	1	23	26	4
	55-													9	17	8	77	26	85	80	113	6	8	11	26
	65 & over													1	4	1	65	7	28	19	121	2	4	6	26
40. Malignant neoplasm of corpus uteri (172)	All Ages													8	13	12	42	26	68	56	70	5	20	11	26
	Under 15													-	-	-	-	-	-	-	-	-	-	-	-
	15-													-	-	1	-	-	-	-	-	-	1	-	-
	25-													-	-	1	2	-	-	1	-	-	-	-	-
	35-													-	2	3	2	3	2	4	-	-	6	-	1
	45-													4	3	1	12	10	29	16	11	2	5	4	5
	55-													1	6	4	15	7	32	26	29	3	7	4	8
	65 & over													3	2	2	11	6	5	9	30	-	1	3	12
41. Malignant neoplasms of other parts of uterus (173,174)	All Ages													2	7	2	31	10	29	26	35	2	14	12	21
	Under 15													-	-	-	1	-	1	-	-	-	-	-	-
	15-													-	-	-	-	-	-	2	-	-	-	-	-
	25-													-	1	-	-	-	3	1	-	-	-	3	-
	35-													1	2	-	5	4	6	5	-	1	3	1	-
	45-													1	3	1	7	3	13	8	5	-	5	2	-
	55-													-	1	1	13	2	4	8	14	1	4	5	8
	65 & over													-	-	-	5	1	2	2	15	-	2	1	13

TABLE H.3 (Contd.)

Diagnostic Group		MALES												FEMALES											
		London Teaching				Provincial Teaching				Regional Boards				London Teaching				Provincial Teaching				Regional Boards			
		Social Class				Social Class				Social Class				Social Class				Social Class				Social Class			
		I, II	III	IV, V	N.S.	I, II	III	IV, V	N.S.	I, II	III	IV, V	N.S.	I, II	III	IV, V	N.S.	I, II	III	IV, V	N.S.	I, II	III	IV, V	N.S.
42. Malignant neoplasm of ovary, Fallopian tube and broad ligament (175)	**All Ages**													**16**	**25**	**9**	**63**	**24**	**98**	**51**	**58**	**13**	**47**	**8**	**66**
	Under 15													-	1	-	-	-	2	-	-	-	-	-	-
	15-													-	-	-	-	-	1	-	-	-	-	-	2
	25-													4	2	-	2	3	6	3	1	1	1	-	1
	35-													1	6	1	11	4	25	10	3	2	5	2	1
	45-													7	12	4	16	10	35	17	9	9	7	3	4
	55-													3	3	4	23	7	22	16	17	1	29	3	37
	65 & over													1	1	-	10	-	7	5	26	-	5	-	21
43. Malignant neoplasm of other and unspecified female genital organs (176)	**All Ages**													**5**	**8**	**5**	**45**	**16**	**49**	**24**	**72**	**-**	**4**	**6**	**16**
	Under 15													-	-	-	3	-	-	-	-	-	-	-	-
	15-													-	-	-	-	-	-	-	-	-	-	-	-
	25-													-	1	-	1	-	2	-	-	-	1	-	-
	35-													1	1	-	4	-	9	2	2	-	1	-	-
	45-													-	2	2	4	8	17	7	6	-	-	2	-
	55-													2	3	2	9	4	14	8	13	-	-	3	6
	65 & over													2	1	1	24	4	7	7	51	-	2	1	10
44. Malignant neoplasm of prostate (177)	**All Ages**	**10**	**27**	**11**	**17**	**39**	**93**	**47**	**62**	**16**	**56**	**26**	**34**												
	Under 15	-	-	-	-	-	-	-	-	-	-	-	-												
	15-	-	-	-	-	-	-	-	-	-	1	-	-												
	25-	-	-	-	-	-	-	-	-	-	-	-	-												
	35-	-	-	-	-	-	-	-	-	-	1	-	-												
	45-	2	3	-	-	2	8	7	-	3	6	1	-												
	55-	3	13	6	5	9	26	14	3	1	15	5	2												
	65 & over	5	11	5	12	28	59	26	59	12	33	20	32												
45. Malignant neoplasm of other male genital organs (178, 179)	**All Ages**	**5**	**20**	**9**	**7**	**16**	**50**	**31**	**16**	**1**	**13**	**12**	**3**												
	Under 15	1	-	-	-	-	1	1	2	-	-	-	-												
	15-	-	-	-	1	-	2	1	-	-	-	-	-												
	25-	2	5	3	-	6	9	2	-	-	3	3	-												
	35-	2	10	2	2	3	10	6	2	-	3	3	-												
	45-	-	1	2	-	3	10	2	-	-	-	1	-												
	55-	-	4	2	-	1	3	10	1	-	3	3	-												
	65 & over	-	-	-	4	3	14	9	11	1	4	2	3												

46. Malignant neoplasm of bladder and urinary organs, excluding kidney (181)	All Ages	25	60	31	37	32	127	51	24	16	59	38	14	2	7	4	38	10	27	7	33	4	9	6	16
	Under 15	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	15-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	25-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
	35-	2	4	-	-	-	5	2	1	-	3	3	-	-	-	1	-	2	-	1	1	-	-	1	-
	45-	4	16	4	1	4	11	5	3	1	11	6	-	-	3	1	3	3	6	2	2	3	-	1	-
	55-	11	22	6	5	14	68	25	6	4	26	12	2	-	3	-	12	3	9	2	8	-	6	1	4
	65 & over	8	16	21	31	14	43	19	13	11	18	16	12	2	1	2	22	2	12	2	22	1	3	3	11
47. Malignant neoplasm of skin (190,191)	All Ages	38	71	59	51	42	157	106	47	7	19	8	5	12	21	7	93	31	47	33	126	3	14	10	16
	Under 15	-	1	-	1	-	2	1	-	-	-	1	1	-	-	1	2	2	2	1	-	-	1	1	1
	15-	2	2	-	1	-	1	-	-	-	-	-	-	1	1	-	2	-	5	-	2	-	2	-	-
	25-	-	3	2	1	3	3	2	1	-	2	-	-	-	4	1	4	3	6	4	-	1	1	-	1
	35-	8	6	1	1	3	15	3	1	1	4	1	-	3	3	1	3	4	7	6	3	-	1	1	-
	45-	8	21	12	2	6	26	18	-	1	4	2	-	2	5	1	13	3	8	11	10	1	3	1	1
	55-	12	27	22	9	14	52	31	8	1	2	-	-	4	4	3	23	8	9	7	28	1	2	3	1
	65 & over	8	11	22	35	16	58	50	36	4	7	4	4	2	4	-	46	11	10	4	82	-	4	4	12
48. Malignant neoplasm of brain and other parts of nervous system (193)	All Ages	5	9	4	12	33	90	34	30	2	10	2	5	1	10	2	19	13	42	16	52	1	4	1	1
	Under 15	-	2	-	9	-	10	2	9	2	3	1	1	-	5	1	7	6	8	1	11	-	2	-	-
	15-	-	1	2	1	-	8	-	6	-	1	-	1	1	-	-	2	1	6	1	2	-	-	-	-
	25-	3	1	-	2	4	17	10	-	-	2	1	-	-	-	-	2	-	6	3	6	-	-	-	-
	35-	2	2	-	-	11	17	5	4	-	-	-	-	-	1	-	2	2	4	2	6	1	-	1	1
	45-	-	2	-	-	13	21	12	4	-	3	-	1	-	2	-	3	4	12	6	14	-	1	-	-
	55-	-	-	2	-	3	15	4	7	-	1	-	1	-	2	1	2	-	6	3	10	-	-	-	-
	65 & over	-	1	-	-	2	2	1	-	-	-	-	1	-	-	-	-	-	-	-	2	-	-	-	-
49. Hodgkin's disease (201)	All Ages	16	42	11	7	31	70	33	15	5	35	8	2	4	11	5	34	6	22	12	14	9	11	2	4
	Under 15	1	2	-	-	-	7	4	2	-	2	1	1	-	-	-	1	-	1	-	-	-	-	-	-
	15-	-	2	2	2	3	5	2	5	1	6	2	-	-	3	1	1	3	2	1	2	-	2	-	-
	25-	4	9	3	1	6	23	1	1	2	6	-	1	2	5	1	7	1	6	4	2	-	6	-	-
	35-	6	10	-	1	7	17	13	4	-	6	2	-	2	-	1	10	2	10	3	5	7	1	-	-
	45-	3	8	3	-	12	11	5	2	1	9	-	-	-	1	1	8	-	1	2	-	-	2	2	2
	55-	1	8	1	2	3	5	6	1	-	4	3	-	-	-	1	4	-	1	2	-	2	-	-	-
	65 & over	1	3	2	1	-	2	2	-	1	2	-	-	-	2	-	2	-	1	-	5	-	-	-	2
50. Leukaemia and aleukaemia (204)	All Ages	14	34	6	28	35	96	34	20	6	26	10	7	5	13	9	42	24	47	36	46	1	4	3	13
	Under 15	3	6	-	18	2	12	5	6	-	2	-	1	1	5	-	13	3	14	8	2	-	1	-	2
	15-	-	1	-	1	1	10	3	2	1	2	1	1	-	3	1	2	4	4	2	-	-	1	-	-
	25-	2	1	2	-	3	15	2	1	1	5	2	-	1	-	3	-	3	7	-	3	-	1	-	-
	35-	-	6	-	1	9	16	4	-	-	2	1	-	-	-	-	1	5	7	5	4	1	-	-	1
	45-	5	6	1	3	11	15	7	1	-	5	1	-	2	3	1	6	5	7	9	8	-	-	2	1
	55-	1	10	2	1	5	15	10	3	3	6	5	3	-	2	4	11	2	6	6	8	-	1	1	1
	65 & over	3	4	1	4	4	13	3	6	1	4	-	2	1	-	-	9	2	2	5	21	-	-	-	8

TABLE H.3 (Contd.)

Diagnostic Group		MALES												FEMALES											
		London Teaching				Provincial Teaching				Regional Boards				London Teaching				Provincial Teaching				Regional Boards			
		Social Class				Social Class				Social Class				Social Class				Social Class				Social Class			
		I, II	III	IV, V	N.S.	I, II	III	IV, V	N.S.	I, II	III	IV, V	N.S.	I, II	III	IV, V	N.S.	I, II	III	IV, V	N.S.	I, II	III	IV, V	N.S.
51. Other neoplasms of lymphatic and haematopoietic system (200, 202, 203, 205)	All Ages	22	46	14	11	19	59	35	18	8	10	5	2	4	13	6	37	15	23	13	32	3	3	8	2
	Under 15	-	1	1	4	2	6	2	1	2	1	-	-	-	3	-	-	1	1	-	-	-	2	-	-
	15-	1	5	-	-	-	6	1	-	-	-	-	-	-	-	1	1	-	3	-	1	-	-	-	-
	25-	1	6	1	-	2	5	4	1	1	1	-	-	1	1	-	1	1	1	-	-	-	-	-	-
	35-	4	10	3	-	2	10	2	3	-	3	2	1	-	2	1	3	4	4	3	1	1	-	-	-
	45-	7	11	3	2	4	13	14	4	2	1	-	-	1	5	1	9	3	8	5	5	2	1	5	-
	55-	8	8	3	-	7	12	8	2	1	2	2	1	1	1	3	14	5	4	4	10	-	-	3	-
	65 & over	1	5	3	4	2	7	4	7	2	2	1	-	1	1	-	9	1	2	1	14	-	-	-	2
52. Malignant neoplasms of other sites, and those specified as secondary (180, 192, 194-199)	All Ages	25	77	27	50	61	142	95	47	15	49	26	14	16	28	15	121	47	135	84	152	9	42	24	49
	Under 15	1	6	-	16	3	3	6	1	-	1	-	2	1	3	-	16	3	15	7	3	-	2	2	2
	15-	-	6	1	4	3	11	1	6	-	1	-	-	1	4	-	4	3	10	6	3	3	4	1	-
	25-	2	5	2	4	2	8	2	2	-	-	-	-	3	6	-	7	1	3	5	2	-	5	1	-
	35-	3	8	-	1	7	18	13	1	5	7	1	-	4	3	-	10	7	22	11	5	2	8	2	5
	45-	8	12	7	2	16	39	25	4	4	8	9	-	4	3	4	28	14	31	30	18	1	10	7	2
	55-	4	25	10	4	15	31	22	9	4	10	3	-	2	5	5	25	11	32	18	42	3	8	6	12
	65 & over	6	15	7	19	15	31	26	24	2	22	13	12	1	4	6	30	8	22	7	78	-	5	5	28
53. Benign neoplasm of breast (213)	All Ages	-	1	-	-	-	2	-	-	-	-	-	-	9	41	11	41	18	83	41	24	7	39	10	8
	Under 15		-				-							-	-	-	1	-	-	1	-	-	-	-	-
	15-		-				1							3	15	3	5	2	21	6	1	1	8	1	-
	25-		-				-							3	14	1	11	5	21	7	3	2	12	3	-
	35-		1				-							3	8	3	7	6	25	10	6	4	13	1	1
	45-		-				-							-	1	4	9	4	15	16	5	-	4	4	1
	55-		-				1							-	2	-	3	1	1	1	2	-	2	-	3
	65 & over		-				-							-	1	-	5	-	-	-	6	-	-	1	2
54. Uterine fibromyoma (214)	All Ages													111	188	89	218	275	886	415	179	60	227	92	63
	Under 15													-	-	-	-	-	-	-	-	-	1	-	-
	15-													1	2	-	-	1	4	3	1	-	-	1	-
	25-													10	13	4	17	22	66	30	9	7	19	3	3
	35-													48	102	37	90	114	425	190	62	25	119	47	26
	45-													44	68	44	96	127	364	174	71	21	84	40	27
	55-													7	1	4	9	10	21	17	25	5	3	1	5
	65 & over													-	2	-	4	1	6	1	11	2	1	-	1

55. Other benign neoplasm of uterus (215)	All Ages												36	80	31	115	133	422	218	115	26	105	40	32
	Under 15												-	-	-	-	-	-	-	-	-	-	-	-
	15-												-	4	2	-	2	7	3	2	1	3	1	-
	25-												6	16	2	9	24	85	24	8	7	9	7	2
	35-												17	28	12	41	48	164	84	31	12	50	11	7
	45-												9	24	11	32	41	131	80	29	4	31	13	9
	55-												3	6	2	25	17	25	24	26	2	11	8	5
	65 & over												1	2	2	7	1	9	3	19	-	1	-	9
56. Benign neoplasm of ovary (216)	All Ages												19	48	29	91	90	288	183	125	18	106	46	56
	Under 15												-	1	1	1	1	-	2	1	1	4	1	-
	15-												2	6	7	9	14	56	25	7	2	15	8	4
	25-												7	16	4	28	33	103	47	16	7	34	11	7
	35-												7	14	6	21	16	59	41	17	4	24	13	8
	45-												2	6	6	8	14	47	44	13	3	16	9	4
	55-												1	5	3	18	11	18	20	28	1	7	3	9
	65 & over												-	-	2	6	1	5	4	41	-	5	1	24
57. Benign neoplasm of other female genital organs (217)	All Ages												9	30	5	20	36	107	49	26	10	32	12	10
	Under 15												-	2	-	-	1	-	2	-	-	2	-	-
	15-												-	7	-	3	4	12	3	3	-	7	3	1
	25-												4	6	-	5	11	37	11	5	3	11	2	2
	35-												2	12	3	3	9	36	16	5	5	7	3	2
	45-												2	3	2	7	7	19	15	4	-	4	4	4
	55-												1	-	-	-	3	3	1	5	1	1	-	-
	65 & over												-	-	-	1	1	-	1	4	1	-	-	1
58. Benign neoplasm of male gerital organs (218)	All Ages	2	4	3	-	7	24	9	2	4	9	3	-											
	Under 15	-	1	1	-	-	1	-	-	-	-	-	-											
	15-	-	2	-	-	-	2	-	-	-	-	-	-											
	25-	-	-	-	-	-	2	1	1	-	1	-	-											
	35-	1	-	-	-	3	4	3	-	1	4	-	-											
	45-	1	-	1	-	-	9	2	1	1	2	2	-											
	55-	-	1	1	-	2	5	3	-	1	-	1	-											
	65 & over	-	-	-	-	2	1	-	-	1	2	-	-											
59. Benign neoplasm of kidney, bladder and other urinary organs (219)	All Ages	36	76	23	29	66	229	88	35	28	113	43	27	6	9	10	57	22	50	22	52	8	14	7	24
	Under 15	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	15-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	2	1	1	-	-	-	-
	25-	-	1	1	-	-	7	1	1	-	3	1	-	-	-	2	-	-	4	-	-	-	-	-	-
	35-	9	4	4	3	9	19	3	3	4	13	7	-	-	-	-	-	1	6	4	2	2	3	1	1
	45-	9	16	7	-	8	50	21	1	9	34	10	1	3	3	2	3	5	10	4	-	1	-	2	1
	55-	10	33	7	5	28	92	33	8	4	31	13	3	1	4	5	15	10	13	8	13	3	3	3	11
	65 & over	8	21	4	21	21	60	30	22	11	31	12	23	2	2	1	39	6	15	5	36	2	8	1	11

TABLE H.3 (Contd.)

Diagnostic Group		MALES												FEMALES											
		London Teaching				Provincial Teaching				Regional Boards				London Teaching				Provincial Teaching				Regional Boards			
		Social Class				Social Class				Social Class				Social Class				Social Class				Social Class			
		I, II	III	IV, V	N.S.	I, II	III	IV, V	N.S.	I, II	III	IV, V	N.S.	I, II	III	IV, V	N.S.	I, II	III	IV, V	N.S.	I, II	III	IV, V	N.S.
60. Benign neoplasm of skin (220-222)	All Ages	12	49	19	19	28	81	34	21	7	38	5	8	18	42	21	69	24	108	37	25	11	34	11	18
	Under 15	3	13	3	15	4	19	14	5	-	12	3	4	6	12	9	41	7	21	6	6	5	4	2	5
	15-	2	2	4	2	5	15	8	9	1	9	-	2	3	12	4	7	9	50	12	6	2	16	7	3
	25-	3	16	3	1	12	24	4	2	1	7	1	-	6	15	2	5	4	20	6	2	-	7	-	1
	35-	2	8	5	1	1	11	3	1	3	7	1	-	-	2	2	9	2	9	7	2	1	2	-	1
	45-	2	4	1	-	1	7	2	-	-	2	-	-	2	1	3	-	2	4	3	2	1	3	-	1
	55-	-	3	3	-	3	4	1	1	1	1	-	1	1	-	1	3	-	2	2	4	2	-	1	2
	65 & over	-	3	-	-	1	1	2	2	1	-	-	1	-	-	-	4	-	2	1	3	-	2	-	5
61. Benign neoplasm of brain and other parts of nervous system (223)	All Ages	5	18	10	7	14	72	35	12	-	5	1	3	6	21	7	19	16	72	39	42	-	10	2	9
	Under 15	-	3	1	3	1	16	4	3	-	-	-	1	1	2	-	4	3	9	3	4	-	1	-	1
	15-	-	4	-	1	3	7	2	-	-	-	-	-	1	4	-	2	-	6	4	1	-	2	1	-
	25-	2	-	3	-	1	11	4	1	-	3	-	1	1	8	2	-	2	11	4	4	-	1	-	-
	35-	1	5	1	1	3	18	5	-	-	1	1	1	2	2	1	3	3	21	11	5	-	1	-	1
	45-	1	4	3	1	4	15	12	3	-	-	-	-	1	4	3	7	5	18	10	10	-	5	-	2
	55-	-	2	1	1	1	5	8	4	-	-	-	-	-	1	1	2	1	6	5	13	-	-	1	4
	65 & over	1	-	1	-	1	-	-	-	-	1	-	-	-	-	-	1	1	1	2	5	-	-	-	-
62. All other benign neoplasms (210-212, 224-229)	All Ages	47	165	60	84	79	339	174	66	15	112	50	20	34	156	65	251	92	298	166	123	20	126	52	54
	Under 15	9	30	21	59	14	82	31	22	1	41	11	10	6	51	18	116	17	104	41	12	3	22	7	7
	15-	2	18	7	4	7	38	22	12	-	7	4	-	6	28	9	13	8	36	16	6	2	24	4	2
	25-	8	29	7	3	7	44	27	5	-	12	4	2	5	23	10	19	19	29	20	10	2	16	6	3
	35-	12	38	6	-	17	64	29	2	2	24	10	2	6	24	12	22	17	54	34	11	5	25	12	11
	45-	6	19	9	4	13	54	27	6	6	17	15	-	5	23	7	30	19	50	31	25	6	19	13	7
	55-	8	22	4	4	13	32	30	3	3	4	3	1	5	7	9	22	10	22	22	22	1	14	7	15
	65 & over	2	9	5	9	8	24	8	14	3	7	1	3	-	2	-	28	2	3	2	36	-	5	2	9
63. Neoplasms of unspecified nature of brain and other parts of nervous system (237)	All Ages	8	22	5	8	39	134	50	25	7	13	4	1	5	5	3	23	26	62	30	49	4	13	2	8
	Under 15	-	3	-	5	1	12	6	4	-	2	-	-	2	2	-	3	4	18	2	5	-	2	-	2
	15-	-	1	1	-	1	6	3	6	-	1	-	-	-	-	-	1	1	6	1	3	-	1	-	-
	25-	2	2	-	1	2	22	7	3	1	-	-	-	-	1	-	4	5	8	6	2	1	-	-	-
	35-	1	5	1	1	7	29	10	2	-	-	2	-	1	-	-	1	5	12	2	12	1	4	1	-
	45-	3	5	1	1	14	37	15	2	2	5	1	-	-	1	-	8	6	14	11	12	2	2	-	4
	55-	2	5	1	-	10	20	9	4	3	4	1	1	1	1	2	2	4	4	7	11	-	4	1	1
	65 & over	-	1	1	-	4	8	-	3	1	1	-	-	1	-	1	4	1	-	1	4	-	-	-	1

64. All other unspecified neoplasms (230-236, 238, 239)	All Ages	8	31	17	12	43	94	57	26	4	22	11	4	6	17	9	33	29	89	47	77	4	20	7	13
	Under 15	1	1	-	1	2	5	7	3	-	-	-	-	-	-	1	2	1	5	5	2	-	1	-	-
	15-	-	1	-	1	1	3	2	-	-	1	1	-	1	2	-	-	1	8	4	3	-	-	1	-
	25-	-	3	-	1	4	7	2	2	-	1	2	-	2	6	-	2	6	11	8	2	2	2	1	2
	35-	1	4	-	-	6	10	3	-	-	5	-	-	-	3	2	7	8	16	3	4	-	2	-	-
	45-	3	8	5	3	13	22	20	2	1	4	4	-	2	6	1	4	2	24	10	9	-	7	3	1
	55-	2	12	5	-	6	25	14	8	2	7	2	-	-	-	3	6	6	18	13	16	1	5	-	1
	65 & over	1	2	7	6	11	22	9	11	1	4	2	4	1	-	-	12	5	7	4	41	1	3	2	9
65. Asthma (241)	All Ages	17	44	12	47	62	168	64	34	24	75	43	30	17	24	7	40	71	136	70	86	15	96	45	58
	Under 15	5	29	6	37	18	62	27	12	5	18	10	3	8	10	2	9	8	25	16	14	4	17	3	4
	15-	1	-	-	3	5	17	7	9	2	5	3	2	5	5	2	5	5	20	10	10	-	11	3	2
	25-	1	-	1	4	4	19	4	1	1	7	2	2	1	4	1	5	10	22	4	9	2	11	3	3
	35-	2	5	2	-	10	19	6	1	4	11	6	1	2	2	-	5	13	27	16	12	3	18	15	12
	45-	5	2	3	1	10	23	12	5	8	11	14	7	-	1	1	10	16	26	14	18	3	27	12	11
	55-	2	7	-	-	12	22	3	1	1	17	6	9	1	2	1	5	15	13	8	13	2	9	7	11
	65 & over	1	1	-	2	3	6	5	5	3	6	2	6	-	-	-	1	4	3	2	9	1	2	1	15
66. All other allergic disorders (240, 242-245)	All Ages	10	13	9	11	12	38	19	4	5	20	15	4	4	12	4	10	14	42	13	11	4	24	5	7
	Under 15	4	4	4	8	6	13	5	-	-	12	11	2	-	2	1	3	-	4	3	4	-	4	2	1
	15-	-	2	2	-	1	4	3	3	2	2		1	2	2	-	1	3	11	5	-	-	5	-	1
	25-	1	-	1	1	1	3	1	-	-	2	1	-	1	4	-	1	6	8	2	2	2	4	-	-
	35-	-	5	-	1	1	9	4	-	-	3	1	-	1	1	3	3	3	9	-	-	-	4	1	-
	45-	4	-	1	-	1	4	2	-	1	1	1	-	-	1	-	-	2	5	2	1	2	4	1	2
	55-	-	2	1	-	2	5	3	1	1	-	-	-	-	2	-	1	-	3	1	1	-	3	1	1
	65 & over	-	-	-	1	-	-	1	-	1	-	1	1	-	-	-	1	-	2	-	3	-	-	-	1
67. Simple goitre; non-toxic nodular goitre (250, 251)	All Ages	7	20	12	3	9	49	28	7	-	3	3	2	37	102	54	98	93	301	163	108	11	49	20	18
	Under 15	-	-	1	-	-	2	1	-	-	-	-	-	-	-	-	5	-	-	1	-	-	-	-	-
	15-	-	-	1	-	2	7	7	2	-	-	-	-	3	11	3	1	4	30	16	7	-	6	-	1
	25-	1	5	2	-	1	8	5	-	-	1	-	-	7	22	16	16	17	71	31	14	2	13	4	3
	35-	2	5	1	-	-	11	5	1	-	1	-	1	13	33	13	36	33	111	54	22	4	16	8	6
	45-	1	6	2	2	5	8	4	-	-	1	3	-	9	27	11	19	30	61	41	26	3	7	5	6
	55-	3	2	2	1	1	8	2	1	-	-	-	-	4	6	10	13	7	24	19	21	2	7	3	2
	65 & over	-	2	3	-	-	4	4	2	-	-	-	1	1	3	-	8	2	3	1	17	-	-	-	-
68. Thyrotoxicosis, with or without goitre (252)	All Ages	13	28	7	7	34	111	61	4	8	19	8	-	49	103	39	176	163	583	330	190	9	65	23	28
	Under 15	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	4	3	-	-	-	-	-
	15-	-	1	-	-	2	12	3	4	-	3	-	-	11	17	3	17	16	77	34	15	1	6	-	1
	25-	5	6	2	1	6	26	21	-	2	4	-	-	8	23	15	28	39	166	72	29	3	14	4	3
	35-	4	8	1	2	7	34	11	-	1	6	4	-	10	41	12	43	42	141	88	27	2	24	9	6
	45-	1	8	1	-	11	28	12	-	3	3	1	-	16	19	6	41	35	111	73	31	-	17	9	2
	55-	3	5	3	2	7	11	14	-	2	3	1	-	4	3	1	28	22	74	56	54	1	3	1	11
	65 & over	-	-	-	1	1	-	-	-	-	-	2	-	-	-	2	17	8	10	4	34	1	-	-	5

TABLE H.3 (Contd.)

Diagnostic Group		MALES												FEMALES											
		London Teaching				Provincial Teaching				Regional Boards				London Teaching				Provincial Teaching				Regional Boards			
		Social Class				Social Class				Social Class				Social Class				Social Class				Social Class			
		I, II	III	IV, V	N.S.	I, II	III	IV, V	N.S.	I, II	III	IV, V	N.S.	I, II	III	IV, V	N.S.	I, II	III	IV, V	N.S.	I, II	III	IV, V	N.S.
69. All other diseases of thyroid gland (253, 254)	All Ages	-	8	6	6	5	12	6	8	1	4	-	1	9	22	5	45	15	53	30	49	2	16	8	12
	Under 15	-	2	-	1	2	2	1	-	-	-	-	-	-	3	3	4	1	3	4	2	-	3	1	-
	15-	-	-	-	1	-	-	1	-	1	1	-	-	1	3	-	-	1	3	-	2	-	3	-	-
	25-	-	-	-	1	-	1	-	1	-	1	-	-	4	2	-	4	1	2	2	4	-	1	-	-
	35-	-	1	1	1	-	1	-	-	-	1	-	-	2	5	-	8	3	17	7	6	-	3	1	2
	45-	-	3	2	-	1	5	-	-	-	1	-	-	1	8	1	13	5	17	11	6	2	2	5	1
	55-	-	2	2	-	1	2	2	4	-	-	-	-	-	1	1	8	3	11	5	17	-	4	-	2
	65 & over	-	-	1	2	1	1	2	3	-	-	-	1	-	-	-	8	1	-	1	11	-	-	1	7
70. Diabetes mellitus (260)	All Ages	21	54	14	28	119	200	108	73	38	149	62	29	9	36	14	137	88	270	148	289	23	99	53	148
	Under 15	2	4	-	5	6	20	8	9	1	14	8	2	1	2	1	12	8	27	10	10	2	4	2	1
	15-	2	3	2	2	7	28	15	8	-	16	12	3	1	9	1	1	8	34	13	11	2	14	8	3
	25-	1	8	4	3	7	31	10	3	5	21	2	-	1	5	1	9	7	46	29	10	4	13	1	3
	35-	7	4	1	1	15	29	21	6	7	20	10	3	1	3	1	9	12	35	17	17	1	10	6	6
	45-	2	16	-	3	32	23	12	4	8	17	7	2	1	8	3	10	19	44	13	29	4	21	12	17
	55-	5	11	5	2	31	43	22	10	6	24	14	1	2	7	7	39	25	53	39	80	5	24	14	30
	65 & over	2	8	2	12	19	26	20	30	11	35	9	14	2	2	-	57	9	31	27	132	5	13	9	87
71. Diseases of other endocrine glands (270-277)	All Ages	13	30	13	21	17	72	26	12	3	11	6	4	10	41	15	134	60	177	110	48	2	11	5	9
	Under 15	1	6	2	11	1	13	9	1	-	2	2	-	-	6	1	14	2	8	5	4	1	-	-	1
	15-	-	3	1	4	1	6	4	4	-	-	-	-	1	5	1	4	5	21	7	3	-	1	-	-
	25-	4	3	1	5	4	11	2	1	1	1	1	-	2	13	5	27	13	35	23	6	-	3	-	1
	35-	5	4	1	1	-	17	2	2	-	5	1	-	3	10	6	44	20	70	39	13	-	3	-	1
	45-	3	6	7	-	6	15	5	2	2	3	-	1	3	4	1	33	17	36	30	12	-	4	-	-
	55-	-	7	1	-	5	10	2	-	-	-	-	-	-	2	1	11	3	5	5	5	-	-	5	3
	65 & over	-	1	-	-	-	-	2	2	-	-	2	3	1	1	-	1	-	2	1	5	-	-	-	3
72. Avitaminoses, and other deficiency states (280-286)	All Ages	4	14	8	22	10	49	31	11	1	14	10	3	7	11	15	38	16	57	40	22	1	11	6	13
	Under 15	2	11	5	21	5	26	20	6	-	10	4	2	4	10	14	29	6	41	24	1	1	9	4	3
	15-	-	-	1	1	-	-	1	-	-	1	-	-	1	1	1	1	-	1	2	-	-	1	-	-
	25-	-	-	-	-	3	3	2	-	-	-	-	-	-	-	-	1	4	4	3	2	-	-	-	1
	35-	1	-	2	-	2	8	-	1	-	-	1	-	-	-	-	1	3	3	8	2	-	1	-	-
	45-	1	1	-	-	-	2	4	1	-	-	2	-	1	-	-	1	-	7	2	2	-	-	-	1
	55-	-	1	-	-	-	6	1	-	1	3	-	-	-	-	-	2	1	-	1	7	-	-	2	2
	65 & over	-	1	-	-	-	4	3	3	-	-	3	1	1	-	-	3	2	1	-	8	-	-	-	6

73. All other metabolic diseases (287-289)	All Ages	6	20	5	14	11	34	18	5	1	8	1	-	11	24	9	44	10	42	22	15	2	16	9	5
	Under 15	1	8	-	9	4	7	6	2	1	2	-	-	-	9	1	16	-	5	5	-	1	2	2	1
	15-	-	2	-	1	-	3	-	-	-	-	-	-	2	3	-	2	2	10	4	3	-	2	1	-
	25-	1	1	-	-	1	5	1	-	-	1	-	-	4	3	1	4	1	9	2	2	-	3	1	-
	35-	-	2	1	1	-	8	3	-	-	2	-	-	4	7	3	6	4	8	3	2	1	2	2	-
	45-	3	4	2	1	2	8	1	1	-	3	1	-	1	2	2	6	2	8	6	4	-	5	1	2
	55-	-	2	2	1	3	3	5	-	-	-	-	-	-	-	2	4	1	2	2	2	-	2	1	1
	65 & over	1	1	-	1	1	-	2	2	-	-	-	-	-	-	-	6	-	-	-	2	-	-	1	1
74. Pernicious and other hyperchromic anaemias (290)	All Ages	3	17	6	10	21	85	35	14	2	11	10	8	5	9	7	36	25	82	59	86	9	18	8	25
	Under 15	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	1	1	-	-	-	-
	15-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	-	1
	25-	-	-	-	-	-	4	-	-	-	-	-	-	2	1	1	-	-	4	1	1	-	1	-	-
	35-	1	1	-	-	4	9	-	2	-	1	1	-	-	1	1	2	6	14	13	6	-	2	3	3
	45-	-	5	-	1	6	25	15	-	-	1	1	-	1	4	1	5	10	15	19	13	1	4	1	1
	55-	-	10	4	3	7	23	10	4	1	3	3	1	1	2	2	8	7	31	19	22	2	7	4	4
	65 & over	2	1	2	5	4	23	10	8	1	5	5	7	1	1	1	21	2	18	5	42	5	3	4	16
75. Other anaemias of specified type (292)	All Ages	5	12	8	19	24	70	20	8	-	9	1	1	7	7	10	21	19	42	26	30	3	4	5	7
	Under 15	3	4	3	16	3	12	9	-	-	3	-	1	2	2	2	8	7	15	4	1	2	2	-	-
	15-	-	1	1	-	-	5	2	-	-	1	-	-	-	3	1	-	1	13	1	1	-	-	-	-
	25-	-	1	-	-	3	1	2	-	-	1	-	-	-	1	-	2	-	2	2	1	-	-	3	1
	35-	-	1	2	-	1	4	1	-	-	-	-	-	4	-	-	1	7	4	7	4	1	-	2	-
	45-	-	-	-	-	1	9	1	-	-	1	-	-	1	-	2	2	2	2	2	2	-	1	-	1
	55-	2	4	2	-	11	7	2	4	-	1	-	-	-	-	1	4	2	3	9	3	-	1	-	2
	65 & over	-	1	-	3	5	32	2	4	-	2	1	-	-	1	4	4	-	3	1	18	-	-	-	3
76. Iron deficiency anaemias; anaemia of unspecified type (291,293)	All Ages	4	14	10	12	16	52	21	13	-	14	11	9	5	26	15	45	34	111	78	71	8	23	25	43
	Under 15	2	6	1	6	2	7	2	1	-	7	1	3	-	4	-	4	1	7	2	4	-	4	1	1
	15-	-	-	-	-	1	4	-	-	-	-	-	-	-	1	2	1	2	10	6	1	1	4	5	3
	25-	-	-	1	3	2	2	1	-	-	-	2	-	2	4	1	4	5	18	9	3	-	4	1	1
	35-	-	1	2	-	1	5	2	-	-	-	-	-	2	11	4	11	9	34	23	12	2	7	5	5
	45-	-	-	1	-	2	8	3	2	-	2	-	-	1	5	6	6	8	32	23	10	2	4	6	9
	55-	2	4	4	1	2	15	5	-	-	2	5	-	-	1	2	10	5	6	10	20	1	-	5	3
	65 & over	-	3	1	2	6	11	8	9	-	3	3	6	-	-	-	9	4	4	5	20	1	-	2	20
77. All other diseases of blood and blood-forming organs (294-299)	All Ages	11	26	8	42	25	106	51	16	5	17	10	4	5	12	5	28	16	65	22	38	1	10	9	7
	Under 15	5	4	1	31	8	36	20	7	-	9	2	1	1	7	3	12	2	16	3	3	1	5	4	2
	15-	-	1	-	7	2	9	5	1	-	1	-	-	-	1	-	-	2	7	5	4	-	1	2	-
	25-	-	8	-	-	1	22	8	1	-	3	5	1	-	1	-	3	2	8	4	2	-	1	-	1
	35-	2	5	1	1	3	13	5	2	1	1	2	-	-	1	1	-	-	15	4	4	-	-	-	1
	45-	-	3	2	1	3	14	9	1	1	-	1	-	1	2	1	3	4	13	4	7	-	1	2	2
	55-	3	4	3	-	5	9	4	-	2	-	-	-	3	-	-	4	5	4	1	7	-	-	1	-
	65 & over	1	1	1	2	3	3	-	3	1	3	-	1	-	-	-	6	1	2	1	9	-	2	-	1

(7306)

TABLE H.3 (Contd.)

Diagnostic Group		MALES												FEMALES											
		London Teaching				Provincial Teaching				Regional Boards				London Teaching				Provincial Teaching				Regional Boards			
		Social Class				Social Class				Social Class				Social Class				Social Class				Social Class			
		I, II	III	IV, V	N.S.	I, II	III	IV, V	N.S.	I, II	III	IV, V	N.S.	I, II	III	IV, V	N.S.	I, II	III	IV, V	N.S.	I, II	III	IV, V	N.S.
78. Schizophrenic disorders (300)	All Ages	11	34	14	11	6	10	11	7	3	10	-	-	20	42	9	17	2	25	6	14	1	6	1	4
	Under 15	1	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	1	-	1	-	-	-	-
	15-	-	12	3	9	1	3	2	-	1	5	-	-	1	14	2	6	-	8	3	3	1	2	1	-
	25-	6	18	7	1	5	6	4	5	1	2	-	-	7	19	3	6	1	11	2	5	-	3	-	2
	35-	4	4	2	-	-	1	4	2	-	3	-	-	8	6	4	2	1	3	-	3	-	1	-	-
	45-	-	-	2	1	-	-	1	-	-	-	-	-	3	1	-	3	-	1	1	1	-	-	-	2
	55-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-
	65 & over	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
79. Manic-depressive reaction (301)	All Ages	25	37	7	6	2	10	4	1	5	16	9	1	30	54	15	23	14	28	14	18	13	30	21	18
	Under 15	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
	15-	-	4	-	1	-	-	1	-	-	-	-	-	-	7	2	2	-	-	2	-	1	-	1	-
	25-	2	8	1	3	-	2	1	-	-	3	2	1	9	13	1	3	5	7	-	-	6	6	4	1
	35-	5	5	3	-	-	3	-	-	1	3	4	-	7	15	2	1	3	8	5	3	2	9	8	3
	45-	8	11	2	1	2	4	2	-	1	5	1	-	9	12	3	4	2	8	5	2	1	10	4	3
	55-	5	7	1	1	-	1	-	-	2	4	2	-	3	3	7	8	2	5	2	8	3	4	3	4
	65 & over	5	2	-	-	-	-	-	1	1	1	-	-	2	4	-	5	2	-	-	5	-	1	-	7
80. Other psychoses (302-309)	All Ages	18	24	8	8	9	19	11	6	2	20	5	5	30	36	9	45	17	17	14	16	2	14	5	14
	Under 15	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-
	15-	-	1	-	1	-	-	-	-	-	1	1	-	-	2	-	-	-	-	-	-	-	-	1	-
	25-	-	3	-	2	-	2	1	1	-	-	-	-	3	2	-	1	1	2	-	1	-	-	1	-
	35-	-	1	-	-	-	2	1	3	-	1	1	-	2	4	-	3	2	2	3	1	-	3	1	3
	45-	7	12	3	-	6	6	2	-	1	6	1	2	11	14	5	12	8	5	7	1	-	4	-	2
	55-	7	6	2	2	2	7	5	-	-	7	-	2	11	11	3	20	2	4	2	5	1	4	2	4
	65 & over	4	1	3	2	1	2	2	2	1	5	1	1	3	3	1	9	4	4	1	8	-	2	-	5
81. Anxiety reaction without mention of somatic symptoms (310)	All Ages	16	38	12	12	24	76	28	12	5	18	4	1	16	42	11	51	57	140	49	34	4	27	15	9
	Under 15	-	3	4	-	-	2	-	-	-	-	-	-	-	2	-	1	1	1	-	-	-	-	-	-
	15-	-	3	1	2	1	6	3	-	-	1	-	-	5	10	1	4	8	16	6	3	2	-	3	1
	25-	6	12	2	4	3	19	6	4	2	7	3	-	4	14	1	17	11	51	12	5	-	10	3	1
	35-	6	10	3	5	12	20	9	3	2	5	-	1	6	9	6	13	19	38	15	6	2	9	4	3
	45-	3	10	2	1	6	21	9	3	-	3	1	-	1	5	2	10	13	26	10	10	-	5	3	3
	55-	1	-	-	-	2	8	1	2	1	1	-	-	-	1	1	4	5	7	6	7	-	2	2	1
	65 & over	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	1	-	3	-	1	-	-

82. Hysterical reaction without mention of anxiety reaction (311)	All Ages	8	18	10	6	9	50	17	15	5	11	6	3	22	50	16	44	23	71	34	45	5	37	22	19
	Under 15	1	1	-	2	1	1	-	1	-	2	-	-	2	3	-	5	1	7	-	1	-	2	-	-
	15-	-	6	3	1	-	9	1	1	2	3	1	2	1	14	4	7	2	20	10	9	-	13	11	3
	25-	1	2	3	1	1	10	3	5	1	4	2	-	8	14	5	8	10	11	8	8	-	11	4	4
	35-	3	5	3	1	1	15	3	4	1	-	3	-	7	12	5	8	6	17	8	11	4	7	5	5
	45-	2	1	-	1	4	11	6	2	1	2	-	1	3	6	1	9	3	8	6	9	-	4	1	4
	55-	1	3	1	-	1	3	4	1	-	-	-	-	-	1	1	4	-	5	2	4	1	-	-	1
	65 & over	-	-	-	-	1	1	-	1	-	-	-	-	-	-	-	3	1	3	-	2	-	-	1	2
83. Neurotic-depressive reaction (314)	All Ages	22	36	4	3	10	29	13	3	1	5	2	-	23	40	16	12	21	37	17	22	1	2	-	2
	Under 15	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	15-	2	12	1	1	-	1	-	-	-	-	-	-	1	6	1	-	-	-	-	-	-		-	-
	25-	7	6	1	-	1	7	2	-	-	2	1	-	6	22	6	3	4	10	3	3	-	1	-	-
	35-	5	12	2	-	-	8	-	2	1	1	-	-	7	6	5	1	7	11	4	2	-	1	-	1
	45-	5	3	-	1	5	8	7	1	-	2	1	-	7	4	2	5	9	13	7	2	1	-	-	-
	55-	2	2	-	-	3	5	4	-	-	-	-	-	2	1	2	1	1	1	3	10	-	-	-	1
	65 & over	1	-	-	1	1	-	-	-	-	-	-	-	-	1	-	2	-	2	-	5	-	-	-	-
84. Psychoneuroses with somatic symptoms (315-317)	All Ages	8	13	2	3	18	41	19	6	2	11	7	-	6	20	6	31	23	46	15	23	1	14	9	6
	Under 15	1	1	1	3	3	6	2	3	1	3	1	-	1	5	1	1	1	7	1	-	-	1	2	1
	15-	-	2	-	-	-	2	1	1	-	1	1	-	-	2	-	6	1	4	2	1	-	2	1	-
	25-	2	1	-	-	6	6	8	-	1	3	1	-	1	6	2	2	3	5	3	3	-	2	-	-
	35-	3	4	1	-	6	15	2	-	-	1	-	-	4	4	3	10	9	11	5	1	1	5	3	-
	45-	-	2	-	-	2	8	3	1	-	2	2	-	-	2	-	3	7	11	2	9	-	2	3	1
	55-	2	3	-	-	1	3	3	-	-	1	2	-	-	1	-	4	2	5	2	6	-	2	-	1
	65 & over	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	5	-	2	-	3	-	-	-	3
85. Other psychoneuroses (312,313,318)	All Ages	11	19	5	5	12	56	22	7	4	10	6	1	16	22	4	17	31	90	30	27	6	15	4	13
	Under 15	1	-	-	-	-	2	2	1	-	-	-	-	2	-	-	-	-	1	-	-	-	-	-	-
	15-	3	4	-	1	-	6	2	1	1	-	-	1	2	6	-	1	3	18	4	2	1	-	1	-
	25-	2	2	3	1	3	11	3	2	1	1	1	-	9	3	1	4	5	12	7	4	-	5	1	1
	35-	2	5	1	-	1	20	5	-	1	3	-	-	2	9	1	5	12	24	9	6	1	3	1	3
	45-	1	5	-	-	6	11	8	2	-	6	3	-	1	2	1	5	7	22	6	8	3	4	-	4
	55-	2	3	1	2	2	5	1	1	1	-	1	-	-	2	1	-	3	10	4	3	-	3	1	1
	65 & over	-	-	-	1	-	1	1	-	-	-	1	-	-	-	-	2	1	3	-	4	1	-	-	4
86. Disorders of character, behaviour and intelligence (320-326)	All Ages	41	47	19	30	12	33	18	19	2	8	8	4	16	43	10	44	17	20	7	10	-	5	8	10
	Under 15	6	23	8	18	5	24	7	6	-	2	2	-	4	10	6	23	11	17	4	3	-	-	4	4
	15-	2	2	5	1	-	3	2	3	1	-	2	-	1	17	1	3	-	1	2	1	-	1	-	2
	25-	2	11	3	4	-	-	4	4	-	3	2	-	6	8	-	1	-	-	1	-	-	1	1	1
	35-	21	4	1	1	1	1	3	2	1	-	1	-	1	5	1	7	1	-	-	-	-	2	-	1
	45-	7	5	1	4	2	4	-	1	-	2	1	2	4	2	2	7	5	1	-	1	-	-	1	1
	55-	3	2	1	1	2	1	-	1	-	1	-	-	-	1	-	1	-	1	-	3	-	-	2	1
	65 & over	-	-	-	-	2	-	2	1	-	-	-	1	-	-	-	2	-	-	-	2	-	1	-	-

TABLE H.3 (Contd.)

Diagnostic Group		MALES												FEMALES											
		London Teaching				Provincial Teaching				Regional Boards				London Teaching				Provincial Teaching				Regional Boards			
		Social Class				Social Class				Social Class				Social Class				Social Class				Social Class			
		I, II	III	IV, V	N.S.	I, II	III	IV, V	N.S.	I, II	III	IV, V	N.S.	I, II	III	IV, V	N.S.	I, II	III	IV, V	N.S.	I, II	III	IV, V	N.S.
87. Vascular lesions affecting central nervous system (330-334)	All Ages	21	44	22	24	97	204	134	97	40	166	95	102	12	21	8	55	46	114	55	241	25	100	65	320
	Under 15	-	2	1	4	-	5	2	-	2	5	1	-	1	1	-	2	-	4	4	4	-	2	3	-
	15-	1	1	1	-	2	5	3	2	-	4	-	1	-	2	-	-	1	4	2	5	-	2	-	-
	25-	-	4	2	-	1	8	3	1	-	6	2	-	-	-	-	1	5	8	1	6	-	9	-	1
	35-	-	4	1	1	10	32	16	-	2	8	3	1	2	5	4	4	5	16	7	8	2	9	6	4
	45-	8	13	3	3	25	49	29	9	6	18	14	8	3	6	-	8	9	29	16	29	7	24	17	28
	55-	8	12	7	8	37	63	46	22	17	42	31	9	5	2	2	15	20	36	15	63	8	29	23	71
	65 & over	4	7	7	7	22	42	32	58	11	82	44	78	1	5	2	24	6	17	10	121	7	24	16	212
88. Multiple (disseminated) sclerosis (345)	All Ages	17	19	10	7	39	93	46	12	3	19	4	5	9	34	11	53	57	124	42	32	4	9	10	21
	Under 15	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	15-	-	2	1	1	2	13	6	4	-	4	-	-	-	2	-	7	2	18	3	2	-	2	-	1
	25-	4	4	2	1	5	29	9	2	1	4	-	-	2	13	1	11	15	32	12	6	-	1	6	2
	35-	7	9	4	4	17	24	18	1	1	7	2	2	3	14	2	18	18	33	10	10	1	2	2	6
	45-	5	2	2	1	10	18	9	4	1	3	1	1	4	5	6	14	19	32	10	7	3	3	2	5
	55-	1	2	1	-	3	7	3	1	-	1	1	1	-	-	1	2	3	9	5	6	-	1	-	5
	65 & over	-	-	-	-	2	2	-	-	-	-	-	1	-	-	1	1	-	-	1	1	-	-	-	2
89. Other inflammatory diseases of central nervous system (340-344)	All Ages	6	6	1	18	30	99	63	37	5	35	16	5	2	9	6	19	10	58	41	39	9	14	17	9
	Under 15	2	3	1	17	11	30	20	20	1	10	9	2	1	3	5	15	3	31	19	13	3	8	12	5
	15-	1	-	-	-	2	13	8	3	-	6	2	1	-	4	-	2	-	17	6	4	4	1	-	1
	25-	1	1	-	-	3	14	4	3	-	8	1	-	-	-	1	1	2	1	5	4	1	2	1	-
	35-	1	1	-	-	7	21	10	1	1	8	-	-	1	2	-	1	4	5	5	3	-	-	-	1
	45-	1	-	-	-	5	11	16	6	2	2	4	-	-	-	-	-	1	2	3	4	-	2	-	-
	55-	-	1	-	1	1	9	4	-	1	1	-	1	-	-	-	-	-	2	3	7	-	-	3	-
	65 & over	-	-	-	-	1	1	1	2	-	-	-	-	-	-	-	-	-	-	-	4	-	1	-	2
90. Epilepsy (353)	All Ages	6	43	13	28	40	137	102	65	7	36	31	13	10	25	12	35	42	109	71	46	2	22	12	25
	Under 15	2	18	2	17	9	30	26	23	-	13	2	6	6	11	2	15	7	33	16	10	-	6	2	4
	15-	-	1	-	2	7	23	16	19	1	7	3	3	1	3	3	4	6	25	17	10	1	5	7	5
	25-	4	15	4	4	10	31	19	8	2	5	12	2	1	-	2	5	13	23	17	11	-	4	-	2
	35-	-	2	5	4	9	16	24	4	2	7	7	-	2	6	3	7	10	16	12	5	-	3	3	3
	45-	-	5	1	-	4	26	10	6	2	3	1	-	-	4	-	2	5	10	5	2	-	4	-	5
	55-	-	1	1	-	1	8	6	1	-	1	4	1	-	1	1	1	1	1	3	6	1	-	-	5
	65 & over	-	1	-	-	-	2	1	1	-	-	2	1	-	-	1	-	-	-	1	1	-	-	-	-

91. All other diseases of central nervous system (350-352, 354-357)	All Ages	20	64	33	39	72	204	117	45	11	34	21	26	16	43	17	56	47	137	63	80	8	30	13	52
	Under 15	5	23	14	24	16	34	9	9	2	11	7	3	6	7	9	9	8	30	11	7	3	6	2	9
	15-	-	8	3	1	3	12	7	3	-	4	-	2	-	11	3	2	1	13	6	5	-	2	2	2
	25-	1	5	1	3	3	24	9	5	1	2	1	1	1	8	1	4	6	12	7	5	2	5	2	1
	35-	5	12	8	1	16	41	19	10	4	6	-	3	2	11	1	4	10	26	7	9	1	4	2	3
	45-	4	6	3	-	10	44	31	4	1	6	4	1	4	4	2	12	8	30	17	20	1	6	1	3
	55-	2	9	3	5	13	32	33	7	3	2	3	1	3	1	-	15	8	23	13	22	-	6	3	8
	65 & over	3	1	1	4	9	17	9	6	-	3	6	15	-	1	1	8	5	3	2	12	1	-	1	25
92. Sciatica (363)	All Ages	6	10	1	-	14	47	27	2	11	26	8	1	6	11	3	9	17	21	6	7	2	10	10	5
	Under 15	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	15-	-	-	-	-	-	1	1	-	1	1	-	-	2	3	-	-	1	2	-	2	-	-	1	-
	25-	-	2	-	-	3	11	3	-	1	3	1	-	2	3	2	1	5	3	3	-	-	2	3	-
	35-	4	3	-	-	2	15	11	2	4	8	2	-	1	2	1	4	4	9	2	3	1	5	1	-
	45-	2	4	1	-	5	11	9	-	3	6	3	-	-	1	-	-	3	4	-	-	1	2	3	1
	55-	-	1	-	-	3	4	3	-	1	6	2	1	-	-	-	4	2	3	1	-	-	1	2	-
	65 & over	-	-	-	-	1	4	-	-	1	2	-	-	-	2	-	-	1	-	-	2	-	-	-	4
93. Neuritis, neuralgia and other diseases of nerves and peripheral ganglia (360-362, 364-369)	All Ages	19	39	13	15	34	135	66	24	9	29	21	6	12	17	13	57	44	108	54	101	4	19	10	15
	Under 15	2	1	2	9	5	19	6	1	-	10	5	3	2	9	3	10	1	16	4	3	1	3	5	2
	15-	3	1	-	-	1	4	3	2	1	-	-	1	1	1	2	2	3	3	2	-	-	2	-	-
	25-	3	9	1	-	3	9	2	-	-	1	2	1	3	2	1	1	5	9	5	2	1	3	1	-
	35-	4	6	3	-	5	32	13	3	2	5	2	-	2	1	-	4	9	21	8	4	-	2	-	1
	45-	4	9	1	2	9	26	18	2	3	8	4	-	1	3	6	7	11	19	16	14	1	3	1	1
	55-	3	8	5	-	7	29	18	4	3	3	3	-	-	1	-	10	7	20	10	24	-	5	3	6
	65 & over	-	4	1	4	4	16	6	12	-	2	5	1	3	-	1	23	8	20	9	52	1	1	-	5
94. Iritis, choroiditis and other inflammation of uveal tract (373,375,376)	All Ages	12	31	15	3	33	164	96	44	1	9	3	-	9	19	11	35	18	73	50	90	4	8	-	5
	Under 15	2	1	-	-	2	9	3	2	-	-	-	-	1	1	-	1	1	2	1	5	-	-	-	-
	15-	-	4	-	-	1	14	8	2	-	2	3	-	1	2	3	2	1	5	8	1	-	-	-	-
	25-	1	3	1	-	5	27	11	4	-	2	-	-	-	6	1	3	5	15	8	2	-	3	-	-
	35-	1	3	2	-	5	33	17	5	-	1	-	-	2	2	3	6	5	17	7	6	2	-	-	-
	45-	3	8	5	-	12	44	26	1	-	-	-	-	4	4	-	7	3	11	10	11	1	3	-	-
	55-	4	9	3	2	3	26	21	8	-	3	-	-	-	3	2	5	3	16	15	19	-	1	-	1
	65 & over	1	3	4	1	4	11	10	21	1	1	-	-	1	1	2	11	-	7	1	44	1	1	-	4
95. Inflammation of lachrymal glands and ducts (378)	All Ages	2	11	3	9	8	63	20	15	-	3	-	1	3	19	10	33	19	142	107	134	-	5	1	2
	Under 15	1	1	1	7	1	19	5	5	-	2	-	1	-	2	1	6	2	20	7	7	-	-	-	-
	15-	-	4	-	-	1	6	1	1	-	-	-	-	-	-	-	-	-	6	1	2	-	-	-	-
	25-	-	1	-	-	-	6	1	-	-	-	-	-	1	2	1	3	-	4	9	4	-	1	-	-
	35-	-	3	-	-	1	8	1	-	-	-	-	-	1	5	2	4	2	27	23	10	-	2	-	-
	45-	-	1	-	-	4	11	4	-	-	-	-	-	-	5	3	5	6	57	39	18	-	1	-	1
	55-	-	1	1	-	-	8	6	1	-	-	-	-	1	4	2	7	7	22	27	28	-	-	1	1
	65 & over	1	-	1	2	1	5	2	7	-	1	-	-	-	1	1	8	2	6	1	63	-	1	-	-

TABLE H.3 (Contd.)

Diagnostic Group		MALES												FEMALES											
		London Teaching				Provincial Teaching				Regional Boards				London Teaching				Provincial Teaching				Regional Boards			
		Social Class				Social Class				Social Class				Social Class				Social Class				Social Class			
		I, II	III	IV, V	N.S.	I, II	III	IV, V	N.S.	I, II	III	IV, V	N.S.	I, II	III	IV, V	N.S.	I, II	III	IV, V	N.S.	I, II	III	IV, V	N.S.
96. All other inflammatory diseases of eye (370-372, 374, 377, 379)	All Ages	10	22	15	6	24	146	77	57	2	9	7	3	6	24	6	27	25	140	78	87	5	9	5	4
	Under 15	1	1	5	4	3	42	25	32	-	2	4	2	-	8	2	5	3	61	33	15	1	5	1	3
	15-	1	5	-	-	2	17	7	2	1	1	-	-	-	5	1	2	6	18	8	1	2	1	2	-
	25-	-	4	1	-	2	26	6	3	-	1	1	-	-	4	-	3	4	11	5	4	-	1	-	-
	35-	3	5	1	1	8	22	13	1	-	2	1	-	2	1	3	5	4	21	11	3	-	-	2	-
	45-	-	2	2	1	4	22	11	3	1	1	1	-	-	4	-	1	5	13	13	10	2	2	-	-
	55-	1	5	3	-	5	13	10	3	-	1	-	-	2	1	-	6	2	10	7	22	-	-	-	-
	65 & over	3	-	3	-	-	4	5	12	-	1	-	1	1	1	-	5	-	6	1	32	-	-	-	1
97. Corneal ulcer (381)	All Ages	1	9	2	5	13	111	99	36	1	8	3	1	2	3	3	12	11	44	42	67	1	6	1	3
	Under 15	-	3	-	-	3	10	19	5	-	-	1	-	1	1	-	1	4	19	13	11	-	1	-	-
	15-	-	1	-	-	1	8	7	2	-	1	-	-	-	-	-	-	-	6	3	1	-	-	-	-
	25-	1	-	-	1	-	7	5	3	-	-	-	-	1	1	-	1	1	1	2	2	-	-	-	-
	35-	-	1	-	-	2	25	15	1	1	2	-	-	-	-	-	1	3	3	9	3	1	2	-	-
	45-	-	1	1	-	-	23	18	4	-	3	-	-	-	-	2	2	1	7	8	9	-	1	-	-
	55-	-	2	-	-	3	21	19	5	-	1	-	1	-	1	1	3	2	5	6	19	-	1	-	1
	65 & over	-	1	1	4	4	16	16	16	-	1	2	-	-	-	-	4	-	3	1	22	-	1	1	2
98. Strabismus (384)	All Ages	18	106	53	130	80	434	209	91	6	67	26	27	37	118	47	134	81	406	223	72	7	39	17	17
	Under 15	12	69	27	110	60	308	141	73	4	51	21	24	22	76	29	115	55	291	142	47	4	26	16	15
	15-	2	22	18	14	6	85	46	12	1	13	5	1	7	29	9	9	14	75	64	12	-	8	1	1
	25-	2	5	3	3	8	13	12	5	-	2	-	-	5	7	6	3	7	20	10	5	1	2	-	-
	35-	2	7	4	2	4	18	4	-	-	-	-	1	1	6	3	-	3	14	5	2	-	-	-	-
	45-	-	1	-	-	1	5	3	1	-	-	-	-	2	-	-	-	1	4	1	3	1	-	-	-
	55-	-	1	1	-	1	2	2	-	-	1	-	-	-	-	-	4	-	1	-	1	-	3	-	-
	65 & over	-	1	-	-	-	2	-	-	1	-	-	-	-	-	-	3	1	1	1	1	1	-	-	1
99. Cataract (385)	All Ages	40	102	54	71	85	339	243	282	17	55	25	7	16	41	33	280	68	215	140	768	15	32	17	77
	Under 15	3	5	-	6	6	16	21	5	-	1	1	-	-	1	2	3	5	12	9	5	2	-	-	1
	15-	-	6	4	1	2	14	7	4	-	-	-	-	-	-	-	-	1	9	1	4	-	1	-	1
	25-	-	8	1	-	1	23	9	-	-	1	-	-	-	1	-	1	2	11	2	1	-	-	-	-
	35-	3	5	6	4	6	18	2	3	-	4	1	-	-	1	1	5	4	20	12	7	-	1	1	-
	45-	3	17	4	7	9	52	29	9	-	4	-	1	1	10	4	15	5	19	26	29	2	4	1	3
	55-	9	26	18	9	22	83	69	33	7	8	7	1	5	7	11	36	25	63	48	102	1	13	5	6
	65 & over	22	35	21	44	39	132	105	227	10	37	16	4	10	21	14	218	26	81	42	618	10	13	10	65

100. Detachment of retina (386)	All Ages	10	16	10	6	25	110	56	26	1	8	1	1	7	20	9	18	16	54	27	58	2	3	1	2
	Under 15	2	2	-	1	2	4	3	5	-	-	-	-	-	1	-	-	-	2	-	-	-	-	-	-
	15-	1	1	1	-	-	19	8	2	-	2	-	-	-	1	-	1	-	6	10	2	-	1	-	-
	25-	2	1	-	1	2	22	7	-	-	3	-	-	2	3	1	2	-	14	3	-	-	-	-	-
	35-	1	5	1	-	5	10	12	5	-	-	-	-	-	3	2	-	3	9	6	9	-	1	-	-
	45-	-	3	3	-	7	26	16	-	-	2	1	-	4	9	4	3	6	13	5	12	-	1	1	-
	55-	4	3	3	3	9	26	8	3	-	-	-	-	1	2	2	8	3	9	1	13	2	-	-	1
	65 & over	-	1	2	1	-	3	2	10	1	1	-	-	-	1	-	4	3	1	2	21	-	-	-	1
101. Glaucoma (387)	All Ages	23	42	20	20	27	188	120	124	3	22	8	1	10	31	15	105	26	107	80	306	3	11	2	12
	Under 15	-	-	-	1	-	1	1	-	-	-	1	-	-	-	-	1	1	2	1	-	-	-	-	-
	15-	1	-	-	-	-	8	2	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	25-	2	1	-	-	-	5	-	-	-	-	-	-	-	-	-	-	1	3	2	4	-	-	-	-
	35-	1	3	1	-	3	12	7	5	-	-	-	-	-	2	2	-	1	8	2	6	-	-	-	-
	45-	3	3	4	5	5	36	27	6	-	5	2	-	3	14	2	8	6	28	22	23	-	3	2	1
	55-	7	12	7	2	9	64	38	20	2	5	2	-	5	8	6	24	10	40	24	66	-	4	-	4
	65 & over	9	23	8	12	10	62	45	91	1	11	3	1	2	7	5	71	7	25	29	203	3	4	-	7
102. All other diseases of eye (380,382,383, 388,389)	All Ages	9	46	18	23	24	163	105	69	4	16	5	2	9	25	17	50	28	76	55	106	2	8	3	12
	Under 15	2	11	4	12	3	38	23	15	1	3	-	-	1	7	5	8	6	23	11	7	-	-	2	1
	15-	-	2	3	1	1	19	11	5	-	1	-	-	-	4	1	1	2	6	5	-	-	2	-	-
	25-	2	9	2	-	1	17	10	6	-	3	3	-	1	3	-	2	3	6	5	6	-	-	-	-
	35-	-	3	1	2	3	28	11	2	-	-	-	-	2	3	4	3	3	10	7	5	-	-	-	-
	45-	2	7	3	1	2	26	15	3	1	2	1	-	3	5	3	11	4	12	13	11	-	3	1	-
	55-	1	11	2	1	7	14	15	3	-	3	-	-	1	3	2	11	6	13	6	13	1	-	-	1
	65 & over	2	3	3	6	7	20	20	34	2	4	1	2	1	-	2	14	4	6	8	63	1	2	-	10
103. Otitis media without mention of mastoiditis (391)	All Ages	20	65	36	126	106	532	243	155	49	234	94	25	15	57	27	107	121	408	233	162	44	181	76	47
	Under 15	11	41	25	112	70	334	141	130	39	194	72	24	8	38	16	91	73	259	134	115	35	143	62	32
	15-	-	6	2	7	7	67	30	10	1	17	9	-	5	7	5	4	18	67	38	11	2	11	4	2
	25-	5	7	3	2	10	57	27	4	5	10	2	-	1	4	2	2	6	32	17	3	-	8	6	2
	35-	1	4	2	-	10	37	16	1	3	6	5	-	1	3	3	2	14	24	25	9	4	7	3	4
	45-	3	6	2	1	8	24	21	6	-	5	1	-	-	3	-	4	9	18	10	12	2	3	-	1
	55-	-	1	2	-	1	9	6	1	1	1	1	1	-	2	1	1	1	6	8	6	-	4	1	3
	65 & over	-	-	-	2	-	3	2	2	-	-	2	-	-	-	-	3	-	1	1	5	1	4	-	3
104. Mastoiditis with or without otitis media (392,393)	All Ages	8	41	20	52	45	236	116	83	16	94	41	10	6	29	18	62	29	182	94	110	25	108	35	5
	Under 15	2	17	9	45	26	127	65	59	10	61	26	9	1	14	8	35	18	115	60	43	20	67	25	2
	15-	2	4	2	3	4	34	12	14	4	18	7	-	-	7	6	7	3	35	17	9	-	17	5	-
	25-	2	10	2	1	4	30	12	3	-	5	3	-	3	2	1	8	2	9	9	20	1	8	4	2
	35-	1	7	2	1	5	24	13	3	-	6	3	-	2	4	-	5	2	15	5	13	4	9	-	-
	45-	1	2	2	1	2	10	9	1	1	4	1	-	-	2	1	2	3	4	1	12	-	6	-	-
	55-	-	-	2	-	2	7	5	1	1	-	1	-	-	-	2	1	-	3	1	9	-	1	-	1
	65 & over	-	1	1	1	2	4	-	-	-	-	-	1	-	-	-	4	-	1	-	3	-	-	1	-

(7306)

TABLE H.3 (Contd.)

Diagnostic Group		MALES												FEMALES											
		London Teaching				Provincial Teaching				Regional Boards				London Teaching				Provincial Teaching				Regional Boards			
		Social Class				Social Class				Social Class				Social Class				Social Class				Social Class			
		I, II	III	IV, V	N.S.	I, II	III	IV, V	N.S.	I, II	III	IV, V	N.S.	I, II	III	IV, V	N.S.	I, II	III	IV, V	N.S.	I, II	III	IV, V	N.S.
105. Meniere's disease (395)	All Ages	1	9	3	4	10	34	17	1	2	2	-	-	1	3	3	7	10	24	8	6	1	5	1	5
	Under 15	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	15-	-	-	1	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	25-	-	1	-	-	-	-	2	-	-	-	-	-	-	-	1	1	1	2	-	-	-	-	-	-
	35-	-	2	-	-	1	6	2	-	-	-	-	-	-	2	-	1	4	8	1	-	-	-	-	-
	45-	-	3	2	-	6	17	7	1	-	1	-	-	1	-	2	3	3	4	2	2	1	3	1	1
	55-	-	2	-	4	2	8	5	-	1	1	-	-	-	1	-	-	2	6	3	2	-	2	-	2
	65 & over	1	-	-	-	1	1	1	-	1	-	-	-	-	-	-	2	-	4	1	2	-	-	-	2
106. All other diseases of ear and mastoid process (390, 394, 396-398)	All Ages	10	29	12	15	19	105	46	22	5	12	6	1	14	34	15	47	25	103	64	36	4	16	4	8
	Under 15	-	5	1	12	8	45	20	11	1	8	3	1	2	4	5	15	7	38	27	16	-	7	3	3
	15-	1	1	1	-	1	16	8	2	2	-	1	-	-	6	-	5	5	16	13	3	-	3	-	1
	25-	5	7	4	1	2	16	8	5	1	3	1	-	1	16	6	7	2	19	15	4	1	4	1	-
	35-	3	11	4	1	4	20	4	2	-	1	-	-	6	7	1	11	5	23	6	6	2	1	-	-
	45-	1	2	2	-	2	3	4	-	-	-	1	-	3	1	3	6	4	5	2	3	-	-	-	1
	55-	-	3	-	-	1	4	2	1	1	-	-	-	2	-	-	1	2	1	1	-	1	1	-	1
	65 & over	-	-	-	1	1	1	-	1	-	-	-	-	-	-	-	2	-	-	-	3	-	-	-	2
107. Rheumatic fever (400-402)	All Ages	7	14	8	11	9	55	48	17	4	50	25	11	4	12	15	12	22	66	46	21	3	46	23	22
	Under 15	5	7	5	8	4	34	34	12	2	34	18	9	1	8	11	6	11	45	35	11	1	30	12	13
	15-	1	3	1	3	2	10	5	3	-	5	5	1	1	2	2	1	3	10	7	4	1	8	7	2
	25-	1	1	2	-	-	6	4	-	1	2	-	-	1	1	1	3	1	5	1	3	-	3	1	1
	35-	-	1	-	-	-	2	2	-	-	5	-	1	-	1	1	1	3	2	2	-	1	2	1	3
	45-	-	1	-	-	1	1	1	1	1	1	2	-	1	-	-	-	-	-	1	1	-	2	1	3
	55-	-	1	-	-	2	1	1	-	-	2	-	-	-	-	-	1	4	4	-	1	-	-	1	-
	65 & over	-	-	-	-	-	1	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-
108. Chronic rheumatic heart disease (410-416)	All Ages	17	46	17	22	27	108	65	22	7	41	25	10	14	54	26	164	58	241	99	120	15	99	60	67
	Under 15	-	1	1	6	-	6	4	3	-	5	2	4	1	4	1	5	-	8	9	2	1	3	1	-
	15-	-	4	2	1	1	15	11	2	1	1	2	1	2	12	1	19	2	26	13	24	2	6	6	2
	25-	-	10	5	3	6	20	9	6	2	8	5	2	3	10	5	25	16	82	15	26	1	25	10	9
	35-	6	14	4	5	8	21	13	4	1	11	6	-	5	16	7	48	23	69	34	30	6	27	23	19
	45-	10	9	4	1	7	28	16	4	-	13	3	-	3	10	9	39	13	43	18	17	4	26	12	15
	55-	1	8	1	2	4	14	10	2	3	3	2	1	-	2	2	21	3	10	10	15	1	11	7	16
	65 & over	-	-	-	4	1	4	2	1	-	-	4	1	-	-	1	7	1	2	-	6	-	1	1	-

109. Coronary heart disease and angina pectoris (including arteriosclerotic heart disease so described) (420)	All Ages	48	90	38	26	126	258	104	63	43	117	56	31	5	12	5	59	21	58	26	98	9	23	15	76
	Under 15	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	15-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	25-	2	-	1	-	1	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	35-	4	7	7	-	8	18	4	1	1	6	2	-	-	-	1	-	1	3	1	-	1	3	-	-
	45-	13	29	11	3	32	102	42	6	14	26	15	3	2	5	1	9	5	19	7	8	1	3	4	1
	55-	20	34	17	9	51	76	46	14	18	54	26	5	2	4	2	20	9	18	9	24	4	13	6	23
	65 & over	9	19	2	14	33	59	11	40	9	30	12	22	1	3	1	30	6	17	9	65	3	3	5	51
110. Other degenerative heart disease (421,422)	All Ages	9	17	8	7	15	40	31	10	16	68	43	19	1	3	3	13	6	15	11	30	8	9	8	86
	Under 15	-	-	-	2	-	1	-	-	-	1	-	-	-	-	-	2	-	-	-	-	1	-	-	-
	15-	-	-	-	-	-	1	-	-	-	-	-	-	-	2	-	2	-	1	-	-	-	1	-	-
	25-	-	1	-	-	2	2	-	-	-	-	1	-	1	-	1	2	1	1	2	-	-	1	-	-
	35-	-	1	-	-	-	4	-	-	1	1	2	-	-	-	-	1	4	2	-	-	-	-	-	3
	45-	6	7	1	1	3	8	7	1	1	6	1	-	-	-	1	2	-	3	4	2	-	1	2	2
	55-	1	3	4	1	4	14	16	1	7	19	10	1	-	1	1	2	-	6	3	7	4	3	3	13
	65 & over	2	5	3	3	6	10	8	8	7	41	29	18	-	-	-	2	1	2	2	20	3	3	3	66
111. Congestive and left ventricular failure so described (434.1, 434.2)	All Ages	-	6	6	4	23	47	36	34	14	57	59	45	-	4	9	12	7	39	31	65	5	23	29	73
	Under 15	-	-	-	-	-	-	2	-	-	-	1	-	-	-	-	-	-	1	2	-	1	1	1	-
	15-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	1	-	-	1	-	-
	25-	-	-	1	-	-	-	1	1	1	2	1	-	-	-	-	1	-	3	3	3	-	1	-	-
	35-	-	2	-	1	2	3	1	-	-	5	5	-	-	-	1	2	3	9	7	4	3	7	3	1
	45-	-	1	-	-	3	10	8	-	1	7	9	-	-	2	6	4	2	10	8	7	1	6	11	5
	55-	-	2	3	-	10	19	16	7	6	25	15	5	-	2	2	2	1	6	6	11	-	5	12	16
	65 & over	-	1	2	3	8	15	8	25	6	17	26	40	-	-	-	3	1	10	4	39	-	1	2	50
112. Other diseases of heart (430-433, 434 Rmdr.)	All Ages	20	55	23	13	39	90	44	35	9	32	33	15	4	18	3	24	25	83	44	46	4	27	20	59
	Under 15	1	3	5	3	3	5	-	5	-	-	-	-	-	2	-	3	1	4	3	-	-	-	1	-
	15-	-	3	-	-	4	8	5	2	-	2	2	2	-	4	-	1	2	17	8	4	-	6	2	2
	25-	-	6	1	2	3	14	11	2	-	4	1	1	1	3	-	3	5	17	11	3	-	4	1	
	35-	3	8	2	1	8	24	3	1	1	4	5	1	1	5	-	1	5	16	4	8	1	8	7	5
	45-	4	13	4	-	5	17	11	7	5	8	4	1	-	3	1	4	4	11	11	10	-	4	3	4
	55-	4	14	8	1	10	16	10	6	2	7	7	1	2	1	1	4	5	13	5	8	2	2	4	11
	65 & over	8	8	3	6	6	6	4	11	1	7	13	8	-	-	1	7	3	5	2	13	1	3	2	34
113. Hypertension with heart disease (440-443)	All Ages	18	43	14	14	45	75	45	24	21	43	33	34	6	10	8	61	28	41	31	85	6	24	15	72
	Under 15	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	15-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	25-	1	2	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-
	35-	-	1	-	-	4	1	-	2	-	1	1	-	1	-	-	5	3	5	2	6	1	1	3	-
	45-	7	10	3	-	12	16	10	3	3	7	8	1	2	4	3	19	4	15	14	17	-	2	5	2
	55-	4	19	6	3	20	31	18	6	6	16	10	3	3	1	3	13	12	14	5	22	2	13	4	9
	65 & over	6	11	5	10	9	26	17	13	12	19	14	29	-	5	2	24	8	6	9	40	3	8	3	59

TABLE H.3 (Contd.)

Diagnostic Group		MALES												FEMALES											
		London Teaching				Provincial Teaching				Regional Boards				London Teaching				Provincial Teaching				Regional Boards			
		Social Class				Social Class				Social Class				Social Class				Social Class				Social Class			
		I, II	III	IV, V	N.S.	I, II	III	IV, V	N.S.	I, II	III	IV, V	N.S.	I, II	III	IV, V	N.S.	I, II	III	IV, V	N.S.	I, II	III	IV, V	N.S.
114. Hypertension without mention of heart (444-447)	All Ages	38	69	13	13	125	231	82	34	28	67	31	28	28	54	24	110	109	240	107	128	12	62	26	116
	Under 15	1	-	-	1	-	-	1	1	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-
	15-	-	1	-	-	2	9	-	2	-	1	-	-	1	3	1	6	3	6	1	2	-	-	1	2
	25-	8	2	-	-	7	23	8	5	2	5	1	-	6	8	3	6	7	27	10	1	-	8	-	3
	35-	6	22	2	3	40	58	20	6	3	4	3	1	8	17	6	29	22	75	33	16	3	7	7	5
	45-	18	26	3	3	51	78	20	5	11	15	7	-	7	14	10	36	51	81	47	35	6	24	7	12
	55-	4	14	5	5	18	48	20	4	7	18	13	5	4	11	3	16	19	39	13	35	2	12	8	15
	65 & over	1	4	3	1	7	15	13	11	5	22	7	22	2	1	1	16	7	12	2	38	1	11	3	78
115. General arterio-sclerosis (450)	All Ages	28	65	23	25	46	120	83	38	11	27	25	25	3	4	1	11	7	15	4	27	1	5	2	20
	Under 15	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	15-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
	25-	-	-	-	-	1	2	1	1	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
	35-	1	2	2	1	3	6	-	-	-	1	1	-	-	-	-	1	1	1	-	-	-	1	-	-
	45-	11	17	2	2	13	24	12	3	4	2	-	-	1	3	-	1	1	1	-	1	-	1	-	-
	55-	7	35	11	3	13	46	42	7	1	4	8	1	1	1	1	4	2	5	2	5	-	1	1	-
	65 & over	9	11	8	19	16	42	27	27	5	20	16	23	-	-	-	5	3	8	2	20	1	1	1	20
116. Thrombo-angiitis obliterans (453.1)	All Ages	7	35	11	5	14	63	20	7	5	11	3	2	-	1	1	1	4	3	-	-	-	-	-	1
	Under 15	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	15-	1	2	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	25-	-	4	2	2	1	7	5	-	-	-	-	-	-	-	-	-	4	1	-	-	-	-	-	-
	35-	1	11	3	-	3	23	6	2	-	5	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	45-	2	14	2	1	8	16	7	3	4	4	1	1	-	-	1	-	-	1	-	-	-	-	-	1
	55-	-	4	2	1	1	14	1	1	1	2	1	-	-	1	-	-	-	-	-	-	-	-	-	-
	65 & over	2	-	-	-	-	2	1	1	-	-	-	1	-	-	-	1	-	1	-	-	-	-	-	-
117. Other peripheral vascular disease (453 Rmdr.)	All Ages	13	22	10	4	11	38	29	8	1	9	4	-	10	22	6	19	24	63	17	30	2	9	1	1
	Under 15	-	-	1	1	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-
	15-	-	-	-	-	1	-	-	-	1	-	-	-	2	6	-	-	4	12	2	1	1	7	-	-
	25-	1	-	1	-	2	7	1	1	-	-	1	-	-	3	1	1	9	17	2	3	-	1	-	-
	35-	3	3	-	-	2	7	7	2	-	1	-	-	3	6	1	8	6	20	7	3	-	1	-	1
	45-	4	9	3	-	3	10	9	1	-	3	1	-	4	6	-	3	3	9	5	10	1	-	-	-
	55-	4	9	5	1	2	8	12	2	-	3	2	-	1	1	1	5	2	5	1	5	-	-	-	-
	65 & over	1	1	-	2	1	5	-	2	-	2	-	-	-	-	2	2	-	-	-	8	-	-	-	-

118. Other diseases of arteries (451.452, 454-456)	All Ages	10	22	10	17	60	165	62	34	8	27	8	11	7	10	5	16	25	44	24	59	1	10	5	21
	Under 15	-	-	-	4	-	4	-	1	-	-	-	-	-	-	-	1	1	-	-	-	-	1	-	1
	15-	1	1	2	1	-	7	-	3	-	1	-	-	-	1	1	-	1	3	2	1	-	-	1	-
	25-	-	1	1	-	5	8	1	4	-	1	-	-	-	1	1	2	3	3	3	5	-	-	-	-
	35-	2	5	-	1	7	23	3	3	2	5	1	-	1	2	1	1	9	17	4	8	-	1	1	1
	45-	3	7	2	1	11	42	16	4	-	4	1	-	3	1	1	4	5	9	3	7	1	2	1	1
	55-	2	7	3	1	26	53	26	9	2	8	4	2	1	3	1	1	4	4	7	14	-	2	1	1
	65 & over	2	1	2	8	11	27	16	10	3	8	2	8	2	2	-	6	2	8	5	24	-	4	1	17
119. Varicose veins of lower extremities (460)	All Ages	61	203	60	21	88	283	146	30	41	181	55	12	73	96	71	223	134	256	152	129	64	153	73	80
	Under 15	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	15-	2	18	3	1	3	34	19	12	3	11	7	2	7	4	2	7	8	15	11	7	1	10	1	1
	25-	17	36	13	6	21	73	33	4	7	48	10	1	23	27	16	24	34	51	29	14	11	30	14	6
	35-	25	77	15	3	27	89	42	2	11	52	22	2	12	18	20	56	46	96	48	27	15	50	18	4
	45-	7	51	20	2	24	42	31	3	13	39	7	-	19	31	15	59	31	60	45	39	23	34	28	18
	55-	5	15	6	3	9	35	16	3	7	28	3	-	6	13	14	47	12	29	15	23	11	23	9	23
	65 & over	5	6	3	6	4	10	4	3	-	3	6	6	3	3	4	29	2	5	4	18	3	5	3	28
120. Haemorrhoids (461)	All Ages	33	115	41	10	98	404	246	30	27	168	77	6	14	32	20	56	39	162	83	103	10	69	21	27
	Under 15	-	-	-	1	1	2	-	-	1	2	1	-	-	1	-	1	1	-	-	-	-	-	-	-
	15-	1	7	-	2	-	12	5	4	1	2	1	1	-	2	1	1	1	7	1	3	-	4	1	1
	25-	9	16	3	1	9	57	34	5	8	40	8	-	2	5	1	9	7	22	18	14	2	14	5	2
	35-	14	41	12	-	30	136	68	4	9	49	25	1	4	12	9	16	14	60	25	19	4	24	6	4
	45-	4	39	15	2	26	122	77	5	1	39	17	-	4	5	6	13	8	51	22	20	4	18	6	4
	55-	3	9	11	1	24	57	51	4	7	27	11	1	3	6	3	12	8	21	12	34	-	9	2	8
	65 & over	2	3	-	3	8	18	11	7	-	9	14	3	-	1	-	3	-	1	5	13	-	-	1	7
121. Varicose veins of other specified sites (462)	All Ages	1	6	2	1	1	15	8	3	-	7	-	-	1	-	-	1	1	4	2	3	-	-	-	-
	Under 15	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
	15-	-	2	-	-	-	9	3	-	-	3	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	25-	-	2	-	1	-	3	2	2	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-
	35-	-	-	-	-	-	2	-	-	-	1	-	-	-	-	-	-	-	1	-	1	-	-	-	-
	45-	1	2	2	-	1	-	2	-	-	2	-	-	1	-	-	1	-	1	-	-	-	-	-	-
	55-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	65 & over	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-
122. Phlebitis, thrombo-phlebitis, venous embolism and thrombosis (453-455)	All Ages	10	25	16	2	37	87	22	12	5	24	14	3	6	16	6	26	22	66	33	39	12	25	17	25
	Under 15	-	-	-	-	-	3	1	-	-	-	-	-	-	1	-	-	-	3	-	-	-	1	-	-
	15-	-	1	-	1	3	2	-	2	-	-	1	-	1	2	-	-	-	4	3	1	-	1	1	-
	25-	-	2	4	-	4	8	1	-	2	3	1	-	1	1	-	4	5	9	8	1	2	2	2	-
	35-	3	9	3	-	10	22	2	-	2	3	1	-	1	5	1	7	9	20	7	8	2	3	2	3
	45-	4	9	4	1	12	23	6	3	-	6	2	-	1	3	2	6	4	22	6	6	4	8	8	3
	55-	2	3	2	-	7	19	8	-	-	5	2	-	1	4	3	6	1	3	4	14	2	8	3	6
	65 & over	1	1	3	-	1	10	4	7	1	6	7	3	-	-	-	3	3	5	5	9	2	2	1	13

TABLE H.3 (Contd.)

Diagnostic Group		MALES												FEMALES											
		London Teaching				Provincial Teaching				Regional Boards				London Teaching				Provincial Teaching				Regional Boards			
		Social Class				Social Class				Social Class				Social Class				Social Class				Social Class			
		I, II	III	IV, V	N.S.	I, II	III	IV, V	N.S.	I, II	III	IV, V	N.S.	I, II	III	IV, V	N.S.	I, II	III	IV, V	N.S.	I, II	III	IV, V	N.S.
123. Lymphadenitis, chronic and unqualified (468.0-468.2)	All Ages	11	37	20	36	26	110	49	21	12	62	24	19	16	25	12	35	19	101	55	32	14	78	31	31
	Under 15	9	24	9	33	21	81	34	15	5	43	23	16	8	17	7	24	9	67	40	13	7	59	15	20
	15-	-	1	1	2	1	10	4	4	1	6	-	1	2	2	2	3	3	15	8	6	3	10	11	2
	25-	1	4	-	-	2	7	2	1	-	3	1	1	4	3	1	1	2	7	1	3	2	5	-	1
	35-	-	2	2	-	2	4	2	1	3	2	-	1	-	1	2	-	2	7	3	4	-	3	2	2
	45-	1	2	4	-	-	4	4	-	1	5	-	-	1	1	-	3	2	2	2	2	-	1	2	1
	55-	-	4	4	-	-	4	2	-	2	2	-	-	-	-	-	3	-	2	1	2	1	-	1	1
	65 & over	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	2	-	-	-	3
124. All other diseases of circulatory system (467, 468 Rmdr.)	All Ages	2	11	7	2	4	19	7	3	-	3	2	3	1	4	3	12	1	16	5	14	-	-	1	9
	Under 15	-	1	1	-	-	-	-	-	-	1	-	-	-	-	-	-	1	2	-	2	-	-	-	-
	15-	-	-	1	-	-	1	3	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	1	-
	25-	-	2	-	-	1	3	1	1	-	-	-	-	-	2	-	-	-	4	2	3	-	-	-	2
	35-	1	3	1	1	-	4	2	-	-	-	1	-	-	2	2	1	-	4	-	-	-	-	-	-
	45-	1	4	2	-	2	3	-	2	-	-	1	-	1	-	1	3	-	3	2	3	-	-	-	2
	55-	-	1	2	-	-	4	1	-	-	2	-	1	-	-	-	6	-	1	1	3	-	-	-	4
	65 & over	-	-	-	1	1	4	-	-	-	-	-	2	-	-	-	2	-	-	-	3	-	-	-	1
125. Acute naso-pharyngitis (470)	All Ages	2	5	5	12	6	14	11	3	8	33	14	7	13	8	3	7	21	29	5	2	20	51	24	11
	Under 15	1	3	2	8	5	10	9	3	3	24	12	6	1	3	-	5	3	8	2	1	3	13	10	6
	15-	-	-	1	2	-	1	-	-	-	2	2	-	5	1	2	-	13	19	1	-	7	25	4	1
	25-	-	-	1	2	-	2	-	-	3	2	-	-	-	-	1	-	5	-	1	-	7	9	6	2
	35-	1	1	-	-	1	1	-	-	-	2	-	1	-	-	-	-	-	1	1	-	2	2	2	2
	45-	-	-	1	-	-	-	-	-	-	3	-	-	-	1	-	1	-	1	-	-	1	1	1	-
	55-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-
	65 & over	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-
126. Acute pharyngitis; acute tonsillitis (472, 473)	All Ages	19	48	22	59	114	330	95	58	33	139	66	16	32	41	30	55	146	357	130	70	54	176	87	26
	Under 15	14	32	17	51	98	258	74	44	19	94	43	15	5	24	14	40	84	255	94	54	24	74	48	21
	15-	3	4	1	4	4	28	11	11	7	15	5	1	15	11	8	4	47	66	18	7	18	66	26	2
	25-	1	7	3	3	5	23	5	-	5	14	14	-	2	4	2	8	8	16	9	4	6	26	8	1
	35-	1	3	-	-	5	13	1	1	1	16	2	-	-	-	4	2	6	13	6	1	4	6	3	-
	45-	-	1	1	1	1	3	2	1	-	-	-	-	-	1	1	1	-	6	2	3	2	3	1	-
	55-	-	1	-	-	-	4	1	1	1	-	2	-	-	1	-	-	-	-	-	1	-	-	1	-
	65 & over	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	2

127. All other acute upper respiratory infections (471, 474, 475)	All Ages	7	34	6	68	26	106	61	22	9	68	25	23	7	16	9	55	21	71	43	21	9	40	42	16
	Under 15	4	23	5	63	14	72	52	17	7	62	23	22	4	12	7	46	11	60	32	13	5	31	37	12
	15-	1	3	-	-	3	5	2	2	-	-	-	1	-	2	1	3	5	4	2	1	-	4	1	-
	25-	-	3	-	4	1	11	3	2	1	3	-	-	3	1	-	-	2	3	3	1	-	3	-	-
	35-	1	3	-	1	5	10	-	1	-	-	1	-	-	-	-	3	-	1	1	3	3	-	2	1
	45-	1	1	-	-	1	4	2	-	-	2	-	-	-	-	1	-	3	2	3	1	1	1	1	-
	55-	-	-	1	-	2	3	1	-	1	-	-	-	-	-	-	1	-	-	2	2	-	-	1	1
	65 & over	-	-	-	-	-	1	1	-	-	1	1	-	-	-	-	1	-	1	-	-	-	-	-	1
128. Hypertrophy of tonsils and adenoids (510)	All Ages	165	655	240	567	361	1736	632	276	137	809	312	87	173	575	234	523	427	1683	655	314	137	731	346	96
	Under 15	158	584	224	532	315	1498	521	229	124	743	295	83	129	457	198	449	275	1345	520	225	108	658	324	85
	15-	6	19	5	19	15	106	56	27	4	28	11	4	21	59	22	31	81	204	86	46	14	45	17	6
	25-	6	26	9	11	16	77	36	12	7	20	1	-	16	38	6	16	30	77	29	15	6	12	5	1
	35-	8	19	1	3	11	39	15	3	1	12	2	-	4	11	4	13	32	42	14	11	6	10	-	1
	45-	2	6	1	-	3	13	2	2	1	5	1	-	-	5	1	10	6	12	5	5	3	4	-	-
	55-	2	-	-	1	1	1	1	-	-	-	-	-	1	3	2	3	1	2	1	2	-	2	-	1
	65 & over	1	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	7	-	-	-	2
129. Chronic sinusitis (513)	All Ages	20	77	25	40	86	286	109	45	20	103	28	6	19	63	15	95	68	187	104	65	20	96	27	14
	Under 15	3	35	11	29	22	94	32	19	9	47	17	2	7	27	7	40	15	53	30	20	5	51	11	3
	15-	1	4	2	3	7	39	19	11	3	12	1	2	3	12	3	3	15	36	28	5	2	22	9	-
	25-	7	14	6	2	17	55	21	8	3	16	5	-	4	9	-	11	14	42	15	7	4	8	1	-
	35-	3	11	3	-	12	62	13	3	1	16	3	1	2	7	-	14	8	28	14	12	1	6	1	1
	45-	4	7	2	1	18	25	15	3	2	6	2	1	1	5	4	18	7	16	10	11	5	5	4	3
	55-	2	3	1	1	7	8	9	-	2	4	-	-	2	2	1	7	8	12	4	4	2	4	1	5
	65 & over	-	2	-	2	3	2	-	-	-	2	-	-	-	-	-	2	-	-	1	4	-	-	-	2
130. Deflected nasal septum (514)	All Ages	25	83	21	47	48	304	135	38	15	70	22	2	10	18	13	29	26	75	39	35	6	22	7	1
	Under 15	-	3	-	21	3	15	10	3	-	-	1	1	-	1	1	8	-	7	3	2	1	4	2	-
	15-	7	20	7	16	8	92	35	22	8	17	7	1	4	5	6	7	7	35	16	5	1	6	-	-
	25-	13	26	8	6	17	82	45	5	2	23	7	-	4	6	2	6	8	12	9	4	2	6	2	1
	35-	4	25	3	1	11	67	23	1	2	12	2	-	1	6	1	3	2	12	6	9	1	1	3	-
	45-	1	7	1	1	7	37	13	2	2	15	5	-	1	-	3	3	8	8	5	7	-	3	-	-
	55-	-	2	2	1	2	9	9	1	1	1	-	-	-	-	-	1	1	1	-	5	-	2	-	-
	65 & over	-	-	-	1	-	-	-	3	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-
131. Nasal polyp (515)	All Ages	9	29	6	11	53	191	79	31	5	32	6	4	6	16	2	24	27	118	71	54	6	25	5	9
	Under 15	1	1	-	3	5	9	4	4	-	3	-	-	1	-	-	3	6	6	7	-	1	4	-	1
	15-	1	2	-	2	2	29	13	3	-	6	-	-	-	6	-	-	3	28	18	2	2	2	1	1
	25-	2	2	2	1	11	22	14	1	3	2	1	-	1	3	-	4	4	21	11	8	-	5	3	-
	35-	2	11	1	-	9	44	15	2	-	7	-	-	1	4	-	5	7	26	12	6	2	2	-	-
	45-	-	7	1	1	16	47	17	3	-	6	3	-	2	2	1	3	5	16	11	13	1	8	-	1
	55-	1	5	1	1	5	23	11	7	-	4	1	1	1	1	1	6	-	17	8	15	-	3	1	2
	65 & over	1	1	1	3	4	15	5	9	2	4	1	3		-	-	3	2	3	4	7	-	1	-	4

TABLE H.3 (Contd.)

Diagnostic Group		MALES												FEMALES											
		London Teaching				Provincial Teaching				Regional Boards				London Teaching				Provincial Teaching				Regional Boards			
		Social Class				Social Class				Social Class				Social Class				Social Class				Social Class			
		I, II	III	IV, V	N.S.	I, II	III	IV, V	N.S.	I, II	III	IV, V	N.S.	I, II	III	IV, V	N.S.	I, II	III	IV, V	N.S.	I, II	III	IV, V	N.S.
132. All other diseases of upper respiratory tract (511, 512, 516, 517)	All Ages	12	42	24	30	30	147	46	30	17	66	31	8	4	27	16	42	27	80	39	46	14	61	24	7
	Under 15	4	18	5	22	11	47	13	13	5	22	12	3	1	8	4	17	9	28	10	6	4	19	5	1
	15-	3	1	6	2	-	15	6	5	2	16	3	3	-	5	6	2	3	18	6	4	2	9	7	2
	25-	1	6	3	-	5	24	7	3	1	10	2	-	1	7	2	4	7	10	8	4	2	12	5	2
	35-	-	8	2	-	5	20	1	1	6	11	6	1	-	5	1	4	6	9	6	10	2	12	4	-
	45-	2	5	3	1	4	22	8	1	1	3	3	-	2	1	2	5	1	10	5	6	4	5	1	1
	55-	1	3	3	1	3	12	7	4	2	2	4	-	-	1	1	4	1	5	4	5	-	4	2	-
	65 & over	1	1	2	4	1	7	4	3	-	2	1	1	-	-	-	6	-	-	-	11	-	-	-	1
133. Influenza (480-483)	All Ages	10	6	4	10	11	21	12	5	16	43	26	11	19	10	5	7	28	15	19	14	26	61	27	14
	Under 15	-	2	-	1	2	7	1	1	1	6	3	4	-	1	-	-	-	5	-	1	1	12	4	-
	15-	4	1	1	4	-	2	3	1	1	2	2	2	10	6	3	2	17	2	14	2	4	16	7	2
	25-	2	1	2	2	5	5	4	1	4	8	2	1	6	2	1	2	6	4	1	2	14	14	4	1
	35-	-	2	-	-	2	3	1	2	2	4	4	-	-	-	1	-	1	1	-	1	1	11	4	1
	45-	1	-	-	-	1	3	1	-	4	11	4	-	-	-	-	1	1	2	2	1	3	4	6	1
	55-	-	-	1	2	-	-	1	-	2	11	8	-	-	-	-	1	1	1	-	2	1	1	1	4
	65 & over	1	-	-	-	-	1	1	-	2	1	2	4	-	-	-	1	-	-	2	4	1	3	-	5
134. Lobar pneumonia (490)	All Ages	13	29	24	29	46	169	98	33	62	285	167	44	7	23	6	26	23	72	65	49	32	164	101	91
	Under 15	6	11	8	22	11	46	24	11	18	114	66	21	1	15	2	6	5	22	19	10	6	77	37	13
	15-	-	2	2	1	1	15	6	5	-	24	6	-	2	1	-	1	1	10	8	3	-	18	7	1
	25-	1	6	3	2	3	17	8	1	4	23	18	1	-	5	1	4	4	13	7	3	5	19	17	7
	35-	2	5	1	-	7	24	16	2	6	49	17	1	-	-	1	1	2	7	9	5	4	23	13	4
	45-	3	3	8	-	13	37	18	1	15	33	22	2	1	2	1	4	5	8	13	5	6	16	16	13
	55-	1	1	1	1	5	20	20	2	9	27	26	3	3	-	1	5	1	8	4	9	3	4	7	28
	65 & over	-	1	1	3	6	10	6	11	10	15	12	16	-	-	-	5	5	4	4	13	7	6	4	25
135. Broncho-pneumonia (491)	All Ages	7	29	31	31	28	191	117	71	26	181	99	73	8	20	17	37	25	138	100	92	17	105	72	132
	Under 15	1	14	13	23	12	127	73	32	6	72	34	19	1	13	9	18	17	101	73	29	4	53	37	29
	15-	1	1	-	1	-	2	2	2	-	2	1	-	1	1	1	-	1	2	4	2	1	2	2	-
	25-	3	-	1	-	-	4	2	2	1	2	4	1	1	3	-	-	1	1	-	-	-	4	2	1
	35-	1	4	5	-	-	7	5	-	5	10	10	1	1	1	3	1	3	8	3	2	3	10	4	5
	45-	-	3	5	2	7	13	8	3	1	17	13	2	1	-	-	4	1	11	5	4	3	9	8	2
	55-	1	2	5	1	3	17	19	7	3	34	21	6	1	2	1	3	1	8	5	10	3	17	11	22
	65 & over	-	5	2	4	6	20	8	25	10	44	16	44	2	-	3	10	1	6	10	44	2	10	8	73

136. Primary atypical pneumonia (492)	All Ages	6	5	3	2	14	30	17	6	11	34	17	6	5	5	1	5	9	15	8	9	6	21	21	18
	Under 15	-	2	-	1	2	5	7	3	-	7	1	1	1	1	-	1	2	8	5	1	-	4	4	2
	15-	-	-	-	-	3	-	3	-	1	4	-	1	2	1	-	-	-	2	-	1	1	1	1	-
	25-	1	2	-	-	3	8	-	2	1	3	3	-	-	1	-	-	3	2	1	-	3	5	3	3
	35-	1	1	1	-	4	4	-	-	4	9	2	-	-	-	-	1	1	1	1	2	1	5	3	-
	45-	2	-	1	-	1	6	2	-	3	5	7	-	2	2	-	1	3	1	1	1	1	2	6	-
	55-	1	-	1	-	-	5	4	1	1	4	4	-	-	-	1	-	-	-	-	3	-	3	4	7
	65 & over	-	-	-	1	1	2	1	-	1	2	-	4	-	-	-	2	-	1	-	1	-	1	-	6
137. Pneumonia, other and unspecified (493)	All Ages	9	24	9	8	30	100	58	11	12	64	43	14	4	12	9	23	12	53	38	27	5	41	20	42
	Under 15	1	11	3	3	10	23	17	4	3	15	9	6	-	8	4	7	4	24	19	8	-	15	4	7
	15-	-	2	-	2	1	6	4	1	-	6	3	1	-	2	2	1	3	4	1	2	1	3	2	1
	25-	1	1	-	-	2	9	2	1	1	12	5	-	2	1	-	1	1	5	3	3	-	5	2	2
	35-	1	2	2	-	3	16	6	-	-	10	5	1	-	1	1	2	1	3	1	3	-	7	3	3
	45-	1	1	3	-	1	18	9	1	1	10	10	-	-	-	1	3	1	6	5	3	3	2	5	3
	55-	3	5	1	1	8	20	16	1	3	7	4	1	1	-	1	4	2	6	8	2	1	4	4	8
	65 & over	2	2	-	2	5	8	3	3	4	3	6	5	-	-	-	5	-	5	1	6	-	5	-	18
138. Acute bronchitis (500)	All Ages	6	18	14	14	5	36	30	9	13	89	66	23	7	7	12	22	5	31	18	19	10	63	62	77
	Under 15	3	10	4	13	2	19	16	5	8	56	34	15	3	3	6	15	1	17	8	4	5	33	39	13
	15-	1	-	1	-	-	2	-	-	-	2	1	-	2	-	-	-	1	2	1	1	-	4	-	-
	25-	-	-	2	-	-	3	1	1	-	1	-	-	-	-	2	-	1	3	-	-	3	5	3	2
	35-	-	1	1	-	-	3	1	-	-	3	3	1	-	2	2	-	-	3	1	1	2	8	3	1
	45-	1	3	1	-	-	5	7	-	1	9	7	1	1	1	-	2	1	2	2	2	-	4	4	6
	55-	-	2	2	-	2	3	3	1	-	13	15	1	-	-	2	3	1	4	3	1	-	4	9	16
	65 & over	1	2	3	1	1	1	2	2	4	5	6	5	-	-	-	2	-	-	3	10	-	5	4	39
139. Bronchitis, chronic and unqualified (501,502)	All Ages	10	47	47	32	53	173	153	56	32	152	190	75	10	32	24	38	24	63	50	35	13	48	47	109
	Under 15	2	14	13	16	7	39	40	17	2	15	13	11	5	18	12	16	6	29	27	5	3	8	12	6
	15-	-	1	1	2	-	2	2	1	-	1	-	-	1	2	-	2	1	7	1	-	1	3	3	-
	25-	1	-	2	-	1	2	2	-	1	3	2	-	-	1	2	2	-	2	3	1	1	4	3	-
	35-	2	4	7	-	7	23	12	2	1	13	14	-	-	1	2	1	2	7	6	3	-	7	3	2
	45-	3	10	4	-	18	30	33	7	4	20	43	5	1	7	3	3	2	7	5	6	3	5	9	5
	55-	2	14	16	4	13	58	49	10	11	49	59	7	1	3	4	6	7	6	4	6	5	9	8	22
	65 & over	-	4	4	10	7	19	14	19	13	50	57	51	2	-	1	8	6	5	2	13	-	12	6	72
140. Silicosis and occupational pulmonary fibrosis (523,524)	All Ages	-	-	-	-.	5	228	34	3	-	2	3	2	-	-	-	-	-	-	-	-	-	-	-	-
	Under 15	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	15-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	25-	-	-	-	-	-	15	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	35-	-	-	-	-	3	76	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	45-	-	-	-	-	1	75	12	1	-	1	3	1	-	-	-	-	-	-	-	-	-	-	-	-
	55-	-	-	-	-	-	50	12	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	65 & over	-	-	-	-	1	12	2	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-

7306)

TABLE H.3 (Contd.)

Diagnostic Group		MALES												FEMALES											
		London Teaching				Provincial Teaching				Regional Boards				London Teaching				Provincial Teaching				Regional Boards			
		Social Class				Social Class				Social Class				Social Class				Social Class				Social Class			
		I, II	III	IV, V	N.S.	I, II	III	IV, V	N.S.	I, II	III	IV, V	N.S.	I, II	III	IV, V	N.S.	I, II	III	IV, V	N.S.	I, II	III	IV, V	N.S.
141. Empyema (518)	All Ages	3	13	7	3	13	45	19	7	8	44	18	9	3	2	2	6	6	14	7	13	5	15	4	8
	Under 15	1	1	-	1	2	5	6	1	1	10	2	1	-	1	-	3	2	4	4	4	1	2	-	1
	15-	-	3	-	-	1	6	-	-	-	-	2	1	-	-	1	-	-	1	-	2	1	6	-	-
	25-	-	1	-	-	-	5	5	-	-	7	1	-	-	1	-	-	-	4	1	1	-	2	1	1
	35-	2	2	1	-	4	8	2	-	-	7	2	1	2	-	-	2	2	-	2	-	2	-	3	1
	45-	-	3	3	1	2	11	3	2	3	13	6	-	1	-	-	-	2	3	-	-	1	2	-	-
	55-	-	3	3	-	2	4	1	-	4	5	3	2	-	-	1	-	-	-	-	1	-	3	-	2
	65 & over	-	-	-	1	2	6	2	4	-	2	2	4	-	-	-	1	-	2	-	5	-	-	-	3
142. Pleurisy (non-tuberculous) (519)	All Ages	1	9	5	10	14	38	9	10	4	27	9	6	1	7	2	11	6	16	11	7	4	22	12	10
	Under 15	-	-	-	1	1	3	-	2	-	3	-	2	-	1	-	1	1	1	1	-	-	4	-	1
	15-	-	3	-	7	1	7	2	1	-	2	3	-	1	3	1	6	-	4	1	-	2	3	4	1
	25-	-	3	1	1	1	12	1	-	1	5	1	-	-	2	-	1	1	4	4	1	1	3	4	2
	35-	1	1	2	-	2	2	2	1	1	8	3	-	-	1	1	1	-	1	3	-	-	8	2	2
	45-	-	1	-	-	5	4	1	3	1	3	1	-	-	-	-	1	2	2	-	2	-	1	1	1
	55-	-	1	1	-	2	4	3	1	-	1	-	1	-	-	-	1	-	3	2	-	1	3	1	1
	65 & over	-	-	1	1	2	6	-	2	1	5	1	3	-	-	-	-	1	1	-	4	-	-	-	2
143. Bronchiectasis (526)	All Ages	12	67	27	58	46	172	83	39	11	82	50	17	11	53	19	87	38	174	90	59	11	67	29	32
	Under 15	8	23	10	41	9	68	23	13	1	23	11	2	6	24	5	45	12	65	35	11	5	36	13	3
	15-	-	9	3	7	7	18	6	6	-	9	5	1	3	13	3	2	6	49	14	9	2	13	3	1
	25-	1	10	3	-	7	21	6	3	2	7	1	-	-	9	5	10	9	26	10	10	1	2	7	1
	35-	2	9	4	2	5	23	12	4	2	10	9	3	2	4	3	11	3	17	21	7	-	7	2	4
	45-	-	10	2	1	7	18	14	2	3	13	8	-	-	2	-	9	3	9	6	5	2	8	1	1
	55-	1	4	4	4	7	21	13	4	3	15	10	3	-	1	2	9	3	7	4	7	1	-	3	7
	65 & over	-	2	1	3	4	3	9	7	-	5	5	8	-	-	-	1	2	1	-	10	-	1	-	14
144. Abscess of lung (521)	All Ages	6	10	11	3	6	29	16	2	3	16	16	1	1	5	4	3	2	8	6	8	1	6	-	5
	Under 15	-	1	1	1	-	-	3	-	-	5	-	-	-	-	-	1	-	2	-	-	-	2	-	2
	15-	-	3	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	1	-	-	-	-
	25-	3	-	2	-	-	4	3	-	-	-	1	-	-	1	2	-	-	1	1	-	-	2	-	-
	35-	1	5	3	-	-	6	2	2	3	2	3	-	-	-	1	-	1	-	1	1	1	-	-	-
	45-	1	1	3	1	3	9	7	-	-	4	8	-	1	2	-	2	1	-	3	2	-	1	-	1
	55-	1	-	1	-	2	9	-	-	-	4	2	-	-	2	-	-	-	4	-	-	-	1	-	2
	65 & over	-	-	1	-	1	1	1	-	-	1	2	1	-	-	-	-	-	-	-	4	-	-	-	-

145. All other diseases of lung and pleural cavity (520, 522, 525, 527)	All Ages	20	57	27	36	32	115	50	28	6	49	21	11	12	39	15	55	14	56	27	22	1	24	5	20
	Under 15	2	20	8	30	5	23	8	12	-	8	3	1	5	30	10	40	8	26	12	3	-	9	2	-
	15-	2	4	-	2	1	15	4	5	1	4	1	-	3	3	-	3	1	8	-	3	1	5	-	-
	25-	4	9	4	-	5	8	5	-	-	5	3	-	1	4	2	3	-	4	3	1	-	4	1	-
	35-	6	6	2	1	1	10	6	-	-	8	-	-	-	1	1	2	2	4	6	2	-	5	-	-
	45-	3	14	7	-	8	32	10	4	2	6	6	-	-	1	1	3	-	5	2	3	-	1	1	2
	55-	1	3	5	-	7	20	14	3	2	12	6	4	3	-	1	2	3	7	3	6	-	-	1	4
	65 & over	2	1	1	3	4	7	2	4	1	6	2	6	-	-	-	2	-	2	1	4	-	-	-	14
146. Disorders of teeth and supporting structures (530-535)	All Ages	48	112	43	89	62	258	108	65	17	65	26	10	89	111	39	187	84	265	124	90	23	74	49	41
	Under 15	2	11	4	38	9	52	20	13	4	19	10	8	6	10	6	31	11	40	17	5	6	15	7	3
	15-	5	30	11	23	11	45	21	19	1	12	2	-	33	45	8	25	19	58	20	10	3	18	12	3
	25-	18	24	9	11	19	48	21	14	5	12	3	2	22	27	11	45	22	69	36	17	6	18	10	6
	35-	12	21	6	4	10	40	18	3	5	7	6	-	9	13	6	30	15	50	18	15	4	15	9	11
	45-	8	17	7	2	5	43	12	6	1	6	2	-	10	6	7	29	7	32	15	12	3	6	7	5
	55-	-	6	5	5	6	20	10	2	-	4	1	-	3	7	1	16	8	14	16	15	-	1	3	7
	65 & over	2	2	1	6	2	9	6	7	1	4	2	-	1	3	-	11	2	2	2	16	-	1	1	5
147. All other diseases of buccal cavity; diseases of oesophagus (536-539)	All Ages	19	44	16	29	40	109	62	20	6	35	16	5	6	27	11	55	35	81	40	63	11	39	20	30
	Under 15	-	6	3	10	6	18	10	7	-	17	10	1	-	2	3	9	2	18	6	12	7	18	9	9
	15-	2	2	3	9	4	6	5	1	-	1	-	-	2	7	1	1	2	13	4	3	-	8	3	2
	25-	3	10	3	1	4	17	6	2	1	3	-	1	-	1	1	6	7	13	2	2	2	4	1	3
	35-	3	11	2	-	7	21	14	2	1	3	1	-	-	1	2	11	6	10	6	3	2	2	3	3
	45-	3	8	3	-	6	26	8	1	2	5	1	-	1	11	2	7	10	16	13	10	-	6	1	-
	55-	4	7	1	1	4	12	12	-	-	3	1	1	1	2	1	8	7	7	6	17	-	1	2	1
	65 & over	3	-	1	8	9	9	6	7	2	3	3	2	1	2	1	11	1	4	3	16	-	-	1	11
148. Ulcer of stomach (540)	All Ages	50	229	133	41	119	670	440	66	63	309	167	40	12	35	38	95	53	146	110	135	29	77	54	79
	Under 15	1	-	-	-	-	3	1	1	-	-	-	-	-	-	-	1	-	-	3	1	-	1	1	-
	15-	-	3	1	1	-	27	12	4	-	10	5	1	1	1	3	-	-	8	2	1	1	2	-	-
	25-	4	18	3	1	6	69	36	7	1	26	17	1	1	5	2	1	3	15	5	2	1	10	2	2
	35-	11	46	27	4	26	161	100	13	9	71	29	2	2	10	7	11	10	38	30	12	6	17	11	2
	45-	11	84	34	5	38	222	152	7	23	101	48	4	4	10	10	22	18	46	35	22	7	19	21	9
	55-	19	58	48	14	32	142	105	13	19	69	46	8	3	7	10	24	16	30	24	47	11	21	11	24
	65 & over	4	19	19	15	17	46	33	20	10	31	20	24	1	2	6	36	6	9	11	50	3	7	7	42
149. Ulcer of duodenum (541)	All Ages	93	347	148	32	372	1582	900	120	119	584	272	47	18	36	13	57	79	190	105	106	14	94	51	55
	Under 15	-	2	-	-	2	2	2	-	-	2	1	-	-	-	-	-	-	2	-	1	-	-	-	-
	15-	3	9	11	1	7	98	49	9	7	31	10	2	2	2	1	2	3	12	4	3	2	5	6	1
	25-	15	40	25	5	30	259	138	19	19	89	51	3	4	6	2	8	10	29	13	3	2	12	3	5
	35-	25	116	28	3	98	427	246	25	38	161	63	4	7	10	3	11	23	56	25	12	2	23	15	11
	45-	30	102	42	6	122	478	259	21	27	173	81	4	3	14	5	13	24	63	34	23	4	35	11	14
	55-	15	67	33	11	81	240	165	17	15	85	49	5	2	4	1	12	12	24	24	33	3	14	14	12
	65 & over	4	11	9	6	31	76	40	27	12	38	16	29	-	-	-	10	7	4	5	31	1	4	2	12

(7306)

TABLE H.3 (Contd.)

Diagnostic Group		MALES												FEMALES											
		London Teaching				Provincial Teaching				Regional Boards				London Teaching				Provincial Teaching				Regional Boards			
		Social Class				Social Class				Social Class				Social Class				Social Class				Social Class			
		I, II	III	IV, V	N.S.	I, II	III	IV, V	N.S.	I, II	III	IV, V	N.S.	I, II	III	IV, V	N.S.	I, II	III	IV, V	N.S.	I, II	III	IV, V	N.S.
150. Gastrojejunal ulcer (542)	All Ages	6	13	7	4	13	53	31	6	3	10	7	2	2	1	-	2	-	8	3	2	-	1	1	4
	Under 15	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	15-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	25-	-	-	-	-	-	3	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	35-	1	3	-	1	2	14	5	2	-	3	3	-	-	-	-	-	-	3	-	-	-	-	-	-
	45-	2	7	3	2	5	19	10	2	2	3	1	-	1	-	-	1	-	2	3	-	-	1	-	-
	55-	3	2	2	1	5	11	15	1	-	2	1	-	1	1	-	-	-	2	-	1	-	-	-	-
	65 & over	-	-	2	-	1	4	-	-	1	2	1	2	-	-	-	1	-	1	-	1	-	-	1	4
151. All other diseases of stomach and duodenum (543-545)	All Ages	15	47	22	13	76	279	183	39	13	117	53	18	11	17	9	44	42	141	76	104	18	42	25	50
	Under 15	-	2	1	5	1	14	11	3	2	8	-	4	-	3	1	10	3	12	7	3	2	6	3	2
	15-	1	-	-	1	2	16	10	5	-	3	4	2	4	1	1	4	9	20	5	4	2	8	3	3
	25-	4	7	3	-	7	24	16	5	2	16	7	-	1	3	2	3	3	19	7	7	5	4	4	2
	35-	4	16	4	1	18	60	36	4	4	28	11	1	3	3	3	4	8	37	17	6	4	9	2	4
	45-	5	12	6	1	17	89	51	7	2	28	14	1	1	5	2	8	10	27	23	24	2	7	6	6
	55-	1	6	6	2	19	48	37	7	1	24	10	1	1	2	-	9	9	12	11	20	2	5	3	11
	65 & over	-	4	2	2	11	28	21	8	2	10	7	9	-	-	-	6	-	14	6	36	1	3	3	22
152. Inguinal hernia without obstruction (560.0)	All Ages	146	471	175	150	279	1492	738	121	112	638	271	71	21	43	29	60	38	170	110	60	18	89	38	27
	Under 15	30	101	36	108	50	343	148	48	15	102	36	30	4	15	6	16	11	67	17	6	5	16	6	2
	15-	7	28	13	9	11	105	56	10	8	57	18	3	1	3	4	1	-	10	9	4	-	10	2	-
	25-	19	58	20	4	33	168	82	10	9	68	29	2	1	7	4	6	8	18	11	4	3	16	3	1
	35-	29	92	34	3	52	291	128	9	21	130	55	5	6	11	5	11	9	29	35	7	5	24	6	11
	45-	36	111	31	2	74	314	176	4	27	142	67	5	4	4	7	14	6	30	26	9	4	13	14	5
	55-	15	58	34	7	43	211	115	8	24	107	47	7	4	3	2	8	3	12	8	15	1	7	4	3
	65 & over	10	22	6	17	16	58	33	30	8	30	18	19	1	-	1	4	1	4	3	15	-	3	3	5
153. Other hernia without obstruction (560 Rmdr.)	All Ages	30	121	42	35	70	295	184	46	19	98	51	30	19	85	48	152	92	352	203	181	13	105	69	82
	Under 15	8	31	7	27	17	89	40	17	6	28	13	16	8	40	14	40	24	129	47	18	4	38	11	19
	15-	-	4	3	1	1	11	3	2	1	3	2	-	-	2	-	1	3	8	1	-	-	2	2	-
	25-	1	9	5	-	2	24	12	-	1	4	2	-	1	7	3	9	8	23	9	8	1	3	4	3
	35-	5	21	8	-	9	44	33	2	-	6	2	2	2	14	8	18	21	70	38	18	5	22	21	5
	45-	7	28	9	1	18	66	36	5	3	29	15	1	2	10	8	32	21	68	53	22	1	20	21	4
	55-	9	20	8	1	19	50	47	7	5	24	13	3	4	11	11	28	12	39	44	54	1	15	7	20
	65 & over	-	7	2	5	4	11	13	12	3	2	4	8	2	1	4	23	3	15	10	61	1	4	3	31

154. Hernia of abdominal cavity with obstruction (561)	All Ages	8	23	13	17	31	169	88	58	29	98	44	32	-	8	8	28	14	51	52	130	5	32	24	80
	Under 15	1	-	-	5	7	33	15	5	4	15	1	5	-	1	-	1	2	2	2	-	-	-	-	1
	15-	1	-	1	-	-	3	4	-	-	-	-	-	-	-	-	-	-	1	1	-	-	2	-	-
	25-	1	3	1	-	-	4	6	-	-	4	1	-	-	-	-	-	1	-	-	2	-	2	1	-
	35-	-	1	1	-	4	15	8	4	2	7	7	-	-	3	1	3	2	9	9	4	1	10	5	4
	45-	2	5	2	-	2	20	13	2	3	13	3	1	-	1	1	7	2	15	13	15	-	10	6	3
	55-	2	6	7	-	6	27	20	5	6	16	12	3	-	3	5	6	-	9	12	25	3	3	8	9
	65 & over	1	8	-	12	12	67	22	42	14	42	20	22	-	-	1	11	7	15	15	84	1	4	4	60
155. Acute appendicitis without mention of peritonitis (550.0)	All Ages	37	107	41	84	228	902	370	211	132	484	165	82	36	94	45	126	230	797	361	296	93	432	180	116
	Under 15	5	19	8	62	64	212	113	82	39	130	66	53	3	9	9	52	51	140	75	65	24	89	48	37
	15-	5	32	16	16	39	267	105	76	17	138	48	19	16	56	16	19	89	329	149	67	23	169	65	30
	25-	11	25	11	3	40	192	76	22	22	82	23	2	9	17	10	23	28	177	58	44	16	82	26	9
	35-	6	19	4	1	43	113	40	13	28	65	13	3	2	6	4	9	31	79	38	30	15	49	17	9
	45-	6	8	-	2	23	72	26	4	13	43	8	1	2	3	2	12	21	43	29	37	9	27	14	9
	55-	4	4	2	-	11	33	7	5	5	20	5	1	2	2	3	6	7	24	9	24	5	9	5	8
	65 & over	-	-	-	-	6	11	3	7	6	4	1	3	-	-	1	5	1	5	3	28	1	5	5	14
156. Acute appendicitis with peritonitis (550.1)	All Ages	9	16	7	11	56	233	85	45	23	150	60	30	3	10	7	13	37	131	74	81	32	96	51	45
	Under 15	-	7	3	9	17	55	21	25	5	43	26	14	1	2	-	1	14	36	22	11	12	37	16	10
	15-	-	1	2	1	10	44	23	3	4	26	9	6	-	2	3	2	5	27	15	4	2	13	8	1
	25-	8	1	-	-	4	41	9	2	1	15	5	3	-	4	-	3	3	19	9	3	2	11	2	1
	35-	-	3	-	-	12	35	12	2	3	23	7	-	2	-	2	4	4	21	9	11	8	9	9	4
	45-	-	1	2	-	6	30	9	1	2	21	5	1	-	2	1	2	9	11	10	11	6	8	7	7
	55-	1	2	-	-	4	12	7	2	4	12	6	-	-	-	1	1	1	15	7	19	1	14	7	10
	65 & over	-	1	-	1	3	16	4	10	4	10	2	6	-	-	-	-	1	2	2	22	1	4	2	12
157. All other appendicitis and diseases of appendix (551-553)	All Ages	36	105	33	33	87	331	121	94	54	250	91	37	74	213	69	141	188	529	247	170	80	354	133	73
	Under 15	4	16	11	19	10	64	25	39	18	66	17	25	4	23	6	33	22	45	38	22	13	54	19	9
	15-	6	29	6	5	14	83	29	31	7	60	23	6	26	100	26	29	62	238	96	56	23	174	54	8
	25-	10	22	6	3	17	81	28	7	7	52	24	2	29	57	19	37	50	123	54	43	21	56	23	15
	35-	11	21	6	3	23	50	16	7	11	45	14	-	11	24	9	27	34	82	32	24	15	34	15	15
	45-	5	10	4	1	14	36	12	4	7	13	6	1	1	7	7	9	16	28	15	10	7	23	15	8
	55-	-	6	-	1	9	12	8	2	3	9	6	-	1	2	2	4	4	11	11	8	-	10	6	6
	65 & over	-	1	-	-	-	5	3	3	-	4	-	1	-	-	-	1	-	2	1	7	-	1	1	11
158. Intussusception (570.0)	All Ages	2	10	3	16	15	62	34	9	3	14	5	9	1	6	-	8	12	35	19	11	3	8	1	6
	Under 15	1	10	3	14	13	61	32	8	3	14	5	9	1	6	-	8	12	35	18	10	3	7	1	6
	15-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	25-	1	-	-	-	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	35-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	45-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	55-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
	65 & over	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

TABLE H.3 (Contd.)

Diagnostic Group		MALES												FEMALES											
		London Teaching				Provincial Teaching				Regional Boards				London Teaching				Provincial Teaching				Regional Boards			
		Social Class				Social Class				Social Class				Social Class				Social Class				Social Class			
		I, II	III	IV, V	N.S.	I, II	III	IV, V	N.S.	I, II	III	IV, V	N.S.	I, II	III	IV, V	N.S.	I, II	III	IV, V	N.S.	I, II	III	IV, V	N.S.
159. Other intestinal obstruction without mention of hernia (570 Rmdr.)	All Ages	6	13	6	14	29	112	47	37	17	77	27	21	9	11	4	27	24	64	19	106	13	48	27	78
	Under 15	1	-	1	4	1	15	9	6	-	9	-	1	3	4	-	3	3	6	3	4	4	3	-	-
	15-	-	-	-	-	1	8	2	4	-	4	4	1	-	-	-	1	-	12	1	3	1	3	3	-
	25-	1	5	1	-	3	10	3	1	1	6	-	-	1	1	-	2	1	8	3	6	1	4	3	1
	35-	1	1	-	-	3	15	7	2	5	8	4	1	3	6	1	4	3	9	3	10	1	6	3	-
	45-	1	1	2	-	5	15	4	3	9	9	5	1	1	-	1	4	7	15	1	9	2	18	6	5
	55-	1	4	2	-	4	24	15	2	1	19	9	4	1	-	2	6	4	8	4	18	2	8	4	12
	65 & over	-	2	-	9	12	24	7	19	1	22	4	13	-	-	-	6	6	6	4	56	2	6	6	60
160. Gastro-enteritis and colitis, except ulcerative, age 4 weeks and over (571)	All Ages	12	31	17	82	27	187	124	31	29	196	130	28	13	33	12	65	41	135	83	45	16	142	86	29
	Under 15	5	15	9	69	15	145	92	21	18	154	101	26	2	17	5	43	10	95	61	28	6	95	71	17
	15-	2	5	-	2	-	5	2	3	4	10	3	-	3	7	1	2	18	12	3	2	1	22	3	-
	25-	3	5	1	2	5	15	7	2	1	11	4	-	2	3	-	3	2	5	2	1	3	7	4	1
	35-	1	1	2	-	2	11	9	1	1	12	6	-	1	3	1	3	4	4	3	5	3	7	1	2
	45-	-	2	2	3	3	5	9	-	3	4	6	-	1	1	2	5	5	13	8	4	1	8	4	1
	55-	-	2	1	2	1	3	2	1	1	4	8	-	1	1	3	4	1	5	5	2	1	3	-	4
	65 & over	-	1	2	2	1	3	3	3	1	1	2	2	-	-	-	5	1	1	1	3	1	-	2	4
161. Chronic enteritis and ulcerative colitis (572)	All Ages	12	35	12	14	41	96	52	24	7	55	17	6	4	40	4	60	55	113	42	106	11	41	15	46
	Under 15	1	1	-	1	-	5	1	2	-	1	2	-	-	-	-	2	1	5	1	-	-	1	-	-
	15-	1	4	-	5	1	8	3	2	-	5	1	-	2	3	-	3	2	6	2	3	-	5	-	1
	25-	2	6	1	3	4	14	2	3	-	4	1	-	1	17	-	3	12	27	3	6	4	5	3	5
	35-	3	13	2	-	9	24	5	2	3	12	5	-	-	7	1	6	14	23	11	8	2	13	4	5
	45-	1	2	3	-	10	14	11	-	2	11	-	-	-	8	2	10	15	21	13	7	2	8	3	5
	55-	3	6	3	1	11	20	17	1	-	11	4	-	1	5	1	12	7	22	7	23	2	7	3	10
	65 & over	1	3	3	4	6	11	13	14	2	11	4	6	-	-	-	21	4	9	5	58	1	2	2	19
162. Anal fissure and fistula (574)	All Ages	10	30	8	8	42	109	47	4	11	37	11	2	5	20	6	23	30	54	36	24	5	28	13	15
	Under 15	1	1	-	2	1	9	1	-	-	6	1	-	-	-	-	2	-	-	2	-	-	1	2	-
	15-	-	-	-	3	2	-	3	2	-	2	-	1	2	3	-	-	4	3	2	1	1	3	1	1
	25-	2	7	-	-	5	26	8	-	2	5	3	-	2	8	2	3	9	16	2	6	3	5	2	2
	35-	4	11	4	-	17	25	13	-	4	12	3	-	1	5	1	6	9	15	11	8	1	11	4	-
	45-	3	7	3	1	9	33	12	-	2	10	1	-	-	4	2	8	6	19	17	6	-	6	2	3
	55-	-	4	-	2	4	12	9	-	3	-	2	-	-	-	1	4	2	1	1	-	-	2	1	4
	65 & over	-	-	1	-	3	4	1	2	-	2	1	1	-	-	-	-	-	-	1	3	-	-	1	5

163. Abscess of anal and rectal regions (575)	All Ages	13	32	7	5	21	111	57	26	15	51	19	3	3	10	10	13	12	19	20	21	2	20	15	9
	Under 15	1	-	1	2	3	10	4	-	-	8	2	-	-	1	-	3	-	2	1	3	-	1	6	1
	15-	1	6	-	-	1	11	5	5	-	3	1	1	1	2	3	1	2	6	3	3	-	7	-	1
	25-	3	7	-	1	3	30	10	6	3	15	4	-	-	2	2	2	6	3	3	1	-	5	3	2
	35-	3	13	3	1	5	18	14	5	4	11	2	1	1	1	1	4	1	2	8	-	1	2	1	1
	45-	2	2	2	-	5	25	11	2	4	7	6	1	-	3	1	1	3	5	4	3	-	3	3	-
	55-	3	4	1	-	4	10	10	1	3	4	3	-	-	-	3	2	-	-	-	7	1	2	-	3
	65 & over	-	-	-	1	-	7	3	7	1	3	1	-	-	1	-	-	-	1	1	4	-	-	2	1
164. All other diseases of intestines and peritoneum (573, 576-578)	All Ages	29	61	15	43	77	212	140	56	19	100	57	19	24	53	20	103	77	213	114	152	24	114	70	74
	Under 15	8	17	3	26	14	58	36	13	6	24	21	5	4	21	7	25	4	36	18	8	4	24	15	10
	15-	-	1	1	3	1	13	8	5	-	6	1	2	2	6	2	4	7	24	9	5	5	21	10	1
	25-	3	7	2	-	6	24	14	6	1	8	2	-	6	8	3	10	15	36	13	9	3	10	10	4
	35-	9	9	2	2	14	38	16	2	3	20	3	-	5	6	4	5	15	38	24	12	4	16	11	6
	45-	4	9	4	3	9	26	27	4	3	12	13	3	3	3	4	11	14	34	22	20	2	24	10	8
	55-	5	11	3	2	18	30	27	6	4	17	6	2	2	6	-	14	12	30	18	42	4	11	10	12
	65 & over	-	7	-	7	15	23	12	20	2	13	10	7	2	3	-	34	9	15	9	54	2	8	4	32
165. Cirrhosis of liver (581)	All Ages	15	13	17	14	43	44	27	9	3	18	9	5	3	2	2	19	14	27	26	20	2	11	5	11
	Under 15	1	-	-	3	1	4	2	1	-	-	-	-	1	-	-	2	-	7	-	1	-	-	-	-
	15-	-	-	-	-	-	2	3	2	-	-	-	-	-	-	-	-	-	2	2	-	-	-	-	-
	25-	-	-	-	-	2	2	3	-	-	-	-	-	1	1	-	2	-	-	-	1	2	1	-	-
	35-	1	-	-	1	1	13	7	-	1	3	1	1	-	-	-	1	2	4	4	2	-	1	1	2
	45-	5	5	2	-	16	7	3	-	2	3	2	-	1	-	2	7	5	9	3	5	-	7	1	1
	55-	8	1	14	1	18	14	9	2	-	6	4	2	-	1	-	-	5	3	15	4	-	1	3	-
	65 & over	-	7	1	9	5	2	-	4	-	6	2	1	-	-	-	7	2	2	2	7	-	1	-	8
166. Other diseases of liver, diseases of pancreas (580, 582, 583, 587)	All Ages	1	9	2	13	5	40	18	16	4	19	10	-	7	5	3	30	14	30	21	40	2	13	1	19
	Under 15	-	3	-	12	-	8	3	3	-	4	1	-	4	3	-	21	2	5	4	2	1	2	-	1
	15-	-	-	-	-	-	3	-	1	-	3	1	-	1	2	-	-	-	-	-	-	-	-	-	-
	25-	-	1	-	-	-	1	4	-	-	1	-	-	1	-	-	1	1	3	4	1	-	2	-	2
	35-	-	-	-	-	-	8	3	3	2	6	1	-	-	-	-	-	5	6	2	4	-	1	-	1
	45-	-	3	-	-	1	9	3	2	1	3	4	-	1	-	1	3	4	8	6	9	-	3	1	2
	55-	-	1	1	-	2	7	2	1	1	1	2	-	-	-	2	5	2	5	3	12	1	3	-	5
	65 & over	-	1	1	1	2	4	2	6	-	1	1	-	-	-	-	-	-	3	2	12	-	2	-	8
167. Cholelithiasis (584)	All Ages	9	21	6	9	30	56	27	17	12	28	3	6	12	26	23	82	88	227	155	191	30	56	31	57
	Under 15	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	15-	1	-	1	-	2	-	-	-	-	2	-	-	-	2	-	2	-	3	1	1	-	2	1	-
	25-	-	3	-	-	-	1	1	1	-	-	-	1	1	1	5	8	7	16	6	5	2	5	-	2
	35-	-	6	3	2	3	11	4	1	-	2	-	-	5	6	4	12	21	49	28	11	7	13	10	3
	45-	3	5	-	1	14	16	4	1	2	11	1	1	1	11	10	19	26	79	55	28	8	15	12	5
	55-	4	3	2	2	6	16	9	6	7	8	-	2	3	4	4	26	23	51	47	61	7	16	5	22
	65 & over	1	4	-	4	5	12	9	8	3	5	2	2	2	2	-	15	11	29	17	84	6	5	3	24

TABLE H.3 (Contd.)

Diagnostic Group		MALES												FEMALES											
		London Teaching				Provincial Teaching				Regional Boards				London Teaching				Provincial Teaching				Regional Boards			
		Social Class				Social Class				Social Class				Social Class				Social Class				Social Class			
		I, II	III	IV, V	N.S.	I, II	III	IV, V	N.S.	I, II	III	IV, V	N.S.	I, II	III	IV, V	N.S.	I, II	III	IV, V	N.S.	I, II	III	IV, V	N.S.
168. Cholecystitis without mention of calculi (585)	All Ages	4	14	4	10	33	62	34	23	14	37	16	7	12	19	16	55	66	198	118	166	26	67	68	117
	Under 15	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
	15-	-	-	1	-	-	2	3	-	-	-	-	-	-	-	-	2	2	2	-	1	-	3	1	-
	25-	1	2	-	-	2	-	2	1	1	3	1	-	3	2	-	2	8	13	8	10	3	1	6	-
	35-	-	3	1	2	7	9	3	-	3	7	1	-	2	3	9	6	16	46	32	10	4	21	10	3
	45-	1	3	1	2	14	18	7	1	5	8	4	-	2	9	5	14	17	71	43	22	9	16	21	13
	55-	-	4	-	3	3	21	11	6	3	9	7	2	4	5	1	19	16	44	24	44	6	20	19	32
	65 & over	2	2	1	2	6	12	7	15	2	10	3	5	1	-	1	12	7	22	10	77	4	5	10	67
169. Other diseases of gallbladder and biliary ducts (586)	All Ages	2	5	1	1	5	9	4	4	2	4	2	1	2	7	2	7	7	19	19	13	3	11	4	15
	Under 15	-	1	-	-	-	1	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	15-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
	25-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	3	2	-	-	1	-	-
	35-	-	2	-	-	-	2	-	-	-	-	-	-	-	3	-	-	2	3	2	-	-	2	1	1
	45-	1	1	-	-	2	2	-	-	-	-	1	-	1	2	1	4	3	6	8	3	2	5	1	1
	55-	1	1	1	-	1	2	1	1	1	3	1	-	-	1	1	2	2	3	7	7	1	2	1	6
	65 & over	-	-	-	1	2	1	1	3	1	1	-	1	1	-	-	1	-	3	-	3	-	1	-	6
170. Acute nephritis (590)	All Ages	5	12	6	15	16	63	33	9	11	49	20	8	4	18	9	12	8	52	19	13	5	33	11	12
	Under 15	2	9	2	14	11	34	15	6	7	25	9	8	4	16	5	5	5	32	9	5	3	26	5	8
	15-	-	1	-	1	2	7	5	1	1	3	3	-	-	2	1	1	-	10	6	2	-	1	-	-
	25-	-	-	1	-	-	9	5	-	2	8	6	-	-	-	1	4	-	6	1	1	2	2	2	2
	35-	2	-	1	-	3	5	5	-	1	9	1	-	-	-	2	1	1	4	3	1	-	1	2	-
	45-	-	2	1	-	-	7	2	1	-	3	1	-	-	-	-	-	1	-	-	2	-	1	-	-
	55-	1	-	1	-	-	-	1	1	-	-	-	-	-	-	-	1	1	-	-	1	-	1	2	1
	65 & over	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1
171. Chronic, other and unspecified nephritis (including renal sclerosis) (591-594)	All Ages	8	25	7	18	39	105	59	28	6	30	18	15	4	12	7	31	24	69	42	31	4	21	16	18
	Under 15	-	4	-	14	8	19	10	9	2	6	2	5	3	3	1	10	4	21	10	4	-	1	1	1
	15-	1	2	1	-	-	16	12	5	1	4	1	-	-	5	1	3	4	13	15	2	-	4	4	-
	25-	2	7	2	-	12	19	12	1	-	2	4	-	-	4	1	7	3	17	5	3	2	5	3	1
	35-	1	6	-	1	6	26	8	3	1	7	3	-	-	-	2	3	7	11	5	5	-	2	4	2
	45-	2	3	1	1	6	15	12	2	1	6	2	1	1	-	1	3	3	6	4	4	2	6	2	5
	55-	1	1	2	2	6	7	3	3	1	2	2	3	-	-	1	3	2	-	1	9	-	3	1	2
	65 & over	1	2	1	-	1	3	2	4	-	3	4	6	-	-	-	2	1	1	2	4	-	-	1	7

172. Infections of kidney (600)	All Ages	3	17	6	13	25	81	35	22	11	33	16	9	12	38	22	61	57	196	87	69	26	96	57	47
	Under 15	-	3	1	5	1	9	6	4	3	3	3	3	1	15	9	15	10	33	19	4	4	20	12	9
	15-	-	-	-	3	5	14	3	4	-	7	2	1	4	7	1	13	10	45	22	11	6	20	13	2
	25-	1	5	1	1	6	10	4	5	2	7	1	-	3	5	4	9	12	37	18	5	5	22	12	7
	35-	1	5	-	2	5	14	8	1	1	3	4	-	2	3	2	9	11	34	16	9	3	22	9	4
	45-	-	1	3	-	3	17	6	2	3	3	2	-	1	7	2	6	6	26	4	12	7	7	6	4
	55-	-	2	1	-	5	11	5	-	1	2	3	2	1	-	3	3	4	12	4	11	-	4	3	7
	65 & over	1	1	-	2	-	6	3	5	1	8	1	3	-	1	1	6	4	9	3	16	1	1	2	14
173. Calculi of urinary system (602,604)	All Ages	10	53	29	25	57	181	88	30	13	63	22	5	4	22	6	37	29	98	42	43	5	27	15	14
	Under 15	-	2	1	10	7	7	3	1	-	2	-	-	-	2	-	5	2	4	-	3	-	-	-	-
	15-	-	2	2	-	1	6	1	6	-	3	-	-	-	2	-	1	-	10	2	2	-	1	3	-
	25-	1	10	2	1	4	34	15	6	2	17	6	-	2	6	1	1	5	20	11	7	2	3	3	3
	35-	3	13	7	2	21	45	29	2	4	17	3	1	1	4	3	16	8	27	9	4	1	16	3	1
	45-	3	14	14	4	7	35	20	2	-	7	7	-	-	6	2	3	6	22	10	8	1	6	4	1
	55-	2	8	2	-	6	36	12	3	2	8	3	1	-	2	-	6	6	14	8	10	-	1	2	4
	65 & over	1	3	1	8	10	18	8	10	5	8	3	3	-	-	-	5	1	-	2	9	1	-	-	5
174. Cystitis (605)	All Ages	7	17	5	4	16	51	26	12	14	31	20	6	13	16	12	35	25	92	48	53	10	36	19	40
	Under 15	-	-	-	1	-	1	-	-	-	1	1	-	2	1	-	1	1	7	2	1	-	4	1	1
	15-	2	-	-	-	2	3	3	-	1	3	-	-	1	2	2	1	1	12	7	3	2	9	3	4
	25-	1	2	1	1	2	3	3	2	1	2	3	-	3	2	2	10	6	18	2	5	1	9	1	2
	35-	1	3	1	-	1	8	4	1	1	5	3	-	-	6	1	2	6	21	11	-	4	6	3	2
	45-	-	4	-	-	3	17	6	-	3	4	-	-	4	2	1	6	4	10	9	8	1	6	5	6
	55-	2	5	2	-	4	8	7	-	5	8	4	1	2	1	5	7	5	16	8	20	1	1	5	8
	65 & over	1	3	1	2	4	11	3	9	3	8	9	5	-	1	1	8	2	8	9	16	-	1	1	16
175. Stricture of urethra (608)	All Ages	2	29	2	9	25	77	65	34	13	41	19	12	-	-	2	-	-	7	2	7	2	1	-	1
	Under 15	-	3	-	3	1	7	4	2	-	2	4	-	-	-	-	-	-	-	-	-	-	-	-	-
	15-	-	-	-	-	1	1	2	1	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	25-	-	2	-	-	2	7	5	2	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-
	35-	-	5	-	-	2	14	4	2	3	2	3	-	-	-	-	-	-	-	-	-	-	-	-	1
	45-	-	5	1	-	4	15	14	-	6	13	2	2	-	-	2	-	-	-	-	3	-	-	-	-
	55-	-	7	1	-	9	16	21	5	1	11	7	1	-	-	-	-	-	3	-	1	2	1	-	-
	65 & over	2	7	-	6	6	17	15	22	3	11	3	8	-	-	-	-	-	1	2	3	-	-	-	-
176. Other diseases of urethra (607,609)	All Ages	4	10	5	15	7	46	17	9	8	15	8	3	6	9	7	43	34	101	62	89	6	29	9	26
	Under 15	1	1	1	12	1	14	4	2	-	2	-	1	3	1	3	-	3	6	1	2	-	2	1	-
	15-	-	-	-	-	-	3	1	-	2	-	1	-	-	-	-	-	1	3	1	-	-	-	1	-
	25-	1	1	-	1	1	4	2	1	-	7	-	-	-	1	-	2	-	8	3	1	-	2	-	1
	35-	-	5	-	-	-	5	3	-	2	1	1	-	1	2	-	6	5	25	7	2	3	3	1	3
	45-	-	-	4	-	3	13	1	-	2	1	2	1	1	3	3	9	8	36	18	9	2	8	-	4
	55-	2	1	-	-	1	4	5	-	1	2	3	-	1	2	1	8	13	20	25	24	-	7	4	4
	65 & over	-	2	-	2	1	3	1	6	1	1	1	1	-	-	-	18	4	3	7	51	1	7	2	14

TABLE H.3 (Contd.)

Diagnostic Group		MALES												FEMALES											
		London Teaching				Provincial Teaching				Regional Boards				London Teaching				Provincial Teaching				Regional Boards			
		Social Class				Social Class				Social Class				Social Class				Social Class				Social Class			
		I, II	III	IV, V	N.S.	I, II	III	IV, V	N.S.	I, II	III	IV, V	N.S.	I, II	III	IV, V	N.S.	I, II	III	IV, V	N.S.	I, II	III	IV, V	N.S.
177. All other diseases of urinary system (601, 603, 606)	All Ages	13	48	21	28	36	122	37	19	19	51	22	9	15	33	15	52	40	126	55	59	12	50	11	12
	Under 15	1	10	1	12	3	12	6	3	1	2	-	2	-	4	1	8	2	12	2	1	-	1	-	-
	15-	1	1	1	5	4	17	2	2	3	3	1	1	1	4	1	1	3	18	9	3	3	11	3	1
	25-	1	4	2	3	6	23	4	3	2	13	2	1	3	6	1	7	9	21	8	4	2	14	3	1
	35-	2	11	3	1	6	19	11	1	1	7	1	1	3	11	4	11	9	42	15	9	2	13	1	-
	45-	3	7	6	-	3	27	4	4	5	10	8	1	3	3	4	8	11	20	12	14	2	9	3	4
	55-	2	6	4	-	7	18	5	2	3	10	3	-	4	4	4	9	5	7	7	14	2	1	1	2
	65 & over	3	9	4	7	7	6	5	4	4	6	7	3	1	1	-	8	1	6	2	13	1	1	-	4
178. Hyperplasia of prostate (610)	All Ages	41	101	51	75	203	473	246	234	102	268	138	115												
	Under 15	-	-	-	-	1	1	-	-	-	-	-	-												
	15-	-	-	-	-	-	1	-	-	-	-	1	-												
	25-	1	1	-	-	1	1	1	-	1	2	-	-												
	35-	-	1	2	-	4	5	2	-	2	2	2	-												
	45-	3	8	7	1	10	39	14	3	5	21	7	-												
	55-	12	42	19	8	52	145	82	23	27	88	28	7												
	65 & over	25	49	23	66	134	279	144	205	67	154	100	107												
179. Hydrocele (613)	All Ages	20	57	16	24	33	165	97	12	15	53	25	11												
	Under 15	3	14	-	18	9	43	21	3	3	9	6	4												
	15-	-	2	2	1	1	16	9	2	-	2	2	2												
	25-	5	8	3	1	-	13	7	-	1	5	2	-												
	35-	2	11	2	1	4	27	12	1	2	8	3	-												
	45-	2	7	7	-	11	29	17	1	4	9	5	1												
	55-	8	11	2	2	3	20	25	-	4	13	6	1												
	65 & over	-	3	-	1	5	16	6	5	1	6	1	3												
180. Redundant prepuce and phimosis (615)	All Ages	17	132	55	96	44	208	96	48	22	93	45	27												
	Under 15	12	110	50	94	27	132	58	25	15	73	34	23												
	15-	-	2	2	-	1	26	12	6	1	3	3	1												
	25-	3	6	3	-	6	18	6	5	3	6	3	-												
	35-	-	4	-	-	2	15	7	2	2	3	2	1												
	45-	1	3	-	-	2	12	6	2	-	6	3	-												
	55-	1	4	-	-	2	1	2	2	1	-	-	-												
	65 & over	-	2	-	2	4	4	5	5	-	2	-	1												

181. All other diseases of male genital organs (611,612,614, 616,617)	All Ages	19	65	30	20	47	163	86	32	14	73	23	14												
	Under 15	1	5	-	9	4	11	12	6	1	8	4	4												
	15-	1	3	3	2	-	18	6	7	1	11	1	2												
	25-	3	9	3	3	6	18	9	5	2	10	2	1												
	35-	7	14	5	1	9	30	14	3	2	11	3	1												
	45-	5	12	9	-	9	35	16	1	2	11	5	1												
	55-	1	15	5	3	11	32	23	4	2	13	4	1												
	65 & over	-	6	5	2	8	19	6	6	3	8	4	4												
182. Acute mastitis not associated with lactation (621.0)	All Ages	2	2	-	3	-	7	-	-	-	-	-	-	16	18	6	40	23	97	51	26	12	57	21	17
	Under 15	-	-	-	2	-	2	-	-	-	-	-	-	-	1	-	-	2	4	-	-	1	-	-	1
	15-	-	-	-	-	-	2	-	-	-	-	-	-	4	2	3	8	6	33	15	9	1	17	10	5
	25-	-	-	-	-	-	2	-	-	-	-	-	-	4	7	2	13	9	38	26	8	6	28	7	6
	35-	-	2	-	-	-	1	-	-	-	-	-	-	4	4	1	9	5	14	4	4	2	9	2	5
	45-	1	-	-	1	-	-	-	-	-	-	-	-	3	4	-	4	1	7	4	2	1	2	1	-
	55-	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	2	-	1	1	2	1	-	1	-
	65 & over	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	-	-	1	1	-	1	-	-
183. Chronic cystic and other diseases of breast (620,621 Rmdr.)	All Ages	1	5	4	3	8	16	12	3	1	5	1	-	35	56	26	102	48	178	64	54	10	55	10	16
	Under 15	-	1	1	-	-	2	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-
	15-	-	1	-	1	1	2	3	-	-	2	1	-	3	3	3	-	1	8	2	5	-	2	-	-
	25-	-	1	-	-	1	5	2	-	-	-	-	-	3	10	4	16	4	35	9	7	1	9	-	3
	35-	-	-	-	1	2	2	1	1	-	1	-	-	16	20	14	40	18	63	28	17	4	22	2	3
	45-	1	-	1	-	2	3	3	-	-	1	-	-	10	21	5	36	23	60	22	17	4	20	6	4
	55-	-	1	1	-	1	1	2	-	-	1	-	-	1	1	-	5	-	9	2	4	1	2	1	2
	65 & over	-	1	1	1	1	1	1	2	1	-	-	-	1	-	-	4	2	1	1	3	-	-	-	4
184. Salpingitis and oophoritis (622-624)	All Ages													10	46	35	52	41	209	134	44	11	88	60	29
	Under 15													-	-	-	-	1	3	1	-	-	3	1	-
	15-													4	22	13	18	2	47	24	16	1	25	26	10
	25-													3	16	11	15	22	85	63	12	6	37	24	13
	35-													3	5	9	13	14	61	33	8	2	16	6	6
	45-													-	2	2	4	2	11	8	6	2	7	1	-
	55-													-	-	-	1	-	1	2	1	-	-	-	-
	65 & over													-	-	-	-	-	-	1	-	-	-	1	-
185. Other diseases of ovary and Fallopian tube (625)	All Ages													4	18	4	23	41	178	96	29	5	24	17	4
	Under 15													-	-	-	1	1	3	-	-	-	1	-	-
	15-													1	5	1	3	4	28	16	4	2	7	10	-
	25-													-	8	1	11	10	45	20	8	1	6	4	1
	35-													3	4	2	4	14	56	34	5	2	8	2	-
	45-													-	1	-	3	12	44	24	8	-	1	1	1
	55-													-	-	-	1	-	2	2	2	-	1	-	2
	65 & over													-	-	-	-	-	-	-	2	-	-	-	-

TABLE H.3 (Contd.)

Diagnostic Group		MALES												FEMALES											
		London Teaching				Provincial Teaching				Regional Boards				London Teaching				Provincial Teaching				Regional Boards			
		Social Class				Social Class				Social Class				Social Class				Social Class				Social Class			
		I, II	III	IV, V	N.S.	I, II	III	IV, V	N.S.	I, II	III	IV, V	N.S.	I, II	III	IV, V	N.S.	I, II	III	IV, V	N.S.	I, II	III	IV, V	N.S.
186. Diseases of parametrium and pelvic peritoneum (female) (626)	All Ages													7	5	2	15	20	103	40	15	8	39	12	9
	Under 15													1	-	-	1	-	5	-	-	-	3	-	-
	15-													-	-	-	1	3	13	7	-	1	9	3	2
	25-													1	3	2	6	3	39	10	4	3	10	4	3
	35-													3	1	-	4	9	31	13	5	4	14	3	2
	45-													2	-	-	1	4	11	8	2	-	2	1	-
	55-													-	1	-	-	1	2	2	4	-	-	1	-
	65 & over													-	-	-	2	-	1	-	-	-	1	-	2
187. Infective diseases of uterus (630.0,630.1)	All Ages													30	83	39	146	145	596	269	107	24	144	66	105
	Under 15													-	-	-	3	-	3	1	1	-	-	1	1
	15-													1	10	4	4	12	66	28	6	1	11	3	9
	25-													15	41	16	51	59	218	110	25	12	46	22	36
	35-													10	21	13	49	53	195	89	28	6	52	23	30
	45-													4	7	2	31	20	99	28	17	4	26	14	14
	55-													-	3	3	5	-	11	11	16	-	5	2	10
	65 & over													-	-	1	2	1	4	2	14	-	2	-	3
188. Vaginitis and vulvitis (630.2)	All Ages													8	26	17	46	58	170	93	69	3	40	22	13
	Under 15													-	6	1	9	2	10	5	3	-	6	1	-
	15-													-	3	3	-	2	28	11	6	-	11	6	-
	25-													2	6	4	7	16	49	23	11	-	6	7	1
	35-													3	7	3	10	24	40	15	4	1	6	3	1
	45-													3	4	2	7	4	22	25	11	1	6	4	-
	55-													-	-	2	10	9	13	12	13	-	5	1	3
	65 & over													-	-	2	3	1	8	2	21	1	-	-	8
189. Uterovaginal prolapse (631)	All Ages													82	171	126	406	418	1227	733	570	65	297	158	220
	Under 15													-	-	-	-	-	-	-	-	-	-	-	1
	15-													-	4	1	-	1	3	1	1	-	5	1	-
	25-													12	16	13	33	36	143	52	10	7	36	19	16
	35-													22	49	33	87	127	381	191	40	21	75	48	27
	45-													23	58	39	93	133	408	262	99	23	108	52	39
	55-													15	35	32	101	93	238	181	213	10	59	27	61
	65 & over													9	9	8	89	28	54	46	206	4	13	10	74

190. Malposition of uterus (632)	All Ages							13	44	16	69	83	263	91	26	18	84	34	13
	Under 15							-	-	-	-	-	-	-	-	-	-	-	-
	15-							1	4	-	6	6	39	15	2	3	15	6	2
	25-							7	27	9	39	58	155	52	13	7	44	14	9
	35-							5	13	5	17	18	57	20	8	7	22	10	1
	45-							-	-	2	6	1	10	4	3	-	3	3	-
	55-							-	-	-	-	-	2	-	-	1	-	-	-
	65 & over							-	-	-	1	-	-	-	-	-	-	1	-
191. Disorders of menstruation (634)	All Ages							134	332	176	257	332	1285	723	255	85	432	233	136
	Under 15							-	-	-	-	2	10	2	-	-	2	2	-
	15-							18	71	19	29	40	230	138	36	8	81	50	10
	25-							33	94	42	59	77	332	158	51	25	104	47	28
	35-							45	103	66	75	111	421	233	72	25	141	70	52
	45-							34	57	44	73	93	267	166	64	23	94	52	35
	55-							3	4	5	13	7	19	22	14	3	7	10	4
	65 & over							1	1	-	6	-	5	4	18	-	2	1	6
192. Sterility, female (636)	All Ages							28	84	31	165	105	304	132	40	23	94	32	40
	Under 15							-	-	-	-	-	-	-	-	-	-	-	-
	15-							2	14	5	15	7	52	18	3	3	15	6	8
	25-							19	50	19	100	72	203	88	27	17	61	22	19
	35-							7	19	7	49	26	49	26	7	3	17	3	11
	45-							-	1	-	1	-	-	-	1	-	1	-	2
	55-							-	-	-	-	-	-	-	-	-	-	-	-
	65 & over							-	-	-	-	-	-	-	-	-	-	-	-
193. All other diseases of female genital organs (633,635, 637)	All Ages							49	123	52	186	178	662	393	223	38	169	108	108
	Under 15							-	-	-	2	5	7	5	6	-	2	1	1
	15-							4	20	7	14	7	44	28	7	2	29	11	8
	25-							13	34	8	43	32	124	58	20	6	47	21	14
	35-							11	26	9	31	48	161	104	29	12	39	31	21
	45-							15	31	17	49	66	240	139	46	9	40	31	28
	55-							4	9	10	28	15	61	40	50	7	9	9	16
	65 & over							2	3	1	15	5	24	19	63	1	2	4	19
194. Pregnancy, not otherwise specified (64X)	All Ages							13	42	16	81	108	553	248	86	37	272	129	45
	Under 15							-	-	-	-	-	-	-	-	-	-	-	-
	15-							2	13	6	23	25	178	91	29	10	92	41	16
	25-							6	24	7	47	60	268	97	36	21	135	59	19
	35-							5	5	3	11	23	102	59	21	6	44	28	8
	45-							-	-	-	-	-	5	1	-	-	-	1	1
	55-							-	-	-	-	-	-	-	-	-	-	-	-
	65 & over							-	-	-	-	-	-	-	-	-	-	-	-

TABLE H.3 (Contd.)

Diagnostic Group		MALES												FEMALES											
		London Teaching				Provincial Teaching				Regional Boards				London Teaching				Provincial Teaching				Regional Boards			
		Social Class				Social Class				Social Class				Social Class				Social Class				Social Class			
		I, II	III	IV, V	N.S.	I, II	III	IV, V	N.S.	I, II	III	IV, V	N.S.	I, II	III	IV, V	N.S.	I, II	III	IV, V	N.S.	I, II	III	IV, V	N.S.
195. Pyelitis and other infections of genito-urinary tract during pregnancy (640,641)	All Ages													3	18	7	32	33	168	42	35	13	67	36	23
	Under 15													-	-	-	-	-	-	-	-	-	-	-	-
	15-													2	8	4	11	7	81	17	18	3	30	19	7
	25-													1	7	3	12	21	71	21	15	8	31	12	11
	35-													-	3	-	8	5	16	3	-	2	5	5	4
	45-													-	-	-	-	-	-	1	1	-	1	-	1
	55-													-	-	-	-	-	-	-	-	-	-	-	-
	65 & over													-	-	-	-	-	-	-	-	-	-	-	-
196. Toxaemias of pregnancy (642)	All Ages													29	105	31	217	338	1373	468	220	88	424	160	186
	Under 15													-	-	-	-	-	-	-	2	-	-	-	-
	15-													6	33	11	48	61	399	129	58	20	139	55	49
	25-													18	54	10	114	179	627	204	112	44	191	73	89
	35-													5	17	10	52	98	332	125	47	21	87	31	47
	45-													-	1	-	1	-	15	10	1	2	4	1	1
	55-													-	-	-	-	-	-	-	-	-	-	-	-
	65 & over													-	-	-	-	-	-	-	-	-	-	-	-
197. Haemorrhage of pregnancy, noted before delivery (643,644)	All Ages													4	11	2	31	53	281	103	68	16	130	43	34
	Under 15													-	-	-	-	-	-	-	-	-	-	-	-
	15-													1	1	1	5	10	74	28	15	2	38	7	4
	25-													1	8	-	21	31	134	50	28	11	60	28	23
	35-													2	2	-	5	11	72	25	24	3	31	7	5
	45-													-	-	-	-	1	1	-	1	-	1	1	1
	55-													-	-	-	-	-	-	-	-	-	-	-	-
	65 & over													-	-	-	-	-	-	-	-	-	-	-	-
198. Ectopic pregnancy (645)	All Ages													5	20	7	27	21	96	45	18	10	46	30	6
	Under 15													-	-	-	-	-	-	-	-	-	-	-	-
	15-													1	3	1	4	2	17	13	3	-	9	3	-
	25-													2	12	5	18	13	60	21	10	6	22	25	3
	35-													2	5	1	5	6	18	9	5	4	15	2	3
	45-													-	-	-	-	-	1	2	-	-	-	-	-
	55-													-	-	-	-	-	-	-	-	-	-	-	-
	65 & over													-	-	-	-	-	-	-	-	-	-	-	-

199. Pregnancy with malposition of foetus in uterus (647)	All Ages							2	36	11	14	60	322	93	120	30	120	74	16
	Under 15							-	-	-	-	-	-	-	-	-	-	-	-
	15-							-	11	5	2	12	103	26	37	6	43	35	5
	25-							2	20	3	6	40	155	41	60	19	59	30	7
	35-							-	4	3	4	7	61	26	23	5	18	8	4
	45-							-	-	-	1	1	3	-	-	-	-	1	-
	55-							-	-	-	-	-	-	-	-	-	-	-	-
	65 & over							-	-	-	-	-	-	-	-	-	-	-	-
200. Threatened abortion (648.0)	All Ages							7	17	6	18	39	126	56	51	23	123	55	35
	Under 15							-	-	-	-	-	-	-	-	-	-	-	-
	15-							1	6	3	7	6	36	20	11	4	40	18	15
	25-							4	7	3	9	23	77	27	33	13	64	26	15
	35-							2	4	-	2	10	13	9	7	6	18	10	5
	45-							-	-	-	-	-	-	-	-	-	1	-	-
	55-							-	-	-	-	-	-	-	-	-	-	-	-
	65 & over							-	-	-	-	-	-	-	-	-	-	-	-
201. All other complications arising from pregnancy (646.648 Rmdr.)	All Ages							11	31	10	46	93	368	232	76	35	196	94	90
	Under 15							-	-	-	-	1	-	-	-	-	-	-	-
	15-							2	6	2	7	10	108	81	27	2	59	39	24
	25-							4	18	5	30	57	178	93	29	23	90	39	49
	35-							3	5	3	9	24	78	55	19	8	43	14	17
	45-							-	1	-	-	1	4	3	-	1	2	1	-
	55-							-	-	-	-	-	-	-	-	-	-	-	-
	65 & over							-	-	-	-	-	-	-	-	-	-	-	-
202. Pregnancy associated with other conditions (649)	All Ages							-	3	1	-	4	12	5	8	-	4	1	1
	Under 15							-	-	-	-	-	-	-	-	-	-	-	-
	15-							-	-	-	-	2	2	1	2	-	1	-	1
	25-							-	3	1	-	-	6	1	5	-	2	-	-
	35-							-	-	-	-	1	4	3	1	-	1	1	-
	45-							-	-	-	-	1	-	-	-	-	-	-	-
	55-							-	-	-	-	-	-	-	-	-	-	-	-
	65 & over							-	-	-	-	-	-	-	-	-	-	-	-
203. Abortion (650-652)	All Ages							56	130	50	199	224	773	375	217	183	896	442	205
	Under 15							-	-	-	-	-	1	-	-	-	-	-	-
	15-							6	42	14	32	31	162	100	42	24	216	117	37
	25-							38	63	24	114	114	412	164	108	90	465	219	105
	35-							12	23	11	49	74	190	105	66	67	205	99	57
	45-							-	2	1	3	3	8	5	-	1	6	5	5
	55-							-	-	-	-	-	-	-	-	-	-	-	-
	65 & over							-	-	-	-	-	-	-	-	-	-	-	-

(7306)

TABLE H.3 (Contd.)

Diagnostic Group		MALES												FEMALES											
		London Teaching				Provincial Teaching				Regional Boards				London Teaching				Provincial Teaching				Regional Boards			
		Social Class				Social Class				Social Class				Social Class				Social Class				Social Class			
		I, II	III	IV, V	N.S.	I, II	III	IV, V	N.S.	I, II	III	IV, V	N.S.	I, II	III	IV, V	N.S.	I, II	III	IV, V	N.S.	I, II	III	IV, V	N.S.
204. Delivery without mention of complication and specified as spontaneous or normal (660.0)	All Ages													197	696	212	206	719	3358	1136	386	414	2863	1368	407
	Under 15													-	-	-	-	-	-	2	1	-	-	-	-
	15-													46	257	89	89	185	1289	476	134	106	1211	633	136
	25-													121	364	94	90	407	1655	491	196	243	1315	557	197
	35-													30	70	26	26	123	404	163	54	64	322	169	67
	45-													-	-	1	1	4	10	4	1	1	8	2	5
	55-													-	-	-	-	-	-	-	-	-	-	-	-
	65 & over													-	-	-	-	-	-	-	-	-	-	-	-
205. Delivery without mention of complication but specified as assisted (660.1-660.5)	All Ages													37	54	15	101	148	553	170	89	16	102	56	6
	Under 15													-	-	-	-	-	-	-	1	-	-	-	-
	15-													1	8	1	18	15	114	49	18	2	25	10	2
	25-													26	30	6	49	90	292	76	41	10	55	30	1
	35-													9	16	8	32	41	144	45	26	4	21	15	3
	45-													-	-	-	2	2	3	-	3	-	-	1	-
	55-													-	-	-	-	-	-	-	-	-	-	-	-
	65 & over													-	-	-	-	-	-	-	-	-	-	-	-
206. Delivery without mention of complication and not specified as to type (660.6, 660.7)	All Ages													76	412	165	1858	573	1939	860	194	214	1551	824	130
	Under 15													-	-	-	1	-	-	-	-	-	-	-	-
	15-													25	156	73	561	106	571	295	68	53	622	359	37
	25-													44	217	64	1043	328	1017	407	95	133	725	335	63
	35-													7	33	26	242	136	342	152	28	25	191	113	24
	45-													-	1	1	7	3	7	6	3	1	2	4	2
	55-													-	-	-	-	-	-	-	-	-	-	-	-
	65 & over													-	-	-	-	-	-	-	-	-	-	-	-
207. Delivery (all types) complicated by placenta praevia or antepartum haemorrhage (670)	All Ages													5	14	4	27	21	99	29	10	4	68	25	18
	Under 15													-	-	-	-	-	-	-	-	-	-	-	-
	15-													1	1	-	7	3	18	10	2	2	16	6	6
	25-													3	10	2	14	10	48	8	3	-	36	16	6
	35-													1	3	2	6	7	31	11	5	2	16	3	6
	45-													-	-	-	-	1	2	-	-	-	-	-	-
	55-													-	-	-	-	-	-	-	-	-	-	-	-
	65 & over																								

208. Delivery complicated by retained placenta or by other postpartum haemorrhage (671,672)	All Ages							22	83	26	73	62	277	106	64	32	176	85	82
	Under 15							-	-	-	-	-	-	-	-	-	-	-	-
	15-							6	28	9	23	11	92	38	21	5	63	38	30
	25-							15	50	11	30	40	155	52	37	20	88	34	37
	35-							1	5	5	20	11	30	16	6	6	21	12	14
	45-							-	-	-	-	-	-	-	-	-	4	1	-
	55-							-	-	-	-	-	-	-	-	-	-	-	-
	65 & over							-	-	-	-	-	-	-	-	-	-	-	-
209. Delivery (all types) complicated by abnormality of bony pelvis; by disproportion or malposition of foetus; by other prolonged labour (673-675)	All Ages							45	142	55	275	229	855	321	141	41	214	101	80
	Under 15							-	-	-	-	-	-	-	-	-	-	-	-
	15-							10	39	18	53	37	247	100	40	6	79	40	20
	25-							28	84	27	159	149	431	152	71	22	98	38	37
	35-							7	17	10	62	43	175	68	30	13	35	21	22
	45-							-	1	-	-	-	2	1	-	-	-	2	-
	55-							-	-	-	-	-	-	-	-	-	-	-	-
	65 & over							-	-	-	-	-	-	-	-	-	-	-	-
210. Delivery (all types) with laceration of perineum, without mention of other laceration (676)	All Ages							47	140	44	17	197	780	260	70	30	168	87	10
	Under 15							-	-	-	-	-	-	-	1	-	-	-	-
	15-							6	42	15	7	54	278	114	29	12	72	29	3
	25-							30	77	26	7	111	403	110	30	17	82	48	7
	35-							11	21	3	3	32	99	36	10	1	14	10	-
	45-							-	-	-	-	-	-	-	-	-	-	-	-
	55-							-	-	-	-	-	-	-	-	-	-	-	-
	65 & over							-	-	-	-	-	-	-	-	-	-	-	-
211. Delivery (all types) with other trauma or with other complications of childbirth (677,678)	All Ages							16	65	19	96	78	320	91	51	20	109	40	130
	Under 15							-	-	-	-	-	-	-	-	-	-	-	-
	15-							5	26	9	14	22	140	39	23	7	39	16	49
	25-							8	31	7	51	43	151	45	23	10	55	17	64
	35-							3	6	3	30	13	29	6	5	3	15	7	16
	45-							-	1	-	-	-	-	1	-	-	-	-	1
	55-							-	-	-	-	-	-	-	-	-	-	-	-
	65 & over							-	-	-	-	-	-	-	-	-	-	-	-
212. Complications of the puerperium (680-689)	All Ages							3	11	6	8	13	69	34	15	16	95	40	11
	Under 15							-	-	-	-	-	-	-	-	-	-	-	-
	15-							-	1	1	2	6	26	15	4	2	37	14	3
	25-							2	6	4	3	5	34	13	7	11	49	17	3
	35-							1	4	1	2	2	8	6	4	3	9	8	4
	45-							-	-	-	1	-	1	-	-	-	-	-	1
	55-							-	-	-	-	-	-	-	-	-	-	-	-
	65 & over							-	-	-	-	-	-	-	-	-	-	-	-

TABLE H.3 (Contd.)

Diagnostic Group		MALES												FEMALES											
		London Teaching				Provincial Teaching				Regional Boards				London Teaching				Provincial Teaching				Regional Boards			
		Social Class				Social Class				Social Class				Social Class				Social Class				Social Class			
		I, II	III	IV, V	N.S.	I, II	III	IV, V	N.S.	I, II	III	IV, V	N.S.	I, II	III	IV, V	N.S.	I, II	III	IV, V	N.S.	I, II	III	IV, V	N.S.
213. Infections of skin of face, head and neck (excluding eye) (690.0, 690.1, 692.0, 693.0)	All Ages	10	30	9	14	32	155	83	48	12	87	34	19	11	12	7	29	25	136	75	61	6	74	36	23
	Under 15	1	8	2	11	16	78	40	21	6	42	18	13	1	5	3	12	3	77	42	28	5	37	20	6
	15-	1	4	1	2	3	15	11	10	2	11	5	2	4	4	2	-	6	22	8	7	1	15	5	1
	25-	-	6	2	1	4	17	9	2	3	7	5	-	3	1	2	5	4	8	6	6	-	8	3	-
	35-	4	5	3	-	3	16	7	2	-	9	2	1	-	2	-	1	3	12	8	4	-	8	4	1
	45-	3	3	-	-	4	15	8	4	-	8	1	1	1	-	-	2	2	9	9	7	-	5	2	-
	55-	-	4	1	-	2	9	4	4	1	4	1	-	-	-	-	4	4	6	1	4	-	1	-	3
	65 & over	-	-	-	-	-	5	4	4	-	5	2	2	-	-	-	4	-	2	1	5	-	-	2	12
214. Other infections of skin and subcutaneous tissue (690 Rmdr., 691, 692 Rmdr, 693 Rmdr, 694-698)	All Ages	21	66	42	52	73	310	206	85	37	164	102	31	49	48	26	73	56	179	107	121	30	108	59	86
	Under 15	4	16	8	28	23	102	56	34	10	49	37	19	1	11	7	28	8	59	37	24	11	41	28	27
	15-	4	9	7	5	4	44	25	11	5	19	12	2	23	13	2	13	14	34	18	9	5	23	7	3
	25-	6	10	4	5	9	53	36	4	5	22	10	1	6	8	7	7	15	28	10	9	3	10	6	6
	35-	3	11	6	3	14	42	33	10	5	26	11	1	6	8	5	5	6	15	11	8	4	14	5	11
	45-	3	11	8	3	14	29	25	7	5	24	9	2	8	3	3	4	5	24	22	17	2	9	10	8
	55-	1	7	4	2	8	22	20	11	3	13	14	1	1	3	1	5	5	14	8	17	5	7	-	10
	65 & over	-	2	5	5	1	16	9	8	3	11	9	5	-	1	1	9	2	4	1	34	-	4	3	20
215. Eczema (701)	All Ages	13	39	15	26	17	97	42	11	9	43	25	6	8	14	4	37	18	32	22	23	4	23	7	17
	Under 15	3	14	4	16	3	25	10	7	1	12	3	2	4	2	-	11	4	13	9	5	1	5	3	3
	15-	1	3	1	-	1	10	4	2	-	2	-	-	-	2	-	3	-	4	3	3	-	6	-	-
	25-	3	4	2	1	1	9	7	-	-	2	6	-	1	2	1	1	4	4	1	-	-	2	-	-
	35-	3	7	1	2	8	18	2	-	1	8	4	-	2	3	1	4	2	3	1	-	1	4	3	1
	45-	1	4	4	-	1	11	7	-	-	8	3	-	1	2	1	6	5	5	5	3	-	3	-	2
	55-	1	3	3	1	2	14	8	-	1	7	6	1	-	1	-	6	3	2	3	6	1	2	1	1
	65 & over	1	4	-	5	1	10	4	2	6	4	3	3	-	2	1	6	-	1	-	6	-	1	-	10
216. Dermatitis (700, 702, 703)	All Ages	7	25	16	12	17	105	62	11	11	44	32	9	2	9	9	19	19	47	35	38	4	18	15	17
	Under 15	-	2	3	1	1	4	3	-	-	1	2	2	-	2	1	1	-	6	2	-	1	1	2	1
	15-	-	2	-	2	1	10	7	-	-	3	6	-	-	1	2	-	1	10	3	-	-	4	3	1
	25-	2	8	3	-	3	20	13	2	1	4	3	-	-	-	-	1	3	4	6	3	-	1	-	2
	35-	3	4	-	2	3	23	14	1	1	11	8	1	-	1	1	-	5	9	5	11	-	2	4	2
	45-	2	3	7	3	6	20	9	3	7	12	-	-	1	-	3	8	4	9	12	5	1	7	3	2
	55-	-	3	2	1	2	14	10	2	1	9	8	1	1	5	2	5	3	6	6	4	1	-	2	4
	65 & over	-	2	1	3	1	14	6	3	1	4	5	4	-	-	-	4	3	3	1	15	1	3	1	5

217. Psoriasis and similar disorders (706)	All Ages	4	16	1	3	9	48	21	3	3	4	3	1	5	7	4	24	10	61	19	18	2	5	3	2
	Under 15	-	-	-	-	3	8	5	2	-	-	1	-	-	-	1	1	4	17	4	3	1	-	-	-
	15-	-	2	-	-	1	6	3	-	-	1	-	-	2	1	1	2	2	16	6	3	-	1	3	-
	25-	-	5	1	-	1	11	5	-	-	-	2	-	-	1	1	7	-	11	3	2	-	2	-	-
	35-	1	4	-	-	2	7	3	-	1	1	-	-	1	3	-	1	-	6	1	2	-	-	-	-
	45-	2	2	-	1	1	10	3	-	1	2	-	-	1	1	-	6	1	4	2	1	1	2	-	1
	55-	1	2	-	-	-	4	-	1	-	-	-	1	-	1	1	3	2	4	1	3	-	-	-	1
	65 & over	-	1	-	2	1	2	2	-	1	-	-	-	-	-	-	4	1	3	2	4	-	-	-	-
218. All other diseases of skin and subcutaneous tissue (704,705, 707-716)	All Ages	38	103	30	43	53	177	98	40	21	78	42	18	37	79	33	158	68	229	120	117	22	89	46	67
	Under 15	3	13	6	16	10	31	8	7	-	12	5	4	6	10	2	33	11	32	13	2	2	9	4	4
	15-	5	19	4	9	7	45	20	10	3	17	12	1	6	19	4	14	12	29	14	6	3	19	7	1
	25-	4	18	6	2	5	29	12	6	3	10	4	-	7	16	9	17	5	38	22	7	2	7	4	2
	35-	9	15	2	2	13	25	11	2	3	9	8	1	8	8	3	18	17	49	26	15	4	19	7	8
	45-	5	21	5	4	7	21	21	2	6	12	4	-	6	15	7	30	9	51	22	24	7	20	12	5
	55-	6	10	6	1	7	15	12	4	3	7	3	1	3	10	6	26	12	23	17	27	3	8	7	15
	65 & over	6	7	1	8	4	11	14	9	3	11	5	9	1	1	1	20	2	6	6	34	1	6	5	31
219. Rheumatoid arthritis and allied conditions (722)	All Ages	15	52	16	25	14	88	44	17	11	43	34	14	13	32	12	59	50	102	46	78	15	58	24	48
	Under 15	3	4	-	6	-	3	6	3	-	1	2	-	-	4	1	4	-	9	-	8	-	-	1	1
	15-	-	8	1	2	1	10	1	3	-	3	-	2	1	2	1	1	1	9	1	6	-	3	2	-
	25-	3	12	2	4	2	15	7	1	-	5	2	2	7	4	-	6	6	19	8	4	1	10	-	2
	35-	4	13	2	2	3	16	12	3	3	7	10	2	2	7	3	8	11	17	9	9	1	13	3	4
	45-	4	6	9	5	6	26	14	3	5	10	10	2	2	8	3	10	16	29	18	16	6	12	9	5
	55-	1	8	2	3	1	15	3	2	1	11	8	-	1	7	4	23	13	14	8	26	3	12	6	23
	65 & over	-	1	-	3	1	3	1	1	2	6	2	6	-	-	-	7	3	4	2	9	4	8	2	12
220. Osteo-arthritis and allied conditions (723)	All Ages	14	48	20	13	32	94	81	22	4	23	17	10	19	41	25	66	39	82	19	75	6	21	16	31
	Under 15	-	1	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-
	15-	-	6	-	1	1	6	-	-	-	-	-	-	2	1	1	1	1	-	-	-	-	-	1	-
	25-	1	1	1	-	1	7	-	2	-	2	1	-	1	6	-	-	-	3	-	1	-	1	-	1
	35-	1	4	2	-	3	13	10	1	-	3	1	-	3	6	8	6	6	8	4	3	2	1	2	3
	45-	4	10	4	2	6	23	25	3	3	8	2	-	3	14	6	12	13	30	8	16	3	7	4	3
	55-	3	21	11	4	11	35	32	6	-	6	8	4	6	7	7	34	15	32	6	21	1	8	7	7
	65 & over	4	5	2	5	9	10	13	9	1	4	5	6	3	6	3	13	3	9	1	32	-	4	2	17
221. All other arthritis; arthritis not otherwise specified (720,721, 724,725)	All Ages	13	44	16	7	14	59	32	12	5	13	21	10	13	19	18	30	24	45	23	26	7	23	14	14
	Under 15	-	6	3	4	5	18	10	5	3	6	9	4	4	6	3	6	-	16	8	3	4	7	3	-
	15-	1	7	4	-	-	5	3	2	-	-	1	-	2	5	6	2	2	2	6	3	-	4	4	-
	25-	1	6	3	1	-	12	4	1	-	3	3	1	1	4	2	-	6	7	3	4	-	1	1	-
	35-	4	13	3	1	1	9	4	-	1	1	2	1	1	2	2	4	4	1	1	2	1	3	2	1
	45-	5	9	1	-	2	5	9	3	-	2	3	1	4	2	2	7	6	8	3	1	1	4	2	1
	55-	1	2	2	-	3	9	1	1	-	1	1	-	-	-	3	7	4	9	-	7	-	3	2	6
	65 & over	1	1	-	-	3	1	1	-	1	-	2	3	-	-	-	4	2	1	2	6	1	-	-	6

TABLE H.3 (Contd.)

Diagnostic Group		MALES												FEMALES											
		London Teaching				Provincial Teaching				Regional Boards				London Teaching				Provincial Teaching				Regional Boards			
		Social Class				Social Class				Social Class				Social Class				Social Class				Social Class			
		I, II	III	IV, V	N.S.	I, II	III	IV, V	N.S.	I, II	III	IV, V	N.S.	I, II	III	IV, V	N.S.	I, II	III	IV, V	N.S.	I, II	III	IV, V	N.S.
222. Acute and subacute rheumatism (727a, 727b)	All Ages	1	7	3	3	3	23	16	6	4	37	29	17	3	6	2	6	7	30	25	9	3	30	29	8
	Under 15	-	2	2	3	-	11	10	5	1	27	17	17	-	3	2	3	1	19	13	3	-	14	17	3
	15-	-	3	1	-	-	1	4	1	1	2	6	-	2	2	-	2	3	5	7	2	-	6	7	-
	25-	1	1	-	-	2	2	-	-	-	4	-	-	1	-	-	1	-	4	1	-	2	4	3	2
	35-	-	-	-	-	-	6	1	-	1	2	3	-	-	1	-	-	2	1	1	1	1	4	-	1
	45-	-	1	-	-	1	3	-	-	1	2	1	-	-	-	-	-	1	-	3	2	-	2	-	1
	55-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	1	-	-	-	-	2	-
	65 & over	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1
223. Muscular and other ill-defined rheumatism (726, 727 Rmdr.)	All Ages	4	20	12	10	14	43	21	6	4	25	9	3	10	22	5	12	17	37	21	18	8	33	15	12
	Under 15	1	14	6	9	6	9	8	2	-	11	2	2	6	13	3	9	3	12	7	3	1	6	1	2
	15-	1	-	-	-	-	2	1	1	-	3	1	1	1	2	1	-	2	4	-	2	-	5	1	-
	25-	1	3	1	-	1	6	2	-	-	3	-	-	1	6	1	2	1	5	2	1	1	6	3	2
	35-	1	-	3	-	1	6	4	-	2	4	1	-	-	1	-	-	2	6	2	2	3	4	3	2
	45-	-	1	1	-	2	9	6	3	2	3	1	-	-	-	-	1	3	3	7	6	2	8	3	1
	55-	-	2	1	-	3	7	-	-	-	1	1	-	2	-	-	-	4	7	2	2	-	4	1	2
	65 & over	-	-	-	-	1	4	-	-	-	-	3	-	-	-	-	-	1	-	1	2	-	-	3	3
224. Osteomyelitis and periostitis (730)	All Ages	29	57	28	32	38	204	124	42	22	88	31	20	3	29	10	24	26	83	46	32	3	29	19	17
	Under 15	8	5	5	18	13	72	48	21	5	34	9	14	1	8	1	12	10	48	28	11	1	15	10	7
	15-	6	20	9	8	4	41	24	10	2	14	3	1	1	9	5	1	5	14	4	7	-	4	2	1
	25-	6	17	4	-	3	25	20	4	2	11	7	-	-	5	3	3	3	10	6	6	-	4	2	3
	35-	3	6	2	1	8	29	11	1	1	10	3	-	-	2	-	5	5	7	6	1	-	3	2	-
	45-	5	7	4	-	8	19	14	5	3	11	4	1	1	3	-	1	2	1	4	2	1	-	1	1
	55-	-	1	4	-	2	15	3	-	5	3	2	-	-	2	1	-	-	3	-	3	-	2	1	3
	65 & over	1	-	-	4	-	3	3	1	4	5	3	4	-	-	-	2	1	-	-	2	-	1	-	2
225. All other diseases of bone (731-733)	All Ages	14	40	14	20	17	57	40	17	3	12	7	2	9	17	5	14	10	26	16	35	6	12	3	12
	Under 15	7	21	3	14	4	19	10	8	-	1	-	-	1	7	3	5	2	5	2	2	1	-	2	4
	15-	2	3	1	1	1	10	7	3	2	2	-	1	1	5	-	1	2	2	1	1	1	-	1	-
	25-	2	5	1	-	1	6	3	-	-	1	1	-	2	1	1	-	1	6	1	-	1	2	-	1
	35-	1	2	-	-	2	5	2	1	1	2	1	-	1	-	1	-	-	5	3	1	1	2	-	-
	45-	-	4	3	-	3	7	5	-	-	2	-	-	1	2	-	3	2	4	5	3	-	2	-	2
	55-	1	2	4	1	2	7	8	2	-	1	2	-	2	2	-	1	2	4	3	5	-	5	-	-
	65 & over	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]

226. Internal derangement of knee-joint (734)	All Ages	42	115	33	27	25	159	65	17	17	101	41	7	11	13	5	11	5	22	8	10	1	11	3	2
	Under 15	1	4	1	-	-	-	1	2	-	3	-	1	4	2	-	1	2	-	1	2	-	-	-	-
	15-	6	23	6	18	1	38	13	11	4	29	8	2	4	5	1	4	3	8	2	4	1	5	-	-
	25-	14	40	7	8	9	68	27	3	4	28	12	3	1	4	-	-	-	6	1	2	-	1	1	-
	35-	14	27	12	-	10	41	12	-	5	30	12	1	-	2	2	3	-	4	4	-	-	2	-	1
	45-	5	19	5	-	5	11	11	-	4	6	3	-	1	-	2	2	-	4	-	-	-	2	1	-
	55-	1	2	1	-	-	1	1	1	-	4	3	-	1	-	-	1	-	-	-	1	-	1	1	-
	65 & over	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-	1
227. Displacement of inter-vertebral disc (735)	All Ages	25	81	32	11	86	311	147	30	11	37	22	2	29	36	18	25	68	129	36	28	7	26	6	6
	Under 15	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	15-	2	5	4	1	4	22	9	4	1	3	2	1	5	6	-	3	6	13	2	1	-	1	-	-
	25-	2	17	6	1	21	71	42	8	3	8	3	-	11	10	7	7	14	24	1	5	-	4	-	3
	35-	12	35	9	4	31	116	37	8	3	17	7	-	9	15	6	2	27	57	20	12	4	15	3	-
	45-	7	17	9	3	19	84	43	3	4	8	6	1	1	3	3	7	12	30	11	3	3	3	3	1
	55-	1	5	4	2	7	16	15	4	-	1	4	-	1	-	2	4	5	5	2	4	-	1	-	-
	65 & over	-	2	-	-	3	1	1	-	-	-	-	-	1	1	-	2	1	-	-	-	-	1	-	2
228. All other diseases of joint (736-738)	All Ages	16	53	14	14	25	117	49	18	2	28	18	3	24	38	16	39	23	65	21	14	9	21	9	4
	Under 15	-	7	1	6	1	17	7	7	-	6	1	3	5	7	1	8	1	9	1	2	3	3	5	1
	15-	2	9	3	3	4	31	8	4	1	2	2	-	1	8	5	4	3	12	6	1	-	2	1	-
	25-	7	11	3	2	5	20	10	4	-	9	3	-	3	7	1	6	3	11	2	1	2	2	-	-
	35-	7	11	3	-	5	25	10	2	-	4	5	-	6	5	1	9	2	12	2	1	3	5	1	-
	45-	-	9	3	1	6	15	7	-	-	2	2	-	6	5	4	5	5	12	6	4	1	3	2	1
	55-	-	3	1	-	4	6	6	1	-	3	4	-	3	6	4	2	6	6	4	3	-	4	-	2
	65 & over	-	3	-	1	-	2	-	-	1	2	1	-	-	-	-	5	2	2	-	1	-	2	-	-
229. Hallux valgus and varus (747)	All Ages	7	35	9	4	4	12	13	1	-	11	1	-	79	253	80	90	35	63	47	44	22	58	28	18
	Under 15	1	2	-	-	1	2	-	-	-	-	-	-	1	10	3	2	-	-	1	-	-	2	-	1
	15-	-	5	-	1	1	3	1	-	-	2	-	-	3	29	11	3	2	13	3	-	2	6	2	3
	25-	2	7	2	1	-	-	2	1	-	1	-	-	17	39	15	7	6	13	4	4	1	13	1	-
	35-	2	6	1	1	-	3	4	-	-	5	-	-	18	72	22	12	10	13	8	3	5	9	4	3
	45-	1	4	3	-	-	1	4	-	-	1	1	-	26	67	20	21	8	16	20	8	6	18	13	5
	55-	1	8	2	1	1	2	2	-	-	2	-	-	13	35	7	31	8	5	10	14	7	9	5	4
	65 & over	-	2	1	-	1	1	-	-	-	-	-	-	1	1	2	11	1	3	1	14	1	1	3	2
230. Clubfoot (748)	All Ages	26	93	30	48	13	100	58	22	2	13	12	6	5	64	14	24	14	42	45	19	1	12	3	4
	Under 15	22	63	25	44	11	87	55	19	1	8	8	5	1	37	5	21	4	27	34	7	1	8	2	2
	15-	1	10	2	2	-	3	2	3	1	3	3	-	3	7	5	1	1	6	4	1	-	3	1	-
	25-	1	11	2	-	-	5	-	-	-	-	-	-	-	8	1	-	1	3	2	4	-	1	-	1
	35-	-	3	-	-	2	3	1	-	-	2	1	-	-	8	-	1	3	3	2	4	-	-	-	-
	45-	2	6	-	-	-	1	-	-	-	-	-	-	-	3	3	1	3	-	1	-	-	-	-	1
	55-	-	-	1	1	-	1	-	-	-	-	-	1	-	1	-	-	1	2	1	2	-	-	-	-
	65 & over	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	1	-	-	-	-	-	-

TABLE H.3 (Contd.)

Diagnostic Group		MALES												FEMALES											
		London Teaching				Provincial Teaching				Regional Boards				London Teaching				Provincial Teaching				Regional Boards			
		Social Class				Social Class				Social Class				Social Class				Social Class				Social Class			
		I, II	III	IV, V	N.S.	I, II	III	IV, V	N.S.	I, II	III	IV, V	N.S.	I, II	III	IV, V	N.S.	I, II	III	IV, V	N.S.	I, II	III	IV, V	N.S.
231. All other musculo-skeletal deformities (745,746, 749)	All Ages	16	95	26	21	9	43	28	11	1	22	18	7	34	98	35	41	20	64	36	17	6	35	8	12
	Under 15	2	33	9	14	1	12	7	7	-	6	9	4	8	15	11	17	8	26	14	3	-	13	1	2
	15-	1	18	7	4	3	14	4	1	-	7	3	1	3	28	9	3	4	15	9	1	1	8	3	-
	25-	3	4	2	-	1	2	6	1	1	3	1	1	8	15	1	-	1	6	3	-	-	6	-	1
	35-	3	16	1	1	1	5	2	1	-	3	1	-	4	12	5	5	4	13	3	6	-	-	1	1
	45-	3	18	4	1	2	5	4	-	-	2	1	-	3	12	2	5	1	3	4	2	4	4	2	3
	55-	4	6	3	1	-	3	5	-	-	-	2	1	7	13	6	5	2	1	2	3	1	3	1	1
	65 & over	-	-	-	-	1	2	-	1	-	-	-	-	1	3	1	5	-	-	1	2	-	1	-	4
232. Synovitis, bursitis and tenosynovitis (741,742)	All Ages	22	62	23	13	18	118	46	18	13	63	28	7	14	74	28	40	22	70	60	28	14	47	15	22
	Under 15	3	8	3	8	5	22	12	8	-	14	9	3	2	5	1	4	5	17	10	3	2	4	-	5
	15-	1	4	1	1	-	20	4	4	1	5	2	-	5	28	6	4	1	16	10	2	2	5	4	1
	25-	3	11	5	1	3	24	5	1	2	14	3	1	4	19	6	9	6	12	7	2	3	13	2	2
	35-	5	13	7	2	3	22	9	-	2	11	3	1	1	9	5	7	2	12	13	9	3	11	4	2
	45-	7	18	3	-	1	17	6	-	6	15	5	-	-	10	5	7	4	10	10	2	3	4	3	7
	55-	3	7	2	-	4	11	7	2	2	2	2	-	1	2	3	4	4	2	8	4	-	9	2	3
	65 & over	-	1	2	1	2	2	3	2	-	2	4	2	1	1	2	4	-	-	2	6	1	1	-	2
233. All other diseases of muscle, tendon and fascia (740,743, 744)	All Ages	12	63	22	16	17	79	39	17	1	19	11	5	16	44	11	44	10	39	23	20	2	8	4	2
	Under 15	2	13	6	7	1	13	6	2	-	-	4	3	2	9	3	10	1	8	6	1	-	1	-	-
	15-	-	4	-	2	2	7	5	2	-	3	-	-	-	5	-	2	1	3	3	-	-	3	3	-
	25-	4	2	3	1	2	9	3	1	-	1	1	-	4	7	3	6	2	9	5	5	1	-	1	-
	35-	2	18	3	1	4	17	8	1	-	2	1	-	5	9	2	6	2	8	3	3	-	-	-	-
	45-	1	15	7	1	3	21	10	6	-	5	2	-	3	10	2	7	4	7	6	5	1	3	-	1
	55-	3	6	2	2	3	7	4	4	1	7	3	1	2	4	1	7	-	2	-	1	-	1	-	-
	65 & over	-	4	1	2	2	5	3	1	-	1	-	1	-	-	-	5	-	2	-	4	-	-	-	1
234. Congenital malforma-tions of nervous system and sense organs (750-753)	All Ages	6	24	14	42	23	80	43	17	2	12	7	5	9	34	8	34	21	91	32	21	1	11	6	7
	Under 15	4	16	11	37	22	58	30	13	2	11	7	4	7	29	5	24	19	77	24	14	1	11	4	6
	15-	-	3	1	2	-	10	3	2	-	1	-	-	-	2	1	-	1	5	4	2	-	-	1	-
	25-	2	1	2	-	-	7	8	1	-	-	-	-	1	-	1	4	-	7	1	3	-	-	1	1
	35-	-	3	-	-	1	2	-	-	-	-	-	-	-	3	1	-	-	-	2	-	-	-	-	-
	45-	-	1	-	-	-	2	1	-	-	-	-	-	1	-	-	-	-	-	1	2	-	-	-	-
	55-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	2	-	-	-	-	-	-
	65 & over	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	3	-	-	-	-	-	-	-	-

235. Congenital malformations of circulatory system (754)	**All Ages**	**10**	**50**	**16**	**99**	**12**	**101**	**53**	**22**	**2**	**11**	**5**	**5**	**16**	**42**	**18**	**141**	**13**	**101**	**52**	**31**	**3**	**33**	**14**	**12**
	Under 15	6	25	8	84	8	59	37	11	1	6	2	1	9	27	14	105	10	65	41	16	1	23	13	8
	15-	2	8	5	12	-	18	4	6	-	-	1	4	2	6	2	9	-	19	4	3	1	4	-	1
	25-	-	6	1	2	1	9	4	-	-	1	2	-	3	6	1	8	2	5	2	4	1	3	-	1
	35-	1	4	2	-	1	9	5	1	-	1	-	-	1	1	-	12	1	8	4	4	-	1	1	-
	45-	-	5	-	-	1	4	1	-	1	1	-	-	-	1	1	4	-	3	-	-	-	2	-	2
	55-	1	2	-	-	-	2	2	2	-	2	-	-	1	1	-	2	-	1	1	3	-	-	-	-
	65 & over	-	-	-	1	1	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
236. Cleft palate and harelip (755)	**All Ages**	**13**	**75**	**27**	**111**	**33**	**167**	**88**	**18**	**-**	**6**	**2**	**1**	**8**	**41**	**16**	**56**	**23**	**111**	**49**	**19**	**-**	**10**	**2**	**-**
	Under 15	12	65	25	110	31	150	70	17	-	6	2	1	7	37	12	51	21	98	43	13	-	9	2	-
	15-	-	9	1	1	1	10	15	1	-	-	-	-	-	3	1	3	2	11	5	3	-	1	-	-
	25-	-	1	1	-	-	4	2	-	-	-	-	-	1	-	1	-	-	-	1	3	-	-	-	-
	35-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	2	-	-	2	-	-	-	-	-	-
	45-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	55-	-	-	-	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	65 & over	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
237. Congenital hypertrophic pyloric stenosis (756.0)	**All Ages**	**10**	**23**	**11**	**66**	**27**	**118**	**40**	**12**	**5**	**29**	**9**	**9**	**1**	**8**	**1**	**14**	**4**	**37**	**7**	**5**	**3**	**5**	**4**	**-**
	Under 15	10	22	11	65	27	117	40	12	5	29	9	9	1	8	1	14	4	37	7	4	3	5	4	-
	15-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	25-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	35-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	45-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	55-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	65 & over	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
238. Other congenital malformations of digestive system (756 Rmdr.)	**All Ages**	**10**	**25**	**6**	**82**	**16**	**67**	**27**	**15**	**1**	**15**	**7**	**3**	**7**	**16**	**5**	**40**	**12**	**52**	**19**	**35**	**2**	**7**	**2**	**1**
	Under 15	4	18	4	71	12	52	20	12	-	11	5	3	4	13	1	31	10	38	15	23	1	3	2	-
	15-	-	1	1	1	-	5	2	-	-	2	-	-	-	-	-	1	-	5	-	1	-	-	-	-
	25-	-	1	1	-	-	3	-	-	-	-	-	-	1	1	1	1	-	3	-	3	-	1	-	1
	35-	1	1	-	1	-	-	2	-	-	-	-	-	1	-	-	-	-	2	-	-	-	-	-	-
	45-	1	1	-	2	2	4	-	-	-	1	-	-	1	1	-	2	-	2	3	1	-	1	-	-
	55-	2	3	-	2	1	1	2	-	-	1	-	-	-	1	3	1	1	1	1	1	-	1	-	-
	65 & over	2	-	-	3	1	2	1	3	1	-	2	-	-	-	-	3	1	1	-	5	-	1	-	-
239. Undescended testicle (757.0)	**All Ages**	**16**	**42**	**20**	**51**	**23**	**114**	**45**	**10**	**9**	**38**	**22**	**6**												
	Under 15	15	35	18	42	13	68	25	8	8	30	14	6												
	15-	-	5	2	8	8	33	13	2	1	6	5	-												
	25-	-	1	-	1	2	7	4	-	-	1	1	-												
	35-	-	-	-	-	-	5	2	-	-	1	2	-												
	45-	1	1	-	-	-	-	1	-	-	-	-	-												
	55-	-	-	-	-	-	-	-	-	-	-	-	-												
	65 & over	-	-	-	-	-	1	-	-	-	-	-	-												

TABLE H.3 (Contd.)

Diagnostic Group		MALES												FEMALES											
		London Teaching				Provincial Teaching				Regional Boards				London Teaching				Provincial Teaching				Regional Boards			
		Social Class				Social Class				Social Class				Social Class				Social Class				Social Class			
		I, II	III	IV, V	N.S.	I, II	III	IV, V	N.S.	I, II	III	IV, V	N.S.	I, II	III	IV, V	N.S.	I, II	III	IV, V	N.S.	I, II	III	IV, V	N.S.
240. Other congenital malformations of genito-urinary system (757, Rmdr.)	All Ages	16	62	21	86	24	91	39	12	6	14	6	2	4	19	8	40	19	87	22	15	7	13	10	4
	Under 15	11	49	14	78	17	67	27	8	3	8	3	1	1	5	2	17	2	18	3	4	1	1	3	1
	15-	-	7	2	4	4	9	4	3	-	-	-	-	-	6	2	3	5	19	7	4	-	4	2	1
	25-	3	3	1	1	1	5	1	-	1	2	-	1	-	4	1	6	5	25	5	1	3	4	3	-
	35-	-	3	2	1	1	4	5	-	1	1	-	-	2	1	2	3	5	11	4	1	-	3	1	1
	45-	1	-	-	2	1	4	1	-	-	1	2	-	1	2	1	5	-	7	2	2	2	1	1	1
	55-	1	-	2	-	-	1	1	-	1	2	1	-	-	1	-	2	1	4	1	2	1	-	-	-
	65 & over	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	4	1	2	-	1	-	-	-	-
241. Congenital dislocation of hip (758.0)	All Ages	11	12	3	13	1	11	1	-	-	-	-	-	37	97	28	61	28	99	30	36	1	10	2	10
	Under 15	9	10	3	11	-	10	1	-	-	-	-	-	36	87	27	56	24	93	26	30	1	9	2	10
	15-	1	1	-	1	-	1	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-
	25-	-	-	-	-	-	-	-	-	-	-	-	-	-	4	-	-	2	1	1	-	-	1	-	-
	35-	-	1	-	-	1	-	-	-	-	-	-	-	1	4	-	1	2	4	3	3	-	-	-	-
	45-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	1	3	-	-	-	2	-	-	-	-
	55-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
	65 & over	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
242. Other congenital dislocation of bone and joint (758, Rmdr.)	All Ages	5	27	9	20	7	41	17	13	2	6	2	2	7	38	9	21	12	69	26	16	4	10	5	8
	Under 15	4	19	5	18	4	26	10	9	1	2	2	2	3	20	5	12	9	26	8	3	1	7	2	7
	15-	1	3	1	-	1	5	3	2	1	1	-	-	1	9	1	-	-	15	4	8	1	-	-	-
	25-	-	3	-	2	-	3	-	1	-	2	-	-	1	4	1	1	1	10	3	1	-	2	-	-
	35-	-	1	1	-	2	4	-	-	-	1	-	-	1	4	2	2	1	4	6	3	1	-	1	-
	45-	-	-	2	-	-	2	3	-	-	-	-	-	1	-	-	3	-	13	4	1	1	-	1	-
	55-	-	-	-	-	-	1	1	-	-	-	-	-	-	1	-	3	-	1	1	-	-	1	1	-
	65 & over	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1
243. Other and unspecified congenital malformations, not elsewhere classified (759)	All Ages	9	61	12	47	18	74	23	9	2	16	5	3	6	27	10	52	12	64	35	18	4	15	8	3
	Under 15	8	40	6	44	11	45	13	7	1	12	3	1	3	21	7	45	6	31	18	7	2	10	1	1
	15-	-	2	3	1	-	6	3	1	-	-	-	1	1	3	1	-	-	12	8	1	-	2	1	-
	25-	-	11	-	-	3	3	1	-	1	1	-	1	-	2	1	3	2	13	2	2	-	1	2	1
	35-	1	1	-	-	-	11	5	-	-	2	-	-	2	1	-	2	2	5	5	4	1	1	1	-
	45-	-	3	2	1	3	4	-	1	-	-	-	-	-	-	1	1	2	3	1	1	1	1	2	-
	55-	-	2	-	-	1	5	1	-	-	-	2	-	-	-	-	-	-	-	1	2	-	-	1	1

244. Birth injury and asphyxia of the newborn (760-762)	**All Ages**	1	5	6	15	4	17	12	9	1	7	3	4	3	1	5	7	-	18	7	7	1	6	3	8
	Under 15	1	4	5	15	4	17	12	9	1	6	3	4	3	1	4	7	-	18	5	7	1	6	2	7
	15-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	25-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-
	35-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	45-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	55-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	65 & over	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
245. Pneumonia of newborn (763)	**All Ages**	-	-	-	5	1	3	4	1	-	4	-	-	-	1	-	1	-	2	2	-	-	-	3	1
	Under 15	-	-	-	5	1	3	4	1	-	4	-	-	-	1	-	-	-	2	2	-	-	-	3	1
	15-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	25-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	35-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	45-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	55-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	65 & over	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
246. Diarrhoea of newborn (764)	**All Ages**	-	-	-	2	2	5	4	-	1	4	1	-	-	1	-	1	-	3	1	2	-	2	2	2
	Under 15	-	-	-	2	2	5	4	-	1	4	1	-	-	1	-	1	-	3	1	2	-	2	2	2
	15-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	25-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	35-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	45-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	55-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	65 & over	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
247. Other infections and sepsis of newborn (765-768)	**All Ages**	1	1	1	7	3	19	11	10	-	3	7	1	1	-	1	7	1	16	5	5	-	9	1	-
	Under 15	1	1	1	7	3	19	11	10	-	3	7	1	1	-	1	7	1	16	5	5	-	9	1	-
	15-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	25-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	35-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	45-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	55-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	65 & over	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
248. Haemolytic disease of newborn (erythroblastosis) (770)	**All Ages**	1	1	-	16	3	23	10	13	2	7	2	3	1	1	-	12	2	27	10	2	2	1	4	5
	Under 15	1	1	-	15	3	23	10	13	2	7	2	3	1	1	-	12	2	27	10	2	2	1	4	3
	15-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	25-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	35-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	45-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	55-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	65 & over	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

TABLE H.3 (Contd.)

Diagnostic Group		MALES												FEMALES											
		London Teaching				Provincial Teaching				Regional Boards				London Teaching				Provincial Teaching				Regional Boards			
		Social Class				Social Class				Social Class				Social Class				Social Class				Social Class			
		I, II	III	IV, V	N.S.	I, II	III	IV, V	N.S.	I, II	III	IV, V	N.S.	I, II	III	IV, V	N.S.	I, II	III	IV, V	N.S.	I, II	III	IV, V	N.S.
249. Other defined diseases of newborn and of early infancy (769,771)	All Ages	1	1	-	3	-	14	2	4	1	6	3	1	-	1	-	4	2	8	1	3	-	3	1	1
	Under 15	1	1	-	3	-	14	2	4	1	6	3	1	-	1	-	4	2	8	1	3	-	3	1	1
	15-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	25-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	35-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	45-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	55-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	65 & over	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
250. Nutritional maladjustment (772)	All Ages	5	18	8	53	7	42	22	15	7	37	18	14	-	9	9	42	7	31	19	8	3	19	22	8
	Under 15	5	18	8	52	7	41	21	15	7	37	18	13	-	9	9	42	7	31	19	8	3	19	22	8
	15-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	25-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	35-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	45-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	55-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	65 & over	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
251. Immaturity, ill defined diseases of early infancy (736-776)	All Ages	-	2	1	6	2	24	9	10	2	13	8	16	1	2	-	6	-	14	8	12	1	9	6	11
	Under 15	-	2	1	6	2	24	9	10	2	13	8	14	1	2	-	6	-	13	7	11	1	8	5	10
	15-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	25-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	35-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	45-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	55-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	65 & over	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
252. Acute heart failure unqualified (782.4)	All Ages	5	5	4	6	6	15	7	7	9	52	37	45	1	2	3	14	4	9	6	17	6	11	15	58
	Under 15	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	15-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-
	25-	1	2	-	-	-	1	-	-	-	3	-	-	-	1	-	1	1	-	-	2	-	1	1	1
	35-	-	-	-	-	-	-	-	-	-	5	-	3	-	-	-	1	-	2	1	2	3	1	1	1
	45-	3	-	1	-	-	3	-	4	-	4	7	1	-	-	1	1	-	2	2	1	1	7	5	3
	55-	-	1	2	2	3	3	3	1	2	17	10	6	1	1	2	1	-	1	2	4	1	1	6	10
	65 & over	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]

253. Haematemesis (784.5)	**All Ages**	9	12	8	8	24	79	33	15	9	38	23	13	2	4	2	13	11	34	23	27	1	20	11	30
	Under 15	2	-	-	1	-	2	-	2	-	2	-	1	1	-	-	2	1	4	3	1	-	-	1	-
	15-	-	1	-	1	-	9	-	1	-	1	-	1	-	-	-	1	-	6	3	1	-	1	-	-
	25-	4	1	-	1	1	13	6	2	2	6	-	-	1	2	-	-	1	3	2	1	-	2	-	-
	35-	1	4	2	-	6	13	9	3	2	9	5	-	-	-	1	3	5	4	3	-	-	5	2	4
	45-	2	3	1	2	7	25	6	-	3	8	7	1	-	2	1	-	-	9	8	7	-	3	3	5
	55-	-	2	3	-	5	6	4	2	-	8	6	3	-	-	-	3	3	6	3	9	1	7	4	3
	65 & over	-	1	2	3	4	10	8	5	1	4	5	7	-	-	-	4	1	2	1	8	-	1	1	18
254. Abdominal pain (785.5)	**All Ages**	15	60	40	55	79	353	198	55	41	183	82	35	49	105	38	143	131	392	214	197	49	221	125	100
	Under 15	2	13	12	42	20	86	43	20	15	65	30	21	6	25	4	37	17	77	36	24	8	57	33	20
	15-	-	10	4	2	1	40	22	6	3	25	9	3	14	27	8	16	19	85	38	16	7	67	31	12
	25-	3	11	7	3	8	49	23	8	5	22	8	-	10	20	7	32	29	53	31	26	12	37	13	13
	35-	4	10	5	2	19	56	38	4	3	24	9	-	8	12	11	16	24	64	35	16	10	30	19	9
	45-	5	10	6	2	11	53	33	5	8	25	8	-	9	17	7	16	25	60	30	22	8	19	15	10
	55-	1	2	4	-	13	39	23	3	4	14	12	1	1	3	1	15	13	40	31	33	3	5	12	8
	65 & over	-	4	2	4	7	30	16	8	3	7	6	10	-	1	-	11	4	13	13	60	-	5	2	28
255. Pain referable to urinary system (786.0)	**All Ages**	9	22	6	7	26	85	46	8	10	52	16	1	1	4	1	8	18	50	16	28	6	24	10	7
	Under 15	-	-	-	1	-	3	1	1	-	-	1	1	1	-	-	-	1	-	1	-	-	2	1	-
	15-	-	1	-	1	1	5	5	1	1	8	2	-	-	1	-	-	3	12	3	1	-	5	3	-
	25-	3	3	5	3	4	20	9	2	3	12	2	-	-	2	1	1	7	11	5	7	3	4	-	-
	35-	4	9	-	-	13	15	8	1	3	12	7	-	-	-	-	-	2	19	1	6	-	5	2	1
	45-	1	6	-	2	4	28	14	3	2	10	2	-	-	1	-	4	2	4	3	6	3	5	4	3
	55-	1	2	1	-	4	8	7	-	1	5	1	-	-	-	-	2	-	4	2	4	-	3	-	1
	65 & over	-	1	-	-	-	5	1	-	-	3	1	-	-	-	-	1	3	-	1	4	-	-	-	2
256. Retention of urine (786.1)	**All Ages**	2	8	3	4	14	63	30	42	12	46	22	21	-	-	-	1	2	5	3	10	-	5	1	3
	Under 15	-	3	-	-	1	1	-	-	-	-	1	-	-	-	-	1	-	-	-	1	-	-	-	-
	15-	-	1	-	-	-	1	1	-	-	3	-	-	-	-	-	-	-	1	-	1	-	1	-	-
	25-	-	1	-	-	-	2	-	2	-	3	1	-	-	-	-	-	-	1	-	-	-	1	-	-
	35-	2	-	2	-	-	-	1	1	1	1	1	-	-	-	-	-	-	1	2	1	-	2	-	-
	45-	-	-	-	-	-	6	2	-	3	4	-	-	-	-	-	-	2	1	1	1	-	1	-	-
	55-	-	-	1	-	4	16	9	2	2	11	5	2	-	-	-	-	-	-	-	2	-	-	-	-
	65 & over	-	3	-	4	9	36	16	37	6	24	14	19	-	-	-	-	-	1	-	4	-	-	1	2
257. Incontinence of urine (786.2)	**All Ages**	4	13	6	14	10	30	20	10	2	6	5	2	10	22	13	36	28	81	48	17	3	15	5	4
	Under 15	4	9	4	13	5	24	13	5	2	2	3	2	2	5	2	14	3	17	11	1	2	5	1	-
	15-	-	2	1	-	2	2	6	4	-	1	1	-	-	2	-	-	-	5	-	-	-	2	-	-
	25-	-	-	-	-	1	2	-	-	-	-	-	-	1	-	-	2	2	5	3	1	-	-	-	-
	35-	-	-	-	-	-	-	-	-	-	2	-	-	-	6	4	6	4	17	14	-	1	4	-	1
	45-	-	-	1	-	1	-	-	-	-	-	-	-	6	8	3	6	13	27	17	5	-	3	4	2
	55-	-	2	-	-	-	1	-	-	-	1	1	-	1	1	4	5	4	9	1	4	-	1	-	-
	65 & over	-	-	-	-	1	1	1	1	-	-	-	-	-	-	-	3	2	1	2	6	-	-	-	1

TABLE H.3 (Contd.)

Diagnostic Group		MALES												FEMALES											
		London Teaching				Provincial Teaching				Regional Boards				London Teaching				Provincial Teaching				Regional Boards			
		Social Class				Social Class				Social Class				Social Class				Social Class				Social Class			
		I, II	III	IV, V	N.S.	I, II	III	IV, V	N.S.	I, II	III	IV, V	N.S.	I, II	III	IV, V	N.S.	I, II	III	IV, V	N.S.	I, II	III	IV, V	N.S.
258. All other symptoms (780, 781, 782 Rmdr, 783, 784 Rmdr, 785 Rmdr, 786 Rmdr, 787-789)	All Ages	82	210	66	151	188	615	353	151	68	250	120	56	101	186	76	271	208	512	269	269	52	205	101	112
	Under 15	15	51	15	112	38	157	88	50	19	79	30	17	19	49	22	92	48	157	83	34	13	55	35	17
	15-	6	13	7	6	8	61	27	23	2	21	11	7	24	29	11	12	31	52	29	19	8	34	17	6
	25-	13	37	7	8	26	69	46	9	9	30	9	1	15	36	10	23	31	84	18	22	9	24	12	5
	35-	19	38	7	7	28	81	53	3	12	39	16	3	18	33	11	35	33	80	41	28	10	42	9	11
	45-	11	32	13	1	43	89	62	14	8	33	17	5	12	18	9	35	38	68	49	33	8	30	11	14
	55-	10	27	12	5	33	91	53	14	12	27	23	2	7	16	12	35	22	48	38	51	1	11	12	25
	65 & over	7	11	5	9	12	66	24	36	5	21	12	20	2	4	1	36	4	22	11	78	2	7	4	34
259. Observation without need for further medical care (793)	All Ages	-	-	2	-	4	13	5	2	-	2	-	1	1	2	1	2	3	10	2	1	-	4	1	-
	Under 15	-	-	-	-	1	2	-	1	-	1	-	1	-	-	-	-	-	3	-	1	-	1	-	-
	15-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-
	25-	-	-	-	-	1	1	1	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-
	35-	-	-	-	-	1	2	1	-	-	1	-	-	1	1	-	-	-	-	1	-	-	2	1	-
	45-	-	-	-	-	-	5	-	-	-	-	-	-	-	-	1	-	-	3	-	-	-	1	-	-
	55-	-	-	1	-	1	2	1	1	-	-	-	-	-	-	-	-	1	2	-	-	-	-	-	-
	65 & over	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	2	1	-	-	-	-	-	-	-
260. Senility without mention of psychosis (794)	All Ages	1	1	1	1	-	4	4	5	10	37	30	54	-	-	-	5	-	4	-	16	-	6	5	205
	Under 15	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	15-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	25-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	35-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	45-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	55-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	65 & over	1	1	1	1	-	4	4	5	10	37	30	52	-	-	-	5	-	4	-	16	-	5	5	202
261. All other ill-defined and unknown conditions (790-792, 795)	All Ages	14	38	14	40	60	168	106	45	13	67	25	18	32	41	23	81	85	208	122	112	12	60	36	42
	Under 15	1	11	3	17	8	32	25	11	3	15	8	3	1	8	3	13	9	29	31	9	1	7	8	4
	15-	2	2	1	6	4	11	7	5	1	4	2	3	3	10	1	7	7	34	16	11	3	9	4	2
	25-	1	4	-	3	7	29	12	5	2	9	3	1	6	14	4	21	22	59	23	9	4	16	5	6
	35-	3	8	1	4	11	21	9	2	1	14	3	1	6	4	5	11	16	37	21	13	1	13	7	2
	45-	5	10	4	2	17	37	28	7	2	8	3	-	8	5	5	9	15	25	14	20	-	7	7	9
	55-	2	3	3	2	10	20	15	4	1	6	2	1	4	-	3	9	10	18	15	24	3	3	2	9

262. Fracture of face bones (N.802)	All Ages	5	42	19	23	31	174	73	67	10	44	13	11	2	5	2	7	12	39	23	21	5	8	5	5
	Under 15	-	1	1	8	5	19	4	10	-	6	-	1	-	-	-	2	1	7	4	4	2	2	2	-
	15-	-	9	2	10	7	45	22	29	3	12	2	5	1	1	-	2	2	10	4	3	1	2	1	-
	25-	-	13	4	2	10	46	20	15	1	11	3	1	-	1	1	-	2	6	4	4	-	-	1	1
	35-	3	10	3	1	4	36	11	5	2	8	1	1	-	-	-	-	3	8	4	2	1	1	1	1
	45-	2	2	4	1	-	14	9	4	4	3	3	2	1	2	1	1	2	6	3	4	-	2	-	-
	55-	-	5	3	-	4	12	3	1	-	2	2	-	-	1	-	1	2	2	3	1	1	-	-	1
	65 & over	-	1	2	1	1	1	3	3	-	2	2	-	-	-	-	1	-	-	1	3	-	1	-	2
263. Other fracture of skull (N.800, 801,803,804)	All Ages	3	20	12	26	41	223	131	117	12	92	43	28	2	10	5	15	9	37	37	63	4	25	19	23
	Under 15	1	5	1	17	13	67	37	54	2	32	8	8	1	8	4	5	5	18	17	19	-	11	7	8
	15-	-	2	3	5	5	34	24	14	2	18	6	4	-	1	1	-	-	12	4	4	-	5	6	-
	25-	1	4	1	1	9	46	12	15	-	14	10	2	1	1	-	2	-	1	3	4	-	1	-	3
	35-	-	4	1	1	6	31	23	8	2	7	2	2	-	-	-	-	-	4	1	4	2	1	-	-
	45-	-	1	1	-	-	20	13	5	1	13	6	2	-	-	-	3	1	1	4	9	1	3	3	1
	55-	1	2	5	1	4	14	16	3	-	5	6	3	-	-	-	1	3	-	3	4	1	4	2	1
	65 & over	-	2	-	-	4	7	5	11	5	2	4	4	-	-	-	3	-	1	5	17	-	-	-	9
264. Fracture of spine, ribs and trunk (N.805-809)	All Ages	5	32	13	10	31	183	137	41	11	56	38	8	2	3	6	17	8	18	16	38	2	14	11	28
	Under 15	-	2	1	2	-	4	2	9	1	3	3	-	-	-	-	-	-	5	5	3	-	1	-	2
	15-	-	2	2	2	4	23	24	6	2	10	1	1	2	1	1	2	2	5	-	-	-	2	1	1
	25-	1	6	-	2	7	49	18	7	1	10	4	-	-	-	2	-	-	3	-	1	-	3	-	-
	35-	1	9	2	2	4	38	25	1	4	12	3	-	-	-	2	2	1	2	2	1	1	3	3	2
	45-	2	8	2	1	10	37	35	3	1	10	11	1	-	1	1	2	-	3	5	3	1	3	2	-
	55-	-	4	5	-	5	22	24	3	1	6	7	-	-	1	-	1	3	-	3	6	-	2	2	4
	65 & over	1	1	1	1	1	10	8	10	1	5	9	6	-	-	-	10	1	-	1	23	-	-	3	19
265. Fracture of neck of femur (N.820)	All Ages	2	7	6	4	12	25	20	17	8	23	21	12	9	6	9	46	11	43	25	185	8	12	11	109
	Under 15	-	-	-	-	1	1	1	-	1	-	-	1	-	-	1	2	-	4	1	-	-	-	-	-
	15-	-	-	2	-	-	1	2	1	-	1	-	-	-	-	-	-	-	1	-	1	-	-	-	-
	25-	-	-	-	1	1	3	1	-	-	3	-	-	-	-	-	1	-	-	1	-	-	-	1	-
	35-	-	1	-	-	1	2	1	-	1	2	2	-	-	-	-	1	-	1	-	-	-	-	-	-
	45-	-	1	1	-	1	3	4	-	4	1	3	-	1	-	-	-	1	4	3	5	-	1	1	3
	55-	2	2	-	-	5	5	5	2	-	4	8	-	4	2	1	9	3	17	11	13	4	2	5	6
	65 & over	-	3	3	3	3	10	6	14	2	12	7	10	4	4	7	32	7	16	9	164	4	9	4	100
266. Fracture of other and unspecified parts of femur (N.821)	All Ages	7	15	10	12	17	138	75	34	6	40	20	25	3	12	9	17	19	39	21	92	7	18	7	62
	Under 15	2	3	1	7	9	52	38	18	3	26	6	14	-	1	2	1	6	18	8	5	1	5	1	4
	15-	-	3	-	1	4	34	6	2	1	4	4	-	-	2	-	-	1	3	-	2	-	3	-	1
	25-	-	2	2	-	-	16	5	1	-	4	-	1	-	1	-	-	1	3	-	-	-	-	-	-
	35-	-	2	3	1	-	7	3	2	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-
	45-	-	2	1	-	-	11	8	-	2	-	1	1	-	1	1	-	-	1	1	2	-	1	2	3
	55-	1	2	-	-	1	7	8	-	-	1	1	-	1	5	3	4	6	4	5	11	3	3	2	3
	65 & over	*3	1	3	3	3	11	6	11	-	5	8	6	2	2	3	12	4	10	7	71	3	6	2	50

7306)

TABLE H.3 (Contd.)

Diagnostic Group		MALES												FEMALES											
		London Teaching				Provincial Teaching				Regional Boards				London Teaching				Provincial Teaching				Regional Boards			
		Social Class				Social Class				Social Class				Social Class				Social Class				Social Class			
		I, II	III	IV, V	N.S.	I, II	III	IV, V	N.S.	I, II	III	IV, V	N.S.	I, II	III	IV, V	N.S.	I, II	III	IV, V	N.S.	I, II	III	IV, V	N.S.
267. Fracture of tibia, fibula and ankle (N.823, 824)	All Ages	24	74	41	25	52	275	205	49	21	83	49	18	9	24	11	40	29	96	57	96	8	40	24	43
	Under 15	2	8	4	12	5	19	18	9	4	13	6	9	-	2	2	4	2	14	3	6	1	12	3	7
	15-	3	14	1	3	9	55	16	13	4	11	11	1	-	2	2	3	-	6	6	4	-	4	2	2
	25-	2	10	7	2	10	79	52	4	5	19	6	1	2	1	3	1	2	7	4	3	-	3	3	3
	35-	4	13	10	3	5	47	36	3	3	7	8	1	1	5	1	2	6	19	10	10	-	8	4	2
	45-	1	16	7	2	9	50	44	2	1	21	8	1	3	9	1	6	8	26	21	18	4	6	4	8
	55-	9	9	6	1	6	18	32	6	2	8	8	1	3	4	2	12	6	14	9	24	1	4	7	8
	65 & over	3	4	6	2	7	7	7	12	2	4	2	4	-	1	-	12	5	10	4	30	2	3	1	13
268. Fracture of phalanges and metacarpal bone(s) (N.815-817)	All Ages	1	16	12	5	13	158	116	14	2	27	12	-	1	-	2	2	-	20	19	2	-	3	2	3
	Under 15	-	1	-	2	2	15	2	6	1	1	1	-	-	-	-	1	-	4	5	2	-	-	-	1
	15-	-	6	2	2	6	28	15	-	-	9	3	-	-	-	-	-	-	7	5	-	-	1	1	-
	25-	-	2	4	-	-	36	30	4	-	6	2	-	-	-	1	1	-	2	3	-	-	-	-	-
	35-	-	3	-	1	2	28	25	1	1	2	4	-	1	-	1	-	-	5	2	-	-	1	-	-
	45-	1	2	3	-	1	35	25	1	-	4	2	-	-	-	-	-	-	-	1	-	-	1	1	2
	55-	-	2	2	-	1	14	17	2	-	5	-	-	-	-	-	-	-	2	3	-	-	-	-	-
	65 & over	-	-	1	-	1	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
269. Fracture of humerus, radius and ulna (N.812, 813)	All Ages	18	42	20	44	46	254	133	114	13	68	28	28	13	23	12	40	38	91	59	86	7	34	11	39
	Under 15	2	17	2	33	19	115	64	88	3	32	13	25	4	4	2	10	21	39	21	26	2	15	3	10
	15-	3	6	4	2	8	34	17	11	-	12	5	-	1	4	1	-	-	8	6	2	-	2	3	-
	25-	5	6	3	1	5	42	19	5	2	12	-	-	-	4	-	1	3	3	3	3	-	2	-	-
	35-	4	5	3	-	4	30	15	3	1	5	3	1	3	6	3	-	5	9	8	5	1	3	-	1
	45-	1	3	4	4	6	14	9	2	1	3	-	-	1	1	2	4	3	13	5	8	2	4	2	1
	55-	-	4	4	2	2	11	4	3	2	2	2	-	3	4	2	7	5	9	15	11	1	2	1	4
	65 & over	3	1	-	2	2	7	5	2	4	2	4	2	1	-	2	18	1	10	1	31	1	5	2	22
270. All other fractures of limbs (N.810, 811, 814, 818, 819, 822, 825-829)	All Ages	10	46	34	18	20	200	125	46	15	61	27	7	6	6	4	16	13	25	20	55	5	16	15	30
	Under 15	2	6	-	4	-	13	13	9	2	3	4	3	1	-	-	-	2	2	2	4	1	3	2	4
	15-	1	7	4	4	1	37	15	10	2	11	7	1	1	1	1	1	-	4	2	2	-	6	2	-
	25-	-	12	4	3	9	43	16	6	1	9	2	2	2	2	1	-	2	3	-	1	-	-	2	1
	35-	3	8	4	1	1	45	27	2	4	22	6	-	-	-	-	2	3	2	4	5	-	1	1	3
	45-	1	6	11	1	3	38	25	1	3	11	5	-	-	3	1	-	2	8	3	7	1	2	1	2
	55-	2	5	7	1	2	18	20	6	2	3	2	1	2	-	1	3	2	5	5	10	1	1	4	6
	65 & over	1	2	4	4	4	6	9	12	[illegible]	1	1	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]

271. Dislocations, sprains and strains (N.830-848)	All Ages	25	44	17	32	32	224	102	38	6	45	12	4	15	30	8	25	22	44	20	29	3	22	12	16
	Under 15	2	6	1	6	3	19	12	5	2	7	1	-	1	3	2	1	2	10	5	5	-	2	3	5
	15-	3	8	4	15	4	58	25	19	-	10	-	3	3	9	-	3	7	13	2	5	1	8	2	-
	25-	6	12	4	4	11	57	21	7	2	9	3	-	3	3	1	5	8	8	3	-	1	2	1	-
	35-	6	9	1	3	7	50	23	3	1	10	2	-	4	3	4	3	1	6	6	4	-	2	-	1
	45-	7	4	2	2	2	31	12	1	-	3	1	-	3	9	-	2	2	3	3	4	-	6	4	-
	55-	1	3	1	-	2	8	9	1	1	3	4	-	-	3	1	7	-	3	1	4	-	1	1	1
	65 & over	-	2	4	1	1	1	-	2	-	2	1	1	1	-	-	4	1	1	-	6	1	1	1	9
272. Head injury (excluding skull fracture) (N.850-856)	All Ages	19	52	34	48	79	478	290	290	46	246	104	71	2	12	13	58	35	116	83	192	14	88	32	71
	Under 15	-	7	8	14	12	86	68	114	16	69	32	28	-	3	2	9	8	46	18	35	4	31	9	18
	15-	1	8	4	15	13	140	45	59	4	59	23	8	1	4	4	2	7	25	13	18	5	21	3	5
	25-	2	15	3	3	15	83	45	21	3	46	17	2	-	3	3	3	5	15	4	13	-	10	1	3
	35-	7	9	7	3	11	75	39	15	4	27	8	5	-	-	3	2	6	9	12	13	1	8	5	4
	45-	1	4	3	3	14	47	41	24	6	26	13	3	-	1	-	11	4	11	14	23	1	10	3	8
	55-	6	6	1	2	11	24	35	11	6	9	5	3	-	-	1	7	2	3	13	22	1	3	3	9
	65 & over	2	3	7	8	3	18	16	38	5	9	6	16	-	1	-	22	2	7	8	63	2	3	6	23
273. Injuries, foreign bodies, burns and scalds affecting eye (N.870,871, 921,930, 940)	All Ages	8	61	22	16	48	398	252	117	6	27	10	5	7	3	2	5	11	49	27	41	-	7	2	3
	Under 15	3	13	2	13	16	70	42	60	4	7	2	2	3	3	1	-	5	28	15	14	-	5	-	2
	15-	3	11	2	1	8	98	25	13	1	2	3	-	2	-	1	1	2	7	6	6	-	1	1	-
	25-	2	15	5	-	8	82	63	15	-	7	1	-	1	-	-	1	1	7	1	3	-	-	-	-
	35-	-	11	6	1	6	73	56	11	-	7	-	1	-	-	-	1	1	4	1	2	-	1	-	-
	45-	-	8	6	-	2	46	33	6	-	3	-	-	1	-	-	-	2	1	2	4	-	-	1	-
	55-	-	3	-	1	5	15	23	6	-	-	3	2	-	-	-	-	-	1	1	4	-	-	-	-
	65 & over	-	-	1	-	3	12	10	6	1	1	1	-	-	-	-	2	-	1	1	6	-	-	-	1
274. Lacerations, wounds, superficial injuries and contusions affecting hand and fingers (N.883,884, 886,887,903, 914,915,925, 926)	All Ages	16	82	36	26	49	366	264	58	11	78	27	8	7	9	16	16	8	53	51	24	5	17	10	9
	Under 15	1	3	2	12	4	30	22	16	1	5	2	6	-	-	2	5	1	14	5	6	1	2	2	2
	15-	2	18	6	5	8	71	49	9	5	18	5	-	2	5	4	1	1	18	24	3	-	3	1	-
	25-	4	17	9	4	10	101	68	9	1	16	8	-	1	3	4	2	2	6	5	1	2	2	2	1
	35-	7	23	11	1	14	76	49	14	2	14	2	1	2	1	2	3	1	7	8	4	1	6	1	2
	45-	2	15	7	3	6	56	41	4	1	15	7	-	1	-	4	4	3	5	6	4	1	4	2	1
	55-	-	4	1	-	7	24	28	5	1	6	2	1	1	-	-	-	-	2	2	2	-	-	1	1
	65 & over	-	1	-	1	-	7	7	1	-	4	-	-	-	-	-	1	-	-	1	3	-	-	1	2
275. Lacerations, wounds, superficial injuries and contusions affecting all other sites (except eye) (N.872-882,885 888 890-898,900-902,904-908,910-913,916-918, 920,922-924,927-929)	All Ages	24	68	38	48	55	463	291	145	36	174	98	53	10	24	15	39	36	124	89	118	24	86	34	63
	Under 15	2	11	4	22	17	92	62	59	16	54	31	27	1	7	2	12	7	46	31	32	7	40	8	20
	15-	5	11	8	11	6	114	52	30	-	33	17	5	3	8	3	5	4	39	18	12	3	16	7	3
	25-	5	16	9	2	11	99	54	22	2	38	17	2	3	3	3	2	8	11	7	4	6	11	3	1
	35-	4	14	7	3	10	84	60	12	4	19	10	4	1	2	1	1	5	14	13	9	1	3	8	4
	45-	2	11	4	5	5	42	29	6	7	15	11	-	2	3	4	3	6	8	12	13	3	8	3	2
	55-	2	5	5	3	4	20	23	5	2	6	5	4	-	-	-	5	5	1	4	20	2	3	3	10
	65 & over	4	-	1	1	2	10	11	9	3	8	7	10	-	1	2	11	1	5	4	28	1	1	2	23

TABLE H.3 (Contd.)

Diagnostic Group		MALES												FEMALES											
		London Teaching				Provincial Teaching				Regional Boards				London Teaching				Provincial Teaching				Regional Boards			
		Social Class				Social Class				Social Class				Social Class				Social Class				Social Class			
		I, II	III	IV, V	N.S.	I, II	III	IV, V	N.S.	I, II	III	IV, V	N.S.	I, II	III	IV, V	N.S.	I, II	III	IV, V	N.S.	I, II	III	IV, V	N.S.
276. Burns and scalds other than to eye (N.941-949)	All Ages	7	25	8	30	23	162	104	46	13	86	42	29	7	18	4	29	15	91	63	44	17	54	29	34
	Under 15	5	8	-	18	9	87	55	28	8	53	25	21	1	8	1	13	9	70	41	20	11	37	23	20
	15-	1	3	-	2	-	27	11	4	-	9	3	2	3	4	1	5	1	5	7	-	2	7	-	-
	25-	-	9	2	4	6	17	18	2	1	6	5	1	3	2	-	3	2	6	5	3	-	2	3	1
	35-	-	2	1	1	2	19	6	4	1	8	5	1	-	1	1	2	3	5	8	-	-	4	1	2
	45-	-	2	2	2	5	7	7	1	1	5	2	-	-	2	-	3	-	3	1	1	2	4	1	3
	55-	1	1	2	-	1	4	6	3	1	4	1	-	-	1	1	1	-	1	1	5	1	-	-	1
	65 & over	-	-	1	2	-	1	1	4	1	-	1	3	-	-	-	2	-	1	-	15	1	-	1	6
277. Effects of poisons (N.960-979)	All Ages	3	18	6	18	15	70	36	49	9	41	22	23	6	15	2	23	15	51	35	73	24	41	16	39
	Under 15	-	1	-	2	3	29	12	13	3	8	3	5	1	3	-	2	3	11	8	7	5	5	1	1
	15-	-	2	-	3	1	14	2	4	-	3	2	1	1	6	-	4	-	9	5	7	3	7	1	2
	25-	-	3	2	6	1	9	8	7	1	8	3	1	-	4	-	4	2	11	4	14	1	4	5	1
	35-	1	3	-	2	1	6	6	7	1	6	5	-	1	1	1	3	6	10	9	8	6	6	1	7
	45-	1	5	3	1	2	6	4	5	1	4	5	2	-	-	1	4	3	7	2	8	6	9	4	5
	55-	1	3	1	-	3	3	4	3	-	5	2	1	2	1	-	3	-	3	4	9	3	7	3	8
	65 & over	-	1	-	1	3	2	-	6	2	6	1	10	1	-	-	2	-	-	3	14	-	3	1	14
278. Reactions and complications due to medical and surgical procedures (N.997-999)	All Ages	10	41	13	19	25	80	33	28	7	32	6	4	9	18	9	41	20	59	36	36	9	20	17	9
	Under 15	1	7	-	8	5	21	7	10	1	6	3	-	-	1	-	7	4	17	4	5	2	7	5	-
	15-	-	2	2	1	3	9	2	2	-	1	1	-	1	7	1	2	1	8	4	2	2	3	5	1
	25-	2	5	1	2	2	8	9	2	-	3	-	1	1	1	2	4	5	9	5	4	1	3	3	3
	35-	1	8	1	1	3	16	3	1	2	4	-	-	-	3	-	7	3	10	6	3	1	4	4	-
	45-	4	12	4	-	5	14	7	2	-	6	-	-	3	2	5	11	3	10	14	10	-	1	-	-
	55-	1	6	3	2	4	7	3	3	2	7	1	1	3	1	1	3	2	4	3	6	3	1	-	1
	65 & over	1	1	2	5	2	5	2	7	1	5	1	1	1	3	-	7	2	1	-	[illegible]	-	1	-	4
279. All other and unspecified effects of external causes {N.860-869, 931-936, 950-959, 980-996}	All Ages	26	67	26	57	48	245	126	85	24	115	45	23	17	33	11	69	28	96	72	115	11	56	30	24
	Under 15	7	5	3	24	19	63	32	45	10	46	13	15	7	10	3	19	6	38	23	32	4	20	10	5
	15-	4	12	6	11	9	44	24	9	2	16	7	2	1	7	3	5	2	14	8	9	2	13	1	1
	25-	6	15	4	6	3	49	24	7	2	18	4	1	3	5	-	9	5	11	13	7	-	5	3	5
	35-	5	15	6	7	8	43	19	5	3	12	2	1	5	6	2	8	4	15	7	9	1	7	7	-
	45-	2	10	3	3	5	27	14	5	2	6	8	2	1	3	1	5	6	14	11	20	1	9	3	2
	55-	1	10	3	1	3	14	10	3	1	9	4	-	-	2	1	11	4	4	7	16	1	2	4	3
	65 & over	1	-	1	5	1	5	3	6	3	6	6	1	-	-	1	12	1	-	3	22	1	-	2	7

280. Livebirths in hospital (Y.20-Y.29)	**All Ages**	**226**	**894**	**285**	**1408**	**1126**	**4689**	**1705**	**776**	**449**	**2905**	**1328**	**563**	**240**	**861**	**282**	**1407**	**1130**	**4497**	**1548**	**783**	**413**	**2731**	**1208**	**493**
	Under 15	226	894	285	1408	1126	4689	1705	776	449	2905	1328	563	240	861	282	1407	1130	4497	1548	783	413	2731	1208	493
	15-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	25-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	35-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	45-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	55-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	65 & over	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
281. Plastic surgical treatment (Y.11)	**All Ages**	**2**	**12**	**3**	**4**	**8**	**30**	**28**	**13**	**1**	**6**	**1**	**–**	**3**	**11**	**3**	**12**	**11**	**32**	**11**	**13**	**1**	**5**	**2**	**–**
	Under 15	1	2	-	2	3	10	5	5	-	1	1	-	-	2	-	4	5	10	6	2	-	-	-	-
	15-	-	4	2	-	2	6	2	2	-	3	-	-	-	1	2	2	2	4	3	4	-	2	-	-
	25-	-	2	1	-	1	6	3	3	1	1	-	-	-	4	-	-	1	7	1	-	-	1	-	-
	35-	1	2	-	-	1	4	8	2	-	1	-	-	2	3	-	1	2	9	-	3	-	1	1	-
	45-	-	-	-	-	1	3	4	1	-	-	-	-	1	-	-	3	1	2	1	2	1	-	1	-
	55-	-	2	-	-	-	1	5	-	-	-	-	-	-	1	1	1	-	-	-	1	-	-	-	-
	65 & over	-	-	-	2	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-	1	-	1	-	-
282. Other special admissions (Y. List remainder)	**All Ages**	**24**	**74**	**26**	**49**	**46**	**183**	**107**	**60**	**30**	**190**	**98**	**67**	**27**	**59**	**17**	**68**	**63**	**256**	**85**	**128**	**33**	**156**	**76**	**117**
	Under 15	2	11	4	16	9	54	33	35	6	80	40	34	1	10	1	13	11	49	27	24	14	62	28	24
	15-	3	7	1	5	6	16	6	5	1	4	3	3	6	10	4	4	5	51	14	26	3	27	13	8
	25-	4	12	3	5	8	23	8	3	2	14	7	1	3	15	3	9	19	59	20	33	8	30	17	24
	35-	2	10	4	5	8	27	12	2	4	15	11	-	7	11	2	12	12	48	10	13	4	18	6	9
	45-	4	21	8	4	8	32	23	4	3	29	16	6	3	8	2	11	5	31	10	5	2	10	6	12
	55-	3	7	3	6	3	22	20	7	10	29	16	5	6	4	4	5	10	9	3	12	1	4	2	14
	65 & over	4	6	3	7	2	7	4	4	2	17	5	14	-	1	1	12	1	5	1	11	-	4	3	20

Table H.4 - Discharges reported for 1949 by Individual Hospitals participating in the enquiry classified by Sex and Social Class, distinguishing certain broad occupational groups (deaths and infants born in hospital included).

TABLE H.4

Hospital		Total	Social Class: I Professional etc.	II Intermediate	III Skilled Occupations: Total	(a) Mine-Workers	(b) Transport	(c) Clerical	(d) Armed Forces	(e) Others	IV Partly Skilled Occupns.: Total	(a) Agricul-tural	(b) Others	V Unskilled Occupns.: Total	(a) Bldg. & Dock Labrs.	(b) Others	Not Stated
LONDON TEACHING GROUPS																	
THE ROYAL HOSPITAL OF ST. BARTHOLOMEW																	
The Royal Hospital of St. Bartholomew	M	3763	186	384	1773	5	172	292	21	1283	378	32	346	374	69	305	668
	F	3845	82	357	1216	-	78	327	33	778	335	5	330	209	17	192	1646
THE MIDDLESEX HOSPITAL																	
The Middlesex Hospital and Cancer wing	M	3498	185	402	1330	2	86	265	25	952	241	30	211	219	14	205	1121
	F	4649	44	334	711	-	11	308	10	382	214	8	206	79	-	79	3267
St. Luke's Hospital for Functional Nervous Disorders	M	109	20	20	36	-	1	11	-	24	6	2	4	4	-	4	23
	F	771	1	7	16	-	1	11	-	4	1	-	1	1	-	1	51
The Hospital for women, Soho Square	F	1399	2	58	194	-	1	109	-	84	59	1	58	25	-	25	1061
WESTMINSTER HOSPITAL																	
Westminster Hospital	M	2799	162	290	1211	-	104	341	65	701	191	21	170	334	44	290	611
	F	3611	159	475	1374	-	82	559	68	665	248	10	238	212	28	184	1143
The Infants' Hospital S.W.1.																	

The Gordon Hospital for diseases of the Rectum and Colon																	
All Saints' Hospital																	
ST. MARY'S HOSPITAL, PADDINGTON																	
St. Mary's Hospital, W.2.	M	3149	171	374	1544	4	162	224	37	1117	297	12	285	410	122	288	353
	F	4669	181	698	2059	1	165	498	41	1354	588	19	569	401	84	317	742
Paddington Green Children's Hospital	M	531	5	45	316	-	40	26	12	238	56	3	53	72	1	71	37
	F	385	12	24	217	-	23	15	5	174	49	2	47	47	4	43	36
The Princess Louise Kensington Hospital for Children	M	498	11	41	288	-	42	22	7	217	66	4	62	57	6	51	35
	F	407	5	28	225	-	30	23	8	164	44	-	44	66	13	53	39
The Samaritan Free Hospital for Women	F	1497	72	240	638	-	37	203	2	396	220	2	218	97	3	94	230
The Western Ophthalmic Hospital	M	369	16	33	204	1	19	32	2	150	33	6	27	59	11	48	24
	F	445	12	35	131	-	21	38	1	71	40	4	36	28	2	26	199
St. Luke's Hospital for Advanced Cases	M	90	1	5	30	1	6	3	-	20	5	-	5	10	3	7	39
	F	147	-	6	7	-	-	1	-	6	7	-	7	3	-	3	124
T. THOMAS'S HOSPITAL																	
St. Thomas's Hospital	M	4992	168	404	2178	2	219	286	29	1642	395	43	352	542	59	483	1305
	F	5976	104	465	1490	-	117	411	25	937	378	16	362	371	20	351	3168
The General Lying-in Hospital	M	516	8	30	344	-	37	70	7	230	66	1	65	60	9	51	8
	F	1495	16	123	946	-	74	227	19	626	218	5	213	154	21	133	38
The Royal Waterloo Hospital for Children and Women																	
The Grosvenor Hospital for Women																	

TABLE H.4 (Contd.)

Hospital		Total	Social Class: I Professional etc.	II Intermediate	III Skilled Occupations: Total	(a) Mine-Workers	(b) Transport	(c) Clerical	(d) Armed Forces	(e) Others	IV Partly Skilled Occupns.: Total	(a) Agricul-tural	(b) Others	V Unskilled Occupns.: Total	(a) Bldg. & Dock Labrs.	(b) Others	Not Stated
THE HOSPITAL FOR SICK CHILDREN																	
The Hospital for Sick Children	M	3182	66	195	813	3	117	101	18	574	135	12	123	133	21	112	1840
	F	2382	55	122	584	-	84	56	16	428	107	4	103	92	26	66	1422
THE BETHLEM AND MAUDSLEY HOSPITALS																	
The Bethlem Royal Hospital for Nervous and Mental Disorders; The Maudsley Hospital	M	365	27	72	177	-	19	43	1	114	30	7	23	37	7	30	22
	F	556	21	119	268	-	8	103	3	154	43	3	40	36	1	35	69
THE HOSPITAL FOR DISEASES OF THE CHEST																	
The Hospital for Consumption and Diseases of the Chest; The London Chest Hospital	M	312	15	44	171	-	24	26	4	117	32	-	32	22	2	20	28
	F	199	5	25	82	-	10	29	3	40	26	2	24	16	-	16	45
THE ROYAL NATIONAL ORTHOPAEDIC HOSPITAL																	
The Royal National Orthopaedic Hospital	M	519	37	82	265	1	18	53	6	187	35	3	32	38	1	37	62
	F	938	43	137	449	-	19	185	3	242	70	2	68	52	2	50	187

Country Branch Stanmore	M	856	29	98	480	-	47	53	17	363	83	11	72	71	13	58	95
	F	799	23	141	406	1	37	83	5	280	87	8	79	65	7	58	77
THE NATIONAL HEART HOSPITAL																	
The National Hospital for Diseases of the Heart	M	162	13	31	77	-	5	15	-	57	9	1	8	11	1	10	21
	F	135	-	4	19	-	-	13	-	6	6	-	6	1	-	1	105
THE ROYAL CANCER HOSPITAL																	
The Royal Cancer Hospital	M	658	19	60	298	-	42	38	3	215	70	9	61	66	3	63	145
	F	610	-	43	50	-	-	25	-	25	41	-	41	9	-	9	467
QUEEN CHARLOTTE'S AND CHELSEA HOSPITALS																	
Queen Charlotte's Maternity Hospital	M	1225	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1225
	F	3859	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3859
The Chelsea Hospital for Women																	
Discharge forms from the following London Teaching Groups were not included in Tables H.1-3.																	
THE LONDON HOSPITAL																	
The London Hospital	M	2648	72	224	1184	1	157	156	7	863	265	15	250	398	74	324	505
	F	3675	79	289	1333	-	143	282	16	892	350	19	331	326	60	266	1298
Queen Mary's Maternity Home N.W.3.																	
THE ROYAL FREE HOSPITAL																	
The Royal Free Hospital	M	1066	33	92	480	2	40	68	9	361	93	8	85	110	13	97	258
	F	1741	41	205	712	-	54	181	8	469	177	3	174	96	13	83	510
The North Western Hospital N.W.3.	M	20	-	2	8	-	-	-	-	8	2	-	2	6	2	4	2
	F	40	1	4	17	-	-	6	-	11	3	-	3	1	-	1	14

TABLE H.4 (Contd.)

Hospital		Total	Social Class: I Professional etc.	II Intermediate	III Skilled Occupations: Total	(a) Mine-Workers	(b) Transport	(c) Clerical	(d) Armed Forces	(e) Others	IV Partly Skilled Occupns.: Total	(a) Agricul-tural	(b) Others	V Unskilled Occupns.: Total	(a) Bldg. & Dock Labrs.	(b) Others	Not Stated
THE ROYAL FREE HOSPITAL *(contd.)*																	
The London Fever Hospital																	
The Elizabeth Garrett Anderson Hospital																	
The Hampstead General and North-West London Hospital																	
The Children's Hospital N.W.3.																	
KING'S COLLEGE HOSPITAL																	
King's College Hospital	M	741	28	76	337	1	34	74	4	224	57	9	48	69	11	58	174
	F	908	28	112	418	1	34	117	4	262	70	4	66	45	10	35	235
Baldwin Brown Convalescent Home	M	45	1	3	21	-	1	5	-	15	4	2	2	5	-	5	11
	F	41	-	3	9	-	1	4	-	4	3	-	3	4	2	2	22
The Royal Eye Hospital	M	157	3	12	87	-	10	9	1	67	14	4	10	25	11	14	16
	F	153	1	15	50	-	4	14	-	32	13	-	13	11	2	9	63
The Belgrave Hospital for Children	M	170	1	2	14	-	2	3	-	9	5	-	5	3	-	3	145
	F	137	-	3	13	-	3	-	-	10	3	-	3	3	-	3	115

The following teaching groups (in addition to those hospitals listed in italics above) did not participate in the enquiry)

University College Hospital; Charing Cross Hospital; St. George's Hospital; Guy's Hospital; The Hammersmith, West London and St. Mark's Hospitals; The National Hospitals for Nervous Diseases; The Royal National Throat, Nose and Ear Hospital; St. Peter's and St. Paul's Hospitals; The Moorfields, Westminster and Central Eye Hospital.

PROVINCIAL TEACHING GROUPS (NORTHERN)																	
UNITED NEWCASTLE-UPON-TYNE HOSPITALS																	
The Royal Victoria Infirmary	M	11417	256	1022	6207	*1980*	*531*	*452*	*69*	*3175*	2209	*242*	*1967*	1386	*328*	*1058*	337
	F	9774	137	1122	4580	*1422*	*356*	*613*	*73*	*2116*	1531	*129*	*1402*	914	*199*	*715*	1490
The Princess Mary Maternity Hospital	M	836	11	51	605	*222*	*42*	*35*	*23*	*283*	74	*9*	*65*	68	*15*	*53*	27
	F	2891	24	166	2104	*797*	*170*	*124*	*67*	*946*	270	*42*	*228*	242	*73*	*169*	85
The Babies' Hospital																	
UNITED LEEDS HOSPITALS																	
The General Infirmary	M	9596	292	1171	4962	*540*	*492*	*389*	*75*	*3466*	1171	*175*	*996*	*1024*	*152*	*872*	976
	F	7967	215	971	3336	*314*	*257*	*465*	*34*	*2266*	902	*90*	*812*	*544*	78	*466*	*1999*
The Maternity Hospital at Leeds	M	1042	11	80	455	*29*	*32*	*54*	*20*	*320*	73	*9*	*64*	56	3	53	367
	F	3743	48	298	1825	*118*	*164*	*171*	*65*	*1307*	306	*29*	*277*	191	*23*	*168*	1075
The Hospital for Women at Leeds	M	2	-	1	1	-	-	-	*1*	-	-	-	-	-	-	-	-
	F	2753	49	340	1274	*135*	*89*	*191*	*21*	*838*	457	*30*	*427*	220	*14*	*206*	413

TABLE H.4 (Contd.)

Hospital		Total	Social Class: I Professional etc.	II Intermediate	III Skilled Occupations: Total	(a) Mine-Workers	(b) Transport	(c) Clerical	(d) Armed Forces	(e) Others	IV Partly Skilled Occupns.: Total	(a) Agricul-tural	(b) Others	V Unskilled Occupns.: Total	(a) Bldg. & Dock Labrs.	(b) Others	Not Stated
*UNITED SHEFFIELD HOSPITALS																	
The Royal Sheffield Infirmary and Hospital																	
The Sheffield Royal Hospital	M	4796	86	403	2310	424	181	151	17	1537	662	55	607	404	90	314	931
	F	3530	50	374	1442	171	98	211	12	950	477	25	452	216	34	182	971
The Sheffield Royal Infirmary	M	4573	66	354	2162	458	175	161	17	1351	716	45	671	544	80	464	731
	F	3194	26	268	1186	199	71	170	11	735	442	20	422	225	18	207	1047
The Jessop Hospital for Women	M	641	10	65	370	43	31	61	7	228	99	6	93	28	1	27	69
	F	3875	67	401	2195	295	201	310	21	1368	606	26	580	308	44	264	298
UNITED MANCHESTER HOSPITALS																	
The Manchester Royal Infirmary	M	4803	168	587	2359	29	211	301	22	1796	509	31	478	577	69	508	603
	F	4230	73	578	1591	14	93	305	10	1169	530	23	507	357	43	314	1101
St. Mary's Hospitals for Women and Children	M	1823	60	218	1071	32	112	137	27	763	227	12	215	188	37	151	59
	F	9158	266	1206	5031	130	406	698	90	3707	1177	56	1121	808	158	650	670
The Manchester Royal Eye Hospital	M	1561	9	85	681	26	68	46	4	537	155	12	143	237	26	211	394
	F	1445	12	79	486	19	39	58	8	362	146	8	138	146	19	127	576

* Discharge forms for The Children's Hospital, Sheffield were not included in the main tabulation (see p.453)

UNITED LIVERPOOL HOSPITALS																	
The Royal Liverpool United Hospital																	
The Liverpool Royal Infirmary	M	1316	64	176	579	8	122	91	5	353	98	10	88	145	26	119	254
	F	1016	14	60	147	-	6	64	1	76	52	2	50	39	1	38	704
The David Lewis Northern Hospital	M	1744	35	245	690	7	126	129	6	422	226	22	204	369	97	272	179
	F	1421	10	143	427	1	48	112	5	261	165	9	156	123	19	104	553
The Royal Southern Hospital	M	1493	48	172	602	7	99	71	5	420	174	18	156	244	95	149	253
	F	1364	34	166	517	4	76	112	9	316	148	7	141	153	43	110	346
The Liverpool Stanley Hospital	M	666	3	24	276	11	72	35	3	155	95	4	91	213	109	104	55
	F	917	5	65	380	11	59	83	5	222	110	4	106	211	66	145	146
The Women's Hospital																	
The Hospital for Women; The Samaritan Hospital for Women	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2185	49	312	1030	13	137	214	17	649	289	15	274	255	66	189	250
The Liverpool Maternity Hospital	M	1205	28	140	646	6	94	103	26	417	123	10	113	137	45	92	131
	F	4085	102	468	2104	24	302	321	85	1372	417	32	385	521	124	397	473
The Royal Liverpool Children's Hospital	M	1780	22	114	862	21	196	78	37	530	253	21	232	357	128	229	172
	F	1389	16	91	640	12	130	59	26	413	200	9	191	298	95	203	144
The Liverpool Eye, Ear and Throat Infirmary	M	1015	24	77	424	2	74	50	3	295	84	8	76	158	43	115	248
	F	936	8	64	229	2	29	58	3	137	74	3	71	61	10	51	500
St. Paul's Eye Hospital	M	703	8	37	292	4	59	30	7	192	83	4	79	152	55	97	131
	F	645	10	46	171	1	19	30	6	115	50	2	48	88	17	71	280
The Liverpool Convalescent Home																	

TABLE H.4 (Contd.)

Hospital		Total	Social Class: I Professional etc.	II Intermediate	III Skilled Occupations: Total	(a) Mine-Workers	(b) Transport	(c) Clerical	(d) Armed Forces	(e) Others	IV Partly Skilled Occupns.: Total	(a) Agricul-tural	(b) Others	V Unskilled Occupns.: Total	(a) Bldg. & Dock Labrs.	(b) Others	Not Stated
PROVINCIAL TEACHING HOSPITALS (SOUTHERN)																	
UNITED CAMBRIDGE HOSPITALS																	
Addenbrooke's Hospital	M	1452	23	160	493	-	66	58	11	358	215	151	64	96	21	75	465
	F	1607	19	164	422	-	47	91	13	271	258	119	139	88	21	67	656
Maternity (and County) Hospital	M	721	35	87	391	1	48	44	24	274	117	67	50	53	13	40	38
	F	2454	94	334	1248	-	155	157	104	832	429	220	209	193	40	153	156
Brookfield Hospital (for Infectious diseases)	M	208	16	26	77	-	11	7	2	57	23	19	4	15	4	11	51
	F	167	8	22	68	-	7	15	1	45	31	10	21	13	4	9	25
Chesterton Hospital	M	209	3	14	79	-	8	11	3	57	33	23	10	20	6	14	60
	F	206	5	11	36	-	5	4	1	26	25	5	20	8	1	7	121
UNITED OXFORD HOSPITALS																	
The Radcliffe Infirmary	M	5102	172	556	2219	7	227	220	131	1634	802	385	417	552	61	491	801
	F	7336	209	906	2918	1	300	375	199	2043	1002	340	662	508	51	457	1793
The Churchill Hospital / The Oxford Eye Hospital	M	1103	34	127	522	2	54	58	26	382	175	67	108	142	25	117	103
	F	2004	60	231	933	1	85	129	85	633	303	98	205	172	24	148	305
The Cowley Road Hospital																	
The City Isolation Hospital																	

UNITED CARDIFF HOSPITALS																	
The Cardiff Royal Infirmary	M	3445	97	321	1969	433	236	160	35	1105	509	58	451	378	121	257	171
	F	2825	61	386	1315	282	132	185	13	703	384	33	351	261	60	201	418
The Llandough Hospital	M	2912	93	325	1601	207	195	144	27	1028	354	27	327	395	114	281	144
	F	3575	48	425	1722	23	198	267	28	1206	470	36	434	450	103	347	460
The Lord Pontypridd Hospital	M	22	-	2	8	1	2	-	-	5	3	1	2	7	4	3	2
	F	35	-	2	14	-	1	-	-	13	9	-	9	8	5	3	2
UNITED BIRMINGHAM HOSPITALS																	
The Birmingham United Hospital																	
The General Hospital	M	2938	62	292	1370	29	109	133	9	1090	345	27	318	298	24	274	571
	F	2765	31	272	970	29	59	180	10	692	354	17	337	204	11	193	934
The Queen Elizabeth Hospital	M	4028	124	509	2156	59	154	201	14	1728	504	85	419	418	68	350	317
	F	4223	121	659	1934	45	120	338	31	1400	569	50	519	258	24	234	682
The Children's Hospital	M	3203	52	285	2001	33	159	129	18	1662	495	24	471	244	22	222	126
	F	2559	34	219	1558	19	150	104	32	1253	405	23	382	190	21	169	153
The Midland Nerve Hospital	M	169	5	19	95	2	6	13	2	72	23	2	21	19	2	17	8
	F	243	6	31	118	1	8	24	1	84	30	6	24	25	3	22	33
The Birmingham and Midland Hospitals for Women																	
The Hospital for Women	M	2	-	1	1	-	-	-	-	1	-	-	-	-	-	-	-
	F	2367	39	302	1189	6	71	220	8	884	433	35	398	200	14	186	204
The Maternity Hospital	M	995	41	120	594	9	55	54	13	463	151	16	135	67	16	51	22
	F	3304	96	407	1979	42	185	213	33	1506	496	52	444	262	56	206	64
Discharge forms from the following Provincial Teaching Groups were not included in Tables H.1-3																	
The Children's Hospital Sheffield (UNITED SHEFFIELD HOSPITALS.)	M	679	17	44	394	74	42	24	5	249	129	2	127	49	9	40	46
	F	495	5	35	301	75	27	8	2	189	78	-	78	43	7	36	33

TABLE H.4 (Contd.)

Hospital		Total	Social Class: I Professional etc.	II Intermediate	III Skilled Occupations: Total	(a) Mine-Workers	(b) Transport	(c) Clerical	(d) Armed Forces	(e) Others	IV Partly Skilled Occupns.: Total	(a) Agricul-tural	(b) Others	V Unskilled Occupns.: Total	(a) Bldg. & Dock Labrs.	(b) Others	Not Stated
UNITED BRISTOL HOSPITALS																	
The Bristol Royal Hospital																	
The Bristol Royal Infirmary	M	195	2	11	104	1	15	17	3	68	26	6	20	20	7	13	32
The Bristol General Hospital	F	258	4	33	126	3	11	19	3	90	32	6	26	27	10	17	36
The Bristol Maternity Hospital																	
The Bristol Royal Hospital for sick Children and Women																	
The Bristol Eye Hospital																	
The Queen Victoria Jubilee Convalescent Home																	
REGIONAL HOSPITAL BOARDS																	
Edgware General Hospital	M	3,660	140	476	2079	4	199	291	55	1530	327	29	298	302	55	247	336
	F	6256	184	721	3283	2	252	635	96	2298	680	44	636	499	87	412	889
Chase Farm Hospital	M	2969	45	165	946	-	74	144	11	717	248	47	201	239	23	216	1326
	F	4239	3	111	480	2	2	198	4	274	212	8	204	125	-	125	3308
St. Woolos Hospital Newport	M	1543	20	120	781	42	130	63	28	518	237	26	211	216	75	141	169
	F	2770	28	180	1465	36	233	158	43	995	456	30	426	334	113	221	307

Leicester Royal Infirmary	M	6073	115	677	3482	295	291	265	62	2569	827	187	640	546	106	440	426
	F	5630	78	556	2963	168	187	329	31	2248	699	123	576	440	66	374	894
Leicester General Hospital	M	2683	26	193	1567	46	123	98	27	1273	299	34	265	226	50	176	372
	F	4629	40	296	2744	77	164	245	48	2210	595	37	558	311	46	265	643
Loughborough General Hospital	M	798	12	82	491	32	40	25	12	382	111	30	81	73	12	61	29
	F	1085	17	112	626	27	49	41	20	489	124	30	94	93	13	80	113
Ashby-de-la-Zouch and District Hospital	M	233	7	32	144	54	3	18	-	69	32	14	18	11	2	9	7
	F	479	9	72	303	101	31	20	6	145	54	15	39	21	4	17	20
Blaby Hospital	M	101	-	16	61	7	8	1	3	42	13	6	7	7	1	6	4
	F	101	-	11	61	13	3	6	-	39	14	4	10	8	2	6	7
Bosworth Park Infirmary	M	445	1	37	280	22	24	14	7	213	87	21	66	29	3	26	11
	F	927	5	71	594	62	65	25	16	426	176	26	150	43	12	31	38
Burley-on-the-Hill Auxiliary Hospital	M	354	9	24	224	5	14	26	1	178	57	8	49	33	6	27	7
	F	283	-	21	97	-	1	14	1	81	30	-	30	16	-	16	119
Hinckley and District Hospital	M	406	12	34	234	8	19	10	2	195	78	18	60	45	10	35	3
	F	493	3	54	273	6	23	10	1	233	80	9	71	36	10	26	47
Hinckley Isolation Hospital	M	106	-	19	60	4	5	2	7	42	19	8	11	6	3	3	2
	F	108	-	14	70	8	5	1	2	54	11	7	4	7	4	3	6
Leicester Isolation Hospital and Chest Unit	M	660	15	73	401	21	36	23	17	304	87	13	74	62	11	51	22
	F	626	9	76	383	18	44	27	5	289	68	7	61	48	19	29	42
Markfield Sanatorium and Isolation Hospital	M	213	1	15	137	11	8	10	12	96	34	12	22	15	5	10	11
	F	139	3	13	90	13	4	11	3	59	19	6	13	9	-	9	5
Melton and District War Memorial Hospital	M	379	14	56	146	3	27	9	5	102	88	20	68	38	5	33	37
	F	427	4	56	170	-	18	19	5	128	84	12	72	25	3	22	88
Melton Mowbray Infirmary	M	293	2	30	113	2	12	10	4	85	95	45	50	33	5	28	20
	F	662	7	64	332	1	38	24	19	250	166	82	84	58	9	49	35
Oakham Infirmary (Shared)	M	49	-	6	14	-	2	-	-	12	18	10	8	9	4	5	2
	F	30	-	2	5	-	1	-	-	4	2	2	-	-	-	-	21

(7306)

TABLE H.4 (Contd.)

Hospital		Total	Social Class: I Professional etc.	II Intermediate	III Skilled Occupations: Total	(a) Mine-Workers	(b) Transport	(c) Clerical	(d) Armed Forces	(e) Others	IV Partly Skilled Occupns.: Total	(a) Agricul-tural	(b) Others	V Unskilled Occupns.: Total	(a) Bldg. & Dock Labrs.	(b) Others	Not Stated
REGIONAL HOSPITAL BOARDS (Contd.)																	
Rutland Memorial Hospital	M	180	7	37	43	1	4	5	5	28	38	19	19	12	3	9	43
	F	225	4	37	41	2	-	5	4	30	33	15	18	9	1	8	101
Crumpsall Hospital	M	4254	34	268	1975	45	188	177	43	1522	601	17	584	812	108	704	564
	F	7253	38	410	3036	43	233	398	78	2284	1405	28	1377	947	116	831	1417
Withington Hospital	M	4204	83	428	2340	22	234	285	32	1767	534	46	488	644	158	486	175
	F	7430	80	666	3579	48	330	512	115	2574	949	33	916	863	230	633	1293
Baguley Sanatorium and Emergency Hospital	M	166	4	13	97	1	9	11	9	67	24	1	23	25	3	22	3
	F	214	1	10	97	2	6	24	1	64	59	1	58	24	2	22	23
Christie Hospital and Halt Radium Institute	M	426	16	62	221	2	15	22	-	182	51	2	49	62	5	57	14
	F	427	9	42	126	1	5	20	1	99	60	1	59	46	3	43	144
Booth Hall Hospital for Children	M	2608	19	146	1420	30	204	84	37	1065	372	8	364	461	116	345	190
	F	2165	16	125	1111	15	150	63	30	853	329	7	322	407	93	314	177
Monsall Isolation Hospital	M	928	11	77	464	10	61	35	29	329	124	7	117	179	48	131	73
	F	1145	6	114	571	11	61	45	15	439	198	8	190	178	40	138	78

PART II. - SICKNESS STATISTICS OF ADMISSIONS TO EMERGENCY MEDICAL SERVICE HOSPITALS

When, in 1949, the General Register Office embarked on an enquiry into morbidity in a sample of hospitals, it was not without previous experience, since from 1942 to 1947 a study had been made of the records of service and civilian patients admitted to Emergency Medical Service Hospitals. A comprehensive report of the statistics compiled from these records will be published in the Medical Statistics volume of the Medical History of the War, but in view of the relevance of experience with E.M.S. hospital records to subsequent development of hospital in-patient statistics, their bearing on some of the aims of such enquiries are discussed in the following sections and a few examples of the kind of results that can be obtained from a study of the E.M.S. material are presented, notably for jaundice and certain types of fracture.

Introduction

"Up to the present time the statistics of hospitals have been kept on no uniform plan. Every hospital has followed its own nomenclature and classification of diseases, and there has been no reduction on any uniform model of the vast amount of observations which have been made in these establishments. So far as relates either to medical or sanitary science, these observations in their present state bear exactly the same relation as an indefinite number of astronomical observations made without concert and reduced to no common standard, would bear to the progress of astronomy. The material exists, but it is inaccessible."

Thus wrote Florence Nightingale, in presenting to the Fourth Session of the International Statistical Congress of 1860, a 'Proposal for a Uniform Plan of Hospital Statistics'. Her remarks were probably scarcely less applicable in 1939 at the outbreak of the Second World War than when they were written. Two problems were indicated by Miss Nightingale; firstly, the need for providing a uniform classification of diseases for use in hospitals, and secondly that for collecting observations in a uniform way. Although a uniform classification had existed for about eighty years, it related primarily to causes of death and was unsuitable for morbidity coding, while, with the possible exception of mental hospitals, there was a complete lack of uniformity in the keeping of medical records.

Classification of Diseases:

Early attempts at classifying diseases were made by de Lacroix (1706-77), Linnaeus (1707-78) and Cullen (1710-90). William Farr, first Medical Statistician to the General Register Office, was greatly impressed with the need for a classification of diseases for statistical purposes; and in 1853 at the First International Statistical Congress he laid down the principles which he considered should be followed in producing such a list. The Congress,

recognizing the value of a uniform classification, asked Farr and d'Espine of Geneva to prepare classifications for consideration a the Congress of 1855. d'Espine's grouping was based on the nature of diseases; for example, gouty, herpetic, haematic etc. Farr's list contained five groups:-

(1) epidemic diseases

(2) constitutional (or general) diseases

(3) local diseases according to anatomical site

(4) developmental diseases

(5) diseases which were the direct result of violence.

The Congress of 1855 adopted a list of 139 classes arranged in accordance with Farr's proposals. Subsequent congresses in 1864, 1874, 1880 and 1886 revised the original list, but without departing from the original structure. When the International Congress was replaced by the International Statistical Institute in 1891, a committee under the chairmanship of Dr. Bertillon was requested to prepare a classification of causes of death. The result, which was adopted in 1893, followed Farr's principle of separating general diseases from those which attacked an isolated organ. Subsequent revisions of the classification gradually began to come into international use, and in 1923, following Bertillon's death, it was agreed that responsibility for the classification should be shared by the International Statistical Institute and the Health Organization of the League of Nations. While interest had centred on a classification of causes of death, the necessity had not been overlooked for extending the classification to diseases which cause disability, without usually being fatal. Two difficulties arose in this connection, the lack of definition of what constitutes a sick person and the lack of a suitable body of material to classify, since except for certain infectious diseases, there has been no registration of sickness comparable with the registration of cause of death. In both 1900 and 1909 when the Classification of Causes of Death was revised, attempts were made to provide a parallel list for coding illnesses which are generally non-fatal, but they met with little success. In 1936 Canada published a 'Standard Morbidity Code' for use in the Dominion Council of Health, and in 1944 the Medical Research Council issued a Provisional Classification of Diseases and Injuries for use in compiling Morbidity Statistics'. This was the classification used to code causes of admission to Emergency Medical Service Hospitals. The experience gained from using this list was subsequently helpful in the preparation of the Manual of the International Statistical Classification of Diseases, Injuries and Causes of Death (Sixth Revision of the International Lists of Diseases, Injuries and Causes of Death), which came into use in 1950 for the preparation by Member States of the World Health Organization of their official statistics of both mortality and morbidity.

Sources of Data:

The second need to which Miss Nightingale referred, namely that of obtaining a body of observations which could be abstracted and

recorded in a uniform way was largely overcome when the Emergency Medical Service was brought into operation in 1939. With the increasing tension in Europe during 1937-39, the possibility of a second European war could not be ignored. The experience of the Spanish Civil War showed the need for defending the civilian population against aerial attack and for providing treatment for casualties. Early in 1938 medical officers of the Ministry of Health surveyed the existing hospital accommodation in England and Wales, and recorded 3,128 hospitals and institutions containing 400,000 - 500,000 beds of which 130,000 were in mental hospitals. It had been estimated that in the event of war immediate accommodation should be available for 300,000 civilian casualties, in addition to the possible requirements of the fighting services. This was to be done in three ways, by discharging all ambulant patients and those who could safely be sent home, thus clearing about 100,000 beds, by 'crowding' hospitals by introducing 110,000 extra beds and by building new hutted hospitals to hold 90,000 beds. When the war broke out the Emergency Medical Service had retained 2,370 hospitals with 492,570 beds, of which 309,354 were suitable for casualties the rest being mostly in Infectious Diseases hospitals and sanatoria. Within a week 187,000 extra beds had been provided by 'crowding'.

As the expected aerial bombardment did not materialize, a number of hospitals were released for the treatment of ordinary civilian sick, so that by January, 1940, there were 1,207 hospitals remaining in the scheme, with 406,612 beds, of which 262,859 were for casualties. By the end of 1942 a further reduction had taken place, leaving 892 hospitals and institutions with 278,761 beds. The numbers then remained fairly constant, but from 1945 onwards there was a steady decline, so that by the end of 1947 329 hospitals were left in the service containing 18,000 beds, which were however available for ordinary civilian use when not required for Emergency Medical Service patients. The Emergency Hospital Service was finally merged in the National Health Service in July, 1948.

In addition to ordinary facilities for the treatment of casualties, a number of special centres were set up, either as separate hospitals or as wings of existing ones. These numbered about 120 in all, the main groups being for cases requiring orthopaedic surgery (20), for skin diseases (20), neurosis (14), facio-maxillary injuries (12), head injuries (11) and chest injuries (10).

The main classes of Emergency Medical Service patients were:-

(a) Civilians, including regular Police, suffering from war injuries and injuries incurred in the performance of Civil Defence duties.

(b) Service men and women, whether sick or injured, including repatriated prisoners of war, Dominion and Allied forces, including their auxiliary medical personnel.

(c) Evacuee children, refugees from Gibraltar and the Channel Islands, sick civilians moved from target areas, transferred war workers and those in agricultural or forestry camps.

(e) Persons whom, in the interest of the war effort, it was necessary to restore to health and full working capacity as quickly as possible, notably cases of fractures and certain other types of injury occurring among manual workers in factories and full-time Civil Defence workers.

The medical records of most of these patients, whether service or civilian, receiving in-patient treatment in Emergency Medical Service hospitals were collected at the Ministry of Pensions either during or after the war. Where a patient was admitted to hospital once or several times, the case papers for each admission were put in a separate envelope, these being filed alphabetically according to surname. A one-fifth sample of admissions was made by taking the files in order, assigning serial numbers to the admissions occurring in each half-year, and extracting all whose serial number ended in 0 or 5. Three other methods of sampling suggested themselves, to select certain letters and take all cases filed under these, to take all admissions to hospital on certain days or to select a number of hospitals and take all their admissions. All these methods would have introduced a bias, the first because of the preponderance of certain initial letters in Welsh and Scottish surnames, the second because of the seasonal variation in disease incidence and the last because of the greater prevalence of some diseases in particular regions, as of jaundice in the eastern counties. If a patient, after discharge, re-entered hospital for further treatment of the same condition within a week of discharge, the second visit was not counted as a separate admission. In the comparatively rare event of the case papers not containing a definite diagnosis, the envelope next in the series was taken as a substitute. It may reasonably be claimed that, as far as the documents were concerned, the sample was virtually a random one.

The information gained from the case papers was entered on a card, the following items being recorded:-

Dates of admission and discharge.

Sex. Age. Service or Civilian case.

Branch of Service. Rank.

Civil Defence Service or other occupation, for civilian patients.

Name of hospital and county in which situated.

Result of treatment - e.g. Return to duty, regraded, discharged from the forces, etc.

Number of days of in-patient treatment, including time spent in other hospitals and convalescent homes, and, in the case of men with injuries received abroad, the time from date of injury to discharge from hospital. Space was provided for showing the names of hospitals to which the patients were transferred.

The final diagnosis of the patient's condition was entered under four headings by inserting the appropriate code number from the Medical Research Council's Provisional Classification of Diseases, Injuries and Causes of Death.

(1) Principal disease or injury causing admission

(2) Principal complication of (1)

(3) Principal accessory acute disease or injury

(4) Principal chronic disease.

These four items, and any other pathological conditions mentioned in the case history, were recorded in words on the back of the card. For research purposes it was found desirable to record the theatre of war in which an injury was received and also whether or not a blood transfusion was given.

The work of reading the case papers, filling in cards and coding diseases was done by clerks with occasional recourse to medical advice. It was usually easy to find which was the principal diagnosis, but in cases where two acute conditions were given as joint causes, the rules for selection on page 9 of the Medical Research Council's Classification were followed. With coding rules established and a good medical dictionary available, lack of previous knowledge was not found to be an insuperable difficulty. An average coder could easily read and record fifty cases a day, while quicker or more experienced workers achieved a rate of seventy or over. This may have some bearing on problems of hospital administration, for if hospital records were designed to include a uniform front sheet to the case history it should be possible for statistical records to be abstracted at a sufficiently high rate to make feasible the collection of hospital statistics on a national scale. The form originally used in the Hospital In-patient Enquiry which has been conducted as an experiment by the General Register Office was designed for use also as a front sheet for case histories with intention that the section dealing with diagnosis should be completed under the direction of a doctor. Expense is lessened and uniformity enhanced if coding is done at a central office.

Limitations of Data:

It may be urged that the population from which the Emergency Medical Service hospital cases were drawn was a specially selected one; 82 per cent of male service patients and 95 per cent of female were in the age group 15-34 and those with certain chronic diseases would be excluded by the Medical Boards from entry to the services at all. The methods of modern warfare, however, requiring a relatively large number of technicians, are such that it was not quite so essential to have all service men of as high a standard of fitness as in previous wars, while reserved occupations had to retain a large number of those fit for service. Apart from air-raid casualties, civilians eligible for treatment as E.M.S. patients were restricted to the classes shown on page 462.

The general principle governing admission to E.M.S. as opposed to service hospitals was that from the beginning of the war the former should be responsible for the treatment of all service sick and casualties (other than mental cases and cases of infectious diseases including tuberculosis and venereal disease) whom it was no practicable to admit to service hospitals. With regard to sick and wounded soldiers returning from overseas who were unfit for further travel, arrangements were made to admit them to the nearest hospital military or E.M.S.

Since the number of armed forces at home was subject to conside able fluctuation in the course of a year, it was not practicable to calculate a population at risk on which admission rates could be based.

Size and Composition of the Sample:

The records of 317,699 service patients admitted during 1940-47 were examined, the constitution of the sample by sex and branch of service being as follows:-

	Army	Navy	Air Force	Total
Males	234,809	13,313	40,465	288,587
Females	18,388	994	9,730	29,112
Ratio, Males/Females	12.8	13.4	4.2	9.9

The age distribution of the sample was as follows:-

	15-	25-	35-	45-	55 & over	All Ages
Males						
Numbers	115,917	120,415	45,643	5,964	648	288,587
Proportion	402	417	158	21	2	1,000
Females						
Numbers	22,048	5,720	1,147	191	6	29,112
Proportion	757	197	39	7	0	1,000

Four main groups of civilian patients were entitled to treatment in E.M.S. hospitals:-

(a) Merchant Navy Officers and men, sick and injured.

(b) Evacuee children, refugees from Gibraltar and the Channel Islands, sick civilians moved from target areas, transferred war workers and those in agricultural and forestry camps.

(c) Civilians, including regular Police, suffering from war injuries and injuries incurred in the performance of Civil Defence duties.

(d) Cases of fractures and certain other types of injury occurring among manual workers in factories and full-time Civil Defence workers.

In the one-fifth sample of admissions there were 14,421 male and 8,852 female civilians, their age-distribution being as follows:-

	0-	1-	5-	10-	15-	25-	35-	55-	75 & over	All Ages
Males										
Numbers	54	202	275	458	2,179	3,109	5,276	2,424	444	14,421
Proportion	4	14	19	32	151	215	366	168	31	1,000
Females										
Numbers	53	163	212	303	1,412	1,393	2,568	2,033	715	8,852
Proportion	6	18	24	34	160	157	290	230	81	1,000

Table I shows the proportionate admission rates by cause for years from 1940 to 1947. In order to keep the total on which the proportions are based as free from seasonal fluctuation as possible, infective and respiratory diseases and all kinds of injuries have been excluded from the basic total.

The statistics which are presented:

In order to indicate the kind of material available and the ways in which it can be used, three illustrative topics have been selected for discussion*

(a) Jaundice records

(b) Fracture cases

(c) Period of disablement

The first shows how the records can be used to provide information relating to a particular disease entity; the second does the same for a particular type of injury and also shows some results of a follow-up enquiry based on hospital records; and the third presents data relating to one aspect of the impact of diseases and injuries on the provision of services.

Jaundice Records

During the war, the increasing prevalence of infective types of jaundice caused the Minister of Health to issue the Jaundice Regulations (1943), by which the notification of catarrhal, toxic and infective jaundice and of acute inflammation, necrosis or atrophy of the liver was made compulsory in the Eastern Region. The Minister was influenced in his choice of district by the existence of a research team working at Cambridge in collaboration with the Medical Research Council. Previous wars had brought epidemics of infective hepatitis in their train, but in this one the use of blood products in the treatment of casualties and the increase in parenteral therapy, particularly with arsenical compounds, added to the problem of jaundice caused by the transference of an icterogenic agent in the blood from one person to another. The condition known as homologous serum jaundice had been previously recognised among patients who had received vaccination against yellow fever, the virus used for this purpose being suspended in human serum. Cases had been reported from

* More general information will be published in the Statistics Volume of The Medical History of the War.

Table E.M.S. 1 - Causes of Admission of Service Patients to Emergency Medical Service Hospitals, 1940 to 1947.

Proportion per 1,000 Non-infective and Non-respiratory Illnesses

Disease Group	MALES								FEMALES							
	1940	1941	1942	1943	1944	1945	1946	1947	1940	1941	1942	1943	1944	1945	1946	1947
I Rheumatic diseases	51	52	53	48	47	40	33	27	33	30	53	47	37	32	33	4
II Psychoses, neuroses & other nervous diseases	92	98	116	109	125	142	107	78	74	89	89	78	91	88	46	49
III Eye & ear diseases	33	38	38	40	48	43	45	48	29	29	322	30	26	37	27	16
IV Diseases of veins	71	89	85	78	75	66	59	44	24	22	19	29	37	32	41	20
V Acute sore throat	101	75	69	82	67	62	75	89	152	92	101	133	88	58	82	69
VI Hernia	101	83	68	62	60	66	71	50	7	8	3	4	6	3	4	-
VII Gastric & duodenal ulcers	43	42	36	32	40	55	47	28	7	4	3	3	4	16	8	-
VIII Other digestive diseases	126	126	132	129	127	125	146	193	295	253	219	205	214	240	254	323
IX Diseases of skin & cellular tissue	178	179	151	177	176	152	157	193	99	100	88	95	108	97	107	86
X Diseases of bones joints & muscles	73	75	73	69	64	53	59	58	17	33	30	37	33	28	45	57
XI Other non-respiratory & non-infective diseases	131	143	179	174	171	196	201	192	263	340	363	339	356	369	353	376
Total non-infective and non-respiratory	1,000	1,000	1,000	1,000	1,000	1,000	1,000	1,000	1,000	1,000	1,000	1,000	1,000	1,000	1,000	1,000
XII Infective diseases	372	219	154	208	217	208	273	260	807	322	247	216	149	140	144	184
XIII Respiratory diseases	128	122	132	134	114	120	122	159	112	120	95	82	73	69	85	77
XIV Head injuries	46	39	42	40	58	30	40	73	28	28	23	20	19	11	21	16
XV Fractures (except skull)	86	86	106	112	200	117	86	114	20	32	34	34	30	22	25	24
XVI Other injuries	164	121	160	160	401	131	104	144	44	50	77	66	62	43	64	58
Total diseases & injuries	1,796	1,587	1,594	1,654	1,990	1,606	1,625	1,750	2,011	1,552	1,476	1,418	1,333	1,285	1,339	1,359

(7306)

South America and the United States as well as in this country. Biological studies of the liver (Dible, McMichael and Sherlock, 1943) showed that the same cytological changes occur in all these instances, so pointing to a like aetiology and suggesting that these several causes produce a parenchymatous hepatitis. In order to supply as much information as possible about the various forms of jaundice treated in E.M.S. hospitals all case-records of this condition were re-examined, with the following results.

Table E.M.S.2. - Numbers admitted for Epidemic Hepatitis and Jaundice, and numbers of deaths, 1940-47

M.R.C. Code Numbers	Diagnosis	MALES						FEMALES				
		Age Groups					Total Deaths	Age Groups				Total Deaths
		15-	25-	35-	45-	All Ages		15-	25-	35-	All Ages	
540	Hepatosis (toxic)	27	36	14	-	77	1	3	1	-	4	-
541	"Catarrhal jaundice" (Infective hepatitis)	1484	1528	427	23	3462	9	176	40	6	222	-
542 (pt)	Cirrhosis of the liver (not alcoholic)	5	7	11	6	29	11	-	-	-	-	-
543	Acute or sub-acute atrophy of the liver	10	4	3	2	19	9	3	1	-	4	1
7606	Jaundice (symptomatic)	113	115	31	3	262	-	16	3	1	20	-
953 (pt)*	Post-arsphenamine jaundice	59	79	31	4	173	2	-	-	-	-	-

* Including cases admitted primarily for treatment of syphilis, and developing jaundice in hospital after arsenical treatment.

Table 2 shows that in the one-fifth sample 4,022 men and 250 women were admitted to E.M.S. hospitals with hepatitis or jaundice during 1940-47, corresponding to about 21,000 cases in all; this excludes cases of jaundice following blood transfusion. Infective hepatitis accounted for 862 out of every 1,000 and cases of symptomatic jaundice, where no more definite diagnosis was made before discharge, for another 66 per 1,000. Excluding cases of arsenical jaundice, the case fatality rate over the eight years was 7.6 per 1,000. From infective hepatitis only the fatality rate was 2.4 per 1,000 which agreed well with Bradley's surmise of 1 death in 500 cases with icterus. (Bradley 1944). The fatality rates for cirrhosis (non-alcoholic) and acute yellow atrophy were 38 and 43 per cent.

The distribution of cases of infective hepatitis by season and region is shown in Table 3. The general trend was towards an autumn-winter maximum and summer minimum, not only for the country as a whole but in the three sub-divisions: Scotland, the six Northern Counties and Cheshire and the rest of England and Wales. The regional distribution of hospital cases is to some extent a function of the number of beds available, but it is doubtful whether this alone would account for the large number of admissions in the South Eastern Region.

Table E.M.S.3. - Regional and Seasonal Distribution of cases of Infective Hepatitis (541) and of Influenza and Colds

Region	Number of Admissions in each Month or Quarter (both sexes)																							
	1941												1942											
	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sep.	Oct.	Nov.	Dec.	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sep.	Oct.	Nov.	Dec.
S.East	5	-	3	7	2	3	5	4	5	8	6	2	12	9	9	8	9	8	14	15	15	29	16	23
S.West	1	2	1	1	1	1	-	-	-	2	-	1	2	5	1	3	2	7	1	2	6	2	2	4
East	-	-	-	-	1	1	2	3	3	5	4	2	2	2	4	-	4	2	-	3	3	6	6	6
Midlands	2	1	3	-	3	1	1	3	3	8	4	6	6	5	5	2	2	3	5	6	3	5	10	2
Wales	1	5	-	1	-	-	1	1	-	2	2	2	1	-	2	1	1	1	-	2	5	3	3	4
N.of England	4	5	7	3	9	5	8	4	7	14	13	3	9	18	17	9	6	7	6	7	13	18	14	21
Scotland	-	-	3	2	7	1	1	5	1	4	7	2	4	7	13	5	8	8	6	11	8	13	10	12
N.Ireland	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Total Hepatitis	13	13	17	14	23	12	18	20	19	43	36	18	36	46	51	29	32	36	32	46	53	76	61	72
	43			49			57			97			133			97			131			209		
Influenza and Colds	1,554			252			148			373			739			198			136			284		

	1943												1944											
	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sep.	Oct.	Nov.	Dec.	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sep.	Oct.	Nov.	Dec.
S.East	25	33	27	38	24	20	24	23	13	28	28	27	32	26	13	20	29	25	8	8	13	10	22	21
S.West	6	4	6	6	4	6	1	1	5	1	3	1	-	1	2	1	2	-	1	-	2	2	2	1
East	7	3	9	5	7	5	5	5	5	13	16	4	24	9	7	15	9	8	4	3	4	7	4	8
Midlands	10	11	7	8	8	9	2	11	7	6	7	5	9	6	8	8	4	6	7	4	6	13	14	9
Wales	5	2	4	3	3	-	1	2	2	3	-	2	2	-	1	1	1	1	4	1	1	-	2	1
N.of England	14	23	14	15	10	12	7	17	20	19	18	23	14	21	11	9	7	12	13	17	14	36	23	10
Scotland	15	16	20	16	11	8	16	10	8	8	8	6	14	15	13	14	8	8	19	3	4	4	9	11
N.Ireland	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	1	-	-	-	-	-	-	-	-
Total Hepatitis	82	92	87	91	67	60	56	69	60	78	80	70	95	78	55	69	60	60	56	36	44	72	76	61
	261			218			185			228			228			189			136			209		
Influenza and Colds	848			249			400			1,658			463			157			89			244		

	1945												1946											
	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sep.	Oct.	Nov.	Dec.	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sep.	Oct.	Nov.	Dec.
S.East	8	15	19	19	25	22	18	17	23	33	19	16	12	14	12	10	3	3	1	3	3	1	-	2
S.West	-	2	-	1	2	2	1	1	-	5	3	-	3	2	-	-	1	-	-	-	-	-	-	-
East	4	3	7	6	6	11	7	3	3	6	3	4	2	1	1	2	-	-	-	-	-	-	-	-
Midlands	12	17	17	10	8	10	6	8	7	14	13	10	9	4	4	10	1	1	1	3	1	-	-	2
Wales	1	-	8	2	1	-	3	2	1	2	7	2	3	1	1	-	-	1	2	-	-	-	-	-
N.of England	17	17	16	18	28	27	22	28	29	36	25	18	20	9	8	4	7	6	4	7	6	1	2	-
Scotland	11	19	9	6	15	8	9	5	4	8	8	6	5	2	4	-	2	1	1	2	1	1	3	-
N.Ireland	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Total Hepatitis	53	73	76	62	85	81	66	66	67	104	78	56	54	33	30	26	14	12	9	15	11	3	5	4
	202			228			199			238			117			52			35			12		
Influenza and Colds	260			97			61			180			296			34			17			32		

Table E.M.S.4. - Quarterly Admissions to E.M.S. Hospitals for Acute Infective Hepatitis and Influenza and Colds, and Quarterly Notifications* of Acute Poliomyelitis, Cerebrospinal Fever and Acute Encephalitis Lethargica. 1941-46

Disease	1941				1942				1943			
	1st Qtr.	2nd Qtr.	3rd Qtr.	4th Qtr.	1st Qtr.	2nd Qtr.	3rd Qtr.	4th Qtr.	1st Qtr.	2nd Qtr.	3rd Qtr.	4th Qtr.
Infective Hepatitis	43	49	57	97	133	97	131	209	261	218	185	228
Influenza and Colds	1554	252	148	373	739	198	136	284	848	249	400	1658
Acute Encephalitis Lethargica	57	48	32	42	50	39	32	30	17	28	31	31
Acute Poliomyelitis	132	74	359	363	83	82	276	214	69	72	169	157
Cerebrospinal Fever	5097	4066	1788	1816	4329	3482	1731	1531	2432	1820	901	874

	1944				1945				1946			
	1st Qtr.	2nd Qtr.	3rd Qtr.	4th Qtr.	1st Qtr.	2nd Qtr.	3rd Qtr.	4th Qtr.	1st Qtr.	2nd Qtr.	3rd Qtr.	4th Qtr.
Infective Hepatitis	228	189	136	209	202	228	199	238	117	52	35	12
Influenza and Colds	463	157	89	244	260	97	61	180	296	34	17	32
Acute Encephalitis Lethargica	18	28	18	15	21	17	26	12	25	20	18	16
Acute Poliomyelitis	70	98	205	152	58	81	343	369	99	86	262	225
Cerebrospinal Fever	1286	906	517	612	815	706	404	382	811	536	331	387

*Port Health Districts not included

Notifications for 1941-3 inclusive, uncorrected

Notifications for 1944-6 inclusive partically corrected (i.e. annual corrections not included)

In the years preceding the war, evidence that hepatitis was due to a virus had been accumulating, and in the Sixth Revision of the International Classification of Diseases, Injuries and Causes of Death (1948), infective hepatitis is included in the group of diseases attributable to viruses, instead of in the diseases of the liver. Greenwood (1944) had noted in the case of influenza and encephalitis lethargica, that when influenza increases there appears to be some increase in encephalitis lethargica.

Table 4 shows the quarterly admissions to E.M.S. hospitals for infective hepatitis and influenza and colds, and the quarterly notifications made to the Registrar General of acute poliomyelitis, cerebrospinal fever and acute encephalitis lethargica during 1941-46. The highest incidence of influenza and colds occurred in the first quarter of each year except in the winter of 1943-4, when the peak of the epidemic was reached before Christmas. Except for an unusually large number of cases in the third quarter of 1945, acute encephalitis lethargica followed the same pattern as influenza, the peak occurring before Christmas during 1943-4. The notifications of acute poliomyelitis and acute polioencephalitis in which the virus attacks the central nervous system showed a maximum incidence in the September and December quarters, while in the case of cerebrospinal fever, a non-virus disease affecting the central nervous system, the peak incidence occurred in the first quarter of each year. The trend of the winter epidemic of hepatitis was similar to that of influenza during the periods 1941-2, 1942-3, and 1943-4, but during the winters of 1944-5 and 1945-6, jaundice admissions were highest in the fourth quarter and influenza in the following first quarter.

For men aged 15-34 admitted for infective hepatitis, the median period of incapacity varied from year to year between 25 and 36 days, the average over the seven years 1940-46 being 31 days. For men aged 35-54 the median period was 43, while for women in the younger group it was 20 days.

A previous attack of jaundice was recorded by 167 patients with infective hepatitis, a re-infection rate of 4.5 per cent. Without a control series it is impossible to conclude whether an attack of infective hepatitis confers any immunity or whether on the contrary it renders the subject more liable to a subsequent attack. The age distribution of patients stated to have had a previous attack of jaundice is shown in Table 5. During 1948 there were 928 notifications of 'jaundice' in the Eastern Region (Report of the Chief Medical Officer on the State of the Public Health for 1945) with a bimodal age distribution of cases, having maxima at ages 5-9 and 20-24.

Table E.M.S.5. - Age Distribution of patients stated to have had a previous attack of jaundice

Age at present attack	Mean age at previous attack, using whole range			Mean age at previous attack, excluding those with over 20 years before the second		
	Number	Mean age	Mean interval	Number	Mean age	Mean interval
Under 20	9	15	2.5	9	15	2.5
22½	57	18.5	4.0	57	18.5	4.0
27½	52	21.8	5.7	49	22.6	4.9
32½	26	23.7	8.8	23	25.7	6.8
37½	20	31.6	5.9	19	33.0	4.5
42½	3	41.0	1.5	3	41.0	1.5

The first symptom to appear in 3,615 cases of infective hepatitis occurred in the following order of frequency:-

Nausea	644	Bile-stained urine	200	Influenza	58
Anorexia	635	Chill, rigor	137	Constipation	47
Abdominal Pain	577	Pyrexia	135	Pale stools	34
Vomiting	399	Diarrhoea	86	Sore throat	19
Jaundice	260	Backache	78	Coma	4
Headache	244	Pains in limbs	58		

There were 31 cases either following or associated with tonsillitis and two with enteritis, while two cases had been preceded at intervals of one week and ten weeks respectively by an attack of food poisoning. Eleven cases were associated with glandular fever, while in several cases it was noted that there were painful and enlarged glands, although no more definite diagnosis was made.

Of symptoms which may arise in the course of the illness, the one most frequently observed was pruritus which was stated to be present in 299 cases and absent in 294. It generally increased in intensity at night and was often confined to the lower limbs. Other symptoms were stated to be present (or absent) in the following descending order of frequency; vertigo 100 (11); rash 73 (32); dyspnoea 52 (51); tachycardia 22 (24). Conjunctivitis or other inflammatory conditions of the eyes were recorded in 11 cases, and herpes in 20 cases of which 10 were diagnosed as herpes labialis.

Lindsey (1943) has stated that complications of infective hepatitis are supposed to be very rare. Cullinan (1939) refers to a case of parotitis and Maitland and Winner (1939) to one of oophoritis. In this series there were two patients admitted with a primary diagnosis of mumps with subsequent jaundice and two admitted primarily for jaundice who developed mumps. One man developed orchitis and epididymitis. It is possible that in some cases there may be an involvement of the pancreas; one case was recorded in this series of chronic hepatitis and chronic pancreatitis, and a second in which the primary cause of admission was pancreatitis, jaundice subsequently developing in hospital. In two cases glycosuria was mentioned, but no record was found of diabetes.

Some virus diseases, such as mumps and measles may under certain circumstances attack the nervous system, and it is not surprising to find nervous complications following infective hepatitis. Lescher (1944) has mentioned meningitis, paralysis of the limbs and polyneuritis. Whilst no cases of meningitis were found in this series, there was one case in which facial paralysis occurred and others showing symptoms of involvement in the nervous system, such as weakness in the legs and feet and neck-rigidity.

It would be impossible in a general hospital survey to trace a connection between cases of jaundice. In 279 cases there was no known contact with jaundice and no other cases in the unit, while in 190 cases direct contact or the occurrence of other cases in the same billet, unit or ship was admitted. The periods of time stated to have elapsed between the possibility of contact and the present illness were distributed as follows.

under 2 wks	2 wks-	3 wks-	4 wks-	5 wks-	6 wks-	7 wks-	8 wks-	12 wks-
7	11	10	25	7	1	1	1	3

Though not generally appearing as a cause of admission a condition which caused great concern was jaundice or hepatitis following the administration of blood plasma or serum. (M.R.C. Code 963). The occurrence of hepatitis in patients who received inoculation with blood products was not peculiar to the Second World War, but the increase in the number of casualties so treated, with a resulting increase in the number of those developing homologous serum jaundice served to focus attention on the problem. Oliphant (1944) gives a chronological list in which the earliest report was that of Hirsch (1883-4) recording the vaccination of 1,289 persons with humanised lymph in glycerine, as a result of which 191 people developed jaundice, the incubation period varying from several weeks to two months. Further cases were reported following the administration of convalescent measles serum (McNalty 1937), Yellow Fever vaccine (Findlay and MacCallum, 1938; Soper and Smith, 1938; Fox and others, 1942), blood transfusion, mumps convalescent serum (Ministry of Health, 1943), citrated blood and pooled plasma (Beeson, 1943) and serum, plasma or both (Morgan and Williamson, 1942). If when pooled blood products are used, one donor has contributed an icterogenic agent, any or all of the recipierts of this blood are liable to infection. Further, Bradley, Loutit and Maunsell (1944) have shown that in their series of cases the clinical features and biochemical findings in homologous serum jaundice are indistinguishable from those of infective hepatitis, so that diagnosis must depend on a history of injection or transfusion. It is not possible to detect by laboratory or animal tests the presence of an icterogenic agent in blood intended for transfusion, which makes accurate recording of batch or bottle numbers desirable. The distinguishing feature of homologous serum jaundice is its long incubation period of 2-3 months as compared with 20-40 days in the case of infective hepatitis.

In an attempt to estimate the incidence of serum jaundice all case histories in the sample of E.M.S. hospital admissions which had already been coded to jaundice were re-examined for mention of blood transfusion or inoculation. At the same time all incoming records were examined and information was recorded about the three following groups:-

(1) injured patients who were transfused.

(2) sick patients who were transfused.

(3) injured patients who were not transfused.

The size assumed by this investigation was not anticipated at the start or the records of blood transfusion jaundice got from re-examining jaundice cases would have been kept separate from those obtained from incoming records. The following tables, while not covering all cases in the three groups admitted during 1940-45, give some indication of the incidence and case-fatality rates among servicemen under observation for three months or more after injury or transfusion.

Table E.M.S.6. - Incidence of Jaundice following Blood Transfusion, 1940-45, among Servicemen under observation for 3 months or more after injury or transfusion.

Group whose hospital records were examined	Total number of patients whose records were examined	Numbers who developed jaundice during observation	Number of those who died subsequently to jaundice	Incidence rate per 1,000 observation period (and standard error)
Injured patients who were transfused	1,316	124	17	94 ± 8
Sick patients who were transfused	82	16	7	195 ± 44
Injured patients who were not transfused	6,350	6	0	0.9 ± 0.4

Table 6 shows that in all 7,748 records were examined in the three groups, and that of 1,398 sick or injured patients who were transfused 140 subsequently developed jaundice of whom 24 died. The overall incidence and case-fatality rates in the transfused group were 100 and 171 per 1,000 respectively. Among injured patients who were not transfused there were 6 cases of jaundice of whom none died, the incidence rate being therefore 0.9 per 1,000. The incidence rate among injured patients who were transfused was 94 per 1,000 and the case-fatality rate 137 per 1,000. The case-fatality rates when compared with that of 2.4 per 1,000 for cases of infective hepatitis show a much higher death-rate among cases of homologous serum jaundice.

Jaundice was known to be rife among both allied and enemy forces in North Africa, hence it might be that where a record of blood transfusion and a subsequent attack of jaundice occurred in a case from the Mediterranean theatre of war, it was by a coincidence that they occurred in the same patient. The 7,666 cases of injury were therefore analysed according to the theatre of war in which the injury was received and the results are shown in Table 7.

Table E.M.S.7. - Incidence of Jaundice following Blood Transfusion. Admissions for injuries analysed by theatre of war in which injury occurred.

	Transfused			Not Transfused		
	Total examined	Jaundice developed	Died after jaundice	Total examined	Jaundice developed	Died after jaundice
Mediterranean	308	55	6	905	0	0
Western Europe	613	55	9	2,133	0	0
Far East	30	5	1	80	0	0
United Kingdom	107	8	1	1,240	3	0
Not stated	258	1	0	1,992	3	0
Total	1,316	124	17	6,350	6	0

Jaundice therefore occurred in 179 per 1,000 of those who were injured in the Mediterranean theatre and subsequently received a blood transfusion, whereas there was no instance of jaundice reported among 905 men injured in that theatre but not transfused. In Western Europe 90 per 1,000 of those injured and transfused developed jaundice, but no mention of jaundice occurred in the records of 2,133 men who were injured but not transfused. The incidence of jaundice was greater, for every theatre of war, among the transfused than among those who had not received transfusion.

In considering the incidence of jaundice in the cases discussed above, no attention has been paid to the period between transfusion and onset of jaundice. In some cases the administration of blood of an incompatible group produced a reaction within 4 days; allowing therefore for delay in recording, it might be assumed that where, jaundice was stated to have appeared in less than 10 days from the transfusion, it was haemolytic, rather than homologous serum jaundice which was observed. In cases which appeared to have a short incubation period, the possibility that the patient was experiencing an attack of an infective hepatitis contracted before the transfusion was given cannot be ruled out.

The search for cases in which jaundice followed blood transfusion was continued after the above tables had been made, and altogether 175 cases were found. The intervals between transfusion and the appearance of jaundice showed the following distribution, two or more periods being recorded where more than one transfusion was given. (The left hand number of each pair shows the number of days elapsing; the second number gives the frequency.)

Days	F	Days	F	Days	F	Days	F	Days	F	Days	F	Days	F	Days	F	Days	F	Days	F
1	4	19	1	48	2	62	3	75	4	88	6	101	3	116	1	132	1	176	1
3	2	23	1	49	2	63	5	76	5	89	3	102	1	117	1	133	2	181	1
4	1	27	1	50	1	64	5	77	3	90	5	103	3	118	1	134	2	203	1
5	2	28	3	52	3	65	2	78	4	91	3	104	2	119	2	142	2	209	1
6	1	30	2	53	1	66	2	79	3	92	4	105	1	120	1	143	1	215	1
8	2	31	1	54	1	67	3	80	1	93	2	106	3	121	2	147	2	243	1
9	1	32	3	55	2	68	3	81	4	94	3	107	4	122	5	153	1	283	1
11	1	33	1	56	1	69	4	82	3	95	5	108	3	123	3	156	4	285	1
12	2	35	1	57	3	70	4	83	5	96	3	109	3	124	1	158	1	288	1
13	1	38	2	58	4	71	3	84	2	97	1	111	3	125	1	161	1	290	1
16	2	42	1	59	2	72	4	85	3	98	3	112	1	128	3	166	1		
17	1	44	1	60	3	73	7	86	6	99	3	114	3	130	1	170	1		
18	1	46	1	61	3	74	2	87	2	100	2	115	3	131	1	173	1		

Periods not stated exactly were, 2 less than 12, 1 not more than 76, 1 not more than 77, 1 more than 92.

Of the cases in which the periods were stated exactly, 13 had intervals of less than 10 days and there were 276 with intervals of 10 days or more. If those cases with less than 10 days' interval be regarded as haemolytic jaundice, the median interval for the remaining cases is 85 days, the lower quartile being 65 days and the upper 107 days.

In records of infective hepatitis the most frequently mentioned first symptoms were:-

nausea 18% anorexia 18% abdominal pain 16% vomiting 11%

The same symptoms were among the first five most frequently mentioned in cases of homologous serum jaundice, with frequencies:-

nausea 14% anorexia 16% abdominal pain 17% vomiting 18%

In the latter, however, bile-stained urine was the first symptom mentioned in 18 per cent of the cases, compared with 6 per cent in cases of infective hepatitis.

There were 23 deaths in the series, but the cause of death was not stated in every case. Among the eighteen in which the cause was defined, three were attributed to acute yellow atrophy following infective hepatitis, three to necrosis of the liver, three to toxic hepatitis, two to liver failure due to infective hepatitis and one to jaundice and cerebral abscess.

Fracture Cases

Admissions for injuries naturally formed a large part of the total for E.M.S. hospitals, and were regarded from three angles, the nature of the injury, its external cause and whether or not it was a war injury or otherwise intentionally inflicted or purely accidental. Most of the civilians admitted to E.M.S. Hospitals were accident cases, and included air-raid casualties, merchant navy and civil defence personnel, fracture cases among industrial workers and other small groups of people entitled to treatment in these hospitals. From examining the hospital records not only were the numbers admitted with various kinds of injury assessed, but also proportions having various types of complications or proportions dying of the effects of injury were found. Cases of new syndromes were located, as for example crush syndrome occurring in patients buried under debris in air-raids, and special surveys, for instance of paraplegics, were made and the information passed to the appropriate sub-committee of the Medical Research Council. An attempt was also made to follow up service fracture cases so as to find how long before a return to work was possible and in what proportion of cases a change to lighter work was necessary.

For fractures of the vertebral column there were during 1940-46 711 admissions in the sample, or about 3,500 estimated total admissions, of which 96 per cent were male cases. The distribution of cases according to the part of the spine involved was; cervical 11 per cent, thoracic 20 per cent, lumbar 55 per cent, sacral spine or coccyx 10 per cent and ill-defined 4 per cent. The proportion at each site which were accompanied by a lesion of the spinal cord were cervical 23 per cent, thoracic 30 per cent, lumbar 9 per cent, sacral 4 per cent and ill-defined sites 19 per cent. One advantage of medical records of disabled servicemen is that cases are reviewed periodically for assessment of the amount of residual disability and it is therefore possible to follow up the medical history for a considerable time. The same applies to patients in general hospitals where subsequent returns to hospital are filed under the same number in a unit filing system. The drawback of using such records is that, since the injuries took place in different years but the enquiry unless it is continuous must be completed in one operation, the follow-up extends over varying periods of time.

Despite this drawback 256 records were investigated which, with the numbers who had survived up to the time of the last examination, were as follows.

	Cervical	Thoracic	Lumbar	Sacral	Not stated	Total
Numbers	35	130	70	2	19	256
Percentage	14	51	27	1	7	100
Survivors	34	83	61	2	19	198
% surviving	97	64	87	100	100	77

Table 8 shows, in six-monthly intervals, the period between the date of injury and either the date of death or the last date for which information was recorded; the latter would in general be the date of the last Medical Board prior to the survey under discussion. Thus, of persons with injury in the thoracic region who were last examined at a period of 2 years but less than 2 years 6 months from the date of injury, 20 were alive at the time of examination whereas 5 had died.

Table E.M.S.8. - Spinal Cord Injury. Period between date of injury and last date for which information recorded, or date of death.

Site of Spinal Fracture	Survived or Died	Period in Months												
		0-	6-	12-	18-	24-	30-	36-	42-	48-	54-	60-	66-71	All
Cervical	Survived	-	1	2	3	3	8	5	3	2	1	5	1	34
	Died	-	1	-	-	-	-	-	-	-	-	-	-	1
Thoracic	Survived	3	-	3	11	20	11	18	7	6	1	2	1	83
	Died	3	14	12	7	5	4	1	1	-	-	-	-	47
Lumbar	Survived	1	1	3	7	10	11	7	10	8	3	-	-	61
	Died	1	-	4	-	2	-	-	1	1	-	-	-	9
Sacral	Survived	-	-	-	-	-	2	-	-	-	-	-	-	2
	Died	-	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	Survived	-	1	-	2	3	4	3	2	1	1	2	-	19
	Died	-	-	-	-	-	-	-	-	-	-	-	-	-

49 of the 57 who died were paralysed at the time of death and of those who had survived some were completely paralysed in the lower limbs with little or no control over the urinary system at the time of the last examination recorded. The numbers of such cases, distributed according to the period between injury and either death or last date of examination, are shown in Table 9.

Table E.M.S.9. - Spinal Cord Injury. Cases with Total Paralysis at last recorded date or at death.

Site of Spinal Injury	Survived or Died	Period since Injury (Months)												
		0-	6-	12-	18-	24-	30-	36-	42-	48-	54-	60-	66-71	All
Cervical	Survived	-	1	-	1	1	2	-	1	-	-	-	-	6
	Died	-	-	-	-	-	-	-	-	-	-	-	-	-
Thoracic	Survived	3	-	2	3	14	5	9	4	3	1	1	-	45
	Died	3	12	12	6	5	2	1	1	-	-	-	-	42
Lumbar	Survived	-	1	-	1	4	4	3	2	1	-	-	-	16
	Died	1	-	4	-	1	1	-	-	-	-	-	-	7
Sacral	Survived	-	-	-	-	-	-	-	-	-	-	-	-	-
	Died	-	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	Survived	-	-	-	-	1	1	1	1	-	-	-	-	-
	Died	-	-	-	-	-	-	-	-	-	-	-	-	-
Total paralysed and under in-patient treatment		3	1	1	4	17	5	5	4	1	1	-	-	42

Deaths occurring in this group of paraplegics, while having as underlying cause the initial spinal injury, fall mainly into two groups as regards secondary causes; those due to pyelonephritis and other disorders of the urinary tract, and those due to septicaemia from infected bedsores. Of the 57 deaths in this series, two were not stated to be due to the fracture of the spine, one being due to an anaesthetic misadventure during tooth extraction and the other to pulmonary tuberculosis. A further nine deaths were assigned to 'war operations', but in four cases the medical notes referred to trophic or gangrenous bedsores while in addition one case reported transverse myelitis and another pyelonephritis. Pyelonephritis was given as the secondary cause in 14 cases, pyelitis in 3, pyelonephrosis in 1 and cystitis in 1, while in 2 cases urinary tract infection was stated; 21 cases therefore, or 37 per cent, had a disorder of the urinary tract as secondary cause of death. Septicaemia or pyaemia was the terminal cause of 17 deaths, following in 11 cases upon trophic ulcers or bedsores. Transverse myelitis was the secondary cause of 2 deaths, and the remainder were attributable to pulmonary oedema, general cachexia, pyopneumothorax, perforated ulcer with peritonitis and severe asthma respectively, each of these conditions being attributed to paraplegia.

In the hope of obtaining some information about the period of long-term incapacity subsequent to fractures of either an arm or a leg, 1,000 service patients admitted to E.M.S. hospitals for this reason during 1944 and 1945 and subsequently discharged from the services, were sent letters of enquiry during the latter half of 1946 and the beginning of 1947. The majority of fractures (75 and 73 per cent for upper and lower limb respectively) were due to operations of war, of which the chief would involve bombs, mortars, gunshot and various kinds of high explosives. The fractures under consideration would involve greater bone damage than many to which a civilian population would be subject in peace-time, and hence the periods of incapacity are greater than would normally be expected.

The patients were informed that for research purposes information was being collected about the number of weeks of incapacity following certain kinds of fracture and they were assured that the information was to be used for statistical purposes only. The questions asked were:-

(1) Name of hospital from which you received your discharge

(2) Date of leaving that hospital

(3) Occupation before entering the Services

(4) Date of resuming that or a similar occupation

or

Date when certified as fit for a lighter occupation.

The first two questions helped in correctly identifying the subject of a record card with the appropriate questionnaire in cases where

Table E.M.S.10. - Follow-up of Fracture Cases. Period from Date of Injury to Date when certified fit for work.

Site of Fracture	Under 6 m (" 182 d)	6 m- (182 d-)	9 m- (273 d-)	1 yr- (365 d-)	1 yr 3 m- (456 d-)	1 yr 6 m- (547 d-)	1 yr 9 m- (638 d-)	2 yr- (730 d-)	2 yr 3 m- (812 d-)	2 yr 6m- (912 d-)	2 yr 9 m- (1003 d-)	Total	Median Duration
Humerus	5	10	14	6	7	3	3	4	2	-	1	55	337 days
Ulna	2	4	4	1	1	2	2	1	-	-	-	17	321 "
Radius	-	1	1	3	1	-	-	-	1	-	-	7	404 "
Radius & Ulna	-	3	2	4	2	-	2	-	-	-	-	13	397 "
Carpal bones	-	1	-	-	1	-	-	-	-	1	-	3	543 "
Metacarpals	-	3	-	-	1	-	1	-	-	-	-	5	239 "
Phalanges	-	-	1	-	-	-	-	-	-	-	-	1	-
Total, Arm and Hand	7	22	22	14	13	5	8	5	3	1	1	101	357 "
Femoral neck	-	1	1	-	-	-	-	1	-	-	-	3	349 "
Femur, other	5	10	32	32	20	23	8	13	5	2	-	150	438 "
Patella	1	2	3	-	-	-	-	1	-	-	-	7	438 "
Tibia	2	5	7	10	9	4	2	3	2	1	-	45	437 "
Fibula	1	2	3	1	1	1	-	-	-	-	1	10	310 "
Tibia & fibula	1	8	31	20	13	11	13	4	3	2	-	106	405 "
Tarsals and metatarsals	-	-	-	1	-	-	-	-	-	-	-	1	-
Total, Leg and Foot	10	28	77	64	43	39	23	22	10	5	1	322	421 "

there were two or more people with the same name and injury. In the interests of accuracy the remaining questions were made as simple as possible.

Only 566 usable replies were received. When the patients' files were being searched for their most recent address, it was noticed that a great many had had several changes of residence and it is therefore probable that in addition to those forms which were returned to the central office marked 'Unknown', there were others which failed to reach the subject of the enquiry because he had moved away. It may be that this mobility was in some measure due to the housing shortage obliging people to live in rooms, thus making them less stable than if they were living in houses, and that this would not apply under normal conditions. Nevertheless the problem of tracing people from one address to another is a serious one and might vitiate any attempts at a follow-up by postal enquiry. A second reason for failure to answer the questions may have been a fear that the answers could be used in some way as a means of reducing the assessment of disability pension.

Of those who answered the questionnaire 22 per cent of those with fractures of an upper limb and 33 per cent with fractures of a lower limb had been able to resume their pre-war occupation whereas 67 per cent and 56 per cent respectively took up a lighter one. Table 10 shows the distribution of cases by period from date of injury to date when certified fit for work. The median time between date of injury and of starting work for those with fractures of arm or hand was 6 - 7 weeks longer than the median time before being medically certified as fit for work. For all fractures of the lower limb, there was little difference between the two intervals. Many of those who had had fractures subsequently spent as much as six months in a Government Training Centre learning a new occupation, and in some of these cases there was time spent in awaiting admission to the Centres - facts which will partially explain the difference between the periods.

Periods of Disablement

Little information has hitherto been available about the periods of disablement for different diseases. After eliminating cases in which mention was made of more than one pathological condition and cases terminating in death, the periods of disablement of service patients for admissions during 1940-46 are shown in Table 11 for some common diseases. The period of disablement is measured from the time of entering hospital to the date of discharge to duty and may thus include not only periods in hospital but also those in convalescent homes and similar establishments. The median and mean durations are shown for men aged 15-34 and 35-54 and for women aged 15-34.

In some cases, for example influenza, colds and laryngitis, there is little difference between median and mean periods whereas in others, as otitis media with mastoiditis, the mean for men of both age groups is 11 days more than the median. This indicates a number of severe cases in the distribution, with longer periods of hospitalisation; in this case 25 per cent were incapacitated for three months or more. It has not been possible to separate operative cases from those having

Table E.M.S.11. - Distribution of Days of In-patient Treatment of Cases in which only one pathological condition was recorded. 1940-46.

A. Males aged 15-34 B. Males aged 35-54 C. Females aged 15-34

Disease Diagnosed		Days of In-patient Treatment														Total	Median Duration	Average Duration
		0-	7-	14-	21-	28-	35-	42-	49-	56-	63-	70-	77-	84-	91-			
Influenza	A	889	3516	1599	396	154	96	62	32	26	22	15	13	8	28	6856	11 days	14 days
	B	137	547	245	41	26	18	11	4	8	5	3	2	4	3	1054	11	14
	C	126	277	85	23	7	8	4	1	3	2	-	-	-	1	537	9	12
Common Cold	A	382	789	280	59	27	16	11	6	6	7	4	4	1	10	1602	10	13
	B	51	116	51	11	3	3	-	1	1	1	1	1	-	-	240	10	12
	C	78	117	29	6	4	2	-	-	1	-	-	-	-	-	237	8	10
Laryngitis	A	36	145	70	23	15	12	4	9	4	4	1	1	4	9	337	13	21
	B	5	28	10	6	1	2	2	-	1	1	-	2	-	3	61	13	23
	C	15	35	20	4	6	3	1	1	-	-	-	-	-	-	85	11	14
Bronchitis, acute	A	68	321	304	109	59	52	36	23	22	15	13	20	14	45	1101	17	27
	B	17	97	89	27	16	18	13	9	9	8	3	4	2	9	321	17	26
	C	11	55	46	11	5	6	5	1	1	2	1	-	-	-	144	14	18
Bronchitis, chronic or unqualified	A	242	824	693	259	220	140	126	100	76	47	47	42	36	108	2960	18	28
	B	91	321	344	121	114	95	80	61	44	26	24	22	9	41	1393	14	29
	C	36	137	80	34	22	14	6	9	2	1	2	1	0	2	346	14	19
Pneumonia, lobar	A	9	112	324	208	176	175	194	140	107	85	76	73	62	318	2079	43	53
	B	3	19	49	42	41	34	38	24	12	19	19	14	19	49	382	43	52
	C	2	17	25	14	10	14	13	5	8	2	1	2	-	2	115	27	33
Bronchopneumonia unqualified	A	7	38	84	53	39	51	48	33	27	27	28	17	13	76	547	42	53
	B	3	9	25	13	9	11	10	10	8	6	3	5	6	13	131	39	46
	C	-	5	7	10	5	4	4	2	-	1	1	-	-	1	40	26	33
Pneumonia, primary atypical	A	2	21	38	33	22	18	22	13	13	5	5	6	6	41	245	38	46
	B	-	4	7	5	7	4	3	4	2	1	-	1	1	3	42	33	39

Pneumonia, unqualified	A	18	106	192	111	85	96	85	69	50	56	35	38	42	164	1147	39	50
	B	3	25	43	12	27	15	18	6	18	8	8	6	7	28	224	35	48
	C	2	15	17	13	12	10	8	8	4	2	1	-	-	5	97	35	35
Gastric ulcer with perforation	A	3	4	11	22	21	18	27	14	14	10	8	6	4	14	176	45	48
	B	1	3	9	19	10	10	8	8	4	1	2	2	3	8	88	37	48
Gastric ulcer with haemorrhage	A	-	4	2	2	3	4	6	2	3	2	3	1	1	3	36	46	52
	B	-	-	1	1	3	3	2	-	1	3	1	-	1	5	21	56	65
Gastric ulcer unqualified	A	13	26	58	39	57	48	46	30	30	21	13	17	11	36	446	39	46
	B	10	17	43	33	48	40	43	27	21	19	19	10	20	31	381	41	48
Duodenal ulcer with perforation	A	5	10	27	44	47	33	38	19	22	11	18	8	9	16	307	39	46
	B	2	-	9	14	23	6	18	15	10	5	3	3	1	4	113	42	44
Duodenal ulcer with haemorrhage	A	1	-	1	6	1	4	7	4	5	8	7	4	2	5	55	61	59
	B	1	-	1	3	2	4	2	2	8	1	1	-	1	5	31	56	57
Duodenal ulcer unqualified	A	52	162	290	367	327	298	261	216	167	110	74	76	56	142	2598	37	43
	B	25	82	131	178	188	158	135	101	69	59	48	26	23	74	1297	36	43
Appendicitis unqualified	A	128	539	1214	586	394	375	335	230	185	175	188	146	121	399	5015	28	40
	B	15	50	116	76	42	44	34	29	13	14	18	14	16	48	529	29	41
	C	47	392	700	318	171	209	173	68	36	17	9	6	2	9	2157	20	25
Functional dyspepsia	A	145	410	460	181	114	71	80	52	40	52	24	19	25	70	1743	19	29
	B	50	154	166	65	56	53	24	37	16	17	9	10	9	9	676	19	28
	C	19	28	28	14	5	4	-	5	-	1	1	-	1	-	106	15	19
Inguinal hernia	A	101	132	562	978	921	633	563	524	456	350	309	267	271	1348	7415	47	56
	B	43	49	112	216	202	143	179	180	115	110	87	67	72	383	1958	50	55
	C	2	3	5	1	6	6	8	6	1	2	-	2	-	1	58	33	24
Infective hepatitis	A	38	255	630	247	231	168	137	137	104	92	111	70	72	239	2531	31	45
	B	3	27	73	29	29	23	32	20	27	18	14	13	17	55	380	43	51
	C	9	37	75	37	27	24	13	6	6	1	1	1	-	1	238	20	25
Jaundice	A	2	26	47	14	12	17	15	9	10	9	7	8	5	9	190	29	39
	B	1	3	6	4	4	3	-	2	-	1	3	1	-	2	30	28	39
	C	-	2	8	1	3	1	-	3	-	-	-	-	-	-	18	20	27

Table E.M.S.11. - (Contd.)

A. Males aged 15-34 B. Males aged 35-54 C. Females aged 15-34

Disease Diagnosed		Days of In-patient Treatment														Total	Median Duration	Average Duration
		0-	7-	14-	21-	28-	35-	42-	49-	56-	63-	70-	77-	84-	91-			
Scabies	A	596	848	380	138	61	39	28	16	14	9	5	3	2	15	2154	10 days	14 days
	B	70	82	38	19	13	5	2	1	3	1	-	2	1	5	242	10	17
	C	178	174	68	22	11	10	1	-	1	1	-	-	-	-	466	8	10
Impetigo	A	110	695	861	264	260	211	138	80	73	52	39	25	15	64	2987	20	27
	B	11	59	79	20	14	15	10	12	5	6	1	5	1	7	245	18	21
	C	9	54	41	23	8	4	6	2	-	-	-	-	-	1	148	15	19
Asthma	A	60	173	158	77	63	59	45	34	29	27	17	14	6	39	801	21	32
	B	10	39	59	33	31	22	13	11	8	8	4	4	3	11	256	25	33
	C	18	41	37	17	15	9	9	3	1	3	3	-	2	1	159	17	23
Diabetes mellitus unqualified	A	5	10	16	15	14	24	19	15	13	11	5	1	2	8	158	40	43
	B	4	15	4	6	13	9	4	6	3	1	2	2	2	6	77	33	42
Otitis media with mastoiditis	A	3	14	23	12	14	23	6	19	9	12	10	10	8	55	218	54	65
	B	-	1	1	3	2	1	4	3	1	2	3	-	-	7	28	53	64
	C	1	4	3	-	1	-	1	2	1	3	-	-	1	3	20	49	49
Psychopathic personality	A	17	24	37	35	35	48	35	38	23	16	17	15	2	34	376	40	45
	B	4	3	7	8	7	9	7	5	2	3	3	1	2	4	65	28	43
	C	-	2	5	8	5	2	1	4	5	1	2	1	1	1	38	32	43
Anxiety state	A	141	193	292	308	403	389	390	373	275	229	166	145	14	432	3864	45	54
	B	51	70	96	98	102	106	100	94	70	59	51	32	18	92	1039	41	47
	C	16	24	43	40	34	41	37	40	25	18	8	11	1	13	351	37	41
Obsessional state	A	2	6	14	8	19	14	15	19	9	14	10	7	5	33	175	53	64
	B	-	5	1	3	4	7	2	7	4	1	1	0	1	8	44	50	52
Reactive depression	A	13	14	16	25	22	33	33	28	17	24	18	6	8	53	310	48	56
	B	4	8	10	16	15	12	13	7	12	6	8	6	5	21	143	43	52
	C	4	8	8	12	9	11	11	11	14	9	5	3	3	9	117	45	49

Hysteria	A	98	117	119	114	144	130	152	127	106	80	81	78	52	229	1626	46	53
	B	19	27	34	26	39	32	35	29	25	29	22	21	9	52	400	46	52
	C	31	42	33	28	28	13	17	18	11	11	4	7	3	16	262	27	35
Depression unqualified	A	4	4	5	-	2	1	1	8	1	3	-	2	1	5	37	53	50
	B	3	-	1	-	1	-	-	1	-	1	-	2	-	3	13	60	66
Arthritis, all forms	A	37	81	126	75	69	66	58	48	39	42	44	20	39	211	945	43	62
	B	33	62	86	73	43	53	54	49	33	21	19	15	15	117	673	39	54
	C	3	20	16	12	8	7	5	4	4	2	1	1	1	14	98	26	45
Fibrositis, muscular rheumatism, lumbago	A	180	468	489	178	146	91	80	79	62	58	42	49	35	173	2130	20	35
	B	75	248	333	130	97	72	66	48	42	46	36	30	23	79	1325	21	34
	C	36	85	91	47	33	17	18	10	4	1	5	3	2	15	367	18	26
Headache	A	34	59	36	8	10	4	6	4	7	2	1	4	2	2	179	13	21
	B	7	9	5	6	3	3	-	-	1	-	-	-	-	1	35	15	23
	C	8	16	5	3	2	-	-	-	-	-	-	-	-	-	34	10	12
Haemoptysis	A	10	24	20	7	2	2	2	5	2	3	2	3	3	9	94	17	36
	B	2	2	9	2	1	1	-	1	1	1	1	-	-	1	22	18	29
Dyspnoea	A	4	3	4	2	3	-	-	-	-	-	-	-	-	-	16	17	16
	B	-	4	2	1	-	-	2	-	1	-	-	-	-	-	10	17	23
Abdominal pain	A	160	143	86	24	20	21	13	12	6	3	11	8	8	13	528	11	21
	B	25	28	21	7	6	1	5	4	2	-	-	2	2	6	109	14	26
	C	52	58	39	6	8	7	5	4	-	1	-	-	-	-	180	10	15
Diarrhoea	A	76	145	80	18	16	3	5	7	8	2	2	1	3	7	373	12	18
	B	19	38	16	4	5	3	1	1	2	2	2	-	-	7	100	12	24
	C	8	16	6	3	-	-	-	-	-	-	-	-	-	-	33	10	10
Frequency	A	11	30	30	12	5	7	3	3	2	3	1	2	1	9	119	17	31
	B	2	10	17	3	5	2	-	1	1	2	2	-	1	4	50	19	32
	C	7	5	6	1	1	-	2	-	-	-	-	-	-	-	22	11	15
Pyrexia	A	27	47	37	13	8	7	3	-	3	5	6	2	1	8	167	10	26
	B	2	3	2	5	-	2	2	1	-	2	-	-	-	-	19	3	29
	C	2	17	4	5	5	-	1	-	-	-	1	-	-	-	35	10	19

only conservative treatment, and this will affect the distribution of gastric and duodenal ulcer cases while non-operative cases probably form the bulk of short duration appendicitis cases.

Apart from the hospital time taken up in treating recognised diseases, attention may be drawn to the considerable amount of time absorbed by patients with symptomatic diagnoses only. These vague conditions may constitute in themselves minor illnesses or they may be merely indicative of some graver condition as yet either undetected or not manifest. They will be recorded as causes of admission only when:-

(a) No more definite diagnosis could be made, no matter what examinations or tests were applied.

(b) The symptom cleared up without a more serious underlying condition being detected.

(c) The patients' discharge occurred before a more definite diagnosis could be made.

Admissions coded to symptoms in M.R.C. group 76 might reasonably be expected to form a very small proportion of the total of admissions. Table 12 shows that in the E.M.S. hospital admissions they formed from 2.3 to 5.0 per cent of the basic total of male admissions and from 2.8 to 7.0 per cent of female.

Table E.M.S.12. - Ill-defined Symptoms (except Jaundice) Proportion per 1,000 Admissions for Non-infective and Non-respiratory Illnesses, by Sex and Age. 1940 to 1947.

Year	MALES						FEMALES				
	AGE GROUPS						AGE GROUPS				
	15-	25-	35-	45-	55 and over	All Ages	15-	25-	35-	45 and over	All Ages
1940	22	21	33	50	47	24	47	25	-	111	39
1941	24	21	24	29	36	23	50	34	37	83	46
1942	49	48	53	60	73	50	71	68	61	74	70
1943	35	33	41	35	32	35	51	48	74	32	51
1944	25	24	23	24	41	24	31	32	28	-	31
1945	27	23	24	32	65	25	28	31	32	-	28
1946	27	26	14	28	83	25	34	13	-	-	29
1947	34	55	31	92	-	38	63	30	250	-	61

The fourteen symptoms to which were attributed the highest numbers of admissions, together with the estimated numbers of men with these as primary diagnosis were as follows:-

Abdominal pain	4150 ± 144	Pain in the back	1050 ± 72
Diarrhoea	3060 ± 124	Syncope	1015 ± 71
Headache	1660 ± 91	Epistaxis	890 ± 67
Pyrexia	1290 ± 80	Haemoptysis	835 ± 65
Pain in the chest	1245 ± 79	Haematemesis	810 ± 64
Haematuria	1120 ± 75	Debility	805 ± 63
Frequency	1065 ± 73	Vertigo	650 ± 59

Conclusion

Hospital morbidity statistics have several possible axes of classification, of which the following are important:-

(a) The number of admissions and the conditions causing them, irrespective of whether the same person appears more than once.

(b) The number of individuals hospitalised, irrespective of the number of times each one is admitted.

(c) The total number of different morbid conditions and the contribution of each to the total pool of hospital-treated morbidity.

(d) The contribution of each admission or individual or morbid condition to the total of in-patient days of treatment.

It has only been possible to consider the first of these groups here. In the case of E.M.S. records, the envelopes containing case-histories for second or higher order admissions were pinned together. Apart from the likelihood of their becoming detached, there was the possibility of error in the alphabetical order of filing, especially where names were identical and only regimental numbers differed, hence it is apparent that there would have been considerable difficulty in obtaining reliable results as to the number of different individuals hospitalised. With a more widespread use of the unit system of keeping medical records and an increased efficiency of record departments, it should be possible to provide information on the second point listed above.

The third item is also one which presents some difficulty. On the E.M.S. record cards provision was made for recording four diagnoses and instructions were given that any further pathological conditions should be recorded on the back of the card. It was found that in this way, where the hospital notes were copious, as many as eleven conditions might be recorded, but some may have been symptomatic of others. A clear distinction would need to be drawn between morbid conditions found in hospital patients and those actually treated. The fourth item is even more complex since it involves the apportionment of hospital stay between concurrent conditions.

Even allowing for the war-time difficulties experienced by all working in E.M.S. hospitals, it is apparent that the divergence in the completeness and quality of clinical notes is very great. Experience has suggested that in E.M.S. hospital records emphasis was placed on what required treatment, rather than on recording all that the patient was suffering from with a view to building up a picture of morbidity in hospitalised patients, related to underlying causes. Table 13 is of interest in this connection. Since it is probable that most head injuries are accompanied by some degree of concussion, the proportions here seem to be small especially since they are related only to those cases in which multiple causes are reported and not to all head injuries. Thus in cases of bruised scalp the secondary diagnosis was concussion in 75 per cent of the

Table E.M.S.13. - Head Injuries. Principal Diagnosis in relation to Complications (II) or Accessory Acute Conditions (III) for cases with record of more than one clinical condition.

Note:- P = Total of II and III as a percentage of total in the diagnostic group.

Complication of Primary Cause of Admission (II) or Accessory Acute Condition (III)	Principal Cause of Admission																				
	Scalp Wound			Bruising Scalp			Haemorrhage (brain)			Cerebral Laceration			Concussion			Sequelae of Injury			Head Injury (unspec.)		
	II	III	P	II	III	P	II	III	P	II	III	P	II	III	P	II	III	P	II	III	P
Concussion	319	1	51.9	38	-	74.5	5	-	41.7	8	-	18.6	-	-	-	1	-	1.6	17	-	33.3
Shock	41	-	6.6	1	-	2.0	1	-	8.3	4	-	9.3	26	-	4.0	-	-	-	3	-	5.9
Foreign bodies in head	46	-	7.5	-	-	-	-	-	-	6	-	14.0	1	1	0.3	2	-	3.3	-	-	-
Epilepsy (including Jacksonian)	2	-	0.3	-	1	2.0	-	-	-	-	-	-	5	1	0.9	13	-	21.3	-	-	-
Psychoses	-	-	-	-	-	-	-	-	-	-	-	-	2	-	0.3	1	-	1.6	-	-	-
Neuroses	2	3	0.8	-	1	2.0	-	-	-	-	-	-	20	13	6.6	15	2	27.9	1	1	3.9
Abnormal Character States	-	1	0.2	-	-	-	-	-	-	-	-	-	2	2	0.6	2	1	4.9	-	-	-
Nerve Injuries	-	3	0.5	-	-	-	-	1	8.3	-	-	-	2	1	0.5	-	-	-	3	-	5.9
Haemorrhage (brain)	-	-	-	-	-	-	-	-	-	2	-	4.7	-	-	-	-	-	-	-	-	-
Total cards with more than one condition recorded	616			51			12			43			650			61			51		

	Fracture of Vault			Fracture of Base			Fracture of Sinus or Orbit			Fracture of Nasal Bones			Fracture of Upper Jaw			Fracture of Lower Jaw			Fracture skull ill-defined			Multiple Fr. of skull		
	II	III	P	II	III	P	II	III	P	II	III	P	II	III	P	II	III	P	II	III	P	II	III	P
Concussion	39	-	36.1	35	-	37.6	16	-	28.6	23	-	24.0	17	-	27.9	14	-	10.4	20	-	27.4	18	-	24.7
Haemorrhage (brain)	5	-	4.6	4	-	4.3	1	1	3.6	-	-	-	-	-	-	-	-	-	7	-	9.6	-	-	-
Cerebral laceration	17	1	16.7	16	-	17.2	4	-	7.1	-	-	-	-	-	-	-	1	0.7	11	-	15.1	15	-	20.5
Shock	2	-	1.9	8	-	8.6	3	-	5.4	2	-	2.0	1	-	1.6	3	-	2.2	5	-	6.8	4	-	5.5
Foreign bodies in head	11	-	10.1	2	-	2.2	4	-	7.1	1	-	1.0	6	-	9.8	15	1	11.9	2	-	2.7	7	-	9.6
Epilepsy (including Jacksonian)	2	-	1.9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Psychoses	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Neuroses	-	1	0.9	-	-	-	-	1	1.8	-	1	1.0	-	-	-	-	1	0.7	1	-	1.4	-	-	-
Abnormal character states	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Nerve injuries	1	1	1.9	2	2	4.3	1	-	1.8	-	1	1.0	3	1	6.6	2	2	3.0	2	1	4.1	2	2	5.5
Total cards with more than one condition recorded	108			93			56			96			61			135			73			73		

cases, compared with 36 per cent and 38 per cent in fractures of the vault and base respectively, suggesting that in the former case the treatment was concentrated on concussion and in the latter on treating the fracture. Similarly the highest proportion of mental diseases are shown here as sequelae of unspecified forms of head injury, suggesting that it was for the mental condition, rather than for the injury, that treatment was required. From the clinician's point of view the condition requiring treatment is undoubtedly the most important, and it has considerable value also for the hospital administration. From the rather wider aspect of preventive medicine complete assessment of morbidity is more important, but for this it is essential that underlying causes should also be considered. One problem that emerges is how far it is possible accurately to serve the two purposes simultaneously and with a minimum of effort. Research is also needed to find the best form for recording both information as to case-histories and statistical information.

DS 7306/1/396 K.8 10/53 TL

Census 1951

1% SAMPLE TABLES

A sample was taken of one per cent. of the 1951 Census records and analysed in advance of the main Census operations in order to present as quickly as possible a preview of the pattern of the main results which would not otherwise be available for some years. The tables relate to Great Britain and, with correspondingly less detail, to various smaller areas according to the size of their populations.

In particular, the information contained in these volumes will be of great value to Public Health Departments for Administrative Counties, County Boroughs, Metropolitan Boroughs and some of the larger urban areas in their work.

PART I contains information about Age and Marital Condition of the Population, Occupations, Industries, and Housing of Private Households.

Price 17s. 6d. net. By post 17s. 10d.

PART II contains information about the Characteristics and Composition of Private Households, Non-Private Households, Education, Birthplace and Nationality, Fertility, Welsh and Gaelic Languages, and a Conurbation Supplement.

Price £2 0s. net. By post £2 0s. 6d.

COUNTY REPORTS

LONDON ... ... 22s. 6d. (by post 22s. 11d.)
MIDDLESEX ... ... 20s. (by post 20s. 4d.)
ESSEX ... ... *In the press*

Published by

HER MAJESTY'S STATIONERY OFFICE

Obtainable from the Sale Offices shown on cover page four or through any bookseller.